



## wwPDB EM Validation Summary Report ⓘ

Jun 1, 2023 – 05:10 PM EDT

PDB ID : 8FR6  
EMDB ID : EMD-29396  
Title : Antibody vFP53.02 in complex with HIV-1 envelope trimer BG505 DS-SOSIP  
Authors : Wang, S.; Kwong, P.D.  
Deposited on : 2023-01-06  
Resolution : 2.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.


























---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev50  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.33



Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	219	 50% 48%
4	K	219	 50% 48%
4	L	219	 50% 48%
5	M	2	 100%
5	O	2	 100%
5	T	2	 100%
5	a	2	 100%
5	c	2	 100%
5	h	2	 100%
5	o	2	 100%
5	q	2	 100%
5	v	2	 100%
6	N	5	 60% 40%
6	W	5	 40% 60%
6	b	5	 60% 40%
6	k	5	 40% 60%
6	p	5	 60% 40%
6	y	5	 40% 60%
7	0	3	 100%
7	1	3	 100%
7	P	3	 100%
7	R	3	 100%
7	S	3	 100%
7	U	3	 100%
7	V	3	 67% 33%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
7	X	3	67% 33%
7	Y	3	100%
7	Z	3	100%
7	d	3	100%
7	f	3	100%
7	g	3	100%
7	i	3	100%
7	j	3	67% 33%
7	l	3	67% 33%
7	m	3	100%
7	n	3	100%
7	r	3	100%
7	t	3	100%
7	u	3	100%
7	w	3	100%
7	x	3	67% 33%
7	z	3	67% 33%
8	Q	6	50% 50%
8	e	6	50% 50%
8	s	6	50% 50%

## 2 Entry composition i

There are 9 unique types of molecules in this entry. The entry contains 21237 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	132	1034	654	178	196	6	0	0
1	B	132	1034	654	178	196	6	0	0
1	F	132	1034	654	178	196	6	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	605	CYS	THR	engineered mutation	UNP Q2N0S7
B	605	CYS	THR	engineered mutation	UNP Q2N0S7
F	605	CYS	THR	engineered mutation	UNP Q2N0S7

- Molecule 2 is a protein called Envelope glycoprotein gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	C	453	3564	2233	630	671	30	0	0
2	G	453	3564	2233	630	671	30	0	0
2	I	453	3564	2233	630	671	30	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	201	CYS	ILE	engineered mutation	UNP Q2N0S6
C	332	ASN	THR	engineered mutation	UNP Q2N0S6
C	433	CYS	ALA	engineered mutation	UNP Q2N0S6
C	501	CYS	ALA	engineered mutation	UNP Q2N0S6
G	201	CYS	ILE	engineered mutation	UNP Q2N0S6
G	332	ASN	THR	engineered mutation	UNP Q2N0S6

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	433	CYS	ALA	engineered mutation	UNP Q2N0S6
G	501	CYS	ALA	engineered mutation	UNP Q2N0S6
I	201	CYS	ILE	engineered mutation	UNP Q2N0S6
I	332	ASN	THR	engineered mutation	UNP Q2N0S6
I	433	CYS	ALA	engineered mutation	UNP Q2N0S6
I	501	CYS	ALA	engineered mutation	UNP Q2N0S6


- Molecule 3 is a protein called vFP53.02 Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	118	Total	C	N	O	S	0	0
			914	585	151	175	3		
3	H	118	Total	C	N	O	S	0	0
			914	585	151	175	3		
3	J	118	Total	C	N	O	S	0	0
			914	585	151	175	3		

- Molecule 4 is a protein called vFP53.02 Fab light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	E	113	Total	C	N	O	S	0	0
			879	556	148	171	4		
4	L	113	Total	C	N	O	S	0	0
			879	556	148	171	4		
4	K	113	Total	C	N	O	S	0	0
			879	556	148	171	4		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	M	2	Total	C	N	O	0	0
			28	16	2	10		
5	O	2	Total	C	N	O	0	0
			28	16	2	10		
5	T	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	a	2	28	16	2	10	0	0
5	c	2	28	16	2	10	0	0
5	h	2	28	16	2	10	0	0
5	o	2	28	16	2	10	0	0
5	q	2	28	16	2	10	0	0
5	v	2	28	16	2	10	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	N	5	61	34	2	25	0	0
6	W	5	61	34	2	25	0	0
6	b	5	61	34	2	25	0	0
6	k	5	61	34	2	25	0	0
6	p	5	61	34	2	25	0	0
6	y	5	61	34	2	25	0	0

- Molecule 7 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	P	3	Total	C	N	O	0	0
			39	22	2	15		
7	R	3	Total	C	N	O	0	0
			39	22	2	15		
7	S	3	Total	C	N	O	0	0
			39	22	2	15		
7	U	3	Total	C	N	O	0	0
			39	22	2	15		
7	V	3	Total	C	N	O	0	0
			39	22	2	15		
7	X	3	Total	C	N	O	0	0
			39	22	2	15		
7	Y	3	Total	C	N	O	0	0
			39	22	2	15		
7	Z	3	Total	C	N	O	0	0
			39	22	2	15		
7	d	3	Total	C	N	O	0	0
			39	22	2	15		
7	f	3	Total	C	N	O	0	0
			39	22	2	15		
7	g	3	Total	C	N	O	0	0
			39	22	2	15		
7	i	3	Total	C	N	O	0	0
			39	22	2	15		
7	j	3	Total	C	N	O	0	0
			39	22	2	15		
7	l	3	Total	C	N	O	0	0
			39	22	2	15		
7	m	3	Total	C	N	O	0	0
			39	22	2	15		
7	n	3	Total	C	N	O	0	0
			39	22	2	15		
7	r	3	Total	C	N	O	0	0
			39	22	2	15		
7	t	3	Total	C	N	O	0	0
			39	22	2	15		
7	u	3	Total	C	N	O	0	0
			39	22	2	15		
7	w	3	Total	C	N	O	0	0
			39	22	2	15		
7	x	3	Total	C	N	O	0	0
			39	22	2	15		
7	z	3	Total	C	N	O	0	0
			39	22	2	15		


Continued on next page...



Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	0	3	39	22	2	15	0	0
7	1	3	39	22	2	15	0	0

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	Q	6	72	40	2	30	0	0
8	e	6	72	40	2	30	0	0
8	s	6	72	40	2	30	0	0

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				AltConf
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	
9	C	1	Total	C	N	O	0
			14	8	1	5	
9	C	1	Total	C	N	O	0
			14	8	1	5	
9	C	1	Total	C	N	O	0
			14	8	1	5	
9	C	1	Total	C	N	O	0
			14	8	1	5	
9	F	1	Total	C	N	O	0
			14	8	1	5	
9	F	1	Total	C	N	O	0
			14	8	1	5	
9	F	1	Total	C	N	O	0
			14	8	1	5	
9	G	1	Total	C	N	O	0
			14	8	1	5	
9	G	1	Total	C	N	O	0
			14	8	1	5	
9	G	1	Total	C	N	O	0
			14	8	1	5	
9	G	1	Total	C	N	O	0
			14	8	1	5	
9	I	1	Total	C	N	O	0
			14	8	1	5	
9	I	1	Total	C	N	O	0
			14	8	1	5	
9	I	1	Total	C	N	O	0
			14	8	1	5	
9	I	1	Total	C	N	O	0
			14	8	1	5	

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Envelope glycoprotein gp41

Chain A:  85% 14%





- Molecule 1: Envelope glycoprotein gp41

Chain B:  85% 14%




- Molecule 1: Envelope glycoprotein gp41

Chain F:  85% 14%



- Molecule 2: Envelope glycoprotein gp120

Chain C:  94%



- Molecule 2: Envelope glycoprotein gp120

Chain G:  94%




- Molecule 2: Envelope glycoprotein gp120

Chain I:  94%




• Molecule 3: vFP53.02 Fab heavy chain

Chain D:  49%




• Molecule 3: vFP53.02 Fab heavy chain

Chain H:  49%




• Molecule 3: vFP53.02 Fab heavy chain

Chain J:  49%



• Molecule 4: vFP53.02 Fab light chain

Chain E:  50%



GLN  
GLU  
SER  
VAL  
THR  
GLU  
GLN  
ASP  
SER  
LYS  
ASP  
SER  
THR  
THR  
TYR  
LEU  
SER  
SER  
THR  
LEU  
THR  
LEU  
THR  
SER  
SER  
LYS  
ALA  
ASP  
TYR  
GLU  
LYS  
HIS  
LYS  
VAL  
TYR  
ALA  
CYS  
GLU  
VAL  
THR  
HIS  
GLN  
LEU  
LEU  
SER  
SER  
PRO  
VAL  
LYS  
GLN  
PHE  
LYS  
ASN  
ARG  
GLY  
GLU  
CYS

- Molecule 4: vFP53.02 Fab light chain

Chain L:  50% 48%

D1  
R54  
E81  
M106  
K107  
R108  
THR  
VAL  
ALA  
ALA  
PRO  
SER  
SER  
PHE  
ILE  
PHE  
PRO  
PRO  
SER  
ASP  
GLU  
GLN  
LEU  
LYS  
GLY  
THR  
ALA  
SER  
VAL  
VAL  
CYS  
GLU  
LEU  
ASN  
ASN  
PHE  
TYR  
PRO  
ARG  
GLU  
ALA  
VAL  
LYS  
GLN  
TRP  
LYS  
VAL  
ASP  
ASN  
GLY  
ALA  
LEU  
GLN  
SER  
GLY  
ASN  
SER

GLN  
GLU  
SER  
VAL  
THR  
GLU  
GLN  
ASP  
SER  
LYS  
ASP  
SER  
THR  
THR  
TYR  
SER  
SER  
PHE  
SER  
ILE  
PHE  
PRO  
PRO  
SER  
ASP  
GLU  
GLN  
LEU  
LYS  
GLY  
HIS  
LYS  
VAL  
TYR  
ALA  
CYS  
GLU  
VAL  
THR  
HIS  
GLN  
LEU  
LEU  
SER  
SER  
PRO  
VAL  
LYS  
GLN  
PHE  
LYS  
ASN  
ARG  
GLY  
GLU  
CYS

- Molecule 4: vFP53.02 Fab light chain

Chain K:  50% 48%

D1  
R54  
E81  
M106  
K107  
R108  
THR  
VAL  
ALA  
ALA  
PRO  
SER  
SER  
PHE  
ILE  
PHE  
PRO  
PRO  
SER  
ASP  
GLU  
GLN  
LEU  
LYS  
GLY  
THR  
ALA  
SER  
VAL  
VAL  
CYS  
GLU  
LEU  
ASN  
ASN  
PHE  
TYR  
PRO  
ARG  
GLU  
ALA  
VAL  
LYS  
GLN  
TRP  
LYS  
VAL  
ASP  
ASN  
GLY  
ALA  
LEU  
GLN  
SER  
GLY  
ASN  
SER

GLN  
GLU  
SER  
VAL  
THR  
GLU  
GLN  
ASP  
SER  
LYS  
ASP  
SER  
THR  
THR  
TYR  
SER  
SER  
PHE  
SER  
ILE  
PHE  
PRO  
PRO  
SER  
ASP  
GLU  
GLN  
LEU  
LYS  
GLY  
HIS  
LYS  
VAL  
TYR  
ALA  
CYS  
GLU  
VAL  
THR  
HIS  
GLN  
LEU  
LEU  
SER  
SER  
PRO  
VAL  
LYS  
GLN  
PHE  
LYS  
ASN  
ARG  
GLY  
GLU  
CYS

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%

MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  100%

MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%

MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  100%MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:  100%MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain q:  100%MAG1  
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain v:  100%MAG1  
MAG2

- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  60% 40%MAG1  
MAG2  
B0A3  
MAN4  
MAN5

- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W: 



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b: 



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k: 



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p: 



- Molecule 6: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain y: 



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P: 



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  67%  33%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  67%  33%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  100%



MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  67% 33%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l:  67% 33%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain r:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain t:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain u:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain w:  100%

MAG1  
MAG2  
BMA3

- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain x:  67% 33%



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain z: 67% 33%



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 0: 100%



- Molecule 7: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 1: 100%



- Molecule 8: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q: 50% 50%




- Molecule 8: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e: 50% 50%



- Molecule 8: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain s: 50% 50%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	557806	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	54.4	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.608	Depositor
Minimum map value	-0.220	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.0378	Depositor
Map size (Å)	371.84, 371.84, 371.84	wwPDB
Map dimensions	448, 448, 448	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83, 0.83, 0.83	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/1052	0.47	0/1427
1	B	0.26	0/1052	0.47	0/1427
1	F	0.26	0/1052	0.47	0/1427
2	C	0.26	0/3638	0.50	0/4939
2	G	0.26	0/3638	0.50	0/4939
2	I	0.26	0/3638	0.50	0/4939
3	D	0.26	0/936	0.50	0/1271
3	H	0.26	0/936	0.50	0/1271
3	J	0.26	0/936	0.50	0/1271
4	E	0.26	0/899	0.52	0/1216
4	K	0.26	0/899	0.52	0/1216
4	L	0.26	0/899	0.52	0/1216
All	All	0.26	0/19575	0.50	0/26559

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	128/153 (84%)	127 (99%)	1 (1%)	0	100	100
1	B	128/153 (84%)	127 (99%)	1 (1%)	0	100	100
1	F	128/153 (84%)	127 (99%)	1 (1%)	0	100	100
2	C	447/473 (94%)	433 (97%)	14 (3%)	0	100	100
2	G	447/473 (94%)	433 (97%)	14 (3%)	0	100	100
2	I	447/473 (94%)	433 (97%)	14 (3%)	0	100	100
3	D	116/230 (50%)	114 (98%)	2 (2%)	0	100	100
3	H	116/230 (50%)	114 (98%)	2 (2%)	0	100	100
3	J	116/230 (50%)	114 (98%)	2 (2%)	0	100	100
4	E	111/219 (51%)	108 (97%)	3 (3%)	0	100	100
4	K	111/219 (51%)	108 (97%)	3 (3%)	0	100	100
4	L	111/219 (51%)	108 (97%)	3 (3%)	0	100	100
All	All	2406/3225 (75%)	2346 (98%)	60 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	110/129 (85%)	108 (98%)	2 (2%)	59	81
1	B	110/129 (85%)	108 (98%)	2 (2%)	59	81

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	110/129 (85%)	108 (98%)	2 (2%)	59	81
2	C	405/422 (96%)	397 (98%)	8 (2%)	55	79
2	G	405/422 (96%)	397 (98%)	8 (2%)	55	79
2	I	405/422 (96%)	397 (98%)	8 (2%)	55	79
3	D	99/196 (50%)	94 (95%)	5 (5%)	24	45
3	H	99/196 (50%)	94 (95%)	5 (5%)	24	45
3	J	99/196 (50%)	94 (95%)	5 (5%)	24	45
4	E	98/193 (51%)	95 (97%)	3 (3%)	40	67
4	K	98/193 (51%)	95 (97%)	3 (3%)	40	67
4	L	98/193 (51%)	95 (97%)	3 (3%)	40	67
All	All	2136/2820 (76%)	2082 (98%)	54 (2%)	50	73

5 of 54 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	I	416	LEU
4	E	54	ARG
3	J	82(A)	ARG
2	I	501	CYS
3	D	28	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
4	E	30	ASN
3	H	1	GLN
4	K	30	ASN
4	L	30	ASN
1	B	656	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.



## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

138 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	NAG	0	1	2,7	14,14,15	0.26	0	17,19,21	0.38	0
7	NAG	0	2	7	14,14,15	0.23	0	17,19,21	0.48	0
7	BMA	0	3	7	11,11,12	0.57	0	15,15,17	0.69	0
7	NAG	1	1	2,7	14,14,15	0.20	0	17,19,21	0.39	0
7	NAG	1	2	7	14,14,15	0.19	0	17,19,21	0.39	0
7	BMA	1	3	7	11,11,12	0.56	0	15,15,17	0.76	0
5	NAG	M	1	5,2	14,14,15	0.21	0	17,19,21	0.41	0
5	NAG	M	2	5	14,14,15	0.53	0	17,19,21	0.38	0
6	NAG	N	1	6,2	14,14,15	0.28	0	17,19,21	0.40	0
6	NAG	N	2	6	14,14,15	0.21	0	17,19,21	0.43	0
6	BMA	N	3	6	11,11,12	0.54	0	15,15,17	0.71	0
6	MAN	N	4	6	11,11,12	0.64	0	15,15,17	0.92	1 (6%)
6	MAN	N	5	6	11,11,12	0.61	0	15,15,17	0.99	2 (13%)
5	NAG	O	1	5,2	14,14,15	0.21	0	17,19,21	0.43	0
5	NAG	O	2	5	14,14,15	0.21	0	17,19,21	0.40	0
7	NAG	P	1	2,7	14,14,15	0.25	0	17,19,21	0.40	0
7	NAG	P	2	7	14,14,15	0.22	0	17,19,21	0.44	0
7	BMA	P	3	7	11,11,12	0.55	0	15,15,17	0.72	0
8	NAG	Q	1	8,2	14,14,15	0.24	0	17,19,21	0.47	0
8	NAG	Q	2	8	14,14,15	0.22	0	17,19,21	0.39	0
8	BMA	Q	3	8	11,11,12	0.64	0	15,15,17	0.79	0
8	MAN	Q	4	8	11,11,12	0.64	0	15,15,17	0.92	1 (6%)
8	MAN	Q	5	8	11,11,12	0.67	0	15,15,17	0.89	1 (6%)
8	MAN	Q	6	8	11,11,12	0.66	0	15,15,17	0.98	2 (13%)
7	NAG	R	1	2,7	14,14,15	0.22	0	17,19,21	0.43	0
7	NAG	R	2	7	14,14,15	0.20	0	17,19,21	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	BMA	R	3	7	11,11,12	0.57	0	15,15,17	0.77	0
7	NAG	S	1	2,7	14,14,15	0.22	0	17,19,21	0.40	0
7	NAG	S	2	7	14,14,15	0.21	0	17,19,21	0.41	0
7	BMA	S	3	7	11,11,12	0.55	0	15,15,17	0.71	0
5	NAG	T	1	5,2	14,14,15	0.20	0	17,19,21	0.42	0
5	NAG	T	2	5	14,14,15	0.21	0	17,19,21	0.42	0
7	NAG	U	1	2,7	14,14,15	0.20	0	17,19,21	0.41	0
7	NAG	U	2	7	14,14,15	0.20	0	17,19,21	0.42	0
7	BMA	U	3	7	11,11,12	0.55	0	15,15,17	0.85	0
7	NAG	V	1	2,7	14,14,15	0.19	0	17,19,21	0.41	0
7	NAG	V	2	7	14,14,15	0.25	0	17,19,21	0.43	0
7	BMA	V	3	7	11,11,12	0.65	0	15,15,17	0.92	1 (6%)
6	NAG	W	1	6,2	14,14,15	0.23	0	17,19,21	0.53	0
6	NAG	W	2	6	14,14,15	0.35	0	17,19,21	0.72	0
6	BMA	W	3	6	11,11,12	0.51	0	15,15,17	1.15	1 (6%)
6	MAN	W	4	6	11,11,12	0.67	0	15,15,17	0.93	2 (13%)
6	MAN	W	5	6	11,11,12	0.59	0	15,15,17	1.04	2 (13%)
7	NAG	X	1	2,7	14,14,15	0.25	0	17,19,21	0.85	1 (5%)
7	NAG	X	2	7	14,14,15	0.22	0	17,19,21	0.44	0
7	BMA	X	3	7	11,11,12	0.55	0	15,15,17	0.73	0
7	NAG	Y	1	2,7	14,14,15	0.25	0	17,19,21	0.38	0
7	NAG	Y	2	7	14,14,15	0.23	0	17,19,21	0.48	0
7	BMA	Y	3	7	11,11,12	0.57	0	15,15,17	0.70	0
7	NAG	Z	1	2,7	14,14,15	0.18	0	17,19,21	0.40	0
7	NAG	Z	2	7	14,14,15	0.19	0	17,19,21	0.40	0
7	BMA	Z	3	7	11,11,12	0.55	0	15,15,17	0.75	0
5	NAG	a	1	5,2	14,14,15	0.21	0	17,19,21	0.41	0
5	NAG	a	2	5	14,14,15	0.53	0	17,19,21	0.37	0
6	NAG	b	1	6,2	14,14,15	0.25	0	17,19,21	0.40	0
6	NAG	b	2	6	14,14,15	0.21	0	17,19,21	0.43	0
6	BMA	b	3	6	11,11,12	0.54	0	15,15,17	0.71	0
6	MAN	b	4	6	11,11,12	0.64	0	15,15,17	0.92	1 (6%)
6	MAN	b	5	6	11,11,12	0.61	0	15,15,17	1.00	2 (13%)
5	NAG	c	1	5,2	14,14,15	0.20	0	17,19,21	0.43	0
5	NAG	c	2	5	14,14,15	0.22	0	17,19,21	0.40	0
7	NAG	d	1	2,7	14,14,15	0.25	0	17,19,21	0.39	0
7	NAG	d	2	7	14,14,15	0.23	0	17,19,21	0.45	0
7	BMA	d	3	7	11,11,12	0.57	0	15,15,17	0.71	0
8	NAG	e	1	8,2	14,14,15	0.24	0	17,19,21	0.47	0
8	NAG	e	2	8	14,14,15	0.21	0	17,19,21	0.38	0
8	BMA	e	3	8	11,11,12	0.66	0	15,15,17	0.79	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	MAN	e	4	8	11,11,12	0.64	0	15,15,17	0.92	1 (6%)
8	MAN	e	5	8	11,11,12	0.67	0	15,15,17	0.90	1 (6%)
8	MAN	e	6	8	11,11,12	0.67	0	15,15,17	0.98	2 (13%)
7	NAG	f	1	2,7	14,14,15	0.21	0	17,19,21	0.43	0
7	NAG	f	2	7	14,14,15	0.21	0	17,19,21	0.40	0
7	BMA	f	3	7	11,11,12	0.55	0	15,15,17	0.77	0
7	NAG	g	1	2,7	14,14,15	0.21	0	17,19,21	0.40	0
7	NAG	g	2	7	14,14,15	0.21	0	17,19,21	0.42	0
7	BMA	g	3	7	11,11,12	0.56	0	15,15,17	0.70	0
5	NAG	h	1	5,2	14,14,15	0.20	0	17,19,21	0.42	0
5	NAG	h	2	5	14,14,15	0.20	0	17,19,21	0.42	0
7	NAG	i	1	2,7	14,14,15	0.20	0	17,19,21	0.42	0
7	NAG	i	2	7	14,14,15	0.19	0	17,19,21	0.42	0
7	BMA	i	3	7	11,11,12	0.55	0	15,15,17	0.85	0
7	NAG	j	1	2,7	14,14,15	0.19	0	17,19,21	0.42	0
7	NAG	j	2	7	14,14,15	0.25	0	17,19,21	0.42	0
7	BMA	j	3	7	11,11,12	0.64	0	15,15,17	0.93	1 (6%)
6	NAG	k	1	6,2	14,14,15	0.23	0	17,19,21	0.53	0
6	NAG	k	2	6	14,14,15	0.35	0	17,19,21	0.71	0
6	BMA	k	3	6	11,11,12	0.52	0	15,15,17	1.14	1 (6%)
6	MAN	k	4	6	11,11,12	0.66	0	15,15,17	0.94	2 (13%)
6	MAN	k	5	6	11,11,12	0.60	0	15,15,17	1.04	2 (13%)
7	NAG	l	1	2,7	14,14,15	0.25	0	17,19,21	0.85	1 (5%)
7	NAG	l	2	7	14,14,15	0.23	0	17,19,21	0.44	0
7	BMA	l	3	7	11,11,12	0.55	0	15,15,17	0.73	0
7	NAG	m	1	2,7	14,14,15	0.25	0	17,19,21	0.38	0
7	NAG	m	2	7	14,14,15	0.23	0	17,19,21	0.48	0
7	BMA	m	3	7	11,11,12	0.58	0	15,15,17	0.70	0
7	NAG	n	1	2,7	14,14,15	0.19	0	17,19,21	0.40	0
7	NAG	n	2	7	14,14,15	0.19	0	17,19,21	0.39	0
7	BMA	n	3	7	11,11,12	0.56	0	15,15,17	0.76	0
5	NAG	o	1	5,2	14,14,15	0.22	0	17,19,21	0.40	0
5	NAG	o	2	5	14,14,15	0.53	0	17,19,21	0.38	0
6	NAG	p	1	6,2	14,14,15	0.27	0	17,19,21	0.41	0
6	NAG	p	2	6	14,14,15	0.19	0	17,19,21	0.43	0
6	BMA	p	3	6	11,11,12	0.53	0	15,15,17	0.71	0
6	MAN	p	4	6	11,11,12	0.66	0	15,15,17	0.92	1 (6%)
6	MAN	p	5	6	11,11,12	0.61	0	15,15,17	1.00	2 (13%)
5	NAG	q	1	5,2	14,14,15	0.21	0	17,19,21	0.44	0
5	NAG	q	2	5	14,14,15	0.20	0	17,19,21	0.40	0
7	NAG	r	1	2,7	14,14,15	0.27	0	17,19,21	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	NAG	r	2	7	14,14,15	0.23	0	17,19,21	0.45	0
7	BMA	r	3	7	11,11,12	0.54	0	15,15,17	0.71	0
8	NAG	s	1	8,2	14,14,15	0.24	0	17,19,21	0.47	0
8	NAG	s	2	8	14,14,15	0.21	0	17,19,21	0.38	0
8	BMA	s	3	8	11,11,12	0.65	0	15,15,17	0.78	0
8	MAN	s	4	8	11,11,12	0.66	0	15,15,17	0.93	1 (6%)
8	MAN	s	5	8	11,11,12	0.67	0	15,15,17	0.89	1 (6%)
8	MAN	s	6	8	11,11,12	0.66	0	15,15,17	0.98	2 (13%)
7	NAG	t	1	2,7	14,14,15	0.23	0	17,19,21	0.43	0
7	NAG	t	2	7	14,14,15	0.21	0	17,19,21	0.41	0
7	BMA	t	3	7	11,11,12	0.55	0	15,15,17	0.77	0
7	NAG	u	1	2,7	14,14,15	0.22	0	17,19,21	0.41	0
7	NAG	u	2	7	14,14,15	0.21	0	17,19,21	0.40	0
7	BMA	u	3	7	11,11,12	0.55	0	15,15,17	0.71	0
5	NAG	v	1	5,2	14,14,15	0.21	0	17,19,21	0.42	0
5	NAG	v	2	5	14,14,15	0.20	0	17,19,21	0.41	0
7	NAG	w	1	2,7	14,14,15	0.21	0	17,19,21	0.41	0
7	NAG	w	2	7	14,14,15	0.20	0	17,19,21	0.42	0
7	BMA	w	3	7	11,11,12	0.54	0	15,15,17	0.85	0
7	NAG	x	1	2,7	14,14,15	0.19	0	17,19,21	0.41	0
7	NAG	x	2	7	14,14,15	0.25	0	17,19,21	0.43	0
7	BMA	x	3	7	11,11,12	0.65	0	15,15,17	0.93	1 (6%)
6	NAG	y	1	6,2	14,14,15	0.25	0	17,19,21	0.53	0
6	NAG	y	2	6	14,14,15	0.34	0	17,19,21	0.72	0
6	BMA	y	3	6	11,11,12	0.52	0	15,15,17	1.14	1 (6%)
6	MAN	y	4	6	11,11,12	0.67	0	15,15,17	0.94	2 (13%)
6	MAN	y	5	6	11,11,12	0.58	0	15,15,17	1.04	2 (13%)
7	NAG	z	1	2,7	14,14,15	0.24	0	17,19,21	0.85	1 (5%)
7	NAG	z	2	7	14,14,15	0.23	0	17,19,21	0.44	0
7	BMA	z	3	7	11,11,12	0.55	0	15,15,17	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	0	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	0	2	7	-	2/6/23/26	0/1/1/1
7	BMA	0	3	7	-	0/2/19/22	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	1	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	1	2	7	-	0/6/23/26	0/1/1/1
7	BMA	1	3	7	-	0/2/19/22	0/1/1/1
5	NAG	M	1	5,2	-	2/6/23/26	0/1/1/1
5	NAG	M	2	5	-	4/6/23/26	0/1/1/1
6	NAG	N	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	N	2	6	-	0/6/23/26	0/1/1/1
6	BMA	N	3	6	-	0/2/19/22	0/1/1/1
6	MAN	N	4	6	-	1/2/19/22	0/1/1/1
6	MAN	N	5	6	-	0/2/19/22	0/1/1/1
5	NAG	O	1	5,2	-	0/6/23/26	0/1/1/1
5	NAG	O	2	5	-	2/6/23/26	0/1/1/1
7	NAG	P	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	P	2	7	-	1/6/23/26	0/1/1/1
7	BMA	P	3	7	-	0/2/19/22	0/1/1/1
8	NAG	Q	1	8,2	-	2/6/23/26	0/1/1/1
8	NAG	Q	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Q	3	8	-	0/2/19/22	0/1/1/1
8	MAN	Q	4	8	-	1/2/19/22	0/1/1/1
8	MAN	Q	5	8	-	0/2/19/22	0/1/1/1
8	MAN	Q	6	8	-	0/2/19/22	0/1/1/1
7	NAG	R	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	R	2	7	-	0/6/23/26	0/1/1/1
7	BMA	R	3	7	-	2/2/19/22	0/1/1/1
7	NAG	S	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	S	2	7	-	2/6/23/26	0/1/1/1
7	BMA	S	3	7	-	0/2/19/22	0/1/1/1
5	NAG	T	1	5,2	-	2/6/23/26	0/1/1/1
5	NAG	T	2	5	-	2/6/23/26	0/1/1/1
7	NAG	U	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	U	2	7	-	4/6/23/26	0/1/1/1
7	BMA	U	3	7	-	0/2/19/22	0/1/1/1
7	NAG	V	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	V	2	7	-	2/6/23/26	0/1/1/1
7	BMA	V	3	7	-	2/2/19/22	0/1/1/1
6	NAG	W	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	W	2	6	-	0/6/23/26	0/1/1/1
6	BMA	W	3	6	-	0/2/19/22	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MAN	W	4	6	-	0/2/19/22	0/1/1/1
6	MAN	W	5	6	-	0/2/19/22	0/1/1/1
7	NAG	X	1	2,7	-	3/6/23/26	0/1/1/1
7	NAG	X	2	7	-	1/6/23/26	0/1/1/1
7	BMA	X	3	7	-	0/2/19/22	0/1/1/1
7	NAG	Y	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	Y	2	7	-	2/6/23/26	0/1/1/1
7	BMA	Y	3	7	-	0/2/19/22	0/1/1/1
7	NAG	Z	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	Z	2	7	-	0/6/23/26	0/1/1/1
7	BMA	Z	3	7	-	0/2/19/22	0/1/1/1
5	NAG	a	1	5,2	-	2/6/23/26	0/1/1/1
5	NAG	a	2	5	-	4/6/23/26	0/1/1/1
6	NAG	b	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	b	2	6	-	0/6/23/26	0/1/1/1
6	BMA	b	3	6	-	0/2/19/22	0/1/1/1
6	MAN	b	4	6	-	1/2/19/22	0/1/1/1
6	MAN	b	5	6	-	0/2/19/22	0/1/1/1
5	NAG	c	1	5,2	-	0/6/23/26	0/1/1/1
5	NAG	c	2	5	-	2/6/23/26	0/1/1/1
7	NAG	d	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	d	2	7	-	1/6/23/26	0/1/1/1
7	BMA	d	3	7	-	0/2/19/22	0/1/1/1
8	NAG	e	1	8,2	-	2/6/23/26	0/1/1/1
8	NAG	e	2	8	-	0/6/23/26	0/1/1/1
8	BMA	e	3	8	-	0/2/19/22	0/1/1/1
8	MAN	e	4	8	-	1/2/19/22	0/1/1/1
8	MAN	e	5	8	-	0/2/19/22	0/1/1/1
8	MAN	e	6	8	-	0/2/19/22	0/1/1/1
7	NAG	f	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	f	2	7	-	0/6/23/26	0/1/1/1
7	BMA	f	3	7	-	2/2/19/22	0/1/1/1
7	NAG	g	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	g	2	7	-	2/6/23/26	0/1/1/1
7	BMA	g	3	7	-	0/2/19/22	0/1/1/1
5	NAG	h	1	5,2	-	2/6/23/26	0/1/1/1
5	NAG	h	2	5	-	2/6/23/26	0/1/1/1
7	NAG	i	1	2,7	-	0/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	i	2	7	-	4/6/23/26	0/1/1/1
7	BMA	i	3	7	-	0/2/19/22	0/1/1/1
7	NAG	j	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	j	2	7	-	2/6/23/26	0/1/1/1
7	BMA	j	3	7	-	2/2/19/22	0/1/1/1
6	NAG	k	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	k	2	6	-	0/6/23/26	0/1/1/1
6	BMA	k	3	6	-	0/2/19/22	0/1/1/1
6	MAN	k	4	6	-	0/2/19/22	0/1/1/1
6	MAN	k	5	6	-	0/2/19/22	0/1/1/1
7	NAG	l	1	2,7	-	3/6/23/26	0/1/1/1
7	NAG	l	2	7	-	1/6/23/26	0/1/1/1
7	BMA	l	3	7	-	0/2/19/22	0/1/1/1
7	NAG	m	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	m	2	7	-	2/6/23/26	0/1/1/1
7	BMA	m	3	7	-	0/2/19/22	0/1/1/1
7	NAG	n	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	n	2	7	-	0/6/23/26	0/1/1/1
7	BMA	n	3	7	-	0/2/19/22	0/1/1/1
5	NAG	o	1	5,2	-	2/6/23/26	0/1/1/1
5	NAG	o	2	5	-	4/6/23/26	0/1/1/1
6	NAG	p	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	p	2	6	-	0/6/23/26	0/1/1/1
6	BMA	p	3	6	-	0/2/19/22	0/1/1/1
6	MAN	p	4	6	-	1/2/19/22	0/1/1/1
6	MAN	p	5	6	-	0/2/19/22	0/1/1/1
5	NAG	q	1	5,2	-	0/6/23/26	0/1/1/1
5	NAG	q	2	5	-	2/6/23/26	0/1/1/1
7	NAG	r	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	r	2	7	-	1/6/23/26	0/1/1/1
7	BMA	r	3	7	-	0/2/19/22	0/1/1/1
8	NAG	s	1	8,2	-	2/6/23/26	0/1/1/1
8	NAG	s	2	8	-	0/6/23/26	0/1/1/1
8	BMA	s	3	8	-	0/2/19/22	0/1/1/1
8	MAN	s	4	8	-	1/2/19/22	0/1/1/1
8	MAN	s	5	8	-	0/2/19/22	0/1/1/1
8	MAN	s	6	8	-	0/2/19/22	0/1/1/1
7	NAG	t	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	t	2	7	-	0/6/23/26	0/1/1/1

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	BMA	t	3	7	-	2/2/19/22	0/1/1/1
7	NAG	u	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	u	2	7	-	2/6/23/26	0/1/1/1
7	BMA	u	3	7	-	0/2/19/22	0/1/1/1
5	NAG	v	1	5,2	-	2/6/23/26	0/1/1/1
5	NAG	v	2	5	-	2/6/23/26	0/1/1/1
7	NAG	w	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	w	2	7	-	4/6/23/26	0/1/1/1
7	BMA	w	3	7	-	0/2/19/22	0/1/1/1
7	NAG	x	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	x	2	7	-	2/6/23/26	0/1/1/1
7	BMA	x	3	7	-	2/2/19/22	0/1/1/1
6	NAG	y	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	y	2	6	-	0/6/23/26	0/1/1/1
6	BMA	y	3	6	-	0/2/19/22	0/1/1/1
6	MAN	y	4	6	-	0/2/19/22	0/1/1/1
6	MAN	y	5	6	-	0/2/19/22	0/1/1/1
7	NAG	z	1	2,7	-	3/6/23/26	0/1/1/1
7	NAG	z	2	7	-	1/6/23/26	0/1/1/1
7	BMA	z	3	7	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

The worst 5 of 42 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	W	3	BMA	C1-O5-C5	3.06	116.34	112.19
6	k	3	BMA	C1-O5-C5	3.01	116.27	112.19
6	y	3	BMA	C1-O5-C5	3.01	116.27	112.19
6	y	5	MAN	C1-O5-C5	2.72	115.88	112.19
6	k	5	MAN	C1-O5-C5	2.71	115.87	112.19

There are no chirality outliers.

5 of 141 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	O	2	NAG	O5-C5-C6-O6
5	c	2	NAG	O5-C5-C6-O6
5	q	2	NAG	O5-C5-C6-O6
6	N	1	NAG	O5-C5-C6-O6

Continued on next page...




Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	b	1	NAG	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







































































































## 5.6 Ligand geometry [i](#)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
9	NAG	F	702	1	14,14,15	0.22	0	17,19,21	0.41	0
9	NAG	G	604	2	14,14,15	0.20	0	17,19,21	0.42	0
9	NAG	A	701	1	14,14,15	0.20	0	17,19,21	0.40	0
9	NAG	I	603	2	14,14,15	0.22	0	17,19,21	0.42	0
9	NAG	C	603	2	14,14,15	0.21	0	17,19,21	0.43	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	NAG	B	703	1	14,14,15	0.24	0	17,19,21	0.43	0
9	NAG	A	702	1	14,14,15	0.21	0	17,19,21	0.41	0
9	NAG	I	602	2	14,14,15	0.21	0	17,19,21	0.46	0
9	NAG	G	601	2	14,14,15	0.20	0	17,19,21	0.42	0
9	NAG	C	602	2	14,14,15	0.20	0	17,19,21	0.47	0
9	NAG	B	701	1	14,14,15	0.20	0	17,19,21	0.39	0
9	NAG	C	604	2	14,14,15	0.21	0	17,19,21	0.41	0
9	NAG	I	601	2	14,14,15	0.20	0	17,19,21	0.41	0
9	NAG	A	703	1	14,14,15	0.23	0	17,19,21	0.43	0
9	NAG	C	601	2	14,14,15	0.19	0	17,19,21	0.41	0
9	NAG	G	603	2	14,14,15	0.23	0	17,19,21	0.43	0
9	NAG	I	604	2	14,14,15	0.20	0	17,19,21	0.41	0
9	NAG	F	703	1	14,14,15	0.24	0	17,19,21	0.43	0
9	NAG	F	701	1	14,14,15	0.21	0	17,19,21	0.40	0
9	NAG	B	702	1	14,14,15	0.22	0	17,19,21	0.41	0
9	NAG	G	602	2	14,14,15	0.20	0	17,19,21	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	F	702	1	-	3/6/23/26	0/1/1/1
9	NAG	G	604	2	-	0/6/23/26	0/1/1/1
9	NAG	A	701	1	-	0/6/23/26	0/1/1/1
9	NAG	I	603	2	-	4/6/23/26	0/1/1/1
9	NAG	C	603	2	-	4/6/23/26	0/1/1/1
9	NAG	B	703	1	-	0/6/23/26	0/1/1/1
9	NAG	A	702	1	-	3/6/23/26	0/1/1/1
9	NAG	I	602	2	-	1/6/23/26	0/1/1/1
9	NAG	G	601	2	-	2/6/23/26	0/1/1/1
9	NAG	C	602	2	-	1/6/23/26	0/1/1/1
9	NAG	B	701	1	-	0/6/23/26	0/1/1/1
9	NAG	C	604	2	-	0/6/23/26	0/1/1/1
9	NAG	I	601	2	-	2/6/23/26	0/1/1/1
9	NAG	A	703	1	-	0/6/23/26	0/1/1/1
9	NAG	C	601	2	-	2/6/23/26	0/1/1/1
9	NAG	G	603	2	-	4/6/23/26	0/1/1/1
9	NAG	I	604	2	-	0/6/23/26	0/1/1/1
9	NAG	F	703	1	-	0/6/23/26	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	F	701	1	-	0/6/23/26	0/1/1/1
9	NAG	B	702	1	-	3/6/23/26	0/1/1/1
9	NAG	G	602	2	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 30 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
9	C	601	NAG	O5-C5-C6-O6
9	G	601	NAG	O5-C5-C6-O6
9	I	601	NAG	O5-C5-C6-O6
9	C	601	NAG	C4-C5-C6-O6
9	G	601	NAG	C4-C5-C6-O6



There are no ring outliers.



No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-29396. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 224




Y Index: 224




Z Index: 224


### 6.2.2 Raw map



X Index: 224



Y Index: 224




Z Index: 224


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 236




Y Index: 234




Z Index: 235


### 6.3.2 Raw map



X Index: 237



Y Index: 234




Z Index: 235


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map




### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0378. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

## 6.6 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 504  $\text{nm}^3$ ; this corresponds to an approximate mass of 455 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.400 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.400 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.50	-	-
Author-provided FSC curve	2.50	2.82	2.52
Unmasked-calculated*	2.89	3.14	2.90

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.89 differs from the reported value 2.5 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-29396 and PDB model 8FR6. Per-residue inclusion information can be found in section 3 on page 11.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0378 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0378).

## 9.4 Atom inclusion [i](#)









































































At the recommended contour level, 100% of all backbone atoms, 99% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary









































The table lists the average atom inclusion at the recommended contour level (0.0378) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9920	 0.5280
0	 1.0000	 0.4660
1	 1.0000	 0.4860
A	 0.9960	 0.5750
B	 0.9960	 0.5750
C	 0.9960	 0.6050
D	 0.9780	 0.4190
E	 0.9860	 0.3190
F	 0.9960	 0.5760
G	 0.9960	 0.6050
H	 0.9810	 0.4170
I	 0.9960	 0.6060
J	 0.9780	 0.4160
K	 0.9840	 0.3120
L	 0.9850	 0.3140
M	 1.0000	 0.4010
N	 0.9840	 0.4410
O	 0.9640	 0.4740
P	 1.0000	 0.4110
Q	 0.9860	 0.4840
R	 1.0000	 0.4640
S	 1.0000	 0.4920
T	 0.9640	 0.4640
U	 1.0000	 0.4590
V	 1.0000	 0.4890
W	 1.0000	 0.4060
X	 1.0000	 0.4310
Y	 1.0000	 0.4580
Z	 1.0000	 0.4840
a	 1.0000	 0.4120
b	 1.0000	 0.4460
c	 0.9640	 0.4630
d	 1.0000	 0.3990
e	 0.9860	 0.4860
f	 1.0000	 0.4480



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
g	 1.0000	 0.4850
h	 0.9640	 0.4790
i	 1.0000	 0.4560
j	 1.0000	 0.4890
k	 1.0000	 0.4060
l	 1.0000	 0.4460
m	 1.0000	 0.4650
n	 1.0000	 0.4880
o	 1.0000	 0.4150
p	 1.0000	 0.4470
q	 0.9640	 0.4580
r	 1.0000	 0.3960
s	 0.9860	 0.4860
t	 1.0000	 0.4560
u	 1.0000	 0.4840
v	 0.9640	 0.4690
w	 1.0000	 0.4620
x	 1.0000	 0.4850
y	 1.0000	 0.4070
z	 1.0000	 0.4280