



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 3, 2023 – 05:59 PM EDT

PDB ID : 7FS0
Title : Structure of liver pyruvate kinase in complex with allosteric modulator 8
Authors : Lulla, A.; Nilsson, O.; Brear, P.; Nain-Perez, A.; Grotli, M.; Hyvonen, M.
Deposited on : 2022-12-18
Resolution : 2.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.32.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4647 (2.44-2.40)
Clashscore	141614	5161 (2.44-2.40)
Ramachandran outliers	138981	5073 (2.44-2.40)
Sidechain outliers	138945	5074 (2.44-2.40)
RSRZ outliers	127900	4543 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	<div style="display: flex; align-items: center;"> <div style="width: 15%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 86%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div>
1	B	447	<div style="display: flex; align-items: center;"> <div style="width: 10%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 89%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 3%; height: 10px; background-color: grey;"></div> </div>
1	C	447	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div>
1	D	447	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 89%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div>
1	E	447	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 86%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	447	<p>4% 87% 9%</p>
1	G	447	<p>% 85% 9% 6%</p>
1	H	447	<p>% 87% 7% 5%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	F	602	-	X	-	-
5	K	A	604	-	-	-	X
5	K	E	604	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 27561 atoms, of which 76 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase PKLR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	422	3236	2034	585	597	20	0	6	0
1	B	436	3329	2090	604	615	20	0	4	0
1	C	425	3247	2040	585	603	19	0	4	0
1	D	425	3252	2042	590	601	19	0	6	0
1	E	419	3210	2018	579	593	20	0	5	0
1	F	432	3321	2090	597	614	20	0	7	0
1	G	421	3231	2031	581	600	19	0	6	0
1	H	425	3251	2040	594	598	19	0	4	0

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P30613
A	0	SER	-	expression tag	UNP P30613
A	1	MET	-	expression tag	UNP P30613
A	2	GLU	-	expression tag	UNP P30613
A	12	ASP	SER	conflict	UNP P30613
A	130	GLY	-	linker	UNP P30613
A	131	SER	-	linker	UNP P30613
A	132	GLY	-	linker	UNP P30613
B	-1	GLY	-	expression tag	UNP P30613
B	0	SER	-	expression tag	UNP P30613
B	1	MET	-	expression tag	UNP P30613
B	2	GLU	-	expression tag	UNP P30613
B	12	ASP	SER	conflict	UNP P30613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	130	GLY	-	linker	UNP P30613
B	131	SER	-	linker	UNP P30613
B	132	GLY	-	linker	UNP P30613
C	-1	GLY	-	expression tag	UNP P30613
C	0	SER	-	expression tag	UNP P30613
C	1	MET	-	expression tag	UNP P30613
C	2	GLU	-	expression tag	UNP P30613
C	12	ASP	SER	conflict	UNP P30613
C	130	GLY	-	linker	UNP P30613
C	131	SER	-	linker	UNP P30613
C	132	GLY	-	linker	UNP P30613
D	-1	GLY	-	expression tag	UNP P30613
D	0	SER	-	expression tag	UNP P30613
D	1	MET	-	expression tag	UNP P30613
D	2	GLU	-	expression tag	UNP P30613
D	12	ASP	SER	conflict	UNP P30613
D	130	GLY	-	linker	UNP P30613
D	131	SER	-	linker	UNP P30613
D	132	GLY	-	linker	UNP P30613
E	-1	GLY	-	expression tag	UNP P30613
E	0	SER	-	expression tag	UNP P30613
E	1	MET	-	expression tag	UNP P30613
E	2	GLU	-	expression tag	UNP P30613
E	12	ASP	SER	conflict	UNP P30613
E	228	GLY	-	linker	UNP P30613
E	229	SER	-	linker	UNP P30613
E	230	GLY	-	linker	UNP P30613
F	-1	GLY	-	expression tag	UNP P30613
F	0	SER	-	expression tag	UNP P30613
F	1	MET	-	expression tag	UNP P30613
F	2	GLU	-	expression tag	UNP P30613
F	12	ASP	SER	conflict	UNP P30613
F	228	GLY	-	linker	UNP P30613
F	229	SER	-	linker	UNP P30613
F	230	GLY	-	linker	UNP P30613
G	-1	GLY	-	expression tag	UNP P30613
G	0	SER	-	expression tag	UNP P30613
G	1	MET	-	expression tag	UNP P30613
G	2	GLU	-	expression tag	UNP P30613
G	12	ASP	SER	conflict	UNP P30613
G	130	GLY	-	linker	UNP P30613
G	131	SER	-	linker	UNP P30613

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	132	GLY	-	linker	UNP P30613
H	-1	GLY	-	expression tag	UNP P30613
H	0	SER	-	expression tag	UNP P30613
H	1	MET	-	expression tag	UNP P30613
H	2	GLU	-	expression tag	UNP P30613
H	12	ASP	SER	conflict	UNP P30613
H	130	GLY	-	linker	UNP P30613
H	131	SER	-	linker	UNP P30613
H	132	GLY	-	linker	UNP P30613

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (three-letter code: FBP) (formula: $C_6H_{14}O_{12}P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is OXALATE ION (three-letter code: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	2	4		
3	B	1	Total	C	O	0	0
			6	2	4		
3	C	1	Total	C	O	0	0
			6	2	4		
3	D	1	Total	C	O	0	0
			6	2	4		
3	E	1	Total	C	O	0	0
			6	2	4		
3	F	1	Total	C	O	0	0
			6	2	4		
3	G	1	Total	C	O	0	0
			6	2	4		
3	H	1	Total	C	O	0	0
			6	2	4		


- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	B	1	Total Mg 1 1	0	0
4	C	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0
4	E	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0
4	G	1	Total Mg 1 1	0	0
4	H	1	Total Mg 1 1	0	0

- Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1 1	0	0
5	B	1	Total K 1 1	0	0
5	C	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	E	1	Total K 1 1	0	0
5	F	1	Total K 1 1	0	0
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0

- Molecule 6 is 3,4-dihydroxy-N-{2-[4-(3-hydroxybenzene-1-sulfonyl)phenyl]ethyl}benzen e-1-sulfonamide (three-letter code: O8X) (formula: C₂₀H₁₉NO₇S₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			S
6	A	1	Total 49	C 20	H 19	N 1	O 7	S 2	19	0
6	D	1	Total 49	C 20	H 19	N 1	O 7	S 2	19	0
6	G	1	Total 49	C 20	H 19	N 1	O 7	S 2	19	0
6	H	1	Total 49	C 20	H 19	N 1	O 7	S 2	19	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	52	Total 52	O 52	0	0
7	B	48	Total 48	O 48	0	0
7	C	116	Total 116	O 116	0	0
7	D	186	Total 186	O 186	0	0
7	E	76	Total 76	O 76	0	0
7	F	144	Total 144	O 144	0	0
7	G	177	Total 177	O 177	0	0
7	H	265	Total 265	O 265	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pyruvate kinase PKLR




- Molecule 1: Pyruvate kinase PKLR





- Molecule 1: Pyruvate kinase PKLR









- Molecule 1: Pyruvate kinase PKLR




- Molecule 1: Pyruvate kinase PKLR




- Molecule 1: Pyruvate kinase PKLR





- Molecule 1: Pyruvate kinase PKLR





● Molecule 1: Pyruvate kinase PKLR



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	209.00Å 113.34Å 189.48Å 90.00° 91.12° 90.00°	Depositor
Resolution (Å)	189.45 – 2.41 189.45 – 2.41	Depositor EDS
% Data completeness (in resolution range)	80.0 (189.45-2.41) 80.0 (189.45-2.41)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.72 (at 2.43Å)	Xtrriage
Refinement program	BUSTER 2.10.4 (16-JUL-2021)	Depositor
R, R_{free}	0.219 , 0.253 0.208 , 0.239	Depositor DCC
R_{free} test set	6799 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	49.6	Xtrriage
Anisotropy	0.021	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 47.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	27561	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 64.76 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.8799e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OXL, O8X, K, MG, FBP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/3307	0.54	0/4469
1	B	0.38	0/3396	0.53	0/4592
1	C	0.44	0/3313	0.57	0/4479
1	D	0.46	0/3326	0.56	0/4497
1	E	0.37	0/3278	0.53	0/4430
1	F	0.42	0/3396	0.55	0/4591
1	G	0.46	0/3303	0.57	0/4465
1	H	0.48	0/3316	0.59	0/4483
All	All	0.42	0/26635	0.56	0/36006

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3236	0	3300	22	0
1	B	3329	0	3394	23	1
1	C	3247	0	3300	21	0
1	D	3252	0	3310	12	0
1	E	3210	0	3270	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3321	0	3393	23	0
1	G	3231	0	3285	26	0
1	H	3251	0	3306	20	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	1	0
2	F	20	0	10	0	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	H	6	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	A	30	19	0	0	0
6	D	30	19	0	0	0
6	G	30	19	0	0	0
6	H	30	19	0	0	0
7	A	52	0	0	0	0
7	B	48	0	0	3	0
7	C	116	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	D	186	0	0	0	0
7	E	76	0	0	0	0
7	F	144	0	0	1	0
7	G	177	0	0	1	0
7	H	265	0	0	1	0
All	All	27485	76	26638	146	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:PRO:HA	1:A:275:HIS:NE2	1.90	0.85
1:A:536:ILE:HG12	1:B:538:ARG:HG2	1.65	0.79
1:E:539:VAL:HG22	1:F:420:PRO:HB3	1.67	0.77
1:C:422[A]:GLU:HG3	1:C:452:LEU:HD13	1.75	0.69
1:F:407:PHE:CE2	1:F:411:ARG:NH1	2.62	0.66
1:H:272:PRO:HA	1:H:275[A]:HIS:CE1	2.32	0.65
1:A:408:GLU:OE2	1:B:411:ARG:NH2	2.28	0.65
1:G:422[A]:GLU:HG3	1:G:452:LEU:HD13	1.79	0.65
1:G:538:ARG:HG2	1:H:536:ILE:HG12	1.81	0.63
1:D:272:PRO:HA	1:D:275[A]:HIS:CE1	2.34	0.63
1:E:235:GLU:O	1:E:239:ARG:HD3	1.99	0.61
1:G:486:TYR:CZ	1:G:488:GLU:HB2	2.37	0.59
1:G:56:SER:HB2	1:G:480:GLY:HA2	1.83	0.59
1:E:407:PHE:O	1:E:411:ARG:HB2	2.03	0.59
1:H:407:PHE:O	1:H:411:ARG:HG3	2.03	0.59
1:G:340:THR:HG22	1:G:341:GLN:HG3	1.85	0.59
1:C:271:GLY:O	1:C:275:HIS:CE1	2.56	0.58
1:C:340:THR:HG22	1:C:341:GLN:HG3	1.86	0.58
1:C:411:ARG:HG3	1:C:426:ILE:HD11	1.85	0.58
1:B:411:ARG:HG3	1:B:426:ILE:HD11	1.87	0.57
1:C:538:ARG:HD3	7:C:716:HOH:O	2.06	0.56
1:C:538:ARG:HG2	1:D:536:ILE:HG12	1.88	0.56
1:E:539:VAL:CG2	1:F:420:PRO:HB3	2.34	0.56
1:B:382:PHE:HB3	1:B:385:GLU:HB2	1.88	0.56
1:F:56:SER:HB2	1:F:480:GLY:HA2	1.87	0.56
1:H:56:SER:HB2	1:H:480:GLY:HA2	1.88	0.55
1:B:56:SER:HB2	1:B:480:GLY:HA2	1.89	0.55
1:E:340:THR:HG22	1:E:341:GLN:HG3	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:418[A]:ARG:HG3	1:B:16:LEU:HD11	1.87	0.55
1:E:418:ARG:NH2	1:F:518:GLY:O	2.37	0.55
1:D:340:THR:HG22	1:D:341:GLN:HG3	1.89	0.54
1:A:340:THR:HG22	1:A:341:GLN:HG3	1.90	0.54
1:A:272:PRO:HA	1:A:275:HIS:CD2	2.42	0.54
1:C:382:PHE:HB3	1:C:385:GLU:HB2	1.90	0.53
1:F:114:PRO:HB3	1:F:487:ARG:HE	1.72	0.53
1:C:56:SER:HB2	1:C:480:GLY:HA2	1.91	0.53
1:G:267:ARG:HG2	1:G:279:ILE:CD1	2.38	0.53
1:A:382:PHE:HB3	1:A:385:GLU:HB2	1.90	0.53
1:G:536:ILE:HG12	1:H:538[A]:ARG:HG2	1.90	0.52
1:F:382:PHE:HB3	1:F:385:GLU:HB2	1.91	0.51
1:H:340:THR:HG22	1:H:341:GLN:HG3	1.91	0.51
1:E:56:SER:HB2	1:E:480:GLY:HA2	1.91	0.51
1:E:382:PHE:HB3	1:E:385:GLU:HB2	1.93	0.51
1:E:536:ILE:HG12	1:F:538:ARG:HG2	1.92	0.51
1:H:468:SER:HB3	1:H:471:ALA:HB3	1.92	0.51
1:A:67:SER:HA	1:A:72:ARG:HG2	1.93	0.50
1:G:271:GLY:O	1:G:275:HIS:CE1	2.64	0.50
1:D:411:ARG:HG2	1:D:426:ILE:HD11	1.92	0.50
1:D:377:THR:HA	1:D:383:PRO:HB3	1.94	0.50
1:E:501:ARG:NH1	2:E:601:FBP:O1P	2.38	0.50
1:C:486:TYR:CZ	1:C:488:GLU:HB2	2.47	0.49
1:A:538:ARG:HG3	1:B:536:ILE:HG12	1.95	0.49
1:C:287:GLU:HG2	1:C:291:ARG:HD2	1.94	0.49
1:A:68:ARG:HH22	1:A:98:GLU:HB3	1.77	0.49
1:G:267:ARG:HG2	1:G:279:ILE:HD12	1.94	0.49
1:E:258:ARG:HD3	1:E:285:ASN:HD21	1.76	0.49
1:F:421:THR:HG22	1:F:452:LEU:HD12	1.95	0.49
1:B:340:THR:HG22	1:B:341:GLN:HG3	1.93	0.49
1:D:421:THR:HG22	1:D:452:LEU:HD12	1.95	0.48
1:C:421:THR:HG22	1:C:452:LEU:HD12	1.94	0.48
1:F:445:THR:HB	1:F:531:SER:OG	2.13	0.48
1:G:269:ALA:C	1:G:271:GLY:H	2.15	0.48
1:E:538:ARG:HG2	1:F:536:ILE:HG12	1.94	0.48
1:G:421:THR:HG22	1:G:452:LEU:HD12	1.95	0.48
1:A:421:THR:HG22	1:A:452:LEU:HD12	1.95	0.47
1:B:275:HIS:HB3	7:B:723:HOH:O	2.13	0.47
1:D:56:SER:HB2	1:D:480:GLY:HA2	1.95	0.47
1:A:486:TYR:CZ	1:A:488[B]:GLU:HB2	2.50	0.47
1:H:421:THR:HG22	1:H:452:LEU:HD12	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:415:PRO:HB3	1:F:12:ASP:HA	1.96	0.47
1:E:421:THR:HG22	1:E:452:LEU:HD12	1.96	0.47
1:F:317:LYS:NZ	7:F:704:HOH:O	2.47	0.47
1:G:382:PHE:HB3	1:G:385:GLU:HB2	1.95	0.47
1:G:411:ARG:HG2	1:G:426:ILE:HD11	1.97	0.46
1:B:300:ASP:O	1:B:335:PRO:HD2	2.16	0.46
1:C:269:ALA:C	1:C:271:GLY:H	2.17	0.46
1:C:300:ASP:O	1:C:335:PRO:HD2	2.16	0.46
1:G:117:TYR:CD2	1:G:487:ARG:NH2	2.83	0.46
1:G:412:ARG:CZ	1:H:404:ARG:HD3	2.46	0.46
1:G:435:CYS:HB3	1:H:423:VAL:HG21	1.97	0.46
1:E:335:PRO:HB3	1:E:477:LEU:O	2.16	0.45
1:H:317:LYS:NZ	7:H:703:HOH:O	2.43	0.45
1:G:56:SER:HB2	1:G:480:GLY:CA	2.44	0.45
1:H:69:SER:HB3	1:H:72:ARG:HB3	1.98	0.45
1:B:335:PRO:HB3	1:B:477:LEU:O	2.17	0.45
1:G:300:ASP:O	1:G:335:PRO:HD2	2.16	0.45
1:B:421:THR:HG22	1:B:452:LEU:HD12	1.99	0.45
1:A:300:ASP:O	1:A:335:PRO:HD2	2.17	0.44
1:A:335:PRO:HB3	1:A:477:LEU:O	2.17	0.44
1:A:337:VAL:HG22	1:A:370:CYS:HB2	1.98	0.44
1:F:340:THR:HG22	1:F:341:GLN:HG3	1.99	0.44
1:B:68:ARG:NH2	1:B:98:GLU:HB3	2.32	0.44
1:D:407:PHE:CE2	1:D:411:ARG:HD3	2.53	0.44
1:F:56:SER:HB2	1:F:480:GLY:CA	2.48	0.44
1:D:335:PRO:HB3	1:D:477:LEU:O	2.17	0.44
1:C:68:ARG:NH2	1:C:98:GLU:HB3	2.33	0.44
1:C:337:VAL:HG22	1:C:370:CYS:HB2	1.99	0.44
1:B:114:PRO:HA	7:B:709:HOH:O	2.17	0.44
1:H:55:ARG:HB2	1:H:395:ARG:HG3	2.00	0.44
1:D:300:ASP:O	1:D:335:PRO:HD2	2.18	0.44
1:E:337:VAL:HG22	1:E:370:CYS:HB2	2.00	0.44
1:H:300:ASP:O	1:H:335:PRO:HD2	2.17	0.44
1:E:68:ARG:NH2	1:E:98:GLU:HB3	2.32	0.43
1:F:68:ARG:NH2	1:F:98:GLU:HB3	2.33	0.43
1:G:127:LYS:NZ	7:G:702:HOH:O	2.41	0.43
1:A:538:ARG:CG	1:B:536:ILE:HG12	2.48	0.43
1:H:56:SER:HB2	1:H:480:GLY:CA	2.49	0.43
1:H:337:VAL:HG22	1:H:370:CYS:HB2	2.01	0.43
1:E:418:ARG:HD3	1:F:16:LEU:HD11	2.01	0.43
1:E:341:GLN:OE1	1:G:354:ARG:HG2	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:337:VAL:HG22	1:B:370:CYS:HB2	2.00	0.42
1:F:335:PRO:HB3	1:F:477:LEU:O	2.19	0.42
1:B:116:SER:HB3	7:B:731:HOH:O	2.19	0.42
1:C:335:PRO:HB3	1:C:477:LEU:O	2.19	0.42
1:C:407:PHE:O	1:C:411:ARG:HB2	2.19	0.42
1:G:377:THR:HA	1:G:383:PRO:HB3	2.01	0.42
1:B:56:SER:HB2	1:B:480:GLY:CA	2.50	0.42
1:H:245:VAL:HG11	1:H:273:GLU:HG2	2.02	0.42
1:G:286:HIS:CE1	1:G:290:LYS:HG3	2.55	0.42
1:G:337:VAL:HG22	1:G:370:CYS:HB2	2.02	0.42
1:A:423:VAL:HG21	1:B:435:CYS:HB3	2.01	0.41
1:H:335:PRO:HB3	1:H:477:LEU:O	2.20	0.41
1:A:55:ARG:HB2	1:A:395:ARG:HG3	2.01	0.41
1:A:411:ARG:NH2	1:B:411:ARG:HH12	2.18	0.41
1:B:55:ARG:HB2	1:B:395:ARG:HG2	2.03	0.41
1:C:286:HIS:CE1	1:C:290:LYS:HG3	2.55	0.41
1:H:284:GLU:HG2	1:H:305:ALA:HB3	2.02	0.41
1:C:486:TYR:CE2	1:C:488:GLU:HB2	2.55	0.41
1:B:284:GLU:HG2	1:B:305:ALA:HB3	2.03	0.41
1:D:55:ARG:HB2	1:D:395:ARG:HG3	2.02	0.41
1:F:300:ASP:O	1:F:335:PRO:HD2	2.20	0.41
1:A:235:GLU:HB3	1:A:239:ARG:HH21	1.84	0.41
1:E:55:ARG:HB2	1:E:395:ARG:HG3	2.01	0.41
1:F:286:HIS:CE1	1:F:290:LYS:HG3	2.56	0.41
1:C:56:SER:HB2	1:C:480:GLY:CA	2.49	0.41
1:F:337:VAL:HG22	1:F:370:CYS:HB2	2.03	0.41
1:G:117:TYR:CE2	1:G:487:ARG:NH2	2.88	0.41
1:G:284:GLU:HG2	1:G:305:ALA:HB3	2.03	0.41
1:A:517:VAL:HG13	1:A:543:SER:HB3	2.01	0.41
1:F:284:GLU:HG2	1:F:305:ALA:HB3	2.03	0.41
1:F:287:GLU:OE2	1:F:291:ARG:NH1	2.54	0.41
1:A:415:PRO:HB3	1:B:12:ASP:HA	2.03	0.40
1:C:284:GLU:HG2	1:C:305:ALA:HB3	2.03	0.40
1:H:30:LEU:HD23	1:H:30:LEU:HA	1.99	0.40
1:G:486:TYR:CE2	1:G:488:GLU:HB2	2.56	0.40
1:D:30:LEU:HD23	1:D:30:LEU:HA	1.99	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:511:LEU:O	1:B:511:LEU:O[2_555]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	424/447 (95%)	420 (99%)	3 (1%)	1 (0%)	47 61
1	B	438/447 (98%)	432 (99%)	5 (1%)	1 (0%)	47 61
1	C	425/447 (95%)	418 (98%)	6 (1%)	1 (0%)	47 61
1	D	429/447 (96%)	424 (99%)	4 (1%)	1 (0%)	47 61
1	E	420/447 (94%)	415 (99%)	4 (1%)	1 (0%)	47 61
1	F	435/447 (97%)	430 (99%)	3 (1%)	2 (0%)	29 40
1	G	423/447 (95%)	414 (98%)	7 (2%)	2 (0%)	29 40
1	H	427/447 (96%)	423 (99%)	3 (1%)	1 (0%)	47 61
All	All	3421/3576 (96%)	3376 (99%)	35 (1%)	10 (0%)	41 54

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	116	SER
1	G	270	LEU
1	A	340	THR
1	B	340	THR
1	C	340	THR
1	D	340	THR
1	E	340	THR
1	F	340	THR
1	G	340	THR
1	H	340	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/352 (97%)	332 (98%)	8 (2%)	49	67
1	B	349/352 (99%)	336 (96%)	13 (4%)	34	51
1	C	341/352 (97%)	336 (98%)	5 (2%)	65	79
1	D	342/352 (97%)	336 (98%)	6 (2%)	59	75
1	E	338/352 (96%)	328 (97%)	10 (3%)	41	59
1	F	350/352 (99%)	340 (97%)	10 (3%)	42	61
1	G	340/352 (97%)	332 (98%)	8 (2%)	49	67
1	H	340/352 (97%)	333 (98%)	7 (2%)	53	71
All	All	2740/2816 (97%)	2673 (98%)	67 (2%)	53	67

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	68	ARG
1	A	86	LEU
1	A	259	LYS
1	A	436	CYS
1	A	531	SER
1	A	537[A]	MET
1	A	537[B]	MET
1	A	540	LEU
1	B	10	ARG
1	B	68	ARG
1	B	76[A]	MET
1	B	76[B]	MET
1	B	115	LEU
1	B	259	LYS
1	B	263	VAL
1	B	379	LYS
1	B	412	ARG
1	B	511	LEU
1	B	516	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	537[A]	MET
1	B	537[B]	MET
1	C	52	VAL
1	C	76[A]	MET
1	C	76[B]	MET
1	C	259	LYS
1	C	540	LEU
1	D	68	ARG
1	D	69	SER
1	D	242[A]	ARG
1	D	242[B]	ARG
1	D	259	LYS
1	D	537	MET
1	E	115	LEU
1	E	242	ARG
1	E	259	LYS
1	E	411	ARG
1	E	436	CYS
1	E	454[A]	SER
1	E	454[B]	SER
1	E	511	LEU
1	E	537[A]	MET
1	E	537[B]	MET
1	F	76[A]	MET
1	F	76[B]	MET
1	F	115	LEU
1	F	118	ARG
1	F	259	LYS
1	F	412	ARG
1	F	511	LEU
1	F	516	ARG
1	F	537[A]	MET
1	F	537[B]	MET
1	G	76[A]	MET
1	G	76[B]	MET
1	G	259	LYS
1	G	331	LEU
1	G	412	ARG
1	G	436	CYS
1	G	503	GLN
1	G	540	LEU
1	H	72	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	259	LYS
1	H	273	GLU
1	H	411	ARG
1	H	412	ARG
1	H	436	CYS
1	H	537	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	275	HIS
1	G	275	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 16 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FBP	A	601	-	18,20,20	0.52	0	23,32,32	0.81	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FBP	C	601	-	18,20,20	0.68	0	23,32,32	0.81	1 (4%)
2	FBP	H	601	-	18,20,20	0.94	0	23,32,32	0.88	0
2	FBP	E	601	-	18,20,20	0.37	0	23,32,32	0.87	2 (8%)
3	OXL	C	602	4	5,5,5	1.96	2 (40%)	6,6,6	0.70	0
6	O8X	D	605	-	32,32,32	2.16	4 (12%)	46,47,47	2.20	18 (39%)
2	FBP	B	601	-	18,20,20	0.68	0	23,32,32	0.97	3 (13%)
3	OXL	D	602	4	5,5,5	2.05	2 (40%)	6,6,6	1.71	2 (33%)
3	OXL	G	602	4	5,5,5	2.14	2 (40%)	6,6,6	1.21	0
6	O8X	G	605	-	32,32,32	2.38	6 (18%)	46,47,47	1.82	13 (28%)
2	FBP	D	601	-	18,20,20	0.66	0	23,32,32	0.98	2 (8%)
2	FBP	F	601	-	18,20,20	0.35	0	23,32,32	0.78	1 (4%)
3	OXL	A	602	4	5,5,5	1.93	2 (40%)	6,6,6	1.13	1 (16%)
6	O8X	A	605	-	32,32,32	2.04	5 (15%)	46,47,47	1.86	15 (32%)
3	OXL	F	602	4	5,5,5	2.56	4 (80%)	6,6,6	1.61	2 (33%)
3	OXL	E	602	4	5,5,5	2.07	2 (40%)	6,6,6	0.98	0
3	OXL	H	602	4	5,5,5	1.78	2 (40%)	6,6,6	1.01	0
2	FBP	G	601	-	18,20,20	0.60	0	23,32,32	0.94	1 (4%)
6	O8X	H	605	-	32,32,32	2.11	6 (18%)	46,47,47	2.15	17 (36%)
3	OXL	B	602	4	5,5,5	2.17	2 (40%)	6,6,6	0.87	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	A	601	-	-	2/13/32/32	0/1/1/1
2	FBP	C	601	-	-	2/13/32/32	0/1/1/1
2	FBP	H	601	-	-	2/13/32/32	0/1/1/1
2	FBP	E	601	-	-	2/13/32/32	0/1/1/1
3	OXL	C	602	4	-	1/4/4/4	-
6	O8X	D	605	-	-	6/25/25/25	0/3/3/3
2	FBP	B	601	-	-	2/13/32/32	0/1/1/1
3	OXL	D	602	4	-	1/4/4/4	-
3	OXL	G	602	4	-	0/4/4/4	-
6	O8X	G	605	-	-	2/25/25/25	0/3/3/3
2	FBP	D	601	-	-	2/13/32/32	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1
3	OXL	A	602	4	-	1/4/4/4	-
6	O8X	A	605	-	-	2/25/25/25	0/3/3/3
3	OXL	F	602	4	-	0/4/4/4	-
3	OXL	E	602	4	-	1/4/4/4	-
3	OXL	H	602	4	-	1/4/4/4	-
2	FBP	G	601	-	-	2/13/32/32	0/1/1/1
6	O8X	H	605	-	-	3/25/25/25	0/3/3/3
3	OXL	B	602	4	-	0/4/4/4	-

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	G	605	O8X	C3-S	-9.16	1.62	1.76
6	D	605	O8X	C3-S	-7.92	1.64	1.76
6	A	605	O8X	C3-S	-7.79	1.64	1.76
6	H	605	O8X	C3-S	-7.04	1.65	1.76
6	G	605	O8X	C9-S1	-5.77	1.68	1.77
6	G	605	O8X	C10-S1	-5.44	1.68	1.77
6	D	605	O8X	C9-S1	-5.09	1.69	1.77
6	D	605	O8X	C10-S1	-5.04	1.69	1.77
6	H	605	O8X	C10-S1	-4.84	1.69	1.77
6	A	605	O8X	C9-S1	-4.78	1.69	1.77
6	H	605	O8X	C9-S1	-4.78	1.69	1.77
6	A	605	O8X	C10-S1	-4.47	1.70	1.77
3	B	602	OXL	O2-C2	4.27	1.34	1.22
3	E	602	OXL	O1-C1	3.95	1.33	1.22
3	D	602	OXL	O2-C2	3.83	1.32	1.22
3	G	602	OXL	O1-C1	3.62	1.32	1.22
3	A	602	OXL	O2-C2	3.41	1.31	1.22
6	H	605	O8X	C16-C9	3.37	1.44	1.38
3	C	602	OXL	O1-C1	3.21	1.31	1.22
3	F	602	OXL	O2-C2	3.15	1.31	1.22
3	F	602	OXL	O3-C1	-2.99	1.21	1.30
3	G	602	OXL	O3-C1	-2.95	1.22	1.30
3	H	602	OXL	O2-C2	2.92	1.30	1.22
3	F	602	OXL	O1-C1	2.83	1.30	1.22
6	D	605	O8X	C16-C9	2.77	1.43	1.38
3	C	602	OXL	O3-C1	-2.74	1.22	1.30
6	H	605	O8X	C11-C10	2.64	1.43	1.38
3	H	602	OXL	O4-C2	-2.58	1.23	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	H	605	O8X	O5-S	2.49	1.46	1.43
3	A	602	OXL	O4-C2	-2.48	1.23	1.30
3	F	602	OXL	O4-C2	-2.44	1.23	1.30
3	D	602	OXL	O4-C2	-2.33	1.23	1.30
6	G	605	O8X	O-C	-2.28	1.31	1.36
3	E	602	OXL	O3-C1	-2.28	1.23	1.30
6	A	605	O8X	C16-C9	2.27	1.42	1.38
6	G	605	O8X	C-C19	2.24	1.43	1.40
3	B	602	OXL	O4-C2	-2.24	1.24	1.30
6	G	605	O8X	C2-C1	-2.21	1.34	1.38
6	A	605	O8X	C2-C3	2.02	1.42	1.38

All (79) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	H	605	O8X	O5-S-N	-6.22	97.32	107.04
6	D	605	O8X	C3-S-N	-5.86	99.42	107.55
6	G	605	O8X	C3-S-N	-5.14	100.42	107.55
6	H	605	O8X	O3-S1-C10	4.78	113.36	107.97
6	D	605	O8X	O3-S1-C10	4.75	113.32	107.97
6	D	605	O8X	O5-S-N	-4.26	100.39	107.04
6	H	605	O8X	O5-S-O1	4.14	124.64	119.55
6	A	605	O8X	O3-S1-C10	4.05	112.54	107.97
6	H	605	O8X	C3-S-N	-3.89	102.15	107.55
6	A	605	O8X	C3-S-N	-3.72	102.39	107.55
6	D	605	O8X	O1-S-N	3.43	112.40	107.04
6	D	605	O8X	O5-S-C3	3.34	112.08	107.97
6	G	605	O8X	C9-S1-C10	-3.34	98.47	104.35
6	D	605	O8X	C5-C4-N	3.30	115.94	110.82
6	H	605	O8X	C17-C16-C9	3.22	122.78	119.45
6	A	605	O8X	C1-C2-C3	3.18	122.73	119.45
6	A	605	O8X	C17-C16-C9	3.17	122.73	119.45
6	G	605	O8X	C5-C4-N	-3.09	106.03	110.82
6	H	605	O8X	O5-S-C3	3.05	111.73	107.97
6	D	605	O8X	C1-C2-C3	2.98	122.54	119.45
6	A	605	O8X	C9-S1-C10	-2.97	99.11	104.35
2	D	601	FBP	O5P-P2-O6	2.94	114.55	106.73
6	A	605	O8X	O5-S-C3	2.93	111.58	107.97
6	H	605	O8X	C12-C11-C10	2.93	122.00	118.95
6	D	605	O8X	O-C-C19	2.88	126.12	118.45
6	G	605	O8X	O1-S-C3	2.88	111.51	107.97
6	D	605	O8X	C2-C3-S	2.84	122.86	119.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	H	605	O8X	C1-C2-C3	2.83	122.38	119.45
6	D	605	O8X	C16-C9-S1	2.81	123.10	119.52
6	H	605	O8X	C8-C9-C16	-2.80	116.54	120.44
6	G	605	O8X	C13-C14-C15	2.77	123.21	120.17
6	G	605	O8X	C17-C16-C9	2.75	122.30	119.45
6	G	605	O8X	C11-C10-S1	2.75	123.03	119.52
6	D	605	O8X	C8-C9-C16	-2.74	116.62	120.44
2	B	601	FBP	P1-O1-C1	2.65	125.60	118.30
6	A	605	O8X	O1-S-N	-2.65	102.91	107.04
2	G	601	FBP	O3P-P1-O2P	2.64	117.74	107.64
6	A	605	O8X	C8-C9-C16	-2.62	116.78	120.44
6	D	605	O8X	C17-C16-C9	2.61	122.15	119.45
6	H	605	O8X	C13-C14-C15	2.59	123.02	120.17
6	A	605	O8X	O5-S-O1	2.59	122.73	119.55
3	F	602	OXL	O4-C2-C1	2.55	120.74	113.16
6	D	605	O8X	C9-S1-C10	-2.54	99.87	104.35
6	A	605	O8X	C12-C11-C10	2.49	121.54	118.95
3	D	602	OXL	O4-C2-C1	2.46	120.46	113.16
2	E	601	FBP	P1-O1-C1	2.43	125.00	118.30
6	H	605	O8X	C5-C4-N	-2.43	107.05	110.82
6	A	605	O8X	C18-C3-S	2.42	121.79	119.08
6	G	605	O8X	C12-C11-C10	2.40	121.45	118.95
3	D	602	OXL	O3-C1-C2	2.37	120.20	113.16
6	A	605	O8X	C2-C1-C	-2.34	118.09	120.50
6	G	605	O8X	C8-C9-C16	-2.30	117.23	120.44
6	A	605	O8X	C11-C10-C15	-2.29	117.81	120.62
6	D	605	O8X	C12-C11-C10	2.27	121.31	118.95
2	E	601	FBP	O3P-P1-O2P	2.27	116.32	107.64
6	H	605	O8X	O4-S1-C10	-2.26	105.42	107.97
6	G	605	O8X	O-C-C19	2.26	124.47	118.45
6	G	605	O8X	O3-S1-C10	2.26	110.52	107.97
6	H	605	O8X	O2-C14-C13	-2.25	113.60	120.02
6	H	605	O8X	C9-S1-C10	-2.20	100.46	104.35
2	A	601	FBP	P1-O1-C1	2.20	124.35	118.30
3	A	602	OXL	O4-C2-C1	2.19	119.67	113.16
3	F	602	OXL	O3-C1-C2	2.18	119.65	113.16
6	D	605	O8X	C11-C10-S1	2.18	122.29	119.52
2	B	601	FBP	O3P-P1-O2P	2.15	115.84	107.64
6	D	605	O8X	O2-C14-C13	-2.13	113.94	120.02
2	D	601	FBP	P1-O1-C1	2.13	124.15	118.30
6	D	605	O8X	C5-C6-C7	-2.13	115.86	121.23
6	H	605	O8X	O-C-C19	2.12	124.11	118.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	601	FBP	P1-O1-C1	2.12	124.12	118.30
6	A	605	O8X	O2-C14-C13	-2.11	114.01	120.02
2	F	601	FBP	P1-O1-C1	2.09	124.06	118.30
6	H	605	O8X	C7-C8-C9	2.08	121.60	119.45
2	B	601	FBP	O5P-P2-O6	2.07	112.25	106.73
6	A	605	O8X	C5-C4-N	-2.07	107.61	110.82
6	H	605	O8X	C16-C9-S1	2.07	122.15	119.52
6	G	605	O8X	O2-C14-C13	-2.02	114.26	120.02
6	G	605	O8X	C5-C6-C7	-2.02	116.12	121.23
6	D	605	O8X	C11-C10-C15	-2.02	118.14	120.62

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	FBP	C4-C5-C6-O6
2	B	601	FBP	C4-C5-C6-O6
2	C	601	FBP	C4-C5-C6-O6
2	D	601	FBP	C4-C5-C6-O6
2	E	601	FBP	C4-C5-C6-O6
2	F	601	FBP	C4-C5-C6-O6
2	H	601	FBP	C4-C5-C6-O6
6	D	605	O8X	N-C4-C5-C6
6	D	605	O8X	C4-N-S-O5
6	D	605	O8X	C4-N-S-O1
2	G	601	FBP	C4-C5-C6-O6
6	D	605	O8X	C4-N-S-C3
2	A	601	FBP	O5-C5-C6-O6
2	B	601	FBP	O5-C5-C6-O6
2	C	601	FBP	O5-C5-C6-O6
2	D	601	FBP	O5-C5-C6-O6
2	E	601	FBP	O5-C5-C6-O6
2	F	601	FBP	O5-C5-C6-O6
2	H	601	FBP	O5-C5-C6-O6
6	A	605	O8X	C4-C5-C6-C17
6	G	605	O8X	C4-C5-C6-C17
6	H	605	O8X	C4-C5-C6-C17
6	A	605	O8X	C4-C5-C6-C7
6	G	605	O8X	C4-C5-C6-C7
6	H	605	O8X	C4-C5-C6-C7
6	D	605	O8X	C4-C5-C6-C17
6	D	605	O8X	C4-C5-C6-C7

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	D	602	OXL	O3-C1-C2-O4
2	G	601	FBP	O5-C5-C6-O6
3	A	602	OXL	O3-C1-C2-O4
3	C	602	OXL	O3-C1-C2-O4
3	E	602	OXL	O3-C1-C2-O4
3	H	602	OXL	O3-C1-C2-O4
6	H	605	O8X	C4-N-S-O1


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	601	FBP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	422/447 (94%)	0.91	68 (16%) 1 1	61, 82, 112, 131	0
1	B	436/447 (97%)	0.61	45 (10%) 6 5	43, 74, 108, 125	0
1	C	425/447 (95%)	0.38	23 (5%) 25 23	32, 61, 95, 140	0
1	D	425/447 (95%)	0.08	4 (0%) 84 82	31, 44, 69, 121	0
1	E	419/447 (93%)	0.49	34 (8%) 12 10	48, 70, 102, 123	0
1	F	432/447 (96%)	0.11	17 (3%) 39 37	35, 55, 86, 105	0
1	G	421/447 (94%)	-0.05	3 (0%) 87 86	32, 48, 68, 100	1 (0%)
1	H	425/447 (95%)	0.03	5 (1%) 79 76	29, 39, 63, 103	0
All	All	3405/3576 (95%)	0.32	199 (5%) 23 21	29, 59, 100, 140	1 (0%)

All (199) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	25	PHE	10.3
1	A	25	PHE	9.4
1	B	115	LEU	9.2
1	A	63	ILE	8.8
1	B	543	SER	8.0
1	A	241	LEU	7.6
1	A	273	GLU	7.4
1	D	24	PHE	7.4
1	C	22	THR	6.8
1	H	21	GLY	6.7
1	H	25	PHE	6.6
1	A	543	SER	6.2
1	A	377	THR	6.2
1	A	482	PHE	5.8
1	H	24	PHE	5.8
1	E	25	PHE	5.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	103	VAL	5.7
1	C	116	SER	5.6
1	B	507	GLU	5.6
1	E	249	VAL	5.5
1	C	21	GLY	5.3
1	B	10	ARG	5.3
1	A	114	PRO	5.1
1	A	475	VAL	5.0
1	E	244	GLY	4.9
1	B	540[A]	LEU	4.8
1	G	25	PHE	4.8
1	B	511	LEU	4.6
1	C	75	GLU	4.6
1	A	115	LEU	4.5
1	F	512	ARG	4.5
1	C	25	PHE	4.4
1	D	22	THR	4.4
1	E	114	PRO	4.3
1	A	343	LEU	4.2
1	A	84	ALA	4.2
1	E	464	ALA	4.1
1	A	253	PHE	4.1
1	B	517	VAL	4.0
1	B	132	GLY	4.0
1	E	487	ARG	4.0
1	F	115	LEU	4.0
1	A	88	PHE	4.0
1	A	357	THR	3.9
1	C	80	GLY	3.9
1	C	103	VAL	3.8
1	B	12	ASP	3.8
1	A	373	LEU	3.8
1	B	114	PRO	3.8
1	A	237	ASP	3.7
1	A	361	ALA	3.7
1	A	244	GLY	3.6
1	B	512	ARG	3.6
1	F	543	SER	3.6
1	A	86	LEU	3.6
1	E	502	VAL	3.6
1	A	333	GLY	3.5
1	E	273	GLU	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	91	GLY	3.5
1	E	90	HIS	3.5
1	B	249	VAL	3.5
1	C	385	GLU	3.5
1	A	30	LEU	3.4
1	F	516	ARG	3.4
1	B	489	PRO	3.4
1	A	280	ILE	3.4
1	C	34	MET	3.4
1	B	256	PHE	3.4
1	A	463	ILE	3.4
1	A	378	ALA	3.4
1	B	86	LEU	3.3
1	A	33	ALA	3.3
1	A	484	LEU	3.2
1	E	115	LEU	3.2
1	A	34	MET	3.2
1	F	116	SER	3.2
1	B	61	ALA	3.2
1	B	487	ARG	3.2
1	B	88	PHE	3.2
1	A	540	LEU	3.2
1	E	447	GLY	3.1
1	A	459	ARG	3.1
1	F	416	LEU	3.1
1	F	511	LEU	3.1
1	B	116	SER	3.1
1	C	19	GLU	3.1
1	B	63	ILE	3.1
1	B	122	ILE	3.0
1	E	26	GLN	3.0
1	A	384	VAL	3.0
1	B	508	SER	3.0
1	A	254	ALA	3.0
1	E	270	LEU	3.0
1	A	91	GLY	2.9
1	D	21	GLY	2.9
1	E	485	LEU	2.9
1	H	516	ARG	2.9
1	B	130	GLY	2.9
1	A	407	PHE	2.9
1	A	464	ALA	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	114	PRO	2.8
1	E	124	LEU	2.8
1	C	404	ARG	2.8
1	E	540	LEU	2.8
1	A	383	PRO	2.8
1	A	248	GLY	2.7
1	E	514	PHE	2.7
1	A	124	LEU	2.7
1	A	90	HIS	2.7
1	E	266	VAL	2.7
1	C	36	ASP	2.7
1	E	442	VAL	2.7
1	E	89	SER	2.7
1	F	493	ILE	2.6
1	A	352	PRO	2.6
1	A	125	ASP	2.6
1	A	232	GLY	2.6
1	B	542	ILE	2.6
1	C	76[A]	MET	2.6
1	E	239	ARG	2.6
1	A	460	ALA	2.6
1	B	416	LEU	2.6
1	G	63	ILE	2.6
1	B	118	ARG	2.6
1	C	115	LEU	2.5
1	E	465	VAL	2.5
1	A	404	ARG	2.5
1	B	236	GLN	2.5
1	B	274	GLY	2.5
1	B	90	HIS	2.5
1	B	103	VAL	2.5
1	A	441	ILE	2.5
1	A	274	GLY	2.5
1	C	20	LEU	2.5
1	E	241	LEU	2.5
1	A	258	ARG	2.5
1	B	440	ILE	2.5
1	B	509	GLY	2.5
1	A	71	GLU	2.4
1	C	386	ALA	2.4
1	A	275	HIS	2.4
1	B	233	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	103	VAL	2.4
1	A	62	THR	2.4
1	C	95	TYR	2.4
1	C	63	ILE	2.4
1	F	540[A]	LEU	2.4
1	F	12	ASP	2.4
1	A	385	GLU	2.4
1	A	472	ALA	2.4
1	B	77	ILE	2.4
1	C	23	ALA	2.4
1	A	52	VAL	2.4
1	A	465	VAL	2.4
1	A	240	ASP	2.4
1	E	412	ARG	2.4
1	A	113	SER	2.4
1	A	263	VAL	2.3
1	C	382	PHE	2.3
1	E	433	PHE	2.3
1	A	266	VAL	2.3
1	B	514	PHE	2.3
1	A	245	VAL	2.3
1	C	371	ILE	2.3
1	C	79	ALA	2.3
1	B	124	LEU	2.3
1	E	277	ILE	2.3
1	B	490	PRO	2.2
1	A	233	LEU	2.2
1	A	380	GLY	2.2
1	E	542	ILE	2.2
1	F	118	ARG	2.2
1	A	126	THR	2.2
1	B	506	ILE	2.2
1	H	30	LEU	2.2
1	E	107	VAL	2.2
1	B	79	ALA	2.2
1	E	29	GLN	2.2
1	F	514	PHE	2.2
1	A	506	ILE	2.1
1	B	484	LEU	2.1
1	F	309	LEU	2.1
1	A	127	LYS	2.1
1	A	252	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	305	ALA	2.1
1	E	122	ILE	2.1
1	F	63	ILE	2.1
1	A	67	SER	2.1
1	A	401	VAL	2.1
1	F	233	LEU	2.1
1	G	487	ARG	2.1
1	B	84	ALA	2.0
1	E	120	VAL	2.0
1	C	319	PHE	2.0
1	E	543	SER	2.0
1	B	309	LEU	2.0
1	E	393	ILE	2.0
1	A	24	PHE	2.0
1	B	120	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	K	E	604	1/1	0.65	0.57	127,127,127,127	0
5	K	A	604	1/1	0.70	0.56	149,149,149,149	0
5	K	C	604	1/1	0.82	0.22	100,100,100,100	0
3	OXL	A	602	6/6	0.87	0.64	143,144,144,144	0
5	K	F	604	1/1	0.88	0.09	118,118,118,118	0
5	K	G	604	1/1	0.89	0.13	88,88,88,88	0
2	FBP	A	601	20/20	0.90	0.18	77,79,82,82	0
3	OXL	C	602	6/6	0.90	0.18	77,78,78,78	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	OXL	E	602	6/6	0.90	0.20	89,89,89,90	0
2	FBP	B	601	20/20	0.90	0.17	76,76,77,78	0
5	K	B	604	1/1	0.91	0.20	130,130,130,130	0
3	OXL	G	602	6/6	0.92	0.16	55,56,58,58	0
6	O8X	A	605	30/30	0.92	0.18	78,80,82,82	19
4	MG	A	603	1/1	0.93	0.07	61,61,61,61	0
4	MG	F	603	1/1	0.93	0.20	38,38,38,38	0
3	OXL	B	602	6/6	0.93	0.22	77,77,79,80	0
6	O8X	G	605	30/30	0.93	0.20	63,66,67,68	19
5	K	D	604	1/1	0.94	0.07	70,70,70,70	0
3	OXL	D	602	6/6	0.94	0.21	62,62,63,64	0
6	O8X	D	605	30/30	0.94	0.19	51,58,65,66	19
2	FBP	E	601	20/20	0.94	0.14	68,69,72,72	0
6	O8X	H	605	30/30	0.95	0.18	52,55,56,56	19
2	FBP	F	601	20/20	0.96	0.15	56,61,66,66	0
3	OXL	H	602	6/6	0.96	0.22	54,55,56,56	0
5	K	H	604	1/1	0.96	0.11	76,76,76,76	0
3	OXL	F	602	6/6	0.96	0.27	90,90,90,91	0
4	MG	C	603	1/1	0.96	0.19	56,56,56,56	0
4	MG	D	603	1/1	0.96	0.21	36,36,36,36	0
4	MG	E	603	1/1	0.96	0.12	46,46,46,46	0
4	MG	B	603	1/1	0.98	0.18	59,59,59,59	0
4	MG	H	603	1/1	0.98	0.23	28,28,28,28	0
2	FBP	D	601	20/20	0.99	0.18	36,37,38,38	0
4	MG	G	603	1/1	0.99	0.23	31,31,31,31	0
2	FBP	G	601	20/20	0.99	0.16	32,34,35,36	0
2	FBP	H	601	20/20	0.99	0.17	28,31,33,33	0
2	FBP	C	601	20/20	0.99	0.17	33,34,38,39	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FBP A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around O8X A 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around O8X G 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around O8X D 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP E 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around O8X H 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP F 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP G 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP H 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FBP C 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.