



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2018 – 03:19 am GMT

PDB ID : 1FYF
Title : CRYSTAL STRUCTURE OF A TRUNCATED FORM OF THREONYL-TRNA SYNTHETASE COMPLEXED WITH A SERYL ADENYLATE ANALOG
Authors : Sankaranarayanan, R.; Dock-Bregeon, A.C.; Moras, D.
Deposited on : 2000-09-29
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	1521 (1.66-1.66)
Clashscore	122126	1616 (1.66-1.66)
Ramachandran outliers	120053	1584 (1.66-1.66)
Sidechain outliers	120020	1584 (1.66-1.66)
RSRZ outliers	108989	1487 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	401	 10% 82% 17%
1	B	401	 9% 78% 22%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7127 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called THREONYL-TRNA SYNTHETASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	401	Total 3265	C 2063	N 576	O 603	S 23	0	0	0
1	B	401	Total 3268	C 2064	N 576	O 605	S 23	0	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total 1	Zn 1	0	0
2	A	1	Total 1	Zn 1	0	0

- Molecule 3 is 5'-O-(N-(L-SERYL)-SULFAMOYL)ADENOSINE (three-letter code: SSA) (formula: C₁₃H₁₉N₇O₈S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			29	13	7	8	1		
3	B	1	Total	C	N	O	S	0	0
			29	13	7	8	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	272	Total	O	0	0
			272	272		
4	B	262	Total	O	0	0
			262	262		


3 Residue-property plots i

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: THREONYL-TRNA SYNTHETASE



• Molecule 1: THREONYL-TRNA SYNTHETASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	86.95Å 109.52Å 115.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.93 – 1.65 19.93 – 1.65	Depositor EDS
% Data completeness (in resolution range)	88.1 (19.93-1.65) 92.2 (19.93-1.65)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.85 (at 1.65Å)	Xtrriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.218 , 0.237 0.220 , 0.238	Depositor DCC
R_{free} test set	6379 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	18.9	Xtrriage
Anisotropy	0.333	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 46.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.011 for -h,l,k	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7127	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SSA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/3336	0.64	1/4492 (0.0%)
1	B	0.37	0/3339	0.64	1/4496 (0.0%)
All	All	0.37	0/6675	0.64	2/8988 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	358	PHE	N-CA-C	-5.65	95.74	111.00
1	A	358	PHE	N-CA-C	-5.46	96.25	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3265	0	3197	64	0
1	B	3268	0	3199	70	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	29	0	19	1	0
3	B	29	0	19	1	0
4	A	272	0	0	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	262	0	0	7	0
All	All	7127	0	6434	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:559:THR:HG21	1:B:571:ALA:HB2	1.46	0.97
1:A:300:ASP:OD2	1:A:302:VAL:HB	1.79	0.83
1:B:553:GLU:O	1:B:557:GLU:HG3	1.87	0.75
1:B:503:GLU:HB2	1:B:505:LYS:NZ	2.04	0.73
1:A:598:ASP:O	1:A:602:GLU:HG2	1.90	0.71
1:A:490:PRO:HG3	1:A:509:MET:CE	2.21	0.70
1:B:465:LYS:HB3	1:B:484:GLN:HG2	1.72	0.70
1:B:255:HIS:ND1	1:B:267:HIS:HE1	1.89	0.70
1:A:255:HIS:ND1	1:A:267:HIS:HE1	1.90	0.69
1:A:467:GLU:HG2	4:A:1066:HOH:O	1.92	0.69
1:A:572:ASP:OD2	1:A:585:HIS:HE1	1.76	0.68
1:B:484:GLN:HE22	3:B:2001:SSA:HN8	1.41	0.68
1:A:292:GLU:H	1:B:268:ASN:HD22	1.40	0.67
1:A:268:ASN:HD22	1:B:292:GLU:H	1.41	0.67
1:A:465:LYS:HG2	1:A:484:GLN:HG2	1.75	0.67
1:A:553:GLU:O	1:A:557:GLU:HG3	1.94	0.67
1:B:555:VAL:O	1:B:559:THR:HG23	1.95	0.67
1:A:329:ILE:HD11	1:B:329:ILE:HD11	1.77	0.66
1:B:443:VAL:O	1:B:447:GLU:HG3	1.96	0.66
1:A:425:GLU:OE2	1:A:426:LYS:HE3	1.96	0.65
1:A:407:MET:HE1	1:A:514:ILE:HG13	1.77	0.65
1:B:594:LEU:HD22	1:B:608:VAL:HG22	1.78	0.64
1:A:426:LYS:N	1:A:426:LYS:HD2	2.12	0.64
1:B:310:TRP:CE2	1:B:314:LYS:HD3	2.34	0.63
1:A:390:GLU:H	1:A:390:GLU:CD	2.00	0.63
1:B:612:ARG:HG2	4:B:2117:HOH:O	1.98	0.63
1:A:257:GLN:HE21	1:A:259:GLU:CG	2.13	0.62
1:A:252:ASP:OD1	1:A:267:HIS:HD2	1.82	0.62
1:A:484:GLN:HE22	3:A:1001:SSA:HN8	1.48	0.61
1:A:403:LEU:HD11	1:A:407:MET:HE2	1.81	0.61
1:B:543:VAL:HG22	1:B:570:LYS:CG	2.30	0.61
1:B:403:LEU:HD11	1:B:407:MET:HE2	1.83	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:572:ASP:OD2	1:B:585:HIS:HE1	1.83	0.60
1:B:403:LEU:HG	1:B:407:MET:HE3	1.83	0.59
1:B:252:ASP:OD1	1:B:267:HIS:HD2	1.85	0.59
1:B:621:VAL:O	1:B:624:VAL:HG22	2.04	0.58
1:A:310:TRP:O	1:A:314:LYS:HB2	2.03	0.58
1:A:490:PRO:HG3	1:A:509:MET:HE2	1.84	0.58
1:A:403:LEU:HG	1:A:407:MET:HE3	1.85	0.57
1:B:465:LYS:HE3	1:B:467:GLU:OE2	2.03	0.57
1:B:453:GLU:HG2	4:B:2149:HOH:O	2.04	0.57
1:A:276:GLU:CD	1:A:568:ARG:NH2	2.58	0.56
1:B:345:LEU:HD11	1:B:498:VAL:HG23	1.86	0.56
1:B:490:PRO:HG2	4:B:2137:HOH:O	2.06	0.56
1:A:243:ASP:OD2	1:A:245:ARG:HB2	2.06	0.56
1:A:257:GLN:HE21	1:A:259:GLU:HG2	1.71	0.55
1:A:389:THR:OG1	1:A:392:GLN:HG3	2.06	0.55
1:B:300:ASP:OD1	1:B:325:ARG:HD2	2.07	0.55
1:B:345:LEU:HD12	1:B:346:LYS:N	2.22	0.55
1:A:585:HIS:HD2	4:A:1067:HOH:O	1.90	0.54
1:A:407:MET:CE	1:A:514:ILE:HG13	2.38	0.53
1:B:390:GLU:CD	1:B:390:GLU:H	2.11	0.53
1:A:348:TYR:CZ	1:A:500:GLU:HG2	2.44	0.53
1:B:490:PRO:HD3	1:B:509:MET:HE3	1.91	0.52
1:B:310:TRP:CZ2	1:B:314:LYS:HD3	2.45	0.52
1:A:453:GLU:HG2	1:A:454:TYR:O	2.10	0.52
1:B:592:TYR:OH	1:B:640:LEU:HD13	2.09	0.52
1:B:585:HIS:HD2	4:B:2151:HOH:O	1.93	0.51
1:A:292:GLU:H	1:B:268:ASN:ND2	2.08	0.51
1:A:545:MET:SD	1:A:578:ILE:HD12	2.52	0.50
1:A:425:GLU:C	1:A:426:LYS:HD2	2.33	0.49
1:B:469:THR:HG21	1:B:477:ALA:HB1	1.94	0.49
1:B:382:ASP:HB3	1:B:518:MET:CE	2.42	0.49
1:B:362:HIS:HD2	4:B:2014:HOH:O	1.96	0.49
1:A:342:ASN:HD21	1:A:495:ALA:HA	1.78	0.49
1:B:302:VAL:O	1:B:306:LYS:HG3	2.12	0.48
1:A:578:ILE:HD11	1:A:595:VAL:HG22	1.95	0.48
1:A:453:GLU:HG2	1:A:454:TYR:N	2.29	0.48
1:B:543:VAL:HG23	1:B:590:VAL:HG11	1.96	0.48
1:A:490:PRO:HG3	1:A:509:MET:HE3	1.92	0.48
1:B:294:LYS:HD2	1:B:357:GLU:OE2	2.13	0.48
1:A:304:TRP:CD1	1:A:328:CYS:HB2	2.49	0.47
1:B:503:GLU:HB2	1:B:505:LYS:HZ2	1.79	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:407:MET:HE1	1:B:514:ILE:HG13	1.96	0.47
1:A:407:MET:HE3	1:A:514:ILE:HG21	1.96	0.47
1:A:472:ASP:HB2	1:A:527:GLU:OE1	2.15	0.47
1:B:260:ALA:HB1	1:B:263:MET:HB2	1.96	0.47
1:A:255:HIS:ND1	1:A:267:HIS:CE1	2.79	0.47
1:A:489:LEU:HD11	1:A:493:LEU:CD1	2.45	0.47
1:B:246:LYS:O	1:B:250:GLN:HG3	2.14	0.47
1:B:310:TRP:O	1:B:314:LYS:HB2	2.14	0.47
1:B:304:TRP:CD1	1:B:328:CYS:HB2	2.50	0.46
1:A:489:LEU:HD11	1:A:493:LEU:HD11	1.98	0.46
1:A:436:ARG:HH11	1:A:436:ARG:HG2	1.82	0.45
1:A:263:MET:CE	1:B:298:MET:HG2	2.47	0.45
1:B:261:PRO:HG2	4:B:2122:HOH:O	2.16	0.45
1:B:345:LEU:HD12	1:B:346:LYS:H	1.80	0.45
1:B:433:MET:HE2	4:B:2107:HOH:O	2.16	0.45
1:A:246:LYS:HE2	4:A:1113:HOH:O	2.16	0.45
1:A:276:GLU:OE1	1:A:568:ARG:NH2	2.50	0.44
1:A:414:GLU:HG3	4:A:1244:HOH:O	2.16	0.44
1:B:469:THR:CG2	1:B:477:ALA:HB1	2.48	0.44
1:A:407:MET:CE	1:A:514:ILE:HG21	2.47	0.44
1:A:572:ASP:OD2	1:A:585:HIS:CE1	2.65	0.44
1:A:471:TYR:CD1	1:A:471:TYR:N	2.85	0.44
1:B:255:HIS:ND1	1:B:267:HIS:CE1	2.78	0.44
1:B:276:GLU:HG2	1:B:536:TRP:O	2.17	0.44
1:B:314:LYS:NZ	1:B:314:LYS:CB	2.81	0.43
1:B:472:ASP:HB2	1:B:527:GLU:OE1	2.18	0.43
1:A:545:MET:SD	1:A:578:ILE:CD1	3.06	0.43
1:B:621:VAL:O	1:B:624:VAL:CG2	2.67	0.43
1:A:310:TRP:CD1	1:A:314:LYS:NZ	2.87	0.43
1:B:484:GLN:HB2	1:B:511:HIS:HB2	2.00	0.43
1:A:578:ILE:HG23	1:A:579:GLY:N	2.34	0.43
1:A:590:VAL:O	1:A:611:ARG:HB3	2.19	0.43
1:B:625:ILE:O	1:B:629:GLN:HG3	2.18	0.43
1:A:568:ARG:NH2	4:A:1068:HOH:O	2.52	0.43
1:B:342:ASN:HD21	1:B:495:ALA:HA	1.83	0.43
1:A:403:LEU:HG	1:A:407:MET:CE	2.49	0.42
1:A:609:ARG:HH11	1:A:609:ARG:HG3	1.85	0.42
1:B:543:VAL:HG22	1:B:570:LYS:HG3	1.98	0.42
1:B:294:LYS:HD2	1:B:294:LYS:HA	1.88	0.42
1:B:432:GLU:OE1	1:B:436:ARG:NH2	2.52	0.42
1:A:298:MET:HG2	1:B:263:MET:CE	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:546:ASN:HB3	1:B:555:VAL:HG21	2.02	0.41
1:A:259:GLU:CD	1:A:259:GLU:H	2.22	0.41
1:A:544:ILE:HG22	1:A:555:VAL:HG13	2.03	0.41
1:A:268:ASN:ND2	1:B:292:GLU:H	2.14	0.41
1:B:242:ARG:HD3	1:B:527:GLU:O	2.19	0.41
1:B:502:ASN:HD22	1:B:502:ASN:HA	1.60	0.41
1:A:442:ALA:O	1:A:446:GLU:HG3	2.20	0.41
1:B:301:ARG:O	1:B:305:GLU:HG3	2.21	0.41
1:A:592:TYR:OH	1:A:640:LEU:HD13	2.20	0.41
1:B:486:ASP:OD2	1:B:489:LEU:HD12	2.20	0.41
1:B:489:LEU:N	1:B:490:PRO:HD2	2.36	0.40
1:B:471:TYR:N	1:B:471:TYR:CD1	2.88	0.40
1:B:599:LYS:O	1:B:603:SER:HB3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	399/401 (100%)	391 (98%)	8 (2%)	0	100	100
1	B	399/401 (100%)	392 (98%)	6 (2%)	1 (0%)	43	22
All	All	798/802 (100%)	783 (98%)	14 (2%)	1 (0%)	53	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	641	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	353/356 (99%)	341 (97%)	12 (3%)	40	13
1	B	354/356 (99%)	348 (98%)	6 (2%)	63	41
All	All	707/712 (99%)	689 (98%)	18 (2%)	50	24

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	267	HIS
1	A	300	ASP
1	A	326	GLU
1	A	334	CYS
1	A	347	SER
1	A	426	LYS
1	A	436	ARG
1	A	445	LEU
1	A	465	LYS
1	A	501	ASP
1	A	512	ARG
1	A	642	GLU
1	B	267	HIS
1	B	334	CYS
1	B	414	GLU
1	B	456	LEU
1	B	502	ASN
1	B	512	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	250	GLN
1	A	257	GLN
1	A	267	HIS
1	A	268	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	291	GLN
1	A	342	ASN
1	A	484	GLN
1	A	556	ASN
1	A	585	HIS
1	B	267	HIS
1	B	268	ASN
1	B	291	GLN
1	B	312	ASN
1	B	342	ASN
1	B	362	HIS
1	B	381	GLN
1	B	502	ASN
1	B	556	ASN
1	B	585	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SSA	A	1001	2	27,31,31	2.44	2 (7%)	27,46,46	0.99	2 (7%)
3	SSA	B	2001	2	27,31,31	2.37	2 (7%)	27,46,46	0.88	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SSA	A	1001	2	-	0/15/37/37	0/3/3/3
3	SSA	B	2001	2	-	0/15/37/37	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1001	SSA	O1S-S1	7.82	1.48	1.42
3	B	2001	SSA	O1S-S1	8.23	1.49	1.42
3	B	2001	SSA	O2S-S1	8.56	1.49	1.42
3	A	1001	SSA	O2S-S1	9.49	1.50	1.42

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1001	SSA	O2S-S1-O1S	-2.13	119.07	121.23
3	A	1001	SSA	O2S-S1-N8	-2.00	105.78	108.54
3	B	2001	SSA	C5'-O5'-S1	2.02	121.80	117.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1001	SSA	1	0
3	B	2001	SSA	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	401/401 (100%)	0.62	42 (10%) 6 5	12, 22, 33, 38	0
1	B	401/401 (100%)	0.57	38 (9%) 8 7	12, 21, 31, 40	0
All	All	802/802 (100%)	0.59	80 (9%) 7 6	12, 21, 32, 40	0

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	642	GLU	6.7
1	A	500	GLU	5.2
1	A	642	GLU	5.0
1	B	473	CYS	4.8
1	A	602	GLU	4.8
1	A	297	PHE	4.4
1	A	503	GLU	4.1
1	A	242	ARG	4.1
1	B	641	GLU	4.0
1	B	414	GLU	4.0
1	A	502	ASN	4.0
1	A	549	ASP	3.9
1	B	258	GLU	3.8
1	B	575	ASN	3.6
1	B	242	ARG	3.5
1	A	599	LYS	3.5
1	A	553	GLU	3.4
1	B	324	ASN	3.3
1	B	503	GLU	3.3
1	A	598	ASP	3.2
1	A	548	THR	3.2
1	A	603	SER	3.1
1	B	549	ASP	3.1
1	A	504	ARG	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	489	LEU	3.0
1	B	501	ASP	3.0
1	A	449	ASN	3.0
1	B	502	ASN	3.0
1	B	500	GLU	3.0
1	A	425	GLU	2.9
1	A	414	GLU	2.9
1	A	447	GLU	2.9
1	A	501	ASP	2.8
1	A	575	ASN	2.8
1	A	348	TYR	2.8
1	A	394	ARG	2.8
1	A	641	GLU	2.7
1	A	617	GLY	2.7
1	A	345	LEU	2.7
1	B	602	GLU	2.7
1	A	473	CYS	2.7
1	A	594	LEU	2.7
1	B	553	GLU	2.7
1	A	542	VAL	2.6
1	B	345	LEU	2.6
1	B	297	PHE	2.6
1	A	550	SER	2.6
1	A	626	GLU	2.5
1	B	315	ASP	2.5
1	B	640	LEU	2.5
1	B	633	ARG	2.5
1	B	620	ASP	2.5
1	B	504	ARG	2.4
1	A	349	ARG	2.4
1	B	314	LYS	2.4
1	A	638	LYS	2.4
1	B	598	ASP	2.3
1	B	570	LYS	2.3
1	B	394	ARG	2.3
1	B	614	LYS	2.3
1	B	555	VAL	2.3
1	B	528	GLU	2.3
1	A	315	ASP	2.2
1	A	324	ASN	2.2
1	A	601	VAL	2.2
1	A	633	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	249	LYS	2.2
1	A	609	ARG	2.1
1	B	259	GLU	2.1
1	B	566	GLY	2.1
1	A	623	GLU	2.1
1	A	258	GLU	2.1
1	B	425	GLU	2.1
1	A	544	ILE	2.1
1	B	625	ILE	2.1
1	B	560	GLN	2.1
1	A	246	LYS	2.1
1	B	626	GLU	2.1
1	B	310	TRP	2.1
1	B	432	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SSA	A	1001	29/29	0.94	0.09	15,16,17,17	0
3	SSA	B	2001	29/29	0.96	0.07	13,14,15,15	0
2	ZN	A	650	1/1	1.00	0.05	15,15,15,15	0
2	ZN	B	650	1/1	1.00	0.05	12,12,12,12	0

6.5 Other polymers [i](#)

There are no such residues in this entry.