



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2025 – 12:21 pm GMT

PDB ID : 9G0U
Title : Human LTC4 synthase in complex with AZD9898
Authors : Srinivas, H.
Deposited on : 2024-07-08
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.41


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5504 (2.50-2.50)
Clashscore	180529	6282 (2.50-2.50)
Ramachandran outliers	177936	6191 (2.50-2.50)
Sidechain outliers	177891	6193 (2.50-2.50)
RSRZ outliers	164620	5504 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	157	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PLM	A	204	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PAM	A	213	-	-	-	X

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 1442 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Leukotriene C4 synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	149	1166	777	202	185	2	0	0	0

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	initiating methionine	UNP Q16873
A	-5	HIS	-	expression tag	UNP Q16873
A	-4	HIS	-	expression tag	UNP Q16873
A	-3	HIS	-	expression tag	UNP Q16873
A	-2	HIS	-	expression tag	UNP Q16873
A	-1	HIS	-	expression tag	UNP Q16873
A	0	HIS	-	expression tag	UNP Q16873
A	1	GLY	-	expression tag	UNP Q16873

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0

- Molecule 3 is PALMITIC ACID (three-letter code: PLM) (formula: $C_{16}H_{32}O_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 12 10 2	0	0
3	A	1	Total C 8 8	0	0
3	A	1	Total C 10 10	0	0
3	A	1	Total C 7 7	0	0
3	A	1	Total C 7 7	0	0
3	A	1	Total C 11 11	0	0
3	A	1	Total C O 9 7 2	0	0
3	A	1	Total C 8 8	0	0
3	A	1	Total C 6 6	0	0
3	A	1	Total C 8 8	0	0

- Molecule 4 is PALMITOLEIC ACID (three-letter code: PAM) (formula: $C_{16}H_{30}O_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 14 12 2	0	0
4	A	1	Total C 10 10	0	0
4	A	1	Total C 10 10	0	0
4	A	1	Total C O 18 16 2	0	0
4	A	1	Total C 10 10	0	0
4	A	1	Total C 6 6	0	0
4	A	1	Total C 7 7	0	0
4	A	1	Total C O 18 16 2	0	0

- Molecule 5 is DODECYL-BETA-D-MALTOSE (three-letter code: LMT) (formula: $C_{24}H_{46}O_{11}$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	0	0	
			35	24	11			

- Molecule 6 is (1 {S},2 {S})-2-[5-[[5-chloranyl-2,4-bis(fluoranyl)phenyl]-(2-fluoranyl-2-methyl-propyl)amino]-3-methoxy-pyrazin-2-yl]carbonylcyclopropane-1-carboxylic acid (three-letter code: A1IHJ) (formula: C₂₀H₁₉ClF₃N₃O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
6	A	1	Total	C	Cl	F	N	O	0	0
			31	20	1	3	3	4		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	26	Total O 26 26	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Leukotriene C4 synthase



4 Data and refinement statistics i

Property	Value	Source
Space group	F 2 3	Depositor
Cell constants a, b, c, α , β , γ	177.59Å 177.59Å 177.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.50 25.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (25.00-2.50) 99.8 (25.00-2.50)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 2.50Å)	Xtrriage
Refinement program	BUSTER 2.11.7	Depositor
R, R_{free}	0.201 , 0.220 0.211 , 0.234	Depositor DCC
R_{free} test set	806 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	57.0	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 75.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.085 for k,h,-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	1442	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PLM, A1IHJ, LMT, SO4, PAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/1198	0.67	0/1635

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	37	PRO	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1166	0	1218	18	0
2	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	86	0	133	10	0
4	A	93	0	143	3	0
5	A	35	0	46	3	0
6	A	31	0	0	0	0
7	A	26	0	0	0	0
All	All	1442	0	1540	21	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (21) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:217:LMT:H6D	5:A:217:LMT:H5B	1.74	0.69
1:A:125:GLY:O	1:A:129:HIS:HD2	1.80	0.65
1:A:92:ARG:HE	3:A:215:PLM:H42	1.65	0.61
1:A:104:ARG:HH12	4:A:219:PAM:H72	1.66	0.59
1:A:33:PHE:CD1	1:A:43:PRO:HG2	2.39	0.58
1:A:78:ALA:HB2	3:A:202:PLM:H71	1.88	0.55
1:A:107:PRO:HG3	3:A:215:PLM:H71	1.91	0.51
1:A:78:ALA:HB1	5:A:217:LMT:O4'	2.11	0.50
1:A:92:ARG:NE	3:A:215:PLM:H42	2.28	0.49
1:A:78:ALA:H	3:A:202:PLM:H62	1.78	0.48
1:A:107:PRO:HD3	3:A:215:PLM:H51	1.97	0.47
1:A:84:LEU:HB3	3:A:205:PLM:HA1	1.96	0.47
1:A:104:ARG:NH1	4:A:219:PAM:H72	2.30	0.46
1:A:63:PHE:HE1	1:A:83:GLY:HA2	1.82	0.45
1:A:120:ALA:HB2	4:A:210:PAM:H111	2.00	0.44
1:A:60:PHE:CE2	1:A:64:LEU:HD11	2.54	0.43
5:A:217:LMT:H6D	5:A:217:LMT:C5B	2.47	0.42
1:A:88:PHE:HB2	3:A:205:PLM:HC1	2.01	0.41
3:A:205:PLM:H81	3:A:214:PLM:H62	2.02	0.41
1:A:3:ASP:HA	1:A:6:ALA:HB2	2.03	0.41
1:A:75:HIS:HB3	3:A:202:PLM:H51	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	147/157 (94%)	143 (97%)	3 (2%)	1 (1%)	19 35

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	38	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	113/120 (94%)	100 (88%)	13 (12%)	4 9

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	ARG
1	A	57	SER
1	A	81	LEU
1	A	91	LEU
1	A	97	TYR
1	A	100	SER
1	A	131	LEU
1	A	135	LEU
1	A	140	LEU
1	A	143	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	144	ARG
1	A	145	THR
1	A	147	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	95	GLN
1	A	129	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PLM	A	207	-	6,6,17	0.72	0	5,5,17	0.38	0
3	PLM	A	202	-	11,11,17	0.90	0	11,11,17	0.29	0
3	PLM	A	204	-	7,7,17	0.72	0	6,6,17	0.38	0
4	PAM	A	209	-	9,9,17	0.69	0	7,8,17	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	A1IHJ	A	221	-	30,33,33	1.69	5 (16%)	40,50,50	2.10	15 (37%)
4	PAM	A	213	-	5,5,17	0.73	0	2,4,17	0.54	0
4	PAM	A	218	-	6,6,17	0.63	0	5,5,17	0.43	0
4	PAM	A	212	-	9,9,17	0.63	0	8,8,17	0.45	0
4	PAM	A	203	-	13,13,17	0.77	0	12,13,17	0.56	0
4	PAM	A	210	-	9,9,17	0.67	0	7,8,17	0.50	0
5	LMT	A	217	-	36,36,36	1.01	1 (2%)	47,47,47	0.86	2 (4%)
3	PLM	A	205	-	9,9,17	0.75	0	8,8,17	0.40	0
4	PAM	A	211	-	17,17,17	0.76	0	17,17,17	0.47	0
3	PLM	A	216	-	5,5,17	0.69	0	4,4,17	0.31	0
3	PLM	A	208	-	10,10,17	0.70	0	9,9,17	0.47	0
3	PLM	A	214	-	8,8,17	0.73	0	8,8,17	0.37	0
4	PAM	A	219	-	17,17,17	0.86	0	17,17,17	0.55	0
3	PLM	A	215	-	7,7,17	0.74	0	6,6,17	0.34	0
3	PLM	A	220	-	7,7,17	0.66	0	6,6,17	0.40	0
2	SO4	A	201	-	4,4,4	0.17	0	6,6,6	0.11	0
3	PLM	A	206	-	6,6,17	0.75	0	5,5,17	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PLM	A	207	-	-	2/4/4/15	-
3	PLM	A	202	-	-	7/9/9/15	-
3	PLM	A	204	-	-	3/5/5/15	-
4	PAM	A	209	-	-	5/7/7/15	-
6	A1IHJ	A	221	-	-	4/25/32/32	0/3/3/3
4	PAM	A	213	-	-	1/3/3/15	-
4	PAM	A	218	-	-	1/4/4/15	-
4	PAM	A	212	-	-	4/7/7/15	-
4	PAM	A	203	-	-	3/11/11/15	-
5	LMT	A	217	-	-	10/21/61/61	0/2/2/2
4	PAM	A	210	-	-	4/7/7/15	-
3	PLM	A	205	-	-	4/7/7/15	-
4	PAM	A	211	-	-	10/15/15/15	-
3	PLM	A	216	-	-	1/3/3/15	-
3	PLM	A	208	-	-	7/8/8/15	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PLM	A	214	-	-	4/6/6/15	-
4	PAM	A	219	-	-	10/15/15/15	-
3	PLM	A	215	-	-	2/5/5/15	-
3	PLM	A	220	-	-	2/5/5/15	-
3	PLM	A	206	-	-	2/4/4/15	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	221	A1IHJ	O31-C27	4.04	1.34	1.22
6	A	221	A1IHJ	O22-C17	3.53	1.40	1.35
6	A	221	A1IHJ	C6-N10	-3.22	1.36	1.43
5	A	217	LMT	O1'-C1'	2.57	1.44	1.40
6	A	221	A1IHJ	O30-C27	-2.56	1.22	1.30
6	A	221	A1IHJ	C17-N18	2.12	1.35	1.32

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	221	A1IHJ	C16-C17-N18	-6.78	117.83	123.83
6	A	221	A1IHJ	C28-C16-N21	-4.00	113.81	117.17
6	A	221	A1IHJ	N18-C19-N10	3.71	119.31	115.77
6	A	221	A1IHJ	C3-C4-CL8	-3.48	115.57	119.78
6	A	221	A1IHJ	C5-C6-C1	3.04	119.44	116.48
5	A	217	LMT	O1B-C4'-C5'	-2.97	101.32	109.45
6	A	221	A1IHJ	C20-N21-C16	2.82	122.36	117.67
6	A	221	A1IHJ	F7-C3-C4	-2.62	116.56	118.98
6	A	221	A1IHJ	C5-C4-CL8	2.49	122.51	118.49
6	A	221	A1IHJ	C23-O22-C17	2.36	119.55	117.21
6	A	221	A1IHJ	O31-C27-C24	-2.26	117.27	122.95
6	A	221	A1IHJ	C12-C11-N10	-2.19	113.65	116.62
6	A	221	A1IHJ	O29-C28-C16	2.18	122.48	119.96
6	A	221	A1IHJ	C5-C4-C3	2.13	121.89	119.77
6	A	221	A1IHJ	O30-C27-C24	2.11	119.83	114.03
5	A	217	LMT	O5'-C5'-C4'	2.04	114.05	109.75
6	A	221	A1IHJ	F7-C3-C2	2.02	122.64	118.61

There are no chirality outliers.

All (86) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	209	PAM	C7-C8-C9-C10
4	A	213	PAM	C7-C8-C9-C10
5	A	217	LMT	O5B-C5B-C6B-O6B
3	A	202	PLM	C1-C2-C3-C4
4	A	211	PAM	C1-C2-C3-C4
5	A	217	LMT	C4B-C5B-C6B-O6B
3	A	208	PLM	C9-CA-CB-CC
3	A	204	PLM	C9-CA-CB-CC
4	A	211	PAM	C3-C4-C5-C6
3	A	208	PLM	CB-CC-CD-CE
4	A	209	PAM	C12-C13-C14-C15
3	A	204	PLM	CA-CB-CC-CD
3	A	216	PLM	CA-CB-CC-CD
3	A	202	PLM	C5-C6-C7-C8
3	A	206	PLM	CB-CC-CD-CE
4	A	211	PAM	C4-C5-C6-C7
3	A	208	PLM	CC-CD-CE-CF
4	A	212	PAM	C11-C12-C13-C14
4	A	212	PAM	C10-C11-C12-C13
4	A	219	PAM	C3-C4-C5-C6
3	A	214	PLM	C1-C2-C3-C4
5	A	217	LMT	C1-C2-C3-C4
5	A	217	LMT	C5-C6-C7-C8
5	A	217	LMT	C4'-C5'-C6'-O6'
4	A	203	PAM	C6-C7-C8-C9
4	A	209	PAM	C10-C11-C12-C13
4	A	211	PAM	C6-C7-C8-C9
3	A	202	PLM	C3-C4-C5-C6
3	A	205	PLM	C8-C9-CA-CB
3	A	208	PLM	C7-C8-C9-CA
3	A	214	PLM	C2-C3-C4-C5
3	A	202	PLM	C2-C3-C4-C5
4	A	219	PAM	C2-C3-C4-C5
3	A	208	PLM	CA-CB-CC-CD
3	A	205	PLM	CA-CB-CC-CD
3	A	208	PLM	C8-C9-CA-CB
3	A	205	PLM	C9-CA-CB-CC
3	A	215	PLM	C2-C3-C4-C5
3	A	202	PLM	C7-C8-C9-CA
4	A	209	PAM	C11-C12-C13-C14
5	A	217	LMT	C11-C10-C9-C8
3	A	206	PLM	CD-CE-CF-CG
3	A	204	PLM	CC-CD-CE-CF

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	212	PAM	C12-C13-C14-C15
3	A	215	PLM	C4-C5-C6-C7
4	A	218	PAM	C13-C14-C15-C16
4	A	203	PAM	C9-C10-C11-C12
4	A	210	PAM	C7-C8-C9-C10
4	A	219	PAM	C11-C12-C13-C14
3	A	207	PLM	C5-C6-C7-C8
4	A	219	PAM	C4-C5-C6-C7
6	A	221	A1IHJ	C25-C26-C28-C16
3	A	207	PLM	C6-C7-C8-C9
5	A	217	LMT	O5'-C5'-C6'-O6'
5	A	217	LMT	C3-C4-C5-C6
4	A	211	PAM	C2-C3-C4-C5
5	A	217	LMT	C9-C10-C11-C12
4	A	219	PAM	C10-C11-C12-C13
6	A	221	A1IHJ	N18-C19-N10-C6
5	A	217	LMT	C4-C5-C6-C7
3	A	220	PLM	C5-C6-C7-C8
3	A	205	PLM	CC-CD-CE-CF
4	A	211	PAM	O2-C1-C2-C3
4	A	212	PAM	C7-C8-C9-C10
3	A	208	PLM	CD-CE-CF-CG
4	A	211	PAM	C13-C14-C15-C16
3	A	220	PLM	C4-C5-C6-C7
4	A	210	PAM	C12-C13-C14-C15
4	A	211	PAM	O1-C1-C2-C3
4	A	210	PAM	C13-C14-C15-C16
6	A	221	A1IHJ	C20-C19-N10-C11
4	A	211	PAM	C9-C10-C11-C12
3	A	202	PLM	O1-C1-C2-C3
3	A	214	PLM	O1-C1-C2-C3
4	A	209	PAM	C9-C10-C11-C12
4	A	219	PAM	C13-C14-C15-C16
3	A	202	PLM	O2-C1-C2-C3
4	A	211	PAM	C7-C8-C9-C10
4	A	219	PAM	C7-C8-C9-C10
6	A	221	A1IHJ	N18-C19-N10-C11
3	A	214	PLM	O2-C1-C2-C3
4	A	219	PAM	C9-C10-C11-C12
4	A	210	PAM	C9-C10-C11-C12
4	A	219	PAM	C5-C6-C7-C8
4	A	203	PAM	C4-C5-C6-C7

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	219	PAM	C1-C2-C3-C4




There are no ring outliers.




7 monomers are involved in 16 short contacts:





Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	202	PLM	3	0
4	A	210	PAM	1	0
5	A	217	LMT	3	0
3	A	205	PLM	3	0
3	A	214	PLM	1	0
4	A	219	PAM	2	0
3	A	215	PLM	4	0





The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	149/157 (94%)	0.24	15 (10%) 14 13	41, 55, 107, 161	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	149	TRP	5.1
1	A	34	ARG	3.5
1	A	146	LEU	3.1
1	A	38	PRO	2.9
1	A	37	PRO	2.8
1	A	109	TYR	2.8
1	A	147	LEU	2.7
1	A	148	PRO	2.7
1	A	3	ASP	2.4
1	A	45	GLU	2.4
1	A	130	PHE	2.3
1	A	31	ARG	2.1
1	A	129	HIS	2.1
1	A	145	THR	2.1
1	A	33	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	PAM	A	213	6/18	0.59	0.43	122,124,126,127	0
4	PAM	A	212	10/18	0.71	0.32	121,123,125,126	0
3	PLM	A	204	8/18	0.72	0.45	112,115,118,119	0
4	PAM	A	211	18/18	0.73	0.34	108,118,127,128	0
3	PLM	A	216	6/18	0.74	0.37	115,117,119,119	0
3	PLM	A	214	9/18	0.75	0.26	113,114,116,117	0
4	PAM	A	219	18/18	0.75	0.32	68,77,105,108	0
2	SO4	A	201	5/5	0.77	0.16	140,140,141,142	0
3	PLM	A	207	7/18	0.77	0.28	93,94,99,101	0
3	PLM	A	202	12/18	0.78	0.31	82,85,88,89	0
3	PLM	A	215	8/18	0.80	0.29	74,79,82,83	0
5	LMT	A	217	35/35	0.82	0.24	96,120,134,135	0
4	PAM	A	203	14/18	0.84	0.24	79,89,104,106	0
3	PLM	A	206	7/18	0.85	0.22	72,73,85,86	0
3	PLM	A	205	10/18	0.88	0.24	83,85,88,91	0
4	PAM	A	209	10/18	0.89	0.18	79,81,84,85	0
3	PLM	A	208	11/18	0.90	0.19	74,76,79,79	0
4	PAM	A	218	7/18	0.90	0.20	93,94,98,99	0
3	PLM	A	220	8/18	0.91	0.16	74,75,76,76	0
4	PAM	A	210	10/18	0.93	0.13	66,67,74,74	0
6	A1IHJ	A	221	31/31	0.97	0.07	49,53,58,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around PLM A 204:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PAM A 211:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLM A 216:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLM A 214:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PAM A 219:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLM A 207:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLM A 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLM A 215:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT A 217:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PAM A 203:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLM A 206:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLM A 205:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PAM A 209:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PLM A 208:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around PAM A 210:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1IHJ A 221:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.