

Full wwPDB X-ray Structure Validation Report (i)

Oct 15, 2023 – 07:14 PM EDT

PDB ID	:	8G25
Title	:	Crystal Structure of Cathepsin-G and Neutrophil Elastase Inhibited by S. au-
		reus EapH2 at pH 7.5
Authors	:	Mishra, N.B.; Geisbrecht, B.V.
Deposited on	:	2023-02-03
Resolution	:	1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
			%		
1	А	223	89%	11%	-
			7%		
1	F	223	84%	15%	•
			%		
1	Ι	223	90%	9%	-
			8%		
2	В	218	83%	16%	•
			25%		
2	Ε	218	77%	20%	•



Conti	nued fron	<i>i</i> previous	page				
Mol	Chain	Length	Quality of chain				
			39%				
2	Н	218	76%		23%	•	
	-		3%				
3	С	117	75%	13%		12%	
_	-		5%				
3	D	117	75%	12%	•	12%	
_			3%		_		
3	G	117	72%	15%	•	12%	I

ntin d fa C



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 13335 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	Λ	222	Total	С	Ν	0	\mathbf{S}	0	0	0
	A	223	1780	1093	369	308	10	0	0	
1	Б	002	Total	С	Ν	0	S	0	0	0
	Г	223	1780	1093	369	308	10	0	0	0
1	т	222	Total	С	Ν	0	S	0	0	0
		223	1780	1093	369	308	10	0	0	U

• Molecule 1 is a protein called Cathepsin-G.

• Molecule 2 is a protein called Neutrophil elastase.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
9	В	218	Total	С	Ν	0	\mathbf{S}	0	0	0
	D	210	1635	1026	316	282	11	0	0	0
9	F	218	Total	С	Ν	0	\mathbf{S}	0	0	0
	Ľ	210	1635	1026	316	282	11	0	0	U
0	и	010	Total	С	Ν	0	S	0	0	0
	п	218	1635	1026	316	282	11	0	0	

• Molecule 3 is a protein called MAP domain-containing protein.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
2	C	102	Total	С	Ν	Ο	S	0	0	0
0	U	105	819	520	136	161	2	0		
9	р	102	Total	С	Ν	0	S	0	0	0
5	D	105	819	520	136	161	2	0		
2	С	102	Total	С	Ν	0	S	0	0	0
5	G	103	819	520	136	161	2	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
С	28	GLY	-	expression tag	UNP A0A0H3JUK5
С	29	SER	-	expression tag	UNP A0A0H3JUK5



Chain	Residue	Modelled	Actual	Comment	Reference
С	30	THR	-	expression tag	UNP A0A0H3JUK5
D	28	GLY	-	expression tag	UNP A0A0H3JUK5
D	29	SER	-	expression tag	UNP A0A0H3JUK5
D	30	THR	-	expression tag	UNP A0A0H3JUK5
G	28	GLY	-	expression tag	UNP A0A0H3JUK5
G	29	SER	-	expression tag	UNP A0A0H3JUK5
G	30	THR	-	expression tag	UNP A0A0H3JUK5

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	134	Total O 134 134	0	0
4	В	93	Total O 93 93	0	0
4	С	65	Total O 65 65	0	0
4	D	34	Total O 34 34	0	0
4	Е	20	Total O 20 20	0	0
4	F	85	Total O 85 85	0	0
4	G	47	Total O 47 47	0	0
4	Н	30	Total O 30 30	0	0
4	Ι	125	Total O 125 125	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Cathepsin-G







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	86.15Å 68.43Å 141.90Å	Depositor
a, b, c, α , β , γ	90.00° 102.76° 90.00°	Depositor
Bosolution(A)	46.13 - 1.80	Depositor
Resolution (A)	46.13 - 1.80	EDS
% Data completeness	89.2 (46.13-1.80)	Depositor
(in resolution range)	89.5 (46.13-1.80)	EDS
R_{merge}	(Not available)	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.73 (at 1.79 Å)	Xtriage
Refinement program	PHENIX v1.19.2	Depositor
D D.	0.248 , 0.283	Depositor
n, n_{free}	0.248 , 0.283	DCC
R_{free} test set	1840 reflections (1.37%)	wwPDB-VP
Wilson B-factor $(Å^2)$	25.4	Xtriage
Anisotropy	0.193	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33, 52.7	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13335	wwPDB-VP
Average B, all atoms $(Å^2)$	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 85.67 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.1768e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Mol Chain		Bond lengths		angles
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.33	0/1814	0.65	0/2447
1	F	0.31	0/1814	0.64	0/2447
1	Ι	0.34	0/1814	0.67	0/2447
2	В	0.29	0/1665	0.57	0/2263
2	Е	0.27	0/1665	0.57	0/2263
2	Н	0.27	0/1665	0.58	0/2263
3	С	0.32	0/831	0.55	0/1120
3	D	0.29	0/831	0.50	0/1120
3	G	0.31	0/831	0.51	0/1120
All	All	0.30	0/12930	0.60	0/17490

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1780	0	1793	15	0
1	F	1780	0	1793	22	0
1	Ι	1780	0	1793	13	0
2	В	1635	0	1652	19	0
2	Е	1635	0	1652	32	0
2	Н	1635	0	1652	31	0
3	С	819	0	836	11	0



001000							
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes	
3	D	819	0	836	13	0	
3	G	819	0	836	15	0	
4	А	134	0	0	1	0	
4	В	93	0	0	1	0	
4	С	65	0	0	0	0	
4	D	34	0	0	0	0	
4	Е	20	0	0	2	0	
4	F	85	0	0	1	0	
4	G	47	0	0	1	0	
4	Н	30	0	0	4	0	
4	Ι	125	0	0	4	0	
All	All	13335	0	12843	159	0	

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:H:45:SER:HG	2:H:52:HIS:HD1	1.11	0.91
3:D:101:LYS:HD3	3:D:144:LYS:HD2	1.67	0.74
2:B:92:GLU:HB2	2:B:95:ARG:HD3	1.72	0.72
2:H:141:GLY:HA2	2:H:235:ALA:HB1	1.71	0.72
1:I:148:ARG:HG3	1:I:149:ARG:HG3	1.71	0.72
2:B:48:LEU:HD21	2:B:79:VAL:HG22	1.73	0.70
2:E:140:GLN:HG2	2:E:238:VAL:HB	1.74	0.70
2:H:44:VAL:HG22	2:H:56:ALA:HB3	1.74	0.69
2:E:30:VAL:HG13	2:E:159:GLY:HA2	1.75	0.69
2:H:34:ARG:H	2:H:34:ARG:HD3	1.56	0.69
2:H:84:GLY:HA3	2:H:132:VAL:HG22	1.75	0.68
1:A:148:ARG:HG3	1:A:149:ARG:HG3	1.76	0.66
1:F:21:GLU:HA	1:F:155:ARG:HG2	1.77	0.66
1:I:51:GLU:OE2	1:I:115:ARG:NH1	2.29	0.65
2:H:134:VAL:HG22	2:H:135:ALA:H	1.61	0.65
3:C:110:LYS:HE2	3:C:135:LYS:HD3	1.78	0.64
3:C:95:GLU:HG3	3:C:98:ARG:HH22	1.63	0.64
2:E:44:VAL:HG22	2:E:56:ALA:HB3	1.80	0.63
1:I:214:LYS:NZ	4:I:302:HOH:O	2.26	0.62
2:E:140:GLN:HE21	2:E:239:ASN:H	1.48	0.61
2:H:133:GLN:HG2	2:H:134:VAL:H	1.67	0.60
1:F:214:LYS:NZ	4:F:302:HOH:O	2.29	0.59



	A L O	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
3:G:99:ASN:ND2	4:G:203:HOH:O	2.34	0.59	
3:C:100:ALA:O	3:C:120:LYS:NZ	2.26	0.59	
2:H:204:PRO:HB2	2:H:211:ILE:HD12	1.84	0.59	
2:B:180:CYS:SG	4:B:374:HOH:O	2.57	0.59	
2:E:29:ILE:HB	2:E:157:LEU:O	2.04	0.57	
2:E:60:ALA:HB3	2:E:63:PHE:HB2	1.86	0.57	
2:B:129:ASN:O	2:B:133:GLN:NE2	2.36	0.57	
1:I:78:GLU:HB2	1:I:81:GLN:HG3	1.87	0.57	
3:G:45:MET:HB3	3:G:69:LYS:HB2	1.86	0.57	
2:B:102:ARG:HD2	2:B:104:PHE:CZ	2.40	0.56	
2:E:38:HIS:ND1	4:E:301:HOH:O	2.32	0.56	
2:H:36:ARG:NH1	4:H:302:HOH:O	2.38	0.56	
3:G:44:GLU:HA	3:G:68:PRO:HA	1.87	0.56	
2:B:182:ARG:CZ	2:B:182:ARG:H	2.19	0.56	
2:E:74:VAL:HG12	2:E:76:VAL:H	1.70	0.56	
2:B:29:ILE:HG21	2:B:200:ASP:OD2	2.05	0.55	
3:G:44:GLU:HB3	3:G:66:ASN:HB3	1.87	0.55	
2:E:101:GLN:HE21	2:E:123:ASN:HA	1.71	0.55	
2:E:33:ARG:NH1	2:E:172:ASN:OD1	2.29	0.55	
2:E:63:PHE:HE2	2:E:244:ILE:HG22	1.71	0.55	
2:H:58:LEU:HD13	2:H:83:LEU:HD21	1.88	0.55	
3:C:43:LYS:HA	3:C:69:LYS:HD2	1.88	0.55	
2:E:58:LEU:HD13	2:E:83:LEU:HD21	1.89	0.55	
2:B:48:LEU:HD23	2:B:53:PHE:CE1	2.42	0.54	
2:B:210:LEU:HB2	2:B:212:HIS:CE1	2.42	0.54	
3:D:46:GLN:HB2	3:D:69:LYS:HG2	1.89	0.54	
1:I:94:GLN:NE2	4:I:303:HOH:O	2.30	0.54	
1:F:126:ARG:HH21	1:F:129:GLU:HG3	1.72	0.54	
2:E:129:ASN:O	2:E:133:GLN:NE2	2.41	0.54	
2:E:36:ARG:NH1	4:E:303:HOH:O	2.41	0.52	
1:A:170:ILE:HD11	1:A:220:PRO:HG2	1.91	0.52	
2:E:29:ILE:HG12	2:E:200:ASP:OD2	2.09	0.52	
3:C:110:LYS:HD3	3:C:135:LYS:HB2	1.92	0.52	
1:F:80:THR:HB	1:F:118:ASN:HD22	1.74	0.51	
3:D:58:MET:HE2	1:F:215:SER:HA	1.93	0.51	
1:F:55:LEU:HD11	1:F:104:ILE:HD11	1.91	0.50	
2:B:52:HIS:HE1	2:B:199:GLY:O	1.95	0.50	
3:D:57:ILE:HG22	1:F:171:PHE:HD1	1.75	0.50	
1:F:136:LEU:HD21	1:I:77:ARG:HH12	1.76	0.50	
2:B:233:PRO:HB2	2:B:236:GLN:HG3	1.94	0.50	
2:E:68:ALA:HA	2:E:118:VAL:HB	1.93	0.50	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:E:29:ILE:HG23	2:E:169:GLN:HG3	1.94	0.49
2:H:68:ALA:HA	2:H:118:VAL:HB	1.94	0.49
2:H:144:LEU:HD22	2:H:148:VAL:HG21	1.93	0.49
2:E:64:VAL:HG12	2:E:120:LEU:HB2	1.93	0.49
3:G:62:GLN:NE2	1:I:144:ARG:HH11	2.10	0.49
3:C:50:TYR:HA	3:C:137:ILE:O	2.12	0.49
3:D:69:LYS:HD3	3:D:132:ASN:HD21	1.76	0.49
2:B:144:LEU:HD23	2:B:148:VAL:HG11	1.95	0.48
3:D:58:MET:HE3	1:F:193:LYS:HE3	1.94	0.48
3:G:44:GLU:CB	3:G:66:ASN:HB3	2.43	0.48
1:F:16:ILE:HG13	1:F:195:ASP:OD1	2.13	0.48
2:E:140:GLN:HG3	2:E:239:ASN:CG	2.35	0.48
3:D:43:LYS:NZ	3:D:70:ASP:OD2	2.48	0.47
2:E:49:ARG:HG2	2:E:49:ARG:O	2.13	0.47
1:F:125:PRO:HB3	1:F:129:GLU:HB2	1.95	0.47
2:H:58:LEU:HD23	2:H:134:VAL:HA	1.96	0.47
2:B:56:ALA:HB1	2:B:64:VAL:HG13	1.96	0.47
1:F:127:ALA:O	1:F:128:GLN:HB2	2.15	0.46
1:F:157:VAL:HG21	1:F:189:LYS:HB3	1.97	0.46
2:E:140:GLN:HE21	2:E:239:ASN:HB2	1.80	0.46
2:H:186:CYS:HB3	2:H:228:PRO:HB2	1.97	0.46
1:F:20:ARG:HB3	1:I:111:ARG:HH21	1.81	0.46
3:G:110:LYS:HE2	3:G:135:LYS:HD2	1.98	0.46
3:D:64:TYR:HB2	1:F:41:GLN:HG3	1.98	0.46
2:H:146:ASN:ND2	2:H:176:VAL:HA	2.31	0.46
2:E:186:CYS:HB3	2:E:228:PRO:HB2	1.98	0.46
1:F:58:ALA:HA	1:F:105:MET:HB2	1.98	0.46
2:B:59:ILE:HD13	2:B:65:MET:HB2	1.97	0.45
3:G:45:MET:HB3	3:G:69:LYS:CB	2.45	0.45
3:G:50:TYR:HA	3:G:137:ILE:O	2.16	0.45
1:I:75:GLN:NE2	4:I:307:HOH:O	2.48	0.45
1:F:131:LEU:HD23	1:F:131:LEU:HA	1.78	0.45
3:D:50:TYR:HA	3:D:137:ILE:O	2.16	0.45
2:H:140:GLN:HA	2:H:238:VAL:HG11	1.98	0.45
1:F:210:VAL:HG22	1:F:223:PHE:CE2	2.52	0.45
3:C:50:TYR:OH	3:C:89:GLU:OE2	2.33	0.45
3:G:62:GLN:HE22	1:I:144:ARG:HH11	1.63	0.45
1:A:131:LEU:HD12	1:A:131:LEU:HA	1.86	0.44
3:C:43:LYS:HD2	3:C:69:LYS:HD2	1.99	0.44
2:E:160:ARG:O	2:E:161:ASN:HB2	2.17	0.44
1:A:163:ARG:HG3	3:G:88:ASP:HB2	1.99	0.44



Interatomic Clash					
Atom-1	Atom-2	distance (Å)	overlap (Å)		
3·D·62·GLN·NE2	1·F·144·ABG·HH11	2.15	0.44		
1:F:52:ASP:OD1	1:F:52:ASP:N	2.49	0.44		
2:H:57:THR:HG21	2:H:204:PRO:HB3	1.99	0.44		
1:I:165:ARG:HA	1:I:168:LEU:HD12	1.99	0.44		
3:D:43:LYS:O	3:D:69:LYS:HB2	2.17	0.44		
2:H:57:THR:OG1	2:H:65:MET:HG2	2.18	0.44		
2:B:219:ARG:HD3	2:B:227:TYR:CD1	2.53	0.44		
1:A:29:TYR:OH	1:A:201:LEU:HD22	2.18	0.43		
3:D:44:GLU:HG3	3:D:45:MET:HG2	1.99	0.43		
1:A:84:ILE:HG21	1:A:109:LEU:HB3	2.00	0.43		
2:B:179:LEU:HD23	2:B:179:LEU:HA	1.82	0.43		
1:A:144:ARG:HA	1:A:150:GLY:HA2	2.00	0.43		
2:H:30:VAL:HG23	2:H:197:CYS:HB2	1.99	0.43		
2:B:45:SER:OG	2:B:52:HIS:HD2	2.01	0.43		
2:E:140:GLN:NE2	2:E:239:ASN:H	2.13	0.43		
3:G:100:ALA:O	3:G:120:LYS:NZ	2.38	0.43		
2:H:56:ALA:HB2	2:H:66:SER:HB2	2.00	0.43		
1:A:58:ALA:HA	1:A:105:MET:HB2	2.00	0.43		
3:C:136:GLN:HG3	3:C:137:ILE:N	2.33	0.43		
2:H:32:GLY:HA2	2:H:171:LEU:HD13	2.01	0.43		
2:H:122:LEU:HB2	4:H:312:HOH:O	2.19	0.43		
1:A:35:ILE:CG2	1:A:62:GLY:HA3	2.49	0.43		
1:A:148:ARG:NH1	4:A:308:HOH:O	2.49	0.43		
1:F:32:TYR:CZ	1:F:74:ILE:HD13	2.53	0.43		
2:H:103:ILE:HA	2:H:119:ILE:O	2.18	0.43		
2:E:44:VAL:HG21	2:E:64:VAL:HG21	2.01	0.42		
2:H:233:PRO:HB2	2:H:236:GLN:HG3	2.00	0.42		
2:H:132:VAL:HG12	4:H:309:HOH:O	2.19	0.42		
2:E:85:ALA:HB2	2:E:95:ARG:HD2	2.01	0.42		
2:H:159:GLY:O	2:H:162:ARG:HG2	2.20	0.42		
1:A:39:ALA:HA	3:C:66:ASN:HB2	2.01	0.42		
2:E:139:ALA:HB3	2:E:142:ARG:NH2	2.34	0.42		
3:G:136:GLN:HG3	3:G:137:ILE:N	2.34	0.42		
3:D:57:ILE:O	3:D:57:ILE:HG13	2.19	0.41		
2:E:57:THR:OG1	2:E:65:MET:HG2	2.20	0.41		
2:H:106:ASN:HB2	2:H:240:TRP:CE2	2.55	0.41		
1:I:66:ASN:ND2	4:I:310:HOH:O	2.53	0.41		
2:B:160:ARG:NH1	3:C:77:ASP:OD1	2.53	0.41		
1:I:177:ARG:O	1:I:228:SER:OG	2.28	0.41		
1:A:165:ARG:HA	1:A:168:LEU:HD12	2.01	0.41		
2:E:106:ASN:HB2	2:E:240:TRP:CE2	2.55	0.41		



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:74:ILE:H	1:A:74:ILE:HG13	1.68	0.41
1:A:200:LEU:HB2	1:A:223:PHE:CD2	2.56	0.41
2:H:146:ASN:HD22	2:H:177:THR:H	1.69	0.41
1:A:129:GLU:HG2	1:A:207:HIS:HE1	1.86	0.41
2:E:33:ARG:O	2:E:34:ARG:HB2	2.21	0.41
2:H:240:TRP:O	2:H:244:ILE:HG12	2.21	0.41
2:B:41:PRO:HG2	2:B:133:GLN:HB2	2.02	0.40
2:H:36:ARG:HE	2:H:36:ARG:HA	1.86	0.40
1:F:16:ILE:HD12	1:F:155:ARG:HB2	2.04	0.40
3:G:93:THR:H	3:G:96:LYS:HZ2	1.69	0.40
2:E:142:ARG:HG2	2:E:212:HIS:HE1	1.86	0.40
2:E:173:VAL:HB	2:E:187:THR:HB	2.03	0.40
3:G:110:LYS:HD3	3:G:135:LYS:HB2	2.04	0.40
2:H:95:ARG:NH1	4:H:306:HOH:O	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	\mathbf{ntiles}
1	А	221/223~(99%)	216 (98%)	5(2%)	0	100	100
1	F	221/223~(99%)	213 (96%)	7 (3%)	1 (0%)	29	15
1	Ι	221/223~(99%)	213 (96%)	8 (4%)	0	100	100
2	В	216/218~(99%)	209 (97%)	7(3%)	0	100	100
2	Е	216/218~(99%)	198 (92%)	16 (7%)	2 (1%)	17	6
2	Н	216/218~(99%)	203 (94%)	13 (6%)	0	100	100
3	С	101/117~(86%)	99~(98%)	2 (2%)	0	100	100
3	D	101/117~(86%)	99~(98%)	2 (2%)	0	100	100
3	G	101/117~(86%)	101 (100%)	0	0	100	100



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1614/1674~(96%)	1551 (96%)	60 (4%)	3(0%)	47 33

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	Е	34	ARG
2	Е	161	ASN
1	F	128	GLN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	190/190~(100%)	189 (100%)	1 (0%)	88 87
1	F	190/190~(100%)	185~(97%)	5(3%)	46 32
1	Ι	190/190~(100%)	184 (97%)	6 (3%)	39 25
2	В	172/172~(100%)	165~(96%)	7 (4%)	30 16
2	Ε	172/172~(100%)	165~(96%)	7 (4%)	30 16
2	Н	172/172~(100%)	163~(95%)	9~(5%)	23 10
3	С	92/103~(89%)	91~(99%)	1 (1%)	73 68
3	D	92/103~(89%)	91~(99%)	1 (1%)	73 68
3	G	92/103~(89%)	88 (96%)	4 (4%)	29 14
All	All	1362/1395~(98%)	1321 (97%)	41 (3%)	41 27

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	188	ARG
2	В	48	LEU
2	В	83	LEU
2	В	91	ARG
2	В	105	GLU



	J	1	
Mol	Chain	Res	Type
2	В	182	ARG
2	В	186	CYS
2	В	190	ARG
3	С	96	LYS
3	D	46	GLN
2	Е	36	ARG
2	Е	44	VAL
2	Ε	49	ARG
2	Е	64	VAL
2	Е	90	ARG
2	Е	192	ARG
2	Е	226	LEU
1	F	20	ARG
1	F	77	ARG
1	F	132	ARG
1	F	188	ARG
1	F	204	ASN
3	G	43	LYS
3	G	69	LYS
3	G	96	LYS
3	G	104	VAL
2	Н	34	ARG
2	Н	44	VAL
2	Н	64	VAL
2	Н	80	ARG
2	Н	90	ARG
2	Н	128	ILE
2	Н	160	ARG
2	Н	201	SER
2	Н	243	SER
1	Ι	42	SER
1	Ι	77	ARG
1	Ι	126	ARG
1	Ι	188	ARG
1	Ι	201	LEU
1	Ι	238	ARG

Continued from previous page...

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	41	GLN
2	В	52	HIS



Mol	Chain	Res	Type
2	В	106	ASN
2	В	169	GLN
2	В	236	GLN
2	В	246	GLN
3	С	47	ASN
3	С	132	ASN
3	D	62	GLN
2	Е	75	ASN
2	Е	106	ASN
2	Е	131	ASN
2	Е	140	GLN
2	Е	212	HIS
2	Е	236	GLN
1	F	36	GLN
3	G	62	GLN
2	Н	136	GLN
2	Н	146	ASN

Continued from previous page...

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	223/223~(100%)	-0.05	3 (1%) 77 74	16, 28, 50, 88	0
1	F	223/223~(100%)	0.43	15 (6%) 17 14	21, 39, 73, 99	0
1	Ι	223/223~(100%)	0.01	3 (1%) 77 74	15, 29, 54, 87	0
2	В	218/218~(100%)	0.44	18 (8%) 11 8	26, 41, 68, 93	0
2	Ε	218/218~(100%)	1.35	54 (24%) 0 0	61, 78, 103, 137	0
2	Η	218/218~(100%)	2.00	85 (38%) 0 0	45, 80, 116, 134	0
3	С	103/117~(88%)	0.38	4 (3%) 39 33	19, 31, 67, 124	0
3	D	103/117~(88%)	0.85	6 (5%) 23 18	26, 48, 79, 109	0
3	G	103/117~(88%)	0.42	4 (3%) 39 33	19, 40, 77, 105	0
All	All	1632/1674~(97%)	0.66	192 (11%) 4	15, 43, 99, 137	0

All (192) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	С	42	ALA	19.2
3	D	42	ALA	15.3
3	G	42	ALA	13.2
2	Н	136	GLN	11.6
2	Н	59	ILE	9.5
2	В	50	GLY	8.9
3	D	43	LYS	8.3
2	Е	160	ARG	8.1
2	Н	192	ARG	8.1
2	Н	76	VAL	7.5
2	Н	57	THR	7.5
3	С	43	LYS	7.4
2	Н	132	VAL	7.3
2	Е	29	ILE	7.2
2	Е	245	ILE	7.0



8G25

Mol	Chain	Res	Type	RSRZ
2	Н	119	ILE	6.7
2	Н	91	ARG	6.6
1	F	20	ARG	6.4
2	Н	100	VAL	6.2
3	G	43	LYS	6.1
2	Н	135	ALA	6.0
2	Н	205	LEU	5.7
2	Е	80	ARG	5.6
2	Н	214	ILE	5.1
2	Н	128	ILE	5.1
1	F	130	GLY	5.0
2	Н	97	VAL	4.8
2	Н	124	GLY	4.7
2	Е	144	LEU	4.7
2	Е	173	VAL	4.6
2	Е	48	LEU	4.5
2	Н	77	ARG	4.5
2	В	179	LEU	4.5
2	Н	173	VAL	4.4
3	С	44	GLU	4.4
2	Н	80	ARG	4.4
2	Н	152	ALA	4.4
2	В	159	GLY	4.4
2	Е	161	ASN	4.3
1	Ι	238	ARG	4.3
2	Н	46	LEU	4.3
2	Е	142	ARG	4.2
2	Н	134	VAL	4.2
2	Н	191	GLY	4.1
2	В	100	VAL	4.1
2	Н	81	VAL	4.1
2	В	191	GLY	4.1
2	Н	182	ARG	4.0
2	Е	159	GLY	4.0
2	Н	42	PHE	4.0
2	Е	191	GLY	3.9
1	F	16	ILE	3.8
2	Н	48	LEU	3.8
2	Е	50	GLY	3.8
1	A	127	ALA	3.8
2	Е	137	LEU	3.8
2	Н	95	ARG	3.8



8G25

Mol	Chain	Res	Type	RSRZ
2	Н	171	LEU	3.7
2	Н	98	PHE	3.7
2	Е	241	ILE	3.6
2	Е	33	ARG	3.6
2	Е	130	ALA	3.5
3	С	144	LYS	3.5
2	Н	138	PRO	3.5
2	Е	227	TYR	3.4
2	Н	137	LEU	3.4
2	Н	207	CYS	3.4
2	Н	161	ASN	3.4
2	Е	192	ARG	3.4
2	Н	114	LEU	3.4
2	Н	82	VAL	3.4
2	Н	65	MET	3.4
2	Н	99	ALA	3.4
2	Н	83	LEU	3.3
1	Ι	128	GLN	3.3
2	В	241	ILE	3.3
2	В	192	ARG	3.3
2	Н	129	ASN	3.3
2	Н	127	THR	3.3
2	Н	246	GLN	3.3
1	F	150	GLY	3.2
2	В	29	ILE	3.2
2	Н	40	TRP	3.2
2	Н	143	ARG	3.2
2	В	91	ARG	3.2
2	Е	100	VAL	3.2
2	Н	240	TRP	3.1
2	Е	63	PHE	3.1
2	Н	140	GLN	3.1
2	В	246	GLN	3.1
1	F	151	THR	3.1
2	Е	30	VAL	3.0
2	Н	30	VAL	3.0
2	Н	96	GLN	3.0
2	Н	196	VAL	3.0
1	Ι	127	ALA	3.0
2	Н	126	ALA	3.0
2	Н	101	GLN	3.0
2	Н	50	GLY	3.0



8G25

Mol	Chain	Res	Type	RSRZ
2	Н	148	VAL	3.0
3	D	73	LEU	3.0
1	А	130	GLY	3.0
2	Н	212	HIS	2.9
2	Е	64	VAL	2.9
1	А	128	GLN	2.9
2	Н	49	ARG	2.8
2	Н	141	GLY	2.8
2	Н	226	LEU	2.8
2	Е	105	GLU	2.8
2	Н	130	ALA	2.8
2	Е	182	ARG	2.8
2	Н	117	ILE	2.8
2	Н	31	GLY	2.8
2	Е	120	LEU	2.8
1	F	152	ASP	2.8
2	Е	82	VAL	2.8
2	Е	117	ILE	2.7
1	F	127	ALA	2.7
2	Е	214	ILE	2.7
2	Е	181	ARG	2.7
3	D	44	GLU	2.7
2	В	49	ARG	2.7
2	Е	118	VAL	2.7
2	Н	122	LEU	2.7
2	Е	175	VAL	2.6
1	F	128	GLN	2.6
2	Ε	76	VAL	2.6
2	Ε	176	VAL	2.6
2	Е	124	GLY	2.6
2	Н	89	SER	2.6
2	Н	90	ARG	2.6
3	G	144	LYS	2.6
2	Н	179	LEU	2.5
3	D	144	LYS	2.5
2	Н	190	ARG	2.5
2	Н	174	THR	2.5
2	Е	189	VAL	2.5
1	F	76	ARG	2.5
2	Н	164	ILE	2.5
2	В	180	CYS	2.4
2	В	142	ARG	2.4



8G25

Mol	Chain	Res	Type	RSRZ
2	Е	89	SER	2.4
2	Е	158	LEU	2.4
2	Н	142	ARG	2.4
2	Е	132	VAL	2.4
2	Е	218	VAL	2.4
3	D	143	THR	2.4
2	Е	164	ILE	2.4
2	Н	79	VAL	2.4
1	F	72	HIS	2.4
2	Е	101	GLN	2.4
2	Е	74	VAL	2.4
2	Н	155	TRP	2.3
2	В	80	ARG	2.3
2	Н	44	VAL	2.3
2	Н	131	ASN	2.3
2	Н	33	ARG	2.3
2	Н	160	ARG	2.3
2	Е	71	VAL	2.3
2	Н	133	GLN	2.3
1	F	73	ASN	2.2
1	F	126	ARG	2.2
2	Е	114	LEU	2.2
2	Н	115	ASN	2.2
2	Н	189	VAL	2.2
2	Н	88	LEU	2.2
2	В	106	ASN	2.2
2	Н	75	ASN	2.2
2	Н	146	ASN	2.2
2	В	103	ILE	2.2
2	Е	103	ILE	2.2
2	В	226	LEU	2.2
2	Е	226	LEU	2.2
2	Е	75	ASN	2.2
2	Е	91	ARG	2.1
2	Н	120	LEU	2.1
2	Н	104	PHE	2.1
2	Н	45	SER	2.1
2	Е	151	LEU	2.1
2	E	190	ARG	2.1
3	G	143	THR	2.1
2	E	49	ARG	2.1
2	Н	68	ALA	2.1



Mol	Chain	Res	Type	RSRZ
2	Н	123	ASN	2.1
1	F	153	THR	2.1
2	В	185	VAL	2.0
2	Е	235	ALA	2.0
1	F	149	ARG	2.0
2	Е	34	ARG	2.0
1	F	17	ILE	2.0
2	Н	151	LEU	2.0
2	Е	99	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

