



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 19, 2024 – 02:51 AM EDT

PDB ID : 4G3Y  
Title : Crystal structure of TNF-alpha in complex with Infliximab Fab fragment  
Authors : Liang, S.Y.; Dai, J.X.; Guo, Y.J.; Lou, Z.Y.  
Deposited on : 2012-07-15  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	214	 3% 75% 21%
2	H	226	 % 64% 26% 8%
3	C	157	 3% 47% 41% 6% 6%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4599 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called infliximab Fab L.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	L	214	1649	1028	279	336	6	0	0	0

- Molecule 2 is a protein called infliximab Fab H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	220	1665	1047	278	333	7	0	0	0

- Molecule 3 is a protein called Tumor necrosis factor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	148	1151	734	200	215	2	0	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	L	49	Total 49 O 49	0	0
4	H	57	Total 57 O 57	0	0
4	C	28	Total 28 O 28	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: infiximab Fab L



- Molecule 2: infiximab Fab H



- Molecule 3: Tumor necrosis factor



## 4 Data and refinement statistics i

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	153.66Å 153.66Å 99.28Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	21.54 – 2.60 39.79 – 2.60	Depositor EDS
% Data completeness (in resolution range)	94.5 (21.54-2.60) 99.4 (39.79-2.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.30 (at 2.61Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.1_357)	Depositor
R, $R_{free}$	0.189 , 0.235 0.190 , 0.233	Depositor DCC
$R_{free}$ test set	1348 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.2	Xtriage
Anisotropy	0.242	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 49.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for $-1/3^*h+1/3^*k+4/3^*l,-k,2/3^*h+1/3^*k+1/3^*l$ 0.012 for $-2/3^*h-1/3^*k-4/3^*l,-1/3^*h-2/3^*k+4/3^*l,-1/3^*h+1/3^*k+1/3^*l$ 0.008 for $-h,1/3^*h-1/3^*k-4/3^*l,-1/3^*h-2/3^*k+1/3^*l$ 0.017 for $-1/3^*h-2/3^*k+4/3^*l,-2/3^*h-1/3^*k-4/3^*l,1/3^*h-1/3^*k-1/3^*l$ 0.009 for $-h,2/3^*h+1/3^*k+4/3^*l,1/3^*h+2/3^*k-1/3^*l$ 0.005 for $1/3^*h+2/3^*k-4/3^*l,-k,-2/3^*h-1/3^*k-1/3^*l$ 0.019 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4599	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.17% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	L	0.44	0/1686	0.60	0/2288
2	H	0.44	0/1706	0.64	0/2321
3	C	0.46	0/1176	0.61	0/1600
All	All	0.44	0/4568	0.62	0/6209

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	H	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	H	56	ILE	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1649	0	1580	45	0
2	H	1665	0	1616	56	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	1151	0	1146	54	0
4	C	28	0	0	3	0
4	H	57	0	0	2	0
4	L	49	0	0	4	0
All	All	4599	0	4342	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:101:CYS:HA	3:C:102:GLN:HB2	1.04	1.01
2:H:101:ASN:HD21	2:H:105:SER:H	1.07	1.01
3:C:101:CYS:HA	3:C:102:GLN:CB	1.91	1.01
1:L:7:SER:H	1:L:24:ARG:HH22	1.10	0.99
3:C:101:CYS:CA	3:C:102:GLN:HB2	1.91	0.99
1:L:1:ASP:HA	4:L:320:HOH:O	1.71	0.91
1:L:120:PRO:HD3	1:L:132:VAL:HG22	1.53	0.90
1:L:192:TYR:HB2	1:L:209:PHE:CE1	2.07	0.88
2:H:43:LYS:HE3	2:H:46:GLU:OE1	1.74	0.86
1:L:17:GLU:O	1:L:78:VAL:HG12	1.81	0.80
1:L:119:PRO:HB3	1:L:209:PHE:CE2	2.17	0.79
2:H:2:VAL:H	2:H:26:GLY:HA3	1.52	0.74
2:H:101:ASN:HD21	2:H:105:SER:N	1.81	0.74
3:C:69:CYS:H	3:C:105:THR:CG2	2.01	0.73
2:H:101:ASN:ND2	2:H:105:SER:H	1.83	0.72
1:L:92:HIS:HE1	4:C:218:HOH:O	1.72	0.72
2:H:1:GLU:HA	2:H:2:VAL:O	1.91	0.70
2:H:190:THR:HG23	4:H:314:HOH:O	1.90	0.70
2:H:51:ILE:HD11	2:H:58:SER:HB2	1.74	0.69
1:L:125:LEU:O	1:L:183:LYS:HD2	1.92	0.69
1:L:197:THR:HG22	1:L:204:PRO:HB3	1.74	0.69
2:H:56:ILE:HD11	3:C:67:GLN:CD	2.14	0.68
3:C:102:GLN:OE1	3:C:103:ARG:NH1	2.23	0.68
2:H:108:ASP:HB3	2:H:109:TYR:CD2	2.29	0.68
3:C:13:VAL:HG23	3:C:155:ILE:HG23	1.74	0.68
3:C:107:GLU:C	3:C:109:ALA:H	1.96	0.68
1:L:158:ASN:OD1	1:L:179:LEU:HD11	1.96	0.66
1:L:24:ARG:HD3	4:L:345:HOH:O	1.94	0.65
1:L:7:SER:H	1:L:24:ARG:NH2	1.88	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:57:LEU:HB3	3:C:155:ILE:CD1	2.26	0.65
3:C:102:GLN:OE1	3:C:103:ARG:HD2	1.97	0.65
3:C:32:ARG:HB2	3:C:32:ARG:NH1	2.13	0.64
1:L:147:GLN:HE21	1:L:147:GLN:HA	1.63	0.64
3:C:58:ILE:O	3:C:121:GLY:HA2	1.98	0.64
2:H:193:SER:O	2:H:196:LEU:HB2	1.97	0.63
2:H:123:THR:HG23	2:H:210:SER:HB3	1.81	0.62
2:H:56:ILE:HD11	3:C:67:GLN:NE2	2.15	0.62
1:L:100:SER:HB2	4:L:329:HOH:O	2.00	0.61
2:H:180:SER:OG	2:H:182:LEU:HD12	2.00	0.61
1:L:158:ASN:HD22	1:L:158:ASN:H	1.48	0.61
2:H:138:THR:O	2:H:139:SER:C	2.40	0.60
2:H:75:ASP:OD1	2:H:77:SER:HB3	2.02	0.59
1:L:197:THR:CG2	1:L:204:PRO:HB3	2.31	0.58
3:C:106:PRO:O	3:C:107:GLU:HB3	2.02	0.58
3:C:15:HIS:O	3:C:35:ALA:HB1	2.04	0.58
3:C:19:ASN:HB3	3:C:22:ALA:HB2	1.86	0.57
3:C:51:PRO:O	3:C:128:LYS:HG3	2.04	0.56
2:H:6:GLU:HA	2:H:21:SER:O	2.06	0.56
1:L:158:ASN:H	1:L:158:ASN:ND2	2.03	0.56
1:L:192:TYR:HB2	1:L:209:PHE:HE1	1.65	0.56
1:L:124:GLN:HG3	2:H:129:PHE:CE1	2.41	0.56
2:H:135:SER:OG	2:H:136:LYS:HG3	2.06	0.56
2:H:123:THR:CG2	2:H:210:SER:HB3	2.36	0.56
3:C:57:LEU:HB3	3:C:155:ILE:HD11	1.87	0.55
1:L:155:GLN:NE2	1:L:155:GLN:HA	2.20	0.55
1:L:92:HIS:HD2	4:L:337:HOH:O	1.88	0.55
1:L:210:ASN:HB2	1:L:213:GLU:CD	2.27	0.54
3:C:70:PRO:HD2	3:C:74:VAL:HG21	1.90	0.54
1:L:7:SER:N	1:L:24:ARG:HH22	1.93	0.54
2:H:2:VAL:HA	2:H:25:SER:O	2.08	0.54
3:C:57:LEU:HB3	3:C:155:ILE:HD12	1.88	0.54
1:L:158:ASN:HD22	1:L:158:ASN:N	2.06	0.53
2:H:157:VAL:HG12	2:H:207:HIS:HB2	1.90	0.53
1:L:145:LYS:HE3	1:L:145:LYS:HA	1.90	0.53
2:H:130:PRO:HD3	2:H:216:LYS:HE2	1.90	0.53
1:L:147:GLN:HB3	1:L:195:GLU:HB3	1.91	0.52
3:C:146:GLU:HB2	3:C:149:GLN:NE2	2.24	0.52
2:H:185:LEU:HD12	2:H:185:LEU:C	2.30	0.52
3:C:87:TYR:O	3:C:88:GLN:HB3	2.09	0.51
2:H:150:LYS:HE3	2:H:151:ASP:OD2	2.10	0.51

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:107:GLU:C	3:C:109:ALA:N	2.63	0.51
1:L:151:ASP:OD1	1:L:191:VAL:HG12	2.11	0.51
1:L:132:VAL:HG12	1:L:148:TRP:CH2	2.46	0.51
3:C:29:LEU:HB3	3:C:32:ARG:HH12	1.75	0.51
3:C:53:GLU:HG2	3:C:54:GLY:N	2.25	0.51
3:C:32:ARG:HB2	3:C:32:ARG:CZ	2.40	0.51
3:C:98:LYS:HD3	3:C:116:GLU:OE1	2.10	0.51
2:H:56:ILE:HD13	2:H:56:ILE:N	2.25	0.50
2:H:62:TYR:O	2:H:67:LYS:HE3	2.12	0.50
3:C:18:ALA:O	3:C:20:PRO:HD3	2.11	0.50
1:L:119:PRO:HB3	1:L:209:PHE:CD2	2.46	0.50
2:H:193:SER:HA	2:H:196:LEU:HD22	1.94	0.50
2:H:56:ILE:C	2:H:57:ASN:O	2.47	0.49
1:L:147:GLN:HE21	1:L:147:GLN:CA	2.26	0.49
1:L:150:VAL:HG13	1:L:192:TYR:CE1	2.48	0.48
2:H:75:ASP:OD2	2:H:78:LYS:HD2	2.13	0.48
3:C:58:ILE:HD11	3:C:126:LEU:HD11	1.96	0.48
3:C:94:LEU:HB3	3:C:120:LEU:HD22	1.95	0.48
2:H:33:TRP:CD1	2:H:33:TRP:N	2.75	0.48
3:C:50:VAL:HG11	3:C:126:LEU:HD13	1.96	0.48
3:C:103:ARG:C	3:C:103:ARG:HD3	2.34	0.48
3:C:83:ILE:HG12	3:C:90:LYS:HD2	1.96	0.48
2:H:100:ARG:NH2	2:H:108:ASP:OD2	2.46	0.47
1:L:76:ASN:C	1:L:76:ASN:HD22	2.18	0.47
2:H:56:ILE:O	2:H:56:ILE:HG22	2.13	0.47
2:H:2:VAL:HG11	2:H:109:TYR:CG	2.50	0.47
3:C:79:THR:HG22	4:C:209:HOH:O	2.14	0.47
2:H:51:ILE:HD12	2:H:74:ARG:HD2	1.96	0.47
3:C:69:CYS:H	3:C:105:THR:HG21	1.79	0.47
2:H:11:LEU:HD12	2:H:117:THR:O	2.15	0.46
2:H:140:GLY:HA2	2:H:141:GLY:HA2	1.69	0.46
1:L:158:ASN:ND2	1:L:158:ASN:N	2.63	0.46
2:H:12:VAL:HG22	2:H:18:MET:CE	2.45	0.46
3:C:61:GLN:HB3	3:C:151:TYR:CZ	2.51	0.46
1:L:140:TYR:CD1	1:L:141:PRO:HA	2.51	0.45
3:C:101:CYS:CA	3:C:102:GLN:CB	2.68	0.45
3:C:12:PRO:HA	3:C:39:ASN:HB2	1.99	0.45
1:L:175:LEU:C	1:L:175:LEU:HD23	2.38	0.44
2:H:155:GLU:OE2	2:H:175:ALA:HB3	2.17	0.44
3:C:73:HIS:HD2	4:C:201:HOH:O	1.99	0.44
2:H:5:GLU:O	2:H:22:CYS:HA	2.18	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:152:TYR:CD2	2:H:183:TYR:O	2.70	0.44
1:L:33:ILE:HG13	1:L:71:PHE:CE2	2.53	0.44
2:H:1:GLU:HA	2:H:2:VAL:C	2.38	0.44
2:H:220:PRO:HA	4:H:329:HOH:O	2.16	0.44
3:C:136:ILE:HD11	3:C:139:PRO:HA	2.00	0.44
1:L:118:PHE:CD1	2:H:131:LEU:HB3	2.53	0.44
1:L:149:LYS:HA	1:L:153:ALA:O	2.17	0.44
3:C:69:CYS:H	3:C:105:THR:HG22	1.80	0.44
1:L:159:SER:HA	1:L:178:THR:O	2.18	0.43
3:C:10:ASP:HB3	3:C:39:ASN:HD21	1.83	0.43
2:H:56:ILE:O	2:H:57:ASN:HB3	2.19	0.43
2:H:55:SER:C	2:H:56:ILE:HD13	2.38	0.43
1:L:37:GLN:OE1	1:L:39:ARG:NH1	2.51	0.43
3:C:30:ASN:HB3	3:C:37:LEU:HD22	2.01	0.43
3:C:12:PRO:HD2	3:C:156:ALA:HB3	2.00	0.42
2:H:28:ILE:H	2:H:28:ILE:HG12	1.55	0.42
3:C:107:GLU:HG3	3:C:108:GLY:N	2.34	0.42
1:L:191:VAL:HG13	1:L:191:VAL:O	2.20	0.42
2:H:196:LEU:HD12	2:H:196:LEU:HA	1.93	0.42
3:C:26:LEU:HD13	3:C:142:LEU:HD11	2.00	0.42
3:C:32:ARG:CG	3:C:33:ALA:H	2.33	0.42
2:H:52:ARG:HB2	2:H:59:ALA:HB3	2.01	0.42
3:C:47:GLN:NE2	3:C:131:ARG:HG2	2.35	0.42
2:H:57:ASN:ND2	2:H:58:SER:N	2.68	0.41
2:H:208:LYS:N	2:H:209:PRO:CD	2.82	0.41
1:L:18:ARG:HA	1:L:76:ASN:HA	2.02	0.41
3:C:88:GLN:HA	3:C:88:GLN:OE1	2.21	0.41
2:H:1:GLU:HG3	2:H:1:GLU:O	2.21	0.41
2:H:160:SER:HB2	2:H:204:ASN:HB2	2.02	0.41
3:C:87:TYR:O	3:C:88:GLN:CB	2.69	0.41
1:L:125:LEU:HD22	1:L:125:LEU:HA	1.79	0.41
2:H:1:GLU:O	2:H:1:GLU:CG	2.69	0.41
3:C:68:GLY:CA	3:C:111:ALA:HB1	2.50	0.41
1:L:151:ASP:HA	1:L:191:VAL:HG12	2.02	0.41
1:L:212:GLY:O	1:L:213:GLU:HG3	2.20	0.41
3:C:29:LEU:HD13	3:C:32:ARG:HH22	1.86	0.41
2:H:153:PHE:HA	2:H:154:PRO:HA	1.80	0.41
3:C:29:LEU:CB	3:C:32:ARG:HH12	2.34	0.40
2:H:27:PHE:CE1	2:H:29:PHE:HA	2.56	0.40
3:C:66:GLY:HA3	3:C:114:TRP:CZ2	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	212/214 (99%)	197 (93%)	13 (6%)	2 (1%)	17	35
2	H	218/226 (96%)	205 (94%)	8 (4%)	5 (2%)	6	11
3	C	146/157 (93%)	133 (91%)	10 (7%)	3 (2%)	7	13
All	All	576/597 (96%)	535 (93%)	31 (5%)	10 (2%)	9	18

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	102	GLN
2	H	139	SER
1	L	127	SER
2	H	59	ALA
2	H	105	SER
3	C	51	PRO
2	H	2	VAL
3	C	86	SER
1	L	212	GLY
2	H	57	ASN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	190/190 (100%)	174 (92%)	16 (8%)	11	21
2	H	189/195 (97%)	170 (90%)	19 (10%)	7	14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
3	C	123/133 (92%)	104 (85%)	19 (15%)	2 4
All	All	502/518 (97%)	448 (89%)	54 (11%)	6 12

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	20	SER
1	L	24	ARG
1	L	70	ASP
1	L	76	ASN
1	L	78	VAL
1	L	93	SER
1	L	108	ARG
1	L	109	THR
1	L	125	LEU
1	L	129	THR
1	L	145	LYS
1	L	147	GLN
1	L	158	ASN
1	L	196	VAL
1	L	206	THR
1	L	214	CYS
2	H	1	GLU
2	H	5	GLU
2	H	6	GLU
2	H	13	GLN
2	H	19	LYS
2	H	28	ILE
2	H	51	ILE
2	H	55	SER
2	H	81	VAL
2	H	106	THR
2	H	112	GLN
2	H	120	SER
2	H	124	LYS
2	H	138	THR
2	H	182	LEU
2	H	185	LEU
2	H	196	LEU
2	H	204	ASN
2	H	208	LYS
3	C	25	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	27	GLN
3	C	32	ARG
3	C	44	ARG
3	C	50	VAL
3	C	53	GLU
3	C	72	THR
3	C	79	THR
3	C	81	SER
3	C	85	VAL
3	C	89	THR
3	C	103	ARG
3	C	105	THR
3	C	112	LYS
3	C	131	ARG
3	C	144	PHE
3	C	154	ILE
3	C	155	ILE
3	C	157	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	27	GLN
1	L	76	ASN
1	L	92	HIS
1	L	147	GLN
1	L	155	GLN
1	L	158	ASN
1	L	199	GLN
2	H	57	ASN
2	H	84	GLN
2	H	101	ASN
2	H	112	GLN
3	C	25	GLN
3	C	27	GLN
3	C	47	GLN
3	C	73	HIS
3	C	125	GLN
3	C	149	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	L	214/214 (100%)	-0.24	7 (3%) 46 39	19, 33, 67, 80	0
2	H	220/226 (97%)	-0.31	3 (1%) 75 71	20, 37, 62, 83	0
3	C	148/157 (94%)	-0.09	4 (2%) 54 48	20, 40, 68, 83	0
All	All	582/597 (97%)	-0.23	14 (2%) 59 53	19, 36, 66, 83	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	33	ALA	5.0
2	H	136	LYS	4.4
2	H	134	SER	3.4
1	L	212	GLY	3.2
1	L	192	TYR	2.6
3	C	31	ARG	2.6
1	L	190	LYS	2.5
2	H	58	SER	2.4
1	L	188	LYS	2.3
3	C	32	ARG	2.2
3	C	103	ARG	2.1
1	L	181	LEU	2.1
1	L	191	VAL	2.1
1	L	186	TYR	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.