

Full wwPDB X-ray Structure Validation Report (i)

Sep 11, 2023 – 04:37 PM EDT

PDB ID	:	8G7W
Title	:	Type I modPKS reducing region
Authors	:	McCullough, T.M.; Smith, J.L.
Deposited on	:	2023-02-17
Resolution	:	3.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	1026 (3.48-3.32)
Clashscore	141614	1055 (3.48-3.32)
Ramachandran outliers	138981	1038 (3.48-3.32)
Sidechain outliers	138945	1038 (3.48-3.32)
RSRZ outliers	127900	2173 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain					
1	А	1067	3%	15%	•			
1	В	1067	9% 84%	14%	·			

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAP	А	3602	-	-	-	Х
3	SO4	А	3604	-	-	Х	-
4	GOL	В	3602	-	-	Х	Х



$8 \mathrm{G7W}$

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 15510 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Λ	1058	Total	С	Ν	Ο	\mathbf{S}	0	0	0
1	Л		7664	4836	1418	1397	13	0	0	0
1	В	1050	Total	С	Ν	Ο	S	0	0	0
ГБ	1059	7669	4839	1419	1398	13	0	0	0	

• Molecule 1 is a protein called Type I PKS module 4, module 5.

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	2475	SER	-	expression tag	UNP A0A1Z1MZ77
А	2476	ASN	-	expression tag	UNP A0A1Z1MZ77
А	2477	ALA	-	expression tag	UNP A0A1Z1MZ77
В	2475	SER	-	expression tag	UNP A0A1Z1MZ77
В	2476	ASN	-	expression tag	UNP A0A1Z1MZ77
В	2477	ALA	-	expression tag	UNP A0A1Z1MZ77

• Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (threeletter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
9	Λ	1	Total	С	Ν	Ο	Р	0	0
	Л	1	48	21	7	17	3	0	0
0	٨	1	Total	С	Ν	Ο	Р	0	0
	Z A	1	48	21	7	17	3	0	
0	р	1	Total	С	Ν	0	Р	0	0
2 B	1	48	21	$\overline{7}$	17	3	0	0	

 $\bullet\,$ Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: ${\rm O_4S}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	В	1	Total 6	${ m C} { m 3}$	O 3	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	В	2	Total O 2 2	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Type I PKS module 4, module 5

 \bullet Molecule 1: Type I PKS module 4, module 5









4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 41 2 2	Depositor
Cell constants	204.48Å 204.48 Å 251.85 Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	31.48 - 3.40	Depositor
Resolution (A)	31.48 - 3.13	EDS
% Data completeness	100.0 (31.48-3.40)	Depositor
(in resolution range)	99.2 (31.48-3.13)	EDS
R_{merge}	0.20	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$0.97 (at 3.12 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.15.2-3472, ISOLDE, REFMAC 5	Depositor
P. P.	0.231 , 0.261	Depositor
n, n_{free}	0.231 , 0.261	DCC
R_{free} test set	2287 reflections (4.88%)	wwPDB-VP
Wilson B-factor $(Å^2)$	124.1	Xtriage
Anisotropy	0.015	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.28 , 76.3	EDS
L-test for twinning ²	$< L > = 0.45, < L^2 > = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	15510	wwPDB-VP
Average B, all atoms $(Å^2)$	145.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.33% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.29	0/7838	0.57	5/10723~(0.0%)
1	В	0.31	0/7843	0.59	11/10730~(0.1%)
All	All	0.30	0/15681	0.58	16/21453~(0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	3416	ARG	NE-CZ-NH2	9.55	125.08	120.30
1	А	3416	ARG	NE-CZ-NH2	9.55	125.08	120.30
1	В	2955	ARG	NE-CZ-NH1	9.50	125.05	120.30
1	В	3362	ARG	CG-CD-NE	8.97	130.63	111.80
1	В	2955	ARG	NE-CZ-NH2	-7.67	116.46	120.30
1	В	3362	ARG	CA-CB-CG	7.17	129.18	113.40
1	А	3416	ARG	NE-CZ-NH1	-6.59	117.00	120.30
1	А	3416	ARG	CA-CB-CG	6.44	127.56	113.40
1	В	3416	ARG	NE-CZ-NH1	-6.29	117.16	120.30
1	В	2874	LEU	CB-CG-CD2	-6.25	100.37	111.00
1	А	2778	ARG	CG-CD-NE	6.20	124.81	111.80
1	В	3416	ARG	CA-CB-CG	6.17	126.98	113.40
1	В	3362	ARG	CB-CG-CD	5.83	126.77	111.60
1	В	3362	ARG	NE-CZ-NH1	-5.41	117.59	120.30



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	2767	ASP	C-N-CA	-5.30	111.16	122.30
1	В	3362	ARG	CD-NE-CZ	5.25	130.95	123.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	3362	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	7664	0	7675	106	0
1	В	7669	0	7680	108	0
2	А	96	0	46	12	0
2	В	48	0	22	3	0
3	А	10	0	0	3	0
3	В	15	0	0	2	0
4	В	6	0	8	4	0
5	В	2	0	0	1	0
All	All	15510	0	15431	214	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2540:GLU:OE1	1:A:2570:ARG:NH1	2.10	0.85
1:B:2862:TRP:CE2	1:B:2874:LEU:HD21	2.18	0.78
1:A:3158:ARG:NH1	2:A:3602:NAP:H2A	2.02	0.75
1:B:3109:LEU:HD22	1:B:3193:LEU:HD13	1.68	0.74
2:A:3601:NAP:N7N	2:A:3601:NAP:O1N	2.21	0.73
1:B:2697:ARG:NH2	3:B:3603:SO4:O2	2.21	0.73



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:3011:PHE:HB3	2:A:3602:NAP:H3D	1.70	0.73
1:B:2862:TRP:CZ2	1:B:2874:LEU:HD21	2.23	0.73
1:B:3099:LEU:HD22	1:B:3201:LEU:HD13	1.72	0.71
1:A:3122:LEU:HD22	1:A:3132:VAL:HG11	1.73	0.69
1:A:2993:ALA:O	1:A:3001:ARG:NH1	2.26	0.69
1:B:2695:GLN:HG2	1:B:3529:ALA:O	1.92	0.69
1:B:3167:LEU:HG	1:B:3193:LEU:HD23	1.75	0.69
1:A:3333:GLY:N	3:A:3604:SO4:O3	2.28	0.67
1:A:2481:LEU:HD23	1:A:2497:ALA:HB2	1.77	0.66
1:B:2981:GLU:N	3:B:3604:SO4:O4	2.27	0.66
1:A:2788:ARG:HB2	1:A:2831:ASP:H	1.60	0.66
1:B:2630:PHE:HB3	1:B:2635:TYR:HB2	1.76	0.66
1:B:2993:ALA:O	1:B:3001:ARG:NH1	2.29	0.65
1:A:2976:GLY:O	1:B:2633:ARG:NH1	2.30	0.65
1:A:3093:HIS:HD2	1:A:3239:LEU:HD22	1.61	0.65
1:A:3187:VAL:HG11	1:A:3209:ARG:HE	1.62	0.63
1:B:2538:ARG:HB2	1:B:2599:ALA:HB2	1.79	0.63
1:A:2870:GLY:O	1:A:2912:ARG:NH2	2.30	0.63
1:A:3358:ARG:CZ	1:A:3362:ARG:HH12	2.12	0.62
1:A:2630:PHE:HB3	1:A:2635:TYR:HB2	1.81	0.62
1:A:3178:VAL:HB	1:A:3200:PHE:HD1	1.65	0.61
1:B:3404:LYS:NZ	2:B:3601:NAP:O2D	2.28	0.61
1:B:3122:LEU:HD22	1:B:3132:VAL:HG11	1.81	0.61
1:B:2903:ARG:NH1	5:B:3701:HOH:O	2.18	0.60
1:A:2615:PRO:HG2	1:A:2655:TYR:CZ	2.37	0.60
1:A:2570:ARG:HG2	1:A:2597:VAL:HG12	1.83	0.60
1:A:2767:ASP:O	1:A:3501:GLN:HG2	2.03	0.59
1:B:2627:TYR:CZ	1:B:2642:ARG:HA	2.39	0.58
2:A:3602:NAP:N3A	2:A:3602:NAP:H2B	2.18	0.58
1:B:2699:PRO:HD3	4:B:3602:GOL:H2	1.86	0.58
1:A:2494:VAL:HG22	1:A:2561:VAL:HG22	1.85	0.57
1:A:2540:GLU:O	1:A:2703:ARG:HG3	2.03	0.57
1:B:3298:THR:HG22	1:B:3381:ALA:HB2	1.86	0.57
1:B:2914:VAL:HG11	1:B:2932:LEU:HD11	1.87	0.57
1:A:3534:PRO:HD2	1:A:3537:LEU:HD12	1.87	0.56
1:B:3001:ARG:NH2	1:B:3037:GLU:OE1	2.32	0.56
1:A:2762:ILE:HG12	1:A:2766:GLY:CA	2.36	0.56
1:A:2627:TYR:HB3	1:A:2642:ARG:HE	1.70	0.56
1:A:3176:ASP:OD1	1:A:3196:ARG:NH2	2.39	0.56
1:B:3304:LEU:HD13	1:B:3426:PHE:HE2	1.70	0.56
1:A:2803:LEU:HD21	1:A:2928:LEU:HD23	1.88	0.56



	A h o	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:2481:LEU:HD23	1:B:2497:ALA:HB2	1.88	0.56
1:A:3438:GLN:HE22	1:A:3485:MET:HG3	1.70	0.55
1:A:2540:GLU:HB3	1:A:2595:THR:HG23	1.88	0.55
1:B:2615:PRO:HG2	1:B:2655:TYR:CZ	2.41	0.55
1:A:2875:ALA:HA	1:A:2914:VAL:HG12	1.88	0.55
1:B:2549:VAL:HG21	1:B:2756:THR:OG1	2.06	0.55
1:B:2753:GLU:HG3	1:B:3491:ARG:HA	1.87	0.55
1:B:3109:LEU:HD23	1:B:3178:VAL:HG13	1.89	0.55
1:B:2698:MET:HG3	1:B:2750:VAL:HG22	1.88	0.55
1:A:2510:HIS:HB2	1:A:2641:PHE:CE2	2.42	0.54
1:B:3133:TYR:HB3	1:B:3166:PHE:CE2	2.42	0.54
1:B:2903:ARG:HD3	1:B:2938:GLN:NE2	2.21	0.54
1:A:3335:SER:OG	3:A:3604:SO4:O1	2.20	0.54
1:A:3454:TYR:O	1:A:3458:GLN:HG3	2.08	0.54
1:A:3109:LEU:HD23	1:A:3178:VAL:HG13	1.91	0.53
1:B:3093:HIS:HD2	1:B:3239:LEU:HD22	1.74	0.53
1:B:2518:LEU:HD12	1:B:2519:PRO:HD2	1.90	0.53
1:B:3109:LEU:HD22	1:B:3193:LEU:CD1	2.36	0.53
1:B:3470:TRP:CH2	1:B:3502:GLY:HA3	2.43	0.53
1:A:3167:LEU:HG	1:A:3193:LEU:HD23	1.92	0.52
1:A:3158:ARG:CZ	2:A:3602:NAP:H2A	2.40	0.52
1:B:2510:HIS:HB2	1:B:2641:PHE:CE2	2.45	0.52
1:B:3098:ARG:NH1	1:B:3242:GLU:OE2	2.43	0.52
1:A:2678:ASP:O	1:A:2682:GLN:HG3	2.10	0.52
1:A:2637:TYR:HB2	1:A:2642:ARG:HD3	1.92	0.51
1:A:2753:GLU:HG3	1:A:3491:ARG:HA	1.92	0.51
1:A:3404:LYS:HB2	1:A:3444:ALA:HB1	1.92	0.51
1:B:3440:ASN:OD1	1:B:3441:TYR:N	2.40	0.51
1:A:2722:ALA:H	1:A:2727:VAL:HA	1.75	0.51
1:B:2874:LEU:N	1:B:2874:LEU:HD22	2.25	0.51
1:A:3304:LEU:HD11	2:A:3601:NAP:H51N	1.92	0.51
1:B:3098:ARG:HD3	1:B:3239:LEU:HD21	1.93	0.51
1:B:3178:VAL:HB	1:B:3200:PHE:HD1	1.76	0.51
1:A:3240:LEU:O	1:A:3244:MET:HG2	2.10	0.51
1:A:3392:LEU:HD21	1:A:3440:ASN:HB3	1.91	0.51
1:A:2697:ARG:NH2	3:A:3603:SO4:O4	2.44	0.51
1:A:2762:ILE:HD12	1:A:2762:ILE:H	1.76	0.51
1:A:2860:ARG:HD3	1:A:3390:THR:HA	1.93	0.51
1:B:3109:LEU:HD11	1:B:3162:PHE:HZ	1.75	0.50
1:A:2991:ALA:HB1	1:A:3062:VAL:HG12	1.94	0.50
1:B:2833:VAL:HB	1:B:2874:LEU:HD13	1.92	0.50



	1	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:2618:ALA:HB1	1:B:2648:TRP:HB3	1.93	0.50
1:A:3014:THR:HG21	1:A:3273:SER:HB3	1.94	0.50
1:A:2778:ARG:HG3	1:A:2779:PRO:HD2	1.94	0.50
1:A:3304:LEU:HD12	1:A:3305:GLY:N	2.27	0.50
1:A:3361:LEU:HD23	1:A:3414:LEU:HD12	1.93	0.50
1:A:2762:ILE:HG12	1:A:2766:GLY:HA2	1.93	0.49
1:B:3201:LEU:HD12	1:B:3226:PHE:CE1	2.47	0.49
1:A:3010:ASN:OD1	2:A:3602:NAP:H51N	2.11	0.49
1:B:2510:HIS:NE2	4:B:3602:GOL:H32	2.27	0.49
1:B:2766:GLY:O	1:B:3521:ARG:NH1	2.45	0.49
1:A:3326:ARG:N	2:A:3601:NAP:O2X	2.42	0.49
1:A:3109:LEU:HD22	1:A:3193:LEU:CD1	2.42	0.49
1:B:3304:LEU:HD12	1:B:3305:GLY:N	2.28	0.49
1:A:2719:ILE:HG12	1:A:2729:ILE:HG12	1.93	0.49
1:A:2528:LEU:HD13	1:A:2707:SER:HB2	1.95	0.48
1:A:3001:ARG:NH2	1:A:3037:GLU:OE1	2.40	0.48
1:A:2626:LEU:HD21	1:A:2686:LEU:HD21	1.94	0.48
1:B:2539:ILE:HB	1:B:2705:VAL:HB	1.95	0.48
1:B:2981:GLU:HA	1:B:3266:ARG:HE	1.78	0.48
1:A:3358:ARG:NH1	1:A:3362:ARG:HH12	2.11	0.48
1:B:3454:TYR:O	1:B:3458:GLN:HG3	2.14	0.48
1:A:3011:PHE:HB3	2:A:3602:NAP:C3D	2.43	0.48
1:A:2789:TRP:N	1:A:2808:GLY:O	2.44	0.47
1:A:2498:ARG:NH1	1:A:2580:ASP:OD2	2.46	0.47
1:A:2618:ALA:HB1	1:A:2648:TRP:HB3	1.95	0.47
2:A:3602:NAP:N3A	2:A:3602:NAP:C2B	2.76	0.47
1:B:3050:ARG:H	1:B:3050:ARG:HD3	1.79	0.47
1:B:2931:ALA:O	1:B:2939:LEU:HD21	2.14	0.47
1:A:2517:ILE:HG22	1:A:2549:VAL:HG22	1.96	0.47
1:A:3116:GLY:N	2:A:3602:NAP:O1A	2.46	0.47
1:A:3495:LEU:HD11	1:A:3523:ASN:HB2	1.96	0.47
1:B:2918:LEU:HD23	1:B:2941:VAL:HB	1.96	0.47
1:A:3361:LEU:HD21	1:A:3411:LEU:HD23	1.95	0.47
1:A:2939:LEU:HD23	1:A:2948:VAL:HG12	1.97	0.47
1:B:2666:GLY:O	1:B:2669:ARG:HG3	2.15	0.47
1:A:3487:ARG:O	1:A:3491:ARG:HG3	2.15	0.47
1:B:3479:HIS:HD1	1:B:3482:GLN:CD	2.18	0.47
1:B:2498:ARG:NH2	1:B:2580:ASP:OD2	2.48	0.46
1:B:3109:LEU:CD1	1:B:3162:PHE:HZ	2.28	0.46
1:B:3191:LEU:HD13	1:B:3218:HIS:CD2	2.50	0.46
1:B:3162:PHE:HE1	1:B:3166:PHE:CE2	2.34	0.46



	A contraction of the contraction	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:3304:LEU:HD13	1:B:3426:PHE:CE2	2.50	0.46
1:A:2478:HIS:CG	1:A:2479:PRO:HD2	2.51	0.46
1:A:3109:LEU:HD22	1:A:3193:LEU:HD13	1.98	0.46
1:B:3155:ALA:HB3	1:B:3162:PHE:HD1	1.81	0.46
1:B:3310:ARG:HA	1:B:3341:LEU:HD21	1.97	0.46
1:B:3453:GLN:HG2	1:B:3515:ALA:HB3	1.98	0.46
1:B:3354:ASP:OD2	1:B:3402:ARG:NH1	2.49	0.46
1:A:3050:ARG:H	1:A:3050:ARG:HD3	1.81	0.45
1:A:2515:ALA:HB3	1:A:2755:LEU:HD22	1.97	0.45
1:B:3326:ARG:HB2	2:B:3601:NAP:O2X	2.16	0.45
1:A:3300:GLY:HA3	1:A:3323:LEU:HD22	1.98	0.45
1:B:2494:VAL:HG22	1:B:2561:VAL:HG22	1.99	0.45
1:B:3014:THR:HG21	1:B:3273:SER:HB3	1.98	0.45
1:A:2623:VAL:HG21	1:A:2646:ALA:HA	1.99	0.45
1:B:3119:MET:O	1:B:3123:GLN:HG3	2.17	0.45
1:B:2658:VAL:HG23	1:B:2715:LEU:HB2	1.98	0.44
1:A:3119:MET:O	1:A:3123:GLN:HG3	2.17	0.44
1:A:3133:TYR:CE1	1:A:3153:HIS:CD2	3.05	0.44
1:A:2981:GLU:HA	1:A:3266:ARG:HE	1.81	0.44
1:B:2570:ARG:HG2	1:B:2597:VAL:HG12	2.00	0.44
1:B:2760:PRO:HG2	1:B:2761:GLY:H	1.83	0.44
1:A:2823:VAL:HG21	1:A:2829:LEU:HD23	1.98	0.44
1:A:3200:PHE:O	1:A:3223:TYR:HA	2.17	0.44
1:B:3400:VAL:HG11	1:B:3441:TYR:HA	1.99	0.44
1:A:3133:TYR:HE2	1:A:3170:THR:HG23	1.83	0.44
1:A:3167:LEU:HD21	1:A:3193:LEU:HA	1.99	0.44
1:B:3392:LEU:HD21	1:B:3440:ASN:HB3	2.00	0.44
1:B:2548:LEU:HD13	1:B:2591:HIS:NE2	2.33	0.43
1:B:2733:ASP:CG	1:B:2737:ASN:HB2	2.39	0.43
1:B:2733:ASP:OD2	1:B:2737:ASN:ND2	2.47	0.43
1:B:3303:THR:HB	2:B:3601:NAP:O2N	2.17	0.43
1:A:2672:VAL:HG13	1:A:2676:LEU:HD23	2.00	0.43
1:A:2971:ARG:NH2	1:B:2622:GLU:OE2	2.49	0.43
1:B:3109:LEU:HD11	1:B:3162:PHE:CZ	2.53	0.43
1:B:3310:ARG:HE	1:B:3340:GLU:CD	2.21	0.43
1:A:2918:LEU:HD23	1:A:2941:VAL:HB	2.01	0.43
1:A:3098:ARG:HG3	1:A:3239:LEU:HD21	2.00	0.43
1:A:2606:SER:HA	1:A:2738:PRO:HD2	2.00	0.42
1:B:2874:LEU:N	1:B:2874:LEU:CD2	2.82	0.42
1:A:3311:HIS:HE2	1:A:3507:ASP:CG	2.22	0.42
1:B:3162:PHE:CE1	1:B:3166:PHE:CD2	3.07	0.42



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:3119:MET:HG2	1:A:3147:LEU:HD11	2.02	0.42
1:B:2514:GLY:HA2	1:B:2762:ILE:HB	2.01	0.42
1:B:3007:ALA:HB3	1:B:3059:LEU:HD23	2.00	0.42
1:A:2762:ILE:HG12	1:A:2766:GLY:HA3	2.02	0.42
1:B:2570:ARG:HA	1:B:2596:LEU:O	2.19	0.42
1:B:2788:ARG:HB2	1:B:2831:ASP:H	1.85	0.42
1:B:2891:VAL:HG11	1:B:3450:ALA:HB1	2.02	0.42
1:B:2991:ALA:HB1	1:B:3062:VAL:HG12	2.01	0.42
1:B:3240:LEU:O	1:B:3244:MET:HG2	2.19	0.42
1:A:2693:ASP:OD2	1:A:2697:ARG:NH1	2.52	0.42
1:A:2499:LEU:C	1:A:2555:ALA:HB3	2.40	0.42
1:B:2667:SER:OG	1:B:2668:PRO:HD3	2.20	0.42
1:B:2757:PRO:HD3	1:B:3496:PRO:HD2	2.02	0.42
1:B:2803:LEU:HD21	1:B:2928:LEU:HD23	2.01	0.42
1:B:2699:PRO:CD	4:B:3602:GOL:H2	2.48	0.41
1:A:2499:LEU:O	1:A:2555:ALA:HB3	2.20	0.41
1:B:2478:HIS:HB2	1:B:2529:TRP:CH2	2.55	0.41
1:B:3200:PHE:O	1:B:3223:TYR:HA	2.20	0.41
1:A:2622:GLU:OE2	1:B:2971:ARG:NH2	2.52	0.41
1:A:2900:GLY:O	1:A:2903:ARG:HB3	2.20	0.41
1:A:3085:VAL:HG13	1:A:3089:PHE:CD2	2.55	0.41
1:A:3323:LEU:HB2	1:A:3350:VAL:HG22	2.02	0.41
1:B:2512:LEU:HD21	4:B:3602:GOL:H11	2.02	0.41
1:B:2884:VAL:N	1:B:2889:GLU:OE1	2.54	0.41
1:B:3311:HIS:HB2	1:B:3503:LEU:HD13	2.03	0.41
1:A:3354:ASP:OD1	2:A:3601:NAP:N6A	2.52	0.41
1:B:2478:HIS:HB2	1:B:2529:TRP:CZ2	2.56	0.41
1:B:3127:HIS:CG	1:B:3251:VAL:HG11	2.56	0.41
1:A:3334:ALA:O	1:A:3338:VAL:HG23	2.20	0.41
1:B:2899:TRP:CH2	1:B:2915:LEU:HB3	2.56	0.41
1:B:3163:ALA:HB1	1:B:3192:ARG:HD3	2.02	0.41
1:A:2481:LEU:HD22	1:A:2495:TYR:HB3	2.03	0.41
1:A:2614:PRO:HA	1:A:2615:PRO:HD3	2.00	0.41
1:A:2909:GLU:HB3	1:A:2912:ARG:HG3	2.03	0.41
1:A:3180:ASN:ND2	1:A:3182:LEU:O	2.53	0.41
1:B:2970:TRP:CZ3	1:B:2985:LEU:HD22	2.56	0.41
1:B:3450:ALA:O	1:B:3454:TYR:N	2.51	0.41
1:A:2903:ARG:HG2	1:A:3431:ALA:O	2.21	0.40
1:B:3118:GLY:O	1:B:3122:LEU:HG	2.21	0.40
1:A:3501:GLN:O	1:A:3505:LEU:HD13	2.21	0.40
1:B:2575:VAL:N	1:B:2592:ALA:O	2.44	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:3167:LEU:HD11	1:B:3192:ARG:HG2	2.02	0.40
1:A:2556:ALA:HB1	1:A:2578:ARG:O	2.21	0.40
1:B:3497:LEU:HD11	1:B:3520:ILE:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed Favoured Allowed		Outliers	Perce	ntiles	
1	А	1054/1067~(99%)	1008 (96%)	45 (4%)	1 (0%)	51	82
1	В	1055/1067~(99%)	1020 (97%)	34 (3%)	1 (0%)	51	82
All	All	2109/2134~(99%)	2028 (96%)	79 (4%)	2 (0%)	51	82

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	2760	PRO
1	В	2760	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed Rotameric Outliers		Outliers	Percentiles
1	А	735/741~(99%)	732 (100%)	3~(0%)	91 95



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	В	735/741~(99%)	732 (100%)	3~(0%)	91	95
All	All	1470/1482~(99%)	1464 (100%)	6~(0%)	91	95

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	2502	ARG
1	А	3050	ARG
1	А	3416	ARG
1	В	3050	ARG
1	В	3362	ARG
1	В	3416	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	2510	HIS
1	А	2771	HIS
1	А	3153	HIS
1	А	3218	HIS
1	А	3438	GLN
1	В	2493	HIS
1	В	2771	HIS
1	В	2938	GLN
1	В	2999	GLN
1	В	3153	HIS
1	В	3218	HIS
1	В	3379	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	B	ond leng	gths	B	ond ang	les
	туре	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	В	3605	-	4,4,4	0.16	0	6,6,6	0.12	0
2	NAP	А	3602	-	45,52,52	4.54	14 (31%)	56,80,80	1.44	6 (10%)
3	SO4	А	3603	-	4,4,4	0.14	0	6,6,6	0.10	0
3	SO4	В	3604	-	4,4,4	0.19	0	6,6,6	0.34	0
2	NAP	А	3601	-	45,52,52	4.52	15 (33%)	56,80,80	1.55	6 (10%)
4	GOL	В	3602	-	$5,\!5,\!5$	0.79	0	$5,\!5,\!5$	0.94	0
3	SO4	В	3603	-	4,4,4	0.13	0	6,6,6	0.08	0
2	NAP	В	3601	-	45,52,52	4.52	14 (31%)	56,80,80	1.72	6 (10%)
3	SO4	А	3604	-	4,4,4	0.15	0	6,6,6	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	А	3602	-	-	17/31/67/67	0/5/5/5
2	NAP	А	3601	-	-	7/31/67/67	0/5/5/5
4	GOL	В	3602	-	-	0/4/4/4	-
2	NAP	В	3601	-	_	8/31/67/67	0/5/5/5

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	3602	NAP	O4D-C1D	15.53	1.62	1.41



Continued from previous page							
Mol	Chain	Res	Type	Atoms	Z	Observed(A)	Ideal(A)
2	B	3601	NAP	O4D-C1D	15.38	1.62	1.41
2	A	3601	NAP	O4D-C1D	15.38	1.62	1.41
2	A	3602	NAP	O4B-C1B	15.32	1.62	1.41
2	В	3601	NAP	C2D-C1D	-15.27	1.30	1.53
2	A	3601	NAP	O4B-C1B	15.18	1.62	1.41
2	A	3602	NAP	C2D-C1D	-15.16	1.30	1.53
2	В	3601	NAP	O4B-C1B	15.15	1.62	1.41
2	A	3601	NAP	C2D-C1D	-15.06	1.30	1.53
2	A	3601	NAP	C7N-N7N	7.03	1.46	1.33
2	В	3601	NAP	C7N-N7N	6.84	1.46	1.33
2	А	3602	NAP	C7N-N7N	6.74	1.45	1.33
2	А	3601	NAP	O4B-C4B	-6.25	1.31	1.45
2	А	3602	NAP	O4B-C4B	-6.15	1.31	1.45
2	В	3601	NAP	O4B-C4B	-6.09	1.31	1.45
2	А	3602	NAP	O4D-C4D	-6.09	1.31	1.45
2	В	3601	NAP	O4D-C4D	-6.02	1.31	1.45
2	А	3601	NAP	O4D-C4D	-5.95	1.31	1.45
2	В	3601	NAP	C6A-N6A	3.30	1.46	1.34
2	А	3601	NAP	C6A-N6A	3.27	1.46	1.34
2	А	3602	NAP	C6A-N6A	3.23	1.45	1.34
2	А	3601	NAP	P2B-O2B	3.10	1.65	1.59
2	А	3602	NAP	P2B-O2B	3.10	1.65	1.59
2	В	3601	NAP	P2B-O2B	3.05	1.65	1.59
2	В	3601	NAP	O3D-C3D	-3.05	1.35	1.43
2	А	3602	NAP	O2D-C2D	3.05	1.50	1.43
2	А	3601	NAP	O2D-C2D	3.01	1.50	1.43
2	А	3602	NAP	O3D-C3D	-2.99	1.35	1.43
2	В	3601	NAP	O2D-C2D	2.98	1.50	1.43
2	В	3601	NAP	O3B-C3B	-2.93	1.36	1.43
2	А	3602	NAP	O7N-C7N	-2.91	1.18	1.24
2	А	3601	NAP	O3D-C3D	-2.89	1.36	1.43
2	А	3602	NAP	O3B-C3B	-2.88	1.36	1.43
2	А	3601	NAP	O3B-C3B	-2.86	1.36	1.43
2	В	3601	NAP	O7N-C7N	-2.84	1.18	1.24
2	А	3601	NAP	O7N-C7N	-2.58	1.19	1.24
2	А	3601	NAP	C5A-C4A	-2.51	1.34	1.40
2	В	3601	NAP	C5A-C4A	-2.50	1.34	1.40
2	А	3601	NAP	C3N-C7N	2.37	1.54	1.50
2	A	3601	NAP	C2A-N3A	2.33	1.35	1.32
2	А	3602	NAP	C5A-C4A	-2.22	1.35	1.40
2	В	3601	NAP	C2A-N3A	2.13	1.35	1.32
2	А	3602	NAP	C3N-C7N	2.02	1.53	1.50



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
2	В	3601	NAP	C1B-N9A-C4A	-6.33	115.51	126.64
2	В	3601	NAP	C5A-C6A-N6A	5.64	128.93	120.35
2	В	3601	NAP	N3A-C2A-N1A	-5.61	119.91	128.68
2	А	3601	NAP	N3A-C2A-N1A	-5.49	120.10	128.68
2	А	3601	NAP	C1B-N9A-C4A	-5.28	117.37	126.64
2	А	3602	NAP	C5A-C6A-N6A	5.06	128.05	120.35
2	А	3602	NAP	N3A-C2A-N1A	-5.06	120.78	128.68
2	А	3601	NAP	C5A-C6A-N6A	4.58	127.31	120.35
2	В	3601	NAP	N6A-C6A-N1A	-3.55	111.22	118.57
2	В	3601	NAP	PN-O3-PA	-3.27	121.61	132.83
2	А	3602	NAP	N6A-C6A-N1A	-3.19	111.96	118.57
2	А	3602	NAP	PN-O3-PA	-3.10	122.18	132.83
2	А	3601	NAP	N6A-C6A-N1A	-2.89	112.57	118.57
2	А	3602	NAP	C1B-N9A-C4A	-2.73	121.85	126.64
2	А	3601	NAP	PN-O3-PA	-2.56	124.05	132.83
2	A	3601	NAP	C6N-N1N-C2N	-2.41	119.78	121.97
2	В	3601	NAP	C5D-C4D-C3D	-2.12	107.22	115.18
2	А	3602	NAP	C6N-N1N-C2N	-2.05	120.11	121.97

All (18) bond angle outliers are listed below:

There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
2	А	3601	NAP	C2B-O2B-P2B-O2X
2	А	3601	NAP	C5D-O5D-PN-O1N
2	А	3601	NAP	C5D-O5D-PN-O2N
2	А	3602	NAP	C5D-O5D-PN-O1N
2	А	3602	NAP	C5D-O5D-PN-O2N
2	А	3602	NAP	C2D-C1D-N1N-C2N
2	А	3602	NAP	C2D-C1D-N1N-C6N
2	В	3601	NAP	C5D-O5D-PN-O3
2	В	3601	NAP	C3D-C4D-C5D-O5D
2	А	3602	NAP	C3B-C2B-O2B-P2B
2	В	3601	NAP	O4D-C4D-C5D-O5D
2	А	3602	NAP	PA-O3-PN-O1N
2	А	3601	NAP	PN-O3-PA-O5B
2	А	3602	NAP	C5B-O5B-PA-O3
2	А	3602	NAP	C5D-O5D-PN-O3
2	В	3601	NAP	C2B-O2B-P2B-O2X
2	А	3602	NAP	O4B-C4B-C5B-O5B
2	А	3602	NAP	C4B-C5B-O5B-PA
			Cor	ntinued on next page
				WORLDWIDE

All (32) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	В	3601	NAP	C5D-O5D-PN-O1N
2	В	3601	NAP	C5D-O5D-PN-O2N
2	А	3601	NAP	PA-O3-PN-O2N
2	А	3602	NAP	C4D-C5D-O5D-PN
2	А	3602	NAP	O4D-C4D-C5D-O5D
2	А	3602	NAP	C2B-O2B-P2B-O1X
2	А	3602	NAP	C3B-C4B-C5B-O5B
2	А	3601	NAP	C5D-O5D-PN-O3
2	А	3602	NAP	C2B-O2B-P2B-O2X
2	А	3601	NAP	O4B-C4B-C5B-O5B
2	В	3601	NAP	O4B-C4B-C5B-O5B
2	А	3602	NAP	PA-O3-PN-O2N
2	В	3601	NAP	PA-O3-PN-O2N
2	А	3602	NAP	C5B-O5B-PA-O1A

Continued from previous page...

There are no ring outliers.

8 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	3602	NAP	8	0
3	А	3603	SO4	1	0
3	В	3604	SO4	1	0
2	А	3601	NAP	4	0
4	В	3602	GOL	4	0
3	В	3603	SO4	1	0
2	В	3601	NAP	3	0
3	А	3604	SO4	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.













5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	1058/1067~(99%)	0.04	37 (3%) 44 43	75, 108, 196, 253	0
1	В	1059/1067~(99%)	0.40	92 (8%) 10 12	100, 164, 222, 236	0
All	All	2117/2134 (99%)	0.22	129 (6%) 21 22	75, 145, 217, 253	0

All (129) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	3223	TYR	9.2
1	В	3071	ALA	7.5
1	В	2605	TRP	6.0
1	В	2606	SER	5.8
1	В	2607	GLY	5.5
1	А	2667	SER	5.3
1	В	2608	GLU	5.3
1	А	2610	GLY	5.3
1	В	3133	TYR	5.2
1	В	3200	PHE	5.1
1	В	3038	VAL	5.1
1	В	3392	LEU	5.1
1	В	3070	LEU	5.0
1	В	3077	TRP	4.8
1	А	2605	TRP	4.7
1	В	3254	PRO	4.5
1	А	2665	PRO	4.4
1	В	3072	ARG	4.4
1	В	2602	ASP	4.3
1	А	2490	ARG	4.1
1	В	3481	ASP	4.1
1	В	2992	GLU	4.0
1	В	3154	ILE	4.0
1	В	3482	GLN	3.9



Mol	Chain	Res	Type	RSRZ
1	А	2666	GLY	3.8
1	А	2604	ALA	3.8
1	В	3380	ALA	3.8
1	А	2611	ALA	3.7
1	В	3222	GLY	3.7
1	В	3045	PHE	3.7
1	В	3386	ASP	3.7
1	А	2520	GLY	3.7
1	А	2603	ALA	3.6
1	А	2583	ASP	3.6
1	А	2609	PRO	3.5
1	А	3481	ASP	3.5
1	В	2490	ARG	3.5
1	В	3057	GLY	3.5
1	А	2554	SER	3.5
1	В	3028	GLY	3.5
1	В	3480	LEU	3.5
1	В	2603	ALA	3.5
1	В	3008	GLY	3.5
1	В	3108	LEU	3.4
1	А	2724	ALA	3.4
1	В	3382	GLY	3.3
1	В	3427	SER	3.3
1	В	3191	LEU	3.3
1	В	3153	HIS	3.3
1	В	2609	PRO	3.3
1	В	3290	GLY	3.2
1	В	3155	ALA	3.2
1	В	3056	THR	3.2
1	В	3076	GLY	3.2
1	В	3075	ARG	3.2
1	А	2519	PRO	3.0
1	В	3190	SER	3.0
1	В	2911	GLY	2.9
1	В	3180	ASN	2.9
1	В	2585	ASP	2.9
1	В	3109	LEU	2.9
1	A	2524	ALA	2.9
1	В	3379	HIS	2.9
1	В	2489	ASP	2.9
1	В	3323	LEU	2.8
1	В	3424	VAL	2.8



8G7W	
------	--

Mol	Chain	Res	Type	RSRZ
1	А	2602	ASP	2.8
1	В	2583	ASP	2.8
1	В	3148	GLY	2.8
1	А	2606	SER	2.8
1	В	3252	LEU	2.7
1	В	3462	ALA	2.7
1	В	3033	GLY	2.7
1	А	2764	GLY	2.7
1	В	3132	VAL	2.7
1	В	3426	PHE	2.7
1	В	3247	PHE	2.6
1	А	2607	GLY	2.6
1	В	3064	VAL	2.6
1	А	2567	ALA	2.6
1	А	2612	PRO	2.6
1	В	3162	PHE	2.5
1	В	3348	VAL	2.5
1	А	3028	GLY	2.5
1	А	2747	ALA	2.5
1	В	3052	LEU	2.5
1	В	2763	PRO	2.5
1	А	2662	VAL	2.5
1	А	2484	ALA	2.4
1	В	2522	ALA	2.4
1	В	3179	LEU	2.4
1	А	2553	GLU	2.4
1	В	2604	ALA	2.4
1	В	2584	ALA	2.4
1	В	2937	PRO	2.4
1	В	3240	LEU	2.4
1	А	2699	PRO	2.3
1	В	3068	ARG	2.3
1	В	3463	VAL	2.3
1	А	2523	TYR	2.3
1	А	3462	ALA	2.3
1	В	3007	ALA	2.3
1	В	3445	ASN	2.3
1	А	2585	ASP	2.3
1	В	3041	ASP	2.3
1	В	3042	VAL	2.2
1	А	2664	GLN	2.2
1	В	2567	ALA	2.2



Mol	Chain	Res	Type	RSRZ
1	В	2588	TRP	2.2
1	В	3134	ALA	2.2
1	В	3393	THR	2.2
1	В	2582	ALA	2.2
1	А	2491	GLY	2.2
1	А	2661	PRO	2.1
1	А	2600	ASP	2.1
1	В	3425	LEU	2.1
1	В	2491	GLY	2.1
1	В	2967	GLY	2.1
1	В	3110	VAL	2.1
1	В	3324	ALA	2.1
1	В	3063	ALA	2.1
1	В	3446	GLY	2.1
1	А	2570	ARG	2.1
1	В	2601	ALA	2.1
1	В	3091	THR	2.1
1	В	3114	ALA	2.0
1	В	3288	ALA	2.0
1	В	3029	ALA	2.0
1	В	2988	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
4	GOL	В	3602	6/6	0.61	0.45	110,110,110,110	0
2	NAP	А	3602	48/48	<mark>0.63</mark>	0.56	100,100,100,100	48



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
3	SO4	В	3603	5/5	0.80	0.30	121,121,121,121	0
3	SO4	В	3605	5/5	0.86	0.39	150,150,150,150	0
2	NAP	В	3601	48/48	0.87	0.20	162,162,162,162	0
3	SO4	В	3604	5/5	0.89	0.29	181,181,181,181	0
3	SO4	А	3604	5/5	0.90	0.17	141,141,141,141	0
2	NAP	А	3601	48/48	0.92	0.18	84,84,84,84	0
3	SO4	А	3603	5/5	0.94	0.34	151,151,151,151	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers (i)

There are no such residues in this entry.

