



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 7, 2022 – 01:28 PM EDT

PDB ID : 2G8Y
Title : The structure of a putative malate/lactate dehydrogenase from E. coli.
Authors : Cuff, M.E.; Skarina, T.; Edwards, A.; Savchenko, A.; Cymborowski, M.; Minor, W.; Joachimiak, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2006-03-03
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.27
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.27


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	385	 5% 82% 11% 7%
1	B	385	 5% 85% 7% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	B	1014	-	-	X	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6576 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Malate/L-lactate dehydrogenases.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	359	2761	1740	497	508	8	8	0	4	0
1	B	358	2754	1738	496	504	8	8	0	4	0

There are 66 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MSE	-	SEE REMARK 999	UNP P30178
A	-20	GLY	-	cloning artifact	UNP P30178
A	-19	SER	-	cloning artifact	UNP P30178
A	-18	SER	-	cloning artifact	UNP P30178
A	-17	HIS	-	expression tag	UNP P30178
A	-16	HIS	-	expression tag	UNP P30178
A	-15	HIS	-	expression tag	UNP P30178
A	-14	HIS	-	expression tag	UNP P30178
A	-13	HIS	-	expression tag	UNP P30178
A	-12	HIS	-	expression tag	UNP P30178
A	-11	SER	-	cloning artifact	UNP P30178
A	-10	SER	-	cloning artifact	UNP P30178
A	-9	GLY	-	cloning artifact	UNP P30178
A	-8	ARG	-	cloning artifact	UNP P30178
A	-7	GLU	-	cloning artifact	UNP P30178
A	-6	ASN	-	cloning artifact	UNP P30178
A	-5	LEU	-	cloning artifact	UNP P30178
A	-4	TYR	-	cloning artifact	UNP P30178
A	-3	PHE	-	cloning artifact	UNP P30178
A	-2	GLN	-	cloning artifact	UNP P30178
A	-1	GLY	-	cloning artifact	UNP P30178
A	0	HIS	-	cloning artifact	UNP P30178
A	1	MSE	MET	modified residue	UNP P30178
A	23	MSE	MET	modified residue	UNP P30178
A	52	MSE	MET	modified residue	UNP P30178

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	98	MSE	MET	modified residue	UNP P30178
A	149	MSE	MET	modified residue	UNP P30178
A	220	MSE	MET	modified residue	UNP P30178
A	242	MSE	MET	modified residue	UNP P30178
A	272	MSE	MET	modified residue	UNP P30178
A	347	MSE	MET	modified residue	UNP P30178
A	362	GLY	-	cloning artifact	UNP P30178
A	363	SER	-	cloning artifact	UNP P30178
B	-21	MSE	-	SEE REMARK 999	UNP P30178
B	-20	GLY	-	cloning artifact	UNP P30178
B	-19	SER	-	cloning artifact	UNP P30178
B	-18	SER	-	cloning artifact	UNP P30178
B	-17	HIS	-	expression tag	UNP P30178
B	-16	HIS	-	expression tag	UNP P30178
B	-15	HIS	-	expression tag	UNP P30178
B	-14	HIS	-	expression tag	UNP P30178
B	-13	HIS	-	expression tag	UNP P30178
B	-12	HIS	-	expression tag	UNP P30178
B	-11	SER	-	cloning artifact	UNP P30178
B	-10	SER	-	cloning artifact	UNP P30178
B	-9	GLY	-	cloning artifact	UNP P30178
B	-8	ARG	-	cloning artifact	UNP P30178
B	-7	GLU	-	cloning artifact	UNP P30178
B	-6	ASN	-	cloning artifact	UNP P30178
B	-5	LEU	-	cloning artifact	UNP P30178
B	-4	TYR	-	cloning artifact	UNP P30178
B	-3	PHE	-	cloning artifact	UNP P30178
B	-2	GLN	-	cloning artifact	UNP P30178
B	-1	GLY	-	cloning artifact	UNP P30178
B	0	HIS	-	cloning artifact	UNP P30178
B	1	MSE	MET	modified residue	UNP P30178
B	23	MSE	MET	modified residue	UNP P30178
B	52	MSE	MET	modified residue	UNP P30178
B	98	MSE	MET	modified residue	UNP P30178
B	149	MSE	MET	modified residue	UNP P30178
B	220	MSE	MET	modified residue	UNP P30178
B	242	MSE	MET	modified residue	UNP P30178
B	272	MSE	MET	modified residue	UNP P30178
B	347	MSE	MET	modified residue	UNP P30178
B	362	GLY	-	cloning artifact	UNP P30178
B	363	SER	-	cloning artifact	UNP P30178

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
3	A	1	44	21	7	14	2	0	0
3	B	1	44	21	7	14	2	0	0

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	C O		
4	A	1	4	2 2	0	0
4	A	1	4	2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0

- Molecule 5 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 16 10 6	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	448	Total 448	O 448	0	0
6	B	429	Total 429	O 429	0	0

4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	139.09Å 139.09Å 151.65Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	35.50 – 2.15 35.49 – 2.15	Depositor EDS
% Data completeness (in resolution range)	96.1 (35.50-2.15) 96.1 (35.49-2.15)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 2.16Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.158 , 0.186 0.155 , 0.183	Depositor DCC
R_{free} test set	4456 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	29.1	Xtrriage
Anisotropy	0.621	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 36.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.018 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6576	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1PE, NAD, EDO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.68	0/2826	0.70	3/3829 (0.1%)
1	B	0.67	1/2819 (0.0%)	0.66	2/3820 (0.1%)
All	All	0.67	1/5645 (0.0%)	0.68	5/7649 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	259	GLU	CG-CD	6.28	1.61	1.51

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	38	ILE	CG1-CB-CG2	-9.50	90.51	111.40
1	B	123	ARG	NE-CZ-NH1	-7.08	116.76	120.30
1	A	123	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	A	167	VAL	CB-CA-C	-5.33	101.27	111.40
1	B	84	ASP	CB-CG-OD1	5.18	122.97	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2761	0	2666	38	0
1	B	2754	0	2666	27	0
2	A	15	0	0	0	0
2	B	25	0	0	0	0
3	A	44	0	26	1	0
3	B	44	0	26	0	0
4	A	20	0	30	2	0
4	B	20	0	30	9	0
5	A	16	0	22	1	0
6	A	448	0	0	11	0
6	B	429	0	0	8	0
All	All	6576	0	5466	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:ILE:HD12	1:A:38:ILE:HD13	1.34	1.09
1:B:149:MSE:HE3	6:B:1374:HOH:O	1.57	1.04
1:A:61:SER:HA	5:A:1021:1PE:H232	1.43	1.00
1:A:16:ILE:HD12	1:A:38:ILE:CD1	1.98	0.94
1:A:26:GLU:H	1:A:68:ASN:HD21	1.18	0.88
1:B:26:GLU:H	1:B:68:ASN:HD21	1.18	0.86
1:B:121:ILE:H	1:B:270:ASN:HD22	1.21	0.86
1:A:5[A]:HIS:CE1	6:A:1434:HOH:O	2.29	0.84
1:A:296:GLU:HB2	6:A:1438:HOH:O	1.79	0.81
1:A:242:MSE:HE3	6:A:1456:HOH:O	1.82	0.78
1:A:16:ILE:CD1	1:A:38:ILE:CD1	2.66	0.73
1:A:116:HIS:HD2	1:A:251:SER:O	1.73	0.71
1:A:246:LEU:HG	6:A:1456:HOH:O	1.90	0.70
1:B:257:HIS:HD2	1:B:259:GLU:OE1	1.78	0.66
1:B:187:ALA:HA	6:B:1422:HOH:O	1.96	0.66
1:B:5[A]:HIS:HB2	1:B:7:PHE:CE2	2.33	0.63
1:B:192:ARG:HD2	4:B:1020:EDO:H22	1.81	0.62
1:A:17:GLN:HE21	1:A:31:LYS:HA	1.63	0.61
4:B:1014:EDO:H21	6:B:1331:HOH:O	2.00	0.61
1:B:121:ILE:H	1:B:270:ASN:ND2	1.97	0.61
1:B:149:MSE:CE	6:B:1374:HOH:O	2.28	0.61
1:B:6:ARG:HH12	4:B:1014:EDO:C1	2.14	0.60
1:B:130:GLN:NE2	6:B:1192:HOH:O	2.35	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:306:ASP:HB3	6:A:1344:HOH:O	2.03	0.59
1:B:5[B]:HIS:HA	6:B:1330:HOH:O	2.01	0.58
1:A:257:HIS:HD2	1:A:259[B]:GLU:OE1	1.91	0.54
1:A:16:ILE:CD1	1:A:38:ILE:HD12	2.37	0.54
1:A:116:HIS:CD2	1:A:251:SER:O	2.59	0.53
1:B:135:GLY:HA3	4:B:1012:EDO:H11	1.90	0.52
1:B:6:ARG:HH12	4:B:1014:EDO:H12	1.75	0.51
1:A:106:HIS:HB3	6:A:1036:HOH:O	2.11	0.51
1:A:116:HIS:HE1	6:A:1251:HOH:O	1.95	0.49
1:B:16:ILE:HD12	1:B:38:ILE:HG12	1.95	0.48
1:A:73:THR:HA	1:A:83:LEU:HD23	1.93	0.48
1:A:5[B]:HIS:HB2	1:A:7:PHE:CE2	2.49	0.47
1:B:192:ARG:CD	4:B:1020:EDO:H22	2.44	0.47
1:A:36:HIS:HE1	1:A:123:ARG:H	1.61	0.46
1:A:10[B]:GLN:NE2	6:A:1062:HOH:O	2.48	0.46
1:A:5[A]:HIS:HE1	6:A:1434:HOH:O	1.85	0.45
1:A:138:SER:OG	1:A:140:HIS:HE1	1.98	0.45
4:B:1014:EDO:C2	6:B:1331:HOH:O	2.61	0.45
1:A:206:LEU:CD2	1:A:228:LEU:HD23	2.46	0.45
1:B:179:LEU:C	1:B:179:LEU:HD23	2.37	0.45
1:A:10[B]:GLN:NE2	6:A:1396:HOH:O	2.47	0.45
1:A:19:VAL:HG13	1:A:53:PHE:CZ	2.52	0.44
4:A:1017:EDO:H12	1:B:307:LYS:NZ	2.33	0.44
1:B:6:ARG:HH12	4:B:1014:EDO:H11	1.83	0.44
1:A:123:ARG:HG3	3:A:1001:NAD:O3D	2.18	0.44
1:B:134:ALA:O	4:B:1012:EDO:H22	2.18	0.43
1:A:179:LEU:C	1:A:179:LEU:HD23	2.40	0.43
1:A:153:PHE:O	1:A:154:HIS:HB2	2.20	0.42
1:B:36:HIS:HE1	1:B:123:ARG:H	1.67	0.42
1:A:147:ILE:O	1:A:147:ILE:HG22	2.20	0.42
1:A:320:ARG:O	1:A:324:GLN:HG2	2.20	0.41
1:B:187:ALA:HB3	1:B:190:LYS:HG2	2.02	0.41
1:A:50:ILE:HG21	1:A:50:ILE:HD13	1.76	0.41
1:B:36:HIS:HD2	1:B:126:TYR:CD2	2.38	0.41
1:A:16:ILE:HD11	1:A:50:ILE:HB	2.03	0.41
1:A:297:TRP:CD2	1:B:257:HIS:HA	2.55	0.41
1:B:114:ALA:HB1	1:B:251:SER:HA	2.02	0.41
1:A:36:HIS:CE1	1:A:123:ARG:H	2.37	0.41
4:A:1016:EDO:H22	6:A:1433:HOH:O	2.21	0.41
1:B:7:PHE:HE2	1:B:330:LEU:HB2	1.86	0.41
1:A:201:VAL:HB	1:A:202:PRO:HD2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:ILE:HD11	1:A:38:ILE:HD12	2.03	0.40
1:A:64:HIS:O	1:A:87:ARG:HD2	2.20	0.40
1:B:5[B]:HIS:HD2	6:B:1447:HOH:O	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	361/385 (94%)	352 (98%)	9 (2%)	0	100	100
1	B	360/385 (94%)	352 (98%)	7 (2%)	1 (0%)	41	37
All	All	721/770 (94%)	704 (98%)	16 (2%)	1 (0%)	51	53

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	120	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	284/292 (97%)	282 (99%)	2 (1%)	84	89
1	B	283/292 (97%)	280 (99%)	3 (1%)	73	78

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	567/584 (97%)	562 (99%)	5 (1%)	84	83

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	ILE
1	A	336	GLN
1	B	5[A]	HIS
1	B	5[B]	HIS
1	B	19	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	GLN
1	A	36	HIS
1	A	62	GLN
1	A	68	ASN
1	A	106	HIS
1	A	116	HIS
1	A	140	HIS
1	A	257	HIS
1	A	258	GLN
1	A	353	GLN
1	B	17	GLN
1	B	36	HIS
1	B	66	GLN
1	B	68	ASN
1	B	106	HIS
1	B	130	GLN
1	B	257	HIS
1	B	270	ASN
1	B	358	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	B	1014	-	3,3,3	0.12	0	2,2,2	1.12	0
4	EDO	A	1011	-	3,3,3	0.50	0	2,2,2	0.24	0
4	EDO	A	1018	-	3,3,3	0.60	0	2,2,2	0.27	0
4	EDO	A	1019	-	3,3,3	0.53	0	2,2,2	0.46	0
2	SO4	A	1003	-	4,4,4	0.19	0	6,6,6	0.80	0
4	EDO	B	1013	-	3,3,3	0.52	0	2,2,2	0.26	0
2	SO4	A	1004	-	4,4,4	0.20	0	6,6,6	0.42	0
5	1PE	A	1021	-	15,15,15	0.42	0	14,14,14	0.45	0
2	SO4	B	1005	-	4,4,4	0.29	0	6,6,6	0.43	0
3	NAD	A	1001	-	42,48,48	1.74	4 (9%)	50,73,73	1.29	4 (8%)
4	EDO	B	1020	-	3,3,3	0.51	0	2,2,2	0.13	0
4	EDO	A	1017	-	3,3,3	0.80	0	2,2,2	0.73	0
2	SO4	B	1009	-	4,4,4	0.18	0	6,6,6	0.10	0
2	SO4	B	1006	-	4,4,4	0.23	0	6,6,6	0.46	0
3	NAD	B	1002	-	42,48,48	1.77	4 (9%)	50,73,73	1.18	3 (6%)
2	SO4	B	1008	-	4,4,4	0.15	0	6,6,6	0.45	0
2	SO4	A	1007	-	4,4,4	0.48	0	6,6,6	0.57	0
4	EDO	B	1012	-	3,3,3	0.33	0	2,2,2	0.74	0
4	EDO	A	1016	-	3,3,3	0.36	0	2,2,2	0.38	0
4	EDO	B	1015	-	3,3,3	0.36	0	2,2,2	0.76	0
2	SO4	B	1010	-	4,4,4	0.54	0	6,6,6	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	1014	-	-	0/1/1/1	-
4	EDO	B	1013	-	-	0/1/1/1	-
4	EDO	A	1011	-	-	1/1/1/1	-
4	EDO	A	1018	-	-	1/1/1/1	-
4	EDO	A	1019	-	-	0/1/1/1	-
4	EDO	B	1012	-	-	0/1/1/1	-
5	1PE	A	1021	-	-	9/13/13/13	-
4	EDO	A	1016	-	-	1/1/1/1	-
3	NAD	A	1001	-	-	0/26/62/62	0/5/5/5
4	EDO	B	1020	-	-	1/1/1/1	-
4	EDO	B	1015	-	-	1/1/1/1	-
4	EDO	A	1017	-	-	1/1/1/1	-
3	NAD	B	1002	-	-	0/26/62/62	0/5/5/5

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1002	NAD	O7N-C7N	8.37	1.40	1.24
3	A	1001	NAD	O7N-C7N	8.04	1.39	1.24
3	B	1002	NAD	C2A-N3A	3.88	1.38	1.32
3	A	1001	NAD	C2A-N3A	3.75	1.38	1.32
3	A	1001	NAD	C2N-N1N	3.50	1.39	1.35
3	B	1002	NAD	C2A-N1A	3.08	1.39	1.33
3	A	1001	NAD	C2A-N1A	3.07	1.39	1.33
3	B	1002	NAD	C2N-N1N	2.90	1.38	1.35

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1001	NAD	N3A-C2A-N1A	-5.44	120.17	128.68
3	B	1002	NAD	N3A-C2A-N1A	-4.79	121.20	128.68
3	A	1001	NAD	C1B-N9A-C4A	-3.12	121.15	126.64
3	B	1002	NAD	C1B-N9A-C4A	-2.85	121.64	126.64
3	A	1001	NAD	C3N-C7N-N7N	2.49	120.74	117.75
3	A	1001	NAD	O7N-C7N-C3N	-2.27	116.91	119.63
3	B	1002	NAD	C3N-C2N-N1N	-2.07	118.40	120.43

There are no chirality outliers.

All (15) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	1021	1PE	OH6-C15-C25-OH5
5	A	1021	1PE	OH4-C13-C23-OH3
4	A	1016	EDO	O1-C1-C2-O2
4	B	1020	EDO	O1-C1-C2-O2
5	A	1021	1PE	C23-C13-OH4-C24
5	A	1021	1PE	OH7-C16-C26-OH6
5	A	1021	1PE	C15-C25-OH5-C14
5	A	1021	1PE	C14-C24-OH4-C13
5	A	1021	1PE	OH2-C12-C22-OH3
4	A	1017	EDO	O1-C1-C2-O2
4	B	1015	EDO	O1-C1-C2-O2
5	A	1021	1PE	C12-C22-OH3-C23
4	A	1011	EDO	O1-C1-C2-O2
5	A	1021	1PE	OH5-C14-C24-OH4
4	A	1018	EDO	O1-C1-C2-O2


There are no ring outliers.

7 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1014	EDO	5	0
5	A	1021	1PE	1	0
3	A	1001	NAD	1	0
4	B	1020	EDO	2	0
4	A	1017	EDO	1	0
4	B	1012	EDO	2	0
4	A	1016	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	351/385 (91%)	-0.11	20 (5%) 23 32	29, 34, 47, 66	0
1	B	350/385 (90%)	0.09	20 (5%) 23 32	29, 35, 58, 75	0
All	All	701/770 (91%)	-0.01	40 (5%) 23 32	29, 34, 51, 75	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	GLY	7.0
1	B	4	GLY	6.7
1	A	3	SER	5.4
1	B	5[A]	HIS	4.4
1	B	199	VAL	4.3
1	B	139	ILE	3.6
1	B	195	TRP	3.3
1	A	142	VAL	3.1
1	A	361	SER	3.0
1	B	357	GLN	2.9
1	A	165	PHE	2.9
1	B	167	VAL	2.8
1	A	306	ASP	2.8
1	B	239	LEU	2.8
1	A	141	PHE	2.8
1	B	306	ASP	2.8
1	B	165	PHE	2.7
1	A	124	ILE	2.7
1	B	141	PHE	2.7
1	A	139	ILE	2.6
1	A	239	LEU	2.6
1	B	197	LYS	2.6
1	A	164	PRO	2.5
1	B	360	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	179	LEU	2.5
1	A	173	ASP	2.5
1	B	179	LEU	2.4
1	A	167	VAL	2.3
1	B	192	ARG	2.3
1	B	124	ILE	2.3
1	B	166	CYS	2.3
1	B	198	GLY	2.3
1	A	5[A]	HIS	2.3
1	B	321	ARG	2.2
1	A	199	VAL	2.2
1	A	181	TYR	2.1
1	B	181	TYR	2.1
1	A	243	CYS	2.1
1	A	166	CYS	2.1
1	A	305	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	A	1017	4/4	0.60	0.32	85,86,86,87	0
4	EDO	B	1020	4/4	0.81	0.26	84,85,85,85	0
4	EDO	A	1018	4/4	0.87	0.18	56,57,59,61	0
4	EDO	A	1019	4/4	0.87	0.18	48,49,51,54	0
2	SO4	B	1008	5/5	0.87	0.17	101,102,102,102	0
2	SO4	A	1004	5/5	0.91	0.26	80,82,83,84	0
4	EDO	B	1013	4/4	0.91	0.12	44,46,49,52	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SO4	B	1010	5/5	0.91	0.35	133,133,133,133	0
4	EDO	B	1012	4/4	0.92	0.17	55,57,57,58	0
2	SO4	A	1003	5/5	0.93	0.12	68,69,69,71	0
2	SO4	A	1007	5/5	0.93	0.22	61,61,62,63	0
4	EDO	A	1016	4/4	0.93	0.10	47,48,50,50	0
4	EDO	B	1014	4/4	0.94	0.11	42,42,46,47	0
4	EDO	B	1015	4/4	0.94	0.23	47,52,54,56	0
4	EDO	A	1011	4/4	0.94	0.15	56,57,58,60	0
2	SO4	B	1009	5/5	0.95	0.27	99,99,100,100	0
2	SO4	B	1006	5/5	0.95	0.21	80,81,81,81	0
2	SO4	B	1005	5/5	0.96	0.15	62,63,64,65	0
3	NAD	A	1001	44/44	0.98	0.07	26,32,34,35	0
3	NAD	B	1002	44/44	0.98	0.07	23,29,34,34	0
5	1PE	A	1021	16/16	0.98	0.23	23,28,43,44	16

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.