

Full wwPDB X-ray Structure Validation Report (i)

May 18, 2023 – 04:08 PM EDT

PDB ID	:	8GB5
Title	:	Crystal structure of SARS-CoV-2 receptor binding domain in complex with
		neutralizing antibody 25F9
Authors	:	Yuan, M.; Zhu, X.; Wilson, I.A.
Deposited on	:	2023-02-24
Resolution	:	3.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.32.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.32.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	1558 (3.42-3.30)
Clashscore	141614	1627 (3.42 - 3.30)
Ramachandran outliers	138981	1599(3.42-3.30)
Sidechain outliers	138945	1598(3.42-3.30)
RSRZ outliers	127900	1507 (3.42-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	205	89% 6%	5%
1	D	205	85% 10%	5%
1	G	205	90% 5%	5%
1	J	205	88% 7%	5%
2	В	231	85% 13%	·



Mol	Chain	Length	Qı	ality of chain	
2	F	231		87%	11% •
2	Ι	231	8.	3%	16% ·
2	L	231		86%	13% •
3	С	216	81	18% ·	
3	Е	216	81	17% •	
3	Н	216	8	16% •	
3	K	216	82	16% •	
4	М	3			
5	Ν	5	60%	40%	
6	О	4	50%	25%	25%
6	Р	4	25%		



2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 19740 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	105	Total	С	Ν	0	\mathbf{S}	0	0	0
	A	195	1543	989	257	289	8	0	0	0
1	Л	195	Total	С	Ν	0	S	0	0	0
			1543	989	257	289	8		0	0
1	C	105	Total	С	Ν	0	S	0	0	0
	G	195	1543	989	257	289	8	0		0
1	т	105	Total	С	Ν	0	S	0	0	0
	J	190	1543	989	257	289	8			U

• Molecule 1 is a protein called Spike protein S1.

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	531	GLY	-	expression tag	UNP P0DTC2
А	532	HIS	-	expression tag	UNP P0DTC2
А	533	HIS	-	expression tag	UNP P0DTC2
А	534	HIS	-	expression tag	UNP P0DTC2
А	535	HIS	-	expression tag	UNP P0DTC2
А	536	HIS	-	expression tag	UNP P0DTC2
А	537	HIS	-	expression tag	UNP P0DTC2
D	531	GLY	-	expression tag	UNP P0DTC2
D	532	HIS	-	expression tag	UNP P0DTC2
D	533	HIS	-	expression tag	UNP P0DTC2
D	534	HIS	-	expression tag	UNP P0DTC2
D	535	HIS	-	expression tag	UNP P0DTC2
D	536	HIS	-	expression tag	UNP P0DTC2
D	537	HIS	-	expression tag	UNP P0DTC2
G	531	GLY	-	expression tag	UNP P0DTC2
G	532	HIS	-	expression tag	UNP P0DTC2
G	533	HIS	-	expression tag	UNP P0DTC2
G	534	HIS	-	expression tag	UNP P0DTC2
G	535	HIS	-	expression tag	UNP P0DTC2
G	536	HIS	-	expression tag	UNP P0DTC2
G	537	HIS	-	expression tag	UNP P0DTC2



Chain	Residue	Modelled	Actual	Comment	Reference
J	531	GLY	-	expression tag	UNP P0DTC2
J	532	HIS	-	expression tag	UNP P0DTC2
J	533	HIS	-	expression tag	UNP P0DTC2
J	534	HIS	-	expression tag	UNP P0DTC2
J	535	HIS	-	expression tag	UNP P0DTC2
J	536	HIS	-	expression tag	UNP P0DTC2
J	537	HIS	-	expression tag	UNP P0DTC2

• Molecule 2 is a protein called 25F9 Heavy chain.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
9	В	227	Total	С	Ν	0	S	0	0	0
	D	221	1725	1100	288	331	6	0	0	0
9	F	227	Total	С	Ν	0	S	0	0	0
		221	1723	1099	288	331	5	0		0
0	т	227	Total	С	Ν	0	S	0	0	0
	1	221	1725	1100	288	331	6	0	0	0
0	т	222	Total	С	Ν	0	S	0	0	0
	L	220	1729	1102	289	332	6	0	0	0

• Molecule 3 is a protein called 25F9 Light chain.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
9	3 C	914	Total	С	Ν	0	\mathbf{S}	0	0	0
0	U	214	1585	984	273	323	5	0	0	0
3	F	212	Total	С	Ν	0	S	0	0	0
5 E	213	1579	981	273	321	4	0	0	0	
2	ц	214	Total	С	Ν	0	S	0	0	0
0	11	214	1585	984	273	323	5	0		0
2	K	012	Total	С	Ν	0	S	0	0	0
3 K	213	1579	981	272	322	4	U	0	U	

• Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	М	3	Total 39	C 22	N 2	O 15	0	0	0



• Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyran ose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	Ν	5	Total 61	C 34	N 2	O 25	0	0	0

• Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopy ranose.



Mol	Chain	Residues	Ate	oms		ZeroOcc	AltConf	Trace
6	0	4	Total C 49 2	C N 8 2	O 19	0	0	0
6	Р	4	Total C 49 2	C N 8 2	O 19	0	0	0

• Molecule 7 is SULFATE ION (three-letter code: SO4) (formula: O_4S).





8GB5

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	Ι	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	J	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	K	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
7	K	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

 $\bullet\,$ Molecule 8 is BICINE (three-letter code: BCN) (formula: $\rm C_6H_{13}NO_4).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	С	1	Total C N O 11 6 1 4	0	0
8	Е	1	Total C N O 11 6 1 4	0	0
8	Н	1	Total C N O 11 6 1 4	0	0





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
9	K	1	Total 6	${ m C} { m 3}$	O 3	0	0

• Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	А	3	Total O 3 3	0	0
10	В	3	Total O 3 3	0	0
10	С	6	Total O 6 6	0	0
10	D	2	Total O 2 2	0	0
10	Е	5	Total O 5 5	0	0
10	F	4	Total O 4 4	0	0
10	G	3	Total O 3 3	0	0
10	Н	6	Total O 6 6	0	0
10	Ι	7	Total O 7 7	0	0
10	J	2	Total O 2 2	0	0
10	K	14	Total O 14 14	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	L	6	Total O 6 6	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Spike protein S1



- Molecule 2: 25F9 Heavy chain Chain F: 87% 11% THR SER GLY I5: K5 표 • Molecule 2: 25F9 Heavy chain Chain I: . 83% 16% THH SEH GLY GLY • Molecule 2: 25F9 Heavy chain Chain L: 86% 13% TH SEI GL • Molecule 3: 25F9 Light chain Chain C: 81% 18% GLN • Molecule 3: 25F9 Light chain Chain E: 81% 17%
- Molecule 3: 25F9 Light chain



Chain H:	83%	16% •
GLN 82 82 83 89 83 834 127 127 834 834 834 127 127 128 834 127 128 834 127 128 128 128 128 128 127 128 127 128 127 128 127 128 128 128 128 128 128 128 128 128 128	A84 A84 C88 C88 S89 V90 V90 V90 M131 L97 A144 A131 L133 L133 L133 A144 V1445 T146 T146 T146 T146	D152 112 1180 1180 1182 1182 1182 1194 1198
H199 SER SER		
• Molecule 3: 25F9 Light chain		
Chain K:	82%	16% •
GLN S2 S9 89 83 81 81 81 81 85 83 85 83 85 85 85 139 85 139 85 149 85 139 85 149 85 149 85 149 85 149 85 85 85 85 85 85 85 85 85 85 85 85 85	D82 E83 A84 A84 A84 C88 C88 C88 C91 D92 D92 D92 C119 F119 F113 C133 C133 C145 C133 C145 C145 C145 C145 C145 C145 C145 C145	K150 F155 V160 S194 S194 T198 H199



• Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:

100%

NAG1 NAG2 BMA3

 \bullet Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)] beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose nose

α · N		
Chain N:	60%	40%

NAG1 NAG2 BMA3 MAN4 MAN5

 $\bullet \ Molecule \ 6: \ beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alp ha-L-fucopyranose-(1-6)] 2-acetamido-2-deoxy-beta-D-glucopyranose \ (1-6)] 2-acetamido-2-deoxy-$

Chain O:	50%	25%	25%
MG1 MG2 FUG4 FUG4			

 $\bullet \ {\rm Molecule \ 6: \ beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alp ha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose}$

Chain P:	25%	75%	
NAG1 NAG2 BMA3 FUC4			



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	92.48Å 105.82Å 118.18Å	Deperitor
a, b, c, α , β , γ	83.08° 67.47° 64.04°	Depositor
$\mathbf{P}_{\text{assolution}}(\mathbf{\hat{A}})$	47.49 - 3.35	Depositor
Resolution (A)	47.50 - 3.35	EDS
% Data completeness	98.5 (47.49-3.35)	Depositor
(in resolution range)	98.5(47.50-3.35)	EDS
R _{merge}	0.87	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.44 (at 3.33Å)	Xtriage
Refinement program	PHENIX 1.19.2	Depositor
D D	0.275 , 0.320	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.276 , 0.317	DCC
R_{free} test set	2519 reflections $(4.79%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	39.3	Xtriage
Anisotropy	0.250	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34, 56.6	EDS
L-test for twinning ²	$< L > = 0.35, < L^2 > = 0.19$	Xtriage
Estimated twinning fraction	0.000 for h,h-k,h-l	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	19740	wwPDB-VP
Average B, all atoms $(Å^2)$	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 85.08 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.3953e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, BCN, GOL, NAG, SO4, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond	angles
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.25	0/1587	0.48	0/2161
1	D	0.26	0/1587	0.48	0/2161
1	G	0.25	0/1587	0.47	0/2161
1	J	0.26	0/1587	0.48	0/2161
2	В	0.25	0/1769	0.49	0/2409
2	F	0.25	0/1767	0.50	0/2406
2	Ι	0.25	0/1769	0.50	0/2409
2	L	0.25	0/1773	0.49	0/2414
3	С	0.25	0/1623	0.50	0/2216
3	Е	0.25	0/1617	0.49	0/2208
3	Н	0.25	0/1623	0.49	0/2216
3	Κ	0.24	0/1617	0.48	0/2208
All	All	0.25	0/19906	0.49	0/27130

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1543	0	1459	5	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1543	0	1459	9	0
1	G	1543	0	1459	6	0
1	J	1543	0	1459	8	0
2	В	1725	0	1697	18	0
2	F	1723	0	1696	12	0
2	Ι	1725	0	1698	19	0
2	L	1729	0	1701	13	0
3	С	1585	0	1532	20	0
3	Е	1579	0	1532	21	0
3	Н	1585	0	1533	18	0
3	Κ	1579	0	1528	22	0
4	М	39	0	34	1	0
5	Ν	61	0	52	1	0
6	0	49	0	43	1	0
6	Р	49	0	43	4	0
7	А	5	0	0	1	0
7	D	5	0	0	0	0
7	Е	10	0	0	0	0
7	Ι	5	0	0	0	0
7	J	5	0	0	0	0
7	Κ	10	0	0	0	0
8	С	11	0	12	1	0
8	Ε	11	0	11	2	0
8	Н	11	0	12	0	0
9	Κ	6	0	8	1	0
10	А	3	0	0	0	0
10	В	3	0	0	0	0
10	С	6	0	0	1	0
10	D	2	0	0	0	0
10	Е	5	0	0	0	0
10	F	4	0	0	0	0
10	G	3	0	0	0	0
10	Н	6	0	0	0	0
10	I	7	0	0	0	0
10	J	2	0	0	0	0
10	K	14	0	0	0	0
10	L	6	0	0	0	0
All	All	19740	0	18968	168	0

 α ntia d fa

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



8GB5

Atom-1	Atom-2	Interatomic	Clash
		$\frac{\text{distance (A)}}{1.72}$	overlap (A)
3:H:131:ALA:HB3	3:H:182:LEU:U	1.73	0.89
3:K:92:ASP:HB2	3:K:97:LEU:HD11	1.03	0.79
3:H:92:ASP:HB2	3:H:97:LEU:HDII	1.00	0.77
1:J:371:SER:HB2	6:P:I:NAG:H3	1.67	0.76
1:G:358:ILE:HB	1:G:395:VAL:HG23	1.69	0.73
6:P:2:NAG:H62	6:P:4:FUC:H5	1.70	0.73
1:D:358:ILE:HB	1:D:395:VAL:HG23	1.72	0.71
1:A:358:ILE:HB	1:A:395:VAL:HG23	1.74	0.70
2:1:150:GLU:HG3	2:1:151:PRO:HA	1.73	0.69
2:L:29:PHE:HZ	2:L:78:VAL:HG23	1.58	0.69
3:C:92:ASP:HB2	3:C:97:LEU:HD11	1.76	0.67
1:J:358:ILE:HB	1:J:395:VAL:HG23	1.75	0.66
2:B:119:PRO:HB3	2:B:147:TYR:HB3	1.78	0.66
2:I:140:LEU:HD22	2:I:225:VAL:HG11	1.77	0.65
2:L:228:LYS:HG2	2:L:229:SER:H	1.62	0.65
2:L:52:LYS:O	2:L:71:ARG:NH1	2.31	0.64
3:C:32:TYR:HB3	3:C:50:GLU:HA	1.79	0.63
2:F:29:PHE:HZ	2:F:78:VAL:HG23	1.63	0.62
3:C:33:VAL:N	3:C:51:ASN:OD1	2.27	0.62
3:C:27(B):ASN:O	3:C:31:HIS:HB2	2.00	0.61
2:B:29:PHE:HZ	2:B:78:VAL:HG23	1.65	0.60
3:E:167:LYS:HB2	8:E:303:BCN:H32	1.82	0.60
2:B:207:ILE:HG12	2:B:222:ARG:HG2	1.83	0.60
2:B:39:GLN:HB2	2:B:45:LEU:HD23	1.82	0.60
2:B:229:SER:OG	2:B:230:CYS:N	2.34	0.59
3:K:145:VAL:HG12	3:K:199:HIS:HB2	1.83	0.59
2:L:119:PRO:HB3	2:L:147:TYR:HB3	1.84	0.58
2:F:87:THR:HG23	2:F:110:THR:HA	1.85	0.58
3:H:145:VAL:HG12	3:H:199:HIS:HB2	1.87	0.57
2:L:82:MET:HB3	2:L:82(C):LEU:HD21	1.86	0.57
2:B:212:HIS:HB3	2:B:217:THR:HB	1.85	0.56
1:G:371:SER:HA	6:O:2:NAG:H83	1.88	0.56
3:K:9:SER:HB3	3:K:144:ALA:HB3	1.88	0.56
2:B:52:LYS:O	2:B:71:ARG:NH1	2.39	0.55
1:D:353:TRP:O	1:D:466:ARG:NH1	2.40	0.55
3:C:167:LYS:NZ	10:C:401:HOH:O	2.40	0.54
2:I:87:THR:HG23	2:I:110:THR:HA	1.89	0.54
2:I:29:PHE:HZ	2:I:78:VAL:HG23	1.73	0.54
2:I:176:ALA:HB2	2:I:187:LEU:HD23	1.89	0.54
3:H:133:LEU:HD22	3:H:180:LEU:HD23	1.90	0.54
2:I:153:THR:HG23	2:I:211:ASN:HB3	1.90	0.54
2:L:87:THR:HG23	2:L:110:THR:HA	1.90	0.53



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:L:51:ILE:HG13	2:L:57:PRO:HG3	1.91	0.53
3:E:9:SER:HB3	3:E:144:ALA:HB3	1.90	0.53
1:J:344:ALA:HB3	1:J:347:PHE:HE1	1.74	0.53
2:F:52:LYS:O	2:F:71:ARG:NH1	2.42	0.52
2:I:207:ILE:HG12	2:I:222:ARG:HG2	1.90	0.52
2:B:87:THR:HG23	2:B:110:THR:HA	1.91	0.52
2:I:52:LYS:O	2:I:71:ARG:NH1	2.42	0.52
1:A:449:TYR:HE1	3:E:213:THR:HG22	1.75	0.52
3:H:35:TRP:HB2	3:H:48:ILE:HB	1.92	0.52
1:G:486:PHE:HB2	2:L:227:PRO:HG2	1.92	0.52
2:F:39:GLN:HB2	2:F:45:LEU:HD23	1.90	0.52
3:E:1:GLN:N	3:E:26:SER:OG	2.41	0.51
3:K:150:LYS:HD3	3:K:155:PRO:HA	1.92	0.51
2:B:51:ILE:HG13	2:B:57:PRO:HG3	1.92	0.51
2:I:82:MET:HB3	2:I:82(C):LEU:HD21	1.92	0.51
3:K:39:LEU:HD23	3:K:84:ALA:HB2	1.93	0.50
3:C:39:LEU:HD23	3:C:84:ALA:HB2	1.91	0.50
3:E:89:SER:HA	3:E:97:LEU:O	2.12	0.50
2:I:51:ILE:HG13	2:I:57:PRO:HG3	1.92	0.50
2:F:51:ILE:HG13	2:F:57:PRO:HG3	1.93	0.50
3:H:9:SER:HB3	3:H:144:ALA:HB3	1.93	0.50
2:I:154:VAL:HG22	2:I:210:VAL:HG22	1.94	0.50
3:K:133:LEU:HD22	3:K:180:LEU:HD23	1.93	0.50
3:K:35:TRP:HB2	3:K:48:ILE:HB	1.93	0.49
2:F:9:GLY:HA2	2:F:18:LEU:HD21	1.94	0.49
2:L:90:TYR:O	2:L:106:GLY:HA2	2.12	0.49
2:B:47:TRP:HZ2	2:B:50:PHE:HD2	1.60	0.49
3:E:145:VAL:HG12	3:E:199:HIS:HB2	1.94	0.49
3:K:31:HIS:CD2	3:K:91:TRP:HD1	2.31	0.49
4:M:1:NAG:H61	4:M:2:NAG:HN2	1.77	0.49
3:E:146:THR:OG1	3:E:198:THR:HB	2.12	0.49
2:L:39:GLN:HB2	2:L:45:LEU:HD23	1.93	0.49
3:H:27(B):ASN:O	3:H:31:HIS:HB2	2.13	0.49
3:H:39:LEU:HD23	3:H:84:ALA:HB2	1.95	0.48
7:A:601:SO4:O3	3:E:191:ARG:NH1	2.44	0.48
3:H:33:VAL:N	3:H:51:ASN:OD1	2.27	0.48
5:N:2:NAG:H4	5:N:3:BMA:H2	1.71	0.48
3:E:150:LYS:HD3	3:E:155:PRO:HA	1.96	0.47
3:C:35:TRP:HB2	3:C:48:ILE:HB	1.96	0.47
3:E:31:HIS:CD2	3:E:91:TRP:HD1	2.32	0.47
2:F:82:MET:HB3	2:F:82(C):LEU:HD21	1.97	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:403:ARG:HG3	1:D:505:TYR:HA	1.96	0.47
2:F:90:TYR:O	2:F:106:GLY:HA2	2.14	0.47
2:I:39:GLN:HB2	2:I:45:LEU:HD23	1.97	0.47
3:C:196:GLN:HG2	3:C:207:GLU:HB2	1.96	0.46
3:E:37:GLN:HB2	3:E:47:LEU:HD11	1.97	0.46
3:E:151:ALA:HB1	3:E:190:HIS:CD2	2.50	0.46
3:K:31:HIS:HD2	3:K:91:TRP:HD1	1.62	0.46
3:H:31:HIS:CD2	3:H:91:TRP:HD1	2.32	0.46
1:J:354:ASN:O	1:J:398:ASP:HA	2.14	0.46
2:L:47:TRP:HZ2	2:L:50:PHE:HD2	1.64	0.46
3:E:31:HIS:HD2	3:E:91:TRP:HD1	1.64	0.46
3:C:9:SER:HB3	3:C:144:ALA:HB3	1.97	0.46
8:E:303:BCN:H41	8:E:303:BCN:H52	1.44	0.46
3:E:27(B):ASN:O	3:E:31:HIS:HB2	2.16	0.45
2:L:9:GLY:HA2	2:L:18:LEU:HD21	1.99	0.45
1:G:395:VAL:HG12	1:G:515:PHE:HD1	1.81	0.45
3:K:2:SER:O	3:K:2:SER:OG	2.32	0.45
3:E:122:SER:HB2	2:F:228:LYS:NZ	2.31	0.45
3:C:125:GLU:OE2	3:C:132:THR:OG1	2.28	0.45
1:G:350:VAL:HG22	1:G:422:ASN:HB3	1.98	0.45
3:C:146:THR:OG1	3:C:198:THR:HB	2.17	0.45
2:F:176:ALA:HB2	2:F:187:LEU:HD23	1.98	0.45
3:H:14:ALA:HB3	3:K:69:ALA:HB2	1.99	0.45
1:D:458:LYS:HE3	1:D:473:TYR:CE1	2.51	0.44
3:E:61:ARG:NH2	3:E:82:ASP:OD2	2.49	0.44
3:E:160:VAL:HG22	3:E:180:LEU:HD13	1.99	0.44
2:I:47:TRP:HZ2	2:I:50:PHE:HD2	1.66	0.44
3:K:27(B):ASN:O	3:K:31:HIS:HB2	2.17	0.44
3:C:145:VAL:HG12	3:C:199:HIS:HB2	1.99	0.44
3:E:32:TYR:HB3	3:E:50:GLU:HA	1.98	0.44
3:H:152:ASP:OD1	3:H:191:ARG:HB3	2.16	0.44
3:C:150:LYS:HD3	3:C:155:PRO:HA	1.99	0.44
3:H:150:LYS:HB2	3:H:194:SER:HB2	1.99	0.44
1:J:344:ALA:HB3	1:J:347:PHE:CE1	2.53	0.44
3:C:133:LEU:HD23	3:C:149:TRP:CZ3	2.52	0.44
1:G:424:LYS:HD2	1:G:425:LEU:H	1.82	0.44
1:J:458:LYS:HE3	1:J:473:TYR:CE1	2.53	0.43
2:B:82:MET:HB3	2:B:82(C):LEU:HD21	1.99	0.43
1:D:447:GLY:HA2	1:D:498:GLN:HG2	2.00	0.43
2:I:87:THR:HA	2:I:109:VAL:O	2.18	0.43
3:K:33:VAL:N	3:K:51:ASN:OD1	2.28	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
3:C:135:CYS:HB2	3:C:149:TRP:CH2	2.54	0.43
3:H:27(C):ILE:HG12	3:H:90:VAL:HG21	2.00	0.43
2:I:153:THR:CG2	2:I:211:ASN:HB3	2.48	0.43
3:K:89:SER:HA	3:K:97:LEU:O	2.18	0.43
2:B:90:TYR:O	2:B:106:GLY:HA2	2.18	0.42
1:D:354:ASN:O	1:D:398:ASP:HA	2.18	0.42
3:E:39:LEU:HD23	3:E:84:ALA:HB2	2.00	0.42
3:K:121:PRO:HD3	3:K:133:LEU:HD12	1.99	0.42
3:K:61:ARG:NH2	3:K:82:ASP:OD2	2.52	0.42
1:A:433:VAL:HG22	1:A:512:VAL:HG13	2.01	0.42
2:I:123:PRO:O	2:I:124:LEU:HD23	2.20	0.42
3:K:119:PHE:CG	2:L:124:LEU:HD13	2.54	0.42
3:C:89:SER:HA	3:C:97:LEU:O	2.19	0.42
1:J:371:SER:HA	6:P:2:NAG:H83	2.02	0.42
3:H:146:THR:OG1	3:H:198:THR:HB	2.20	0.42
2:B:28:ARG:H	2:B:28:ARG:HG2	1.67	0.42
1:D:360:ASN:H	1:D:523:THR:HB	1.85	0.42
1:A:376:THR:OG1	2:B:100(B):LEU:O	2.27	0.42
2:B:119:PRO:HD2	2:B:217:THR:HG21	2.02	0.41
3:K:208:LYS:HD3	3:K:208:LYS:HA	1.90	0.41
2:B:87:THR:HA	2:B:109:VAL:O	2.20	0.41
3:H:133:LEU:HD13	3:H:182:LEU:HD21	2.02	0.41
3:H:89:SER:HA	3:H:97:LEU:O	2.20	0.41
3:C:174:TYR:OH	8:C:301:BCN:H12	2.20	0.41
2:I:117:LYS:HD3	2:I:118:GLY:O	2.19	0.41
2:F:47:TRP:HZ2	2:F:50:PHE:HD2	1.67	0.41
1:J:368:LEU:HD12	6:P:1:NAG:H83	2.02	0.41
3:K:160:VAL:HG22	3:K:180:LEU:HD13	2.02	0.41
2:B:29:PHE:CZ	2:B:78:VAL:HG23	2.52	0.41
3:C:14:ALA:HB3	3:E:69:ALA:HB2	2.01	0.41
3:K:32:TYR:HB3	3:K:50:GLU:HA	2.02	0.41
2:B:221:LYS:HD2	2:B:221:LYS:HA	1.85	0.41
3:H:18:ARG:HB3	9:K:301:GOL:H32	2.02	0.41
3:K:146:THR:OG1	3:K:198:THR:HB	2.21	0.41
3:C:121:PRO:HG3	3:C:133:LEU:HD12	2.03	0.41
3:C:31:HIS:CD2	3:C:91:TRP:HD1	2.39	0.40
1:A:502:GLY:O	1:A:506:GLN:HG3	2.22	0.40
1:D:395:VAL:HG12	1:D:515:PHE:HD1	1.87	0.40
1:D:393:THR:HA	1:D:522:ALA:HA	2.03	0.40
3:E:168:GLN:OE1	3:E:175:ALA:HB2	2.22	0.40
2:F:87:THR:HA	2:F:109:VAL:O	2.22	0.40



Atom-1	Atom-2	$\begin{array}{c} \text{Interatomic} \\ \text{distance} \ (\text{\AA}) \end{array}$	Clash overlap (Å)		
2:I:126:PRO:HD3	2:I:140:LEU:HD23	2.03	0.40		
2:I:228:LYS:HD2	2:I:228:LYS:HA	1.71	0.40		
3:K:150:LYS:HB2	3:K:194:SER:HB2	2.03	0.40		

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	193/205~(94%)	189~(98%)	4 (2%)	0	100	100
1	D	193/205~(94%)	185 (96%)	8 (4%)	0	100	100
1	G	193/205~(94%)	187 (97%)	6 (3%)	0	100	100
1	J	193/205~(94%)	187 (97%)	6 (3%)	0	100	100
2	В	223/231~(96%)	216 (97%)	7 (3%)	0	100	100
2	F	223/231~(96%)	216 (97%)	7 (3%)	0	100	100
2	Ι	223/231~(96%)	216 (97%)	7 (3%)	0	100	100
2	L	224/231~(97%)	218 (97%)	6 (3%)	0	100	100
3	С	212/216~(98%)	201 (95%)	9 (4%)	2 (1%)	17	51
3	Ε	211/216~(98%)	202 (96%)	8 (4%)	1 (0%)	29	63
3	Н	212/216~(98%)	204 (96%)	7 (3%)	1 (0%)	29	63
3	Κ	211/216~(98%)	202 (96%)	9 (4%)	0	100	100
All	All	2511/2608 (96%)	2423 (96%)	84 (3%)	4 (0%)	47	78

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	С	3	VAL
	~ .	-	



 $Continued \ from \ previous \ page...$

Mol	Chain	Res	Type
3	Е	3	VAL
3	Н	3	VAL
3	С	134	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	168/177~(95%)	163~(97%)	5(3%)	41	69
1	D	168/177~(95%)	164 (98%)	4 (2%)	49	74
1	G	168/177~(95%)	166~(99%)	2(1%)	71	85
1	J	168/177~(95%)	163~(97%)	5(3%)	41	69
2	В	193/195~(99%)	191~(99%)	2(1%)	76	87
2	F	192/195~(98%)	188~(98%)	4 (2%)	53	77
2	Ι	193/195~(99%)	190~(98%)	3~(2%)	62	81
2	L	193/195~(99%)	188~(97%)	5(3%)	46	73
3	С	178/180~(99%)	175 (98%)	3 (2%)	60	80
3	Ε	177/180~(98%)	175~(99%)	2(1%)	73	86
3	Н	178/180~(99%)	175~(98%)	3~(2%)	60	80
3	Κ	177/180~(98%)	175 (99%)	2 (1%)	73	86
All	All	2153/2208 (98%)	2113 (98%)	40 (2%)	57	79

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	356	LYS
1	А	377	PHE
1	А	403	ARG
1	А	408	ARG
1	А	493	GLN
2	В	54	PHE
2	В	208	CYS



Mol	Chain	Res	Type
3	С	23	CYS
3	С	79	GLN
3	С	88	CYS
1	D	356	LYS
1	D	377	PHE
1	D	408	ARG
1	D	525	CYS
3	Е	23	CYS
3	Е	88	CYS
2	F	54	PHE
2	F	172	HIS
2	F	208	CYS
2	F	209	ASN
1	G	356	LYS
1	G	377	PHE
3	Н	23	CYS
3	Н	88	CYS
3	Н	172	ASN
2	Ι	54	PHE
2	Ι	172	HIS
2	Ι	208	CYS
1	J	356	LYS
1	J	377	PHE
1	J	403	ARG
1	J	493	GLN
1	J	494	SER
3	K	23	CYS
3	K	88	CYS
2	L	54	PHE
2	L	96	ARG
2	L	172	HIS
2	L	208	CYS
2	L	209	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

16 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm ths}$	B	ond ang	les
	туре	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	М	1	4,1	14,14,15	0.22	0	17,19,21	0.47	0
4	NAG	М	2	4	14,14,15	0.32	0	17,19,21	0.39	0
4	BMA	М	3	4	11,11,12	0.53	0	$15,\!15,\!17$	0.96	1 (6%)
5	NAG	Ν	1	5,1	14,14,15	0.73	1 (7%)	17,19,21	0.69	0
5	NAG	Ν	2	5	14,14,15	0.54	0	17,19,21	1.30	3 (17%)
5	BMA	Ν	3	5	11,11,12	0.98	1 (9%)	$15,\!15,\!17$	1.73	5 (33%)
5	MAN	Ν	4	5	11,11,12	0.95	0	$15,\!15,\!17$	1.03	1 (6%)
5	MAN	Ν	5	5	11,11,12	0.68	0	$15,\!15,\!17$	1.06	2 (13%)
6	NAG	0	1	6,1	14,14,15	0.74	1 (7%)	17,19,21	0.69	0
6	NAG	Ο	2	6	14,14,15	0.37	0	17,19,21	0.93	1 (5%)
6	BMA	0	3	6	11,11,12	0.77	0	15,15,17	0.72	0
6	FUC	0	4	6	10,10,11	0.69	0	14,14,16	0.84	0
6	NAG	Р	1	6,1	14,14,15	0.46	0	17,19,21	1.06	1 (5%)
6	NAG	Р	2	6	14,14,15	0.81	1 (7%)	17,19,21	1.03	1 (5%)
6	BMA	Р	3	6	11,11,12	0.70	0	$15,\!15,\!17$	0.71	0
6	FUC	Р	4	6	10,10,11	0.81	0	14,14,16	1.07	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	М	1	4,1	-	2/6/23/26	0/1/1/1



0 0	nucu ji o	ne precee	page	•••			
Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	М	2	4	-	2/6/23/26	0/1/1/1
4	BMA	М	3	4	-	0/2/19/22	0/1/1/1
5	NAG	N	1	5,1	-	4/6/23/26	0/1/1/1
5	NAG	Ν	2	5	-	3/6/23/26	0/1/1/1
5	BMA	N	3	5	-	2/2/19/22	0/1/1/1
5	MAN	N	4	5	-	1/2/19/22	0/1/1/1
5	MAN	N	5	5	-	1/2/19/22	0/1/1/1
6	NAG	0	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	Ο	2	6	-	2/6/23/26	0/1/1/1
6	BMA	0	3	6	-	0/2/19/22	0/1/1/1
6	FUC	0	4	6	-	-	0/1/1/1
6	NAG	Р	1	6,1	-	1/6/23/26	0/1/1/1
6	NAG	Р	2	6	-	2/6/23/26	0/1/1/1
6	BMA	Р	3	6	-	1/2/19/22	0/1/1/1
6	FUC	Р	4	6	-	-	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
6	Р	2	NAG	C1-C2	2.74	1.56	1.52
5	Ν	1	NAG	C1-C2	2.49	1.56	1.52
6	0	1	NAG	O5-C1	-2.32	1.40	1.43
5	Ν	3	BMA	C2-C3	2.13	1.55	1.52

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	Р	1	NAG	C1-O5-C5	3.64	117.12	112.19
5	Ν	2	NAG	C2-N2-C7	3.62	128.05	122.90
6	Р	2	NAG	C2-N2-C7	3.31	127.62	122.90
5	Ν	3	BMA	C3-C4-C5	3.02	115.63	110.24
5	Ν	3	BMA	C2-C3-C4	2.94	115.98	110.89
5	Ν	3	BMA	O5-C5-C6	2.84	111.65	107.20
6	0	2	NAG	C2-N2-C7	2.72	126.77	122.90
4	М	3	BMA	C1-O5-C5	2.61	115.73	112.19
6	Р	4	FUC	C1-O5-C5	2.54	118.53	112.78
5	Ν	3	BMA	C1-C2-C3	2.38	112.60	109.67
5	N	3	BMA	O3-C3-C4	-2.28	105.08	110.35
5	Ν	2	NAG	C1-C2-N2	2.28	114.38	110.49
5	N	5	MAN	C1-O5-C5	2.20	115.17	112.19



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	Ν	4	MAN	O2-C2-C3	-2.19	105.75	110.14
5	Ν	5	MAN	O2-C2-C3	-2.16	105.81	110.14
5	Ν	2	NAG	C3-C4-C5	2.01	113.82	110.24

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	N	2	NAG	C1-C2-N2-C7
6	Р	2	NAG	C1-C2-N2-C7
5	Ν	2	NAG	C4-C5-C6-O6
5	Ν	2	NAG	O5-C5-C6-O6
6	0	2	NAG	C1-C2-N2-C7
4	М	1	NAG	O5-C5-C6-O6
5	Ν	3	BMA	O5-C5-C6-O6
4	М	1	NAG	C4-C5-C6-O6
5	Ν	4	MAN	O5-C5-C6-O6
5	Ν	1	NAG	C1-C2-N2-C7
4	М	2	NAG	O5-C5-C6-O6
6	Р	2	NAG	O5-C5-C6-O6
5	Ν	3	BMA	C4-C5-C6-O6
6	0	2	NAG	O5-C5-C6-O6
6	Р	3	BMA	O5-C5-C6-O6
6	0	1	NAG	C1-C2-N2-C7
5	Ν	5	MAN	O5-C5-C6-O6
5	N	1	NAG	C4-C5-C6-O6
4	М	2	NAG	C1-C2-N2-C7
6	Р	1	NAG	C1-C2-N2-C7
5	N	1	NAG	C3-C2-N2-C7
5	Ν	1	NAG	O5-C5-C6-O6
6	0	1	NAG	C3-C2-N2-C7

There are no ring outliers.

8 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	Р	1	NAG	2	0
4	М	2	NAG	1	0
5	Ν	3	BMA	1	0
4	М	1	NAG	1	0
6	0	2	NAG	1	0



Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	Р	2	NAG	2	0
5	Ν	2	NAG	1	0
6	Р	4	FUC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.













5.6 Ligand geometry (i)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Res	Tink	Bo	ond leng	$_{\rm ths}$	В	ond ang	les
	туре	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
7	SO4	D	601	-	$4,\!4,\!4$	0.13	0	$6,\!6,\!6$	0.10	0
7	SO4	K	303	-	4,4,4	0.14	0	$6,\!6,\!6$	0.08	0
7	SO4	Ι	301	-	4,4,4	0.13	0	6,6,6	0.10	0
7	SO4	Е	302	-	4,4,4	0.15	0	6,6,6	0.06	0
7	SO4	А	601	-	4,4,4	0.14	0	6,6,6	0.09	0
8	BCN	С	301	-	10,10,10	0.96	0	11,11,11	0.99	0
8	BCN	Е	303	3	$10,\!10,\!10$	0.99	0	11,11,11	1.06	0
7	SO4	Κ	302	-	4,4,4	0.15	0	6,6,6	0.10	0
7	SO4	Е	301	-	4,4,4	0.13	0	6,6,6	0.07	0
9	GOL	Κ	301	-	$5,\!5,\!5$	0.90	0	$5,\!5,\!5$	0.98	0
8	BCN	Н	301	-	10,10,10	0.95	0	11,11,11	1.06	0
7	SO4	J	601	-	4,4,4	0.15	0	6,6,6	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	GOL	Κ	301	-	-	0/4/4/4	-
8	BCN	С	301	-	-	4/10/10/10	-
8	BCN	Н	301	-	-	6/10/10/10	-
8	BCN	Е	303	3	-	3/10/10/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (13) torsion outliers are listed below:



8GB5

Mol	Chain	Res	Type	Atoms
8	Н	301	BCN	N1-C1-C2-O21
8	Н	301	BCN	N1-C1-C2-O22
8	С	301	BCN	N1-C1-C2-O21
8	С	301	BCN	N1-C1-C2-O22
8	Е	303	BCN	N1-C5-C6-O6
8	Ε	303	BCN	N1-C3-C4-O4
8	Ε	303	BCN	C4-C3-N1-C5
8	Н	301	BCN	C2-C1-N1-C3
8	С	301	BCN	C4-C3-N1-C1
8	С	301	BCN	C4-C3-N1-C5
8	Н	301	BCN	C6-C5-N1-C1
8	Н	301	BCN	C2-C1-N1-C5
8	Н	301	BCN	C4-C3-N1-C1

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	А	601	SO4	1	0
8	С	301	BCN	1	0
8	Е	303	BCN	2	0
9	Κ	301	GOL	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q<0.9
1	А	195/205~(95%)	-0.45	0 100 100	42, 73, 90, 105	0
1	D	195/205~(95%)	-0.48	0 100 100	40,61,85,103	0
1	G	195/205~(95%)	-0.38	0 100 100	44, 79, 112, 117	0
1	J	195/205~(95%)	-0.13	0 100 100	59, 99, 125, 138	0
2	В	227/231~(98%)	-0.33	0 100 100	66, 85, 108, 124	0
2	F	227/231~(98%)	-0.60	1 (0%) 92 94	31, 54, 88, 112	0
2	Ι	227/231~(98%)	-0.50	0 100 100	36, 66, 89, 106	0
2	L	228/231~(98%)	-0.19	0 100 100	70, 99, 118, 140	0
3	С	214/216~(99%)	-0.27	0 100 100	35, 84, 105, 124	0
3	Ε	213/216~(98%)	-0.51	1 (0%) 91 93	25, 51, 76, 105	0
3	Н	214/216~(99%)	-0.40	0 100 100	33,63,91,106	0
3	K	213/216~(98%)	-0.07	0 100 100	56, 93, 118, 142	0
All	All	2543/2608~(97%)	-0.36	2 (0%) 95 97	25, 75, 112, 142	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ	
3	Е	1	GLN	2.1	
2	F	130	SER	2.0	

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B} ext{-factors}({ m \AA}^2)$	Q<0.9
4	BMA	М	3	11/12	0.76	0.24	62,90,107,116	0
6	BMA	0	3	11/12	0.78	0.23	67, 74, 107, 116	0
6	BMA	Р	3	11/12	0.80	0.17	73,82,100,100	0
6	FUC	0	4	10/11	0.84	0.24	57,89,102,108	0
6	FUC	Р	4	10/11	0.84	0.31	47,98,115,115	0
5	NAG	Ν	2	14/15	0.85	0.25	68, 86, 98, 115	0
5	MAN	Ν	4	11/12	0.85	0.34	60,100,116,132	0
6	NAG	0	2	14/15	0.88	0.22	89,101,107,109	0
6	NAG	Р	1	14/15	0.89	0.28	56,82,112,112	0
4	NAG	М	2	14/15	0.89	0.24	75,93,115,117	0
5	BMA	Ν	3	11/12	0.89	0.19	72,86,101,106	0
5	MAN	Ν	5	11/12	0.91	0.26	$65,\!81,\!100,\!101$	0
6	NAG	0	1	14/15	0.91	0.22	51,84,96,105	0
5	NAG	N	1	14/15	0.92	0.22	61,71,102,105	0
4	NAG	М	1	14/15	0.92	0.15	32,57,83,96	0
6	NAG	Р	2	14/15	0.93	0.24	73,91,116,118	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.













6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
7	SO4	J	601	5/5	0.94	0.15	57, 76, 99, 99	0
8	BCN	Е	303	11/11	0.94	0.15	47,68,75,79	0
8	BCN	С	301	11/11	0.95	0.12	38,49,66,79	0
7	SO4	Ι	301	5/5	0.95	0.21	70,90,120,123	0
8	BCN	Н	301	11/11	0.95	0.11	39,51,67,68	0
7	SO4	D	601	5/5	0.96	0.21	57,72,93,102	0
7	SO4	Е	302	5/5	0.96	0.10	48,52,87,114	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
7	SO4	Κ	302	5/5	0.96	0.17	$57,\!65,\!85,\!104$	0
7	SO4	Κ	303	5/5	0.97	0.10	68,71,93,99	0
9	GOL	Κ	301	6/6	0.97	0.13	$29,\!40,\!56,\!56$	0
7	SO4	Ε	301	5/5	0.98	0.34	81,84,104,125	0
7	SO4	А	601	5/5	0.99	0.13	53,57,75,80	0

Continued from previous page...

6.5 Other polymers (i)

There are no such residues in this entry.

