



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 16, 2025 – 06:32 am GMT

PDB ID : 9GBQ
Title : Human Angiotensin-1 converting enzyme N-domain in complex with a diprolyl inhibitor- SG15
Authors : Gregory, K.S.; Cozier, G.E.; Acharya, K.R.
Deposited on : 2024-07-31
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION






The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	7293 (1.90-1.90)
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)
RSRZ outliers	164620	7292 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	628	 4% 78% 16% . .
1	B	628	 5% 81% 13% . .
2	D	2	 100%
3	F	4	 100%
4	G	3	 100%

2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 10703 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Angiotensin-converting enzyme, soluble form.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	604	Total	C	N	O	S	0	0	0
			4935	3171	847	898	19			
1	B	602	Total	C	N	O	S	0	0	0
			4916	3159	842	896	19			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	9	GLN	ASN	engineered mutation	UNP P12821
A	25	GLN	ASN	engineered mutation	UNP P12821
A	82	GLN	ASN	engineered mutation	UNP P12821
A	117	GLN	ASN	engineered mutation	UNP P12821
A	131	GLN	ASN	engineered mutation	UNP P12821
A	289	GLN	ASN	engineered mutation	UNP P12821
A	545	ARG	GLN	engineered mutation	UNP P12821
A	576	LEU	PRO	engineered mutation	UNP P12821
B	9	GLN	ASN	engineered mutation	UNP P12821
B	25	GLN	ASN	engineered mutation	UNP P12821
B	82	GLN	ASN	engineered mutation	UNP P12821
B	117	GLN	ASN	engineered mutation	UNP P12821
B	131	GLN	ASN	engineered mutation	UNP P12821
B	289	GLN	ASN	engineered mutation	UNP P12821
B	545	ARG	GLN	engineered mutation	UNP P12821
B	576	LEU	PRO	engineered mutation	UNP P12821

- Molecule 2 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	D	2	24	14	1	9	0	0	0

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	F	4	49	28	2	19	0	0	0

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	G	3	39	22	2	15	0	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	14	8	1	5	0	0
5	A	1	14	8	1	5	0	0
5	B	1	14	8	1	5	0	0

- Molecule 6 is 3,6,9,12,15,18-HEXAOXAIICOSANE-1,20-DIOL (three-letter code: P33) (formula: $C_{14}H_{30}O_8$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			22	14	8		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			7	4	3		
7	A	1	Total	C	O	0	0
			7	4	3		
7	A	1	Total	C	O	0	0
			7	4	3		
7	B	1	Total	C	O	0	0
			7	4	3		


- Molecule 8 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	Zn	0	0
			1	1		
8	B	1	Total	Zn	0	0
			1	1		

- Molecule 9 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total Cl 1 1	0	0
9	B	1	Total Cl 1 1	0	0

- Molecule 10 is (2S)-1-[(2S)-2-[[[(1S)-1-[(2S)-1-[(2S)-2-azanyl-3-phenyl-propanoyl]pyrrolidin-2-yl]-2-oxidanyl-2-oxidanylidene-ethyl]amino]propanoyl]pyrrolidine-2-carboxylic acid (three-letter code: A1IJZ) (formula: C₂₃H₃₂N₄O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	1	Total C N O 33 23 4 6	0	0
10	B	1	Total C N O 33 23 4 6	0	0

- Molecule 11 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	B	1	Total	C O	0	0
			13	8 5		

- Molecule 12 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	B	1	Total	Mg	0	0
			1	1		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	327	Total	O	0	0
			327	327		
13	B	237	Total	O	0	0
			237	237		


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Angiotensin-converting enzyme, soluble form



- Molecule 1: Angiotensin-converting enzyme, soluble form




- Molecule 2: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%

MAG1
FUC2

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

MAG1
MAG2
BMA3
FUC4

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

MAG1
MAG2
BMA3

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	72.49Å 77.17Å 81.44Å 88.55° 64.52° 75.14°	Depositor
Resolution (Å)	73.28 – 1.90 73.28 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.8 (73.28-1.90) 96.0 (73.28-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.42 (at 1.90Å)	Xtrriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.177 , 0.212 0.180 , 0.185	Depositor DCC
R_{free} test set	5769 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	30.4	Xtrriage
Anisotropy	0.108	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 41.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10703	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, A1IJZ, CL, NAG, FUC, P33, BMA, MG, PG4, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/5090	1.19	34/6933 (0.5%)
1	B	0.56	1/5070 (0.0%)	1.09	18/6905 (0.3%)
All	All	0.59	1/10160 (0.0%)	1.14	52/13838 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	3
All	All	0	8

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	262	GLU	CD-OE1	5.26	1.31	1.25

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	151	ARG	NE-CZ-NH2	9.52	125.06	120.30
1	A	151	ARG	NE-CZ-NH1	-9.37	115.62	120.30
1	B	54	GLN	CB-CA-C	9.00	128.40	110.40
1	B	54	GLN	N-CA-CB	-8.51	95.28	110.60
1	A	96	ARG	CB-CA-C	8.43	127.25	110.40
1	A	85	ASP	CB-CA-C	8.32	127.03	110.40
1	A	151	ARG	CD-NE-CZ	7.82	134.54	123.60
1	A	373	LYS	CD-CE-NZ	-7.69	94.02	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	606	ASN	CB-CA-C	7.64	125.67	110.40
1	A	96	ARG	CG-CD-NE	-7.53	95.99	111.80
1	A	507	LEU	N-CA-CB	-7.50	95.39	110.40
1	A	413	ARG	N-CA-CB	-6.56	98.78	110.60
1	A	155	MET	CG-SD-CE	6.55	110.69	100.20
1	B	373	LYS	CD-CE-NZ	-6.55	96.64	111.70
1	B	129	LEU	N-CA-CB	6.41	123.22	110.40
1	B	52	ARG	CA-CB-CG	6.19	127.02	113.40
1	B	453	ARG	CB-CG-CD	6.11	127.49	111.60
1	B	128	CYS	CB-CA-C	6.10	122.60	110.40
1	A	565	LEU	CB-CG-CD1	-6.01	100.78	111.00
1	A	387	PHE	N-CA-CB	5.98	121.36	110.60
1	B	565	LEU	CB-CG-CD1	-5.96	100.86	111.00
1	A	375	LEU	CB-CG-CD2	5.96	121.13	111.00
1	B	235	ARG	CG-CD-NE	5.92	124.23	111.80
1	A	10	PHE	N-CA-CB	-5.75	100.25	110.60
1	A	496	THR	CA-CB-OG1	5.75	121.07	109.00
1	A	380	ARG	NE-CZ-NH2	-5.68	117.46	120.30
1	A	29	GLU	CB-CA-C	5.68	121.75	110.40
1	A	236	ARG	CD-NE-CZ	5.66	131.52	123.60
1	B	96	ARG	N-CA-CB	-5.64	100.45	110.60
1	A	381	ARG	CD-NE-CZ	5.57	131.40	123.60
1	A	453	ARG	CD-NE-CZ	5.53	131.34	123.60
1	A	387	PHE	CB-CA-C	-5.51	99.38	110.40
1	A	381	ARG	NE-CZ-NH2	5.47	123.03	120.30
1	B	52	ARG	N-CA-CB	5.44	120.39	110.60
1	B	73	LYS	CB-CG-CD	5.41	125.65	111.60
1	A	446	ARG	CA-CB-CG	5.37	125.22	113.40
1	A	370	LEU	CB-CG-CD2	-5.36	101.89	111.00
1	A	372	TYR	CA-CB-CG	5.32	123.52	113.40
1	B	295	ARG	NE-CZ-NH1	5.31	122.96	120.30
1	A	214	LEU	N-CA-CB	5.20	120.80	110.40
1	B	578	THR	CA-CB-OG1	-5.19	98.10	109.00
1	A	186	TYR	CA-CB-CG	-5.15	103.61	113.40
1	A	413	ARG	CA-CB-CG	5.15	124.73	113.40
1	A	419	GLU	CG-CD-OE1	5.15	128.60	118.30
1	A	59	LEU	CB-CG-CD2	5.14	119.73	111.00
1	B	482	THR	CA-CB-OG1	-5.12	98.25	109.00
1	A	73	LYS	CB-CA-C	5.11	120.61	110.40
1	B	157	LEU	CB-CG-CD1	-5.08	102.36	111.00
1	A	89	ARG	CB-CA-C	5.06	120.52	110.40
1	B	56	GLU	CB-CG-CD	5.05	127.84	114.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	218	LEU	CB-CG-CD2	-5.04	102.42	111.00
1	A	541	ARG	CD-NE-CZ	5.03	130.64	123.60

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	120	ARG	Sidechain
1	A	240	ARG	Sidechain
1	A	380	ARG	Sidechain
1	A	89	ARG	Sidechain
1	A	96	ARG	Sidechain
1	B	380	ARG	Sidechain
1	B	78	PRO	Peptide
1	B	90	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4935	0	4717	65	0
1	B	4916	0	4686	46	0
2	D	24	0	22	0	0
3	F	49	0	43	0	0
4	G	39	0	34	2	0
5	A	28	0	26	0	0
5	B	14	0	13	0	0
6	A	22	0	30	3	0
7	A	21	0	30	1	0
7	B	7	0	10	0	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
9	A	1	0	0	0	0
9	B	1	0	0	0	0
10	A	33	0	0	0	0
10	B	33	0	0	0	0
11	B	13	0	18	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	B	1	0	0	0	0
13	A	327	0	0	3	0
13	B	237	0	0	8	0
All	All	10703	0	9629	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:GLN:O	1:A:22:GLN:HG3	1.54	1.07
1:A:15:ALA:O	1:A:19:LEU:HD13	1.81	0.80
1:B:77:GLU:OE1	1:B:96:ARG:HD2	1.84	0.76
1:B:91:ILE:O	1:B:95:VAL:HG23	1.87	0.75
1:A:25:GLN:NE2	1:A:376:PRO:HB3	2.02	0.74
1:A:157:LEU:HD11	1:A:477:VAL:HG13	1.69	0.74
1:B:59:LEU:O	1:B:63:GLU:HG3	1.91	0.70
1:B:379:LEU:HD13	1:B:549:SER:HB3	1.74	0.69
1:B:522:GLU:OE2	4:G:3:BMA:H3	1.94	0.68
1:A:260:SER:OG	1:A:262:GLU:OE1	2.08	0.68
1:A:477:VAL:HG12	1:A:603:LEU:HD21	1.78	0.66
1:A:90:ARG:HG2	1:A:91:ILE:N	2.11	0.65
1:A:260:SER:OG	1:A:262:GLU:CD	2.34	0.65
1:B:52:ARG:O	1:B:56:GLU:HG3	1.98	0.64
1:A:18:GLN:O	1:A:22:GLN:CG	2.41	0.62
1:A:607:TYR:CD1	1:A:608:PRO:HA	2.35	0.61
11:B:702:PG4:H42	13:B:874:HOH:O	1.98	0.61
1:A:324:ASP:OD1	1:A:326:ARG:HB2	2.01	0.61
1:A:75:LEU:HB3	1:A:76:TYR:CE1	2.36	0.60
1:A:88:LEU:O	1:A:92:ILE:HB	2.01	0.60
1:A:94:ALA:O	1:A:97:THR:HB	2.02	0.60
1:A:155:MET:HE3	1:A:158:PHE:HB3	1.82	0.60
1:A:270:PRO:HD3	1:A:426:LEU:CD2	2.32	0.60
1:B:550:ARG:NH2	1:B:558:ASP:OD2	2.33	0.59
1:A:80:TRP:HA	1:A:83:PHE:CD2	2.37	0.59
1:A:59:LEU:HD22	13:A:1031:HOH:O	2.02	0.59
1:A:84:THR:O	1:A:86:PRO:HD3	2.03	0.59
1:A:510:GLN:HG2	1:A:569:PRO:HG2	1.86	0.58
1:B:66:GLU:O	1:B:70:GLN:HG2	2.04	0.58
11:B:702:PG4:H72	13:B:835:HOH:O	2.04	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:31:VAL:O	1:B:34:GLN:HG3	2.03	0.58
1:A:292:HIS:CE1	6:A:702:P33:H82	2.38	0.57
13:A:847:HOH:O	11:B:702:PG4:H11	2.04	0.57
1:B:340:ARG:HH11	1:B:340:ARG:HG3	1.69	0.57
1:B:17:ALA:HB2	1:B:76:TYR:CE1	2.40	0.57
1:A:92:ILE:O	1:A:95:VAL:N	2.26	0.56
1:A:381:ARG:HG3	1:A:381:ARG:HH11	1.71	0.56
1:B:76:TYR:O	1:B:80:TRP:HD1	1.89	0.56
1:B:73:LYS:HA	1:B:77:GLU:HG2	1.88	0.55
11:B:702:PG4:C4	13:B:874:HOH:O	2.54	0.55
1:A:158:PHE:HA	1:A:607:TYR:OH	2.07	0.55
1:B:441:LEU:C	1:B:441:LEU:HD12	2.28	0.53
1:A:274:LYS:HB3	1:A:275:PRO:CD	2.38	0.53
1:B:389:GLU:HB2	1:B:504:SER:HB2	1.91	0.53
1:B:379:LEU:HD13	1:B:549:SER:CB	2.40	0.52
1:A:521:TYR:CE2	1:A:528:CYS:HB2	2.44	0.51
1:A:52:ARG:O	1:A:56:GLU:HG3	2.10	0.51
1:B:513:GLU:HA	1:B:525:LEU:HD11	1.93	0.51
1:A:270:PRO:HD3	1:A:426:LEU:HD23	1.93	0.51
1:A:212:GLU:OE2	1:B:453:ARG:NH1	2.44	0.50
1:B:201:TRP:HZ3	1:B:497:PRO:HG2	1.75	0.50
1:A:274:LYS:HB3	1:A:275:PRO:HD2	1.94	0.50
1:B:284:LEU:HD23	13:B:945:HOH:O	2.12	0.49
1:B:80:TRP:O	1:B:89:ARG:HG3	2.12	0.48
1:A:218:LEU:HD13	1:A:436:LEU:HD13	1.95	0.48
1:A:187:LYS:HE2	1:A:192:THR:O	2.14	0.48
1:B:326:ARG:HG2	1:B:327:GLU:N	2.29	0.48
1:A:296:VAL:HG22	7:A:704:PEG:H42	1.96	0.47
1:A:570:LEU:C	1:A:570:LEU:HD23	2.35	0.47
1:A:521:TYR:CD2	1:A:528:CYS:HB2	2.49	0.47
1:A:25:GLN:NE2	1:A:376:PRO:CB	2.75	0.47
1:A:83:PHE:O	1:A:89:ARG:NE	2.46	0.47
1:B:489:LYS:O	1:B:493:PRO:HD2	2.15	0.47
1:A:292:HIS:NE2	6:A:702:P33:H111	2.31	0.46
1:B:155:MET:HE3	1:B:155:MET:HA	1.97	0.46
1:A:90:ARG:HG2	1:A:91:ILE:H	1.80	0.46
1:B:59:LEU:HG	13:B:943:HOH:O	2.15	0.46
1:A:88:LEU:C	1:A:90:ARG:H	2.20	0.45
4:G:1:NAG:H62	4:G:2:NAG:H82	1.99	0.45
1:A:19:LEU:CD1	1:A:19:LEU:N	2.80	0.45
1:A:389:GLU:HB2	1:A:504:SER:HB2	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:274:LYS:HB3	1:B:275:PRO:HD2	1.99	0.45
1:B:2:ASP:OD1	1:B:3:PRO:HD2	2.17	0.45
1:B:201:TRP:CZ3	1:B:497:PRO:HG2	2.51	0.45
1:A:73:LYS:HD2	1:A:96:ARG:O	2.16	0.45
1:B:572:LYS:HE2	13:B:1006:HOH:O	2.16	0.45
1:B:194:THR:HB	1:B:450:PHE:CD1	2.51	0.44
1:A:187:LYS:HE3	1:A:187:LYS:HB2	1.34	0.44
1:A:201:TRP:CZ3	1:A:497:PRO:HG2	2.53	0.44
1:B:555:VAL:HG21	13:B:918:HOH:O	2.17	0.44
1:A:140:ASP:HA	1:A:141:PRO:HA	1.80	0.44
1:B:141:PRO:HB3	1:B:350:ARG:HD3	1.99	0.44
1:A:274:LYS:HA	1:A:274:LYS:HD3	1.82	0.44
1:B:607:TYR:HA	1:B:608:PRO:HA	1.59	0.44
1:A:489:LYS:O	1:A:493:PRO:HD2	2.19	0.43
1:A:607:TYR:CG	1:A:608:PRO:HA	2.53	0.43
1:A:120:ARG:HB2	13:A:1003:HOH:O	2.17	0.42
1:B:294:PHE:CZ	1:B:319:LEU:HD22	2.53	0.42
1:B:570:LEU:C	1:B:570:LEU:HD23	2.39	0.42
1:B:129:LEU:HD23	1:B:129:LEU:HA	1.92	0.42
11:B:702:PG4:H61	13:B:813:HOH:O	2.19	0.42
1:A:495:VAL:HG12	1:A:495:VAL:O	2.20	0.42
1:B:44:THR:O	1:B:45:ASN:HB2	2.20	0.42
1:B:394:VAL:HG11	1:B:515:LEU:HD12	2.01	0.42
1:A:80:TRP:O	1:A:89:ARG:HD3	2.20	0.42
1:A:301:PHE:CZ	1:A:395:LEU:HD22	2.55	0.41
1:A:248:ILE:O	1:A:473:ILE:HA	2.19	0.41
1:A:288:TRP:CD1	6:A:702:P33:H52	2.54	0.41
1:A:379:LEU:HA	1:A:548:SER:OG	2.20	0.41
1:A:606:ASN:OD1	1:A:606:ASN:N	2.49	0.41
1:A:76:TYR:O	1:A:77:GLU:C	2.59	0.41
1:A:80:TRP:HA	1:A:83:PHE:CE2	2.55	0.41
1:B:2:ASP:HA	1:B:3:PRO:HD3	1.96	0.41
1:A:580:TRP:O	1:A:584:GLN:HG2	2.21	0.41
1:B:172:LYS:N	1:B:173:PRO:HD2	2.36	0.41
1:B:397:LEU:HD23	1:B:397:LEU:HA	1.85	0.41
1:B:14:GLU:OE1	1:B:85:ASP:HB3	2.21	0.41
1:B:98:LEU:HD12	1:B:98:LEU:N	2.35	0.41
1:B:172:LYS:HB3	1:B:173:PRO:HD3	2.02	0.41
1:B:248:ILE:O	1:B:473:ILE:HA	2.21	0.41
1:B:368:TYR:CE1	1:B:544:LEU:HA	2.56	0.41
1:A:92:ILE:HG22	1:A:93:GLY:N	2.35	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:LYS:HD2	1:A:330:CYS:SG	2.61	0.40
1:A:378:SER:O	1:A:381:ARG:HD2	2.22	0.40
1:A:390:ALA:O	1:A:394:VAL:HG23	2.21	0.40
1:A:270:PRO:O	1:A:272:PRO:HD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	600/628 (96%)	583 (97%)	15 (2%)	2 (0%)	37 29
1	B	596/628 (95%)	582 (98%)	12 (2%)	2 (0%)	37 29
All	All	1196/1256 (95%)	1165 (97%)	27 (2%)	4 (0%)	37 29

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	92	ILE
1	B	45	ASN
1	A	79	ILE
1	B	78	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	519/540 (96%)	502 (97%)	17 (3%)	33	26
1	B	517/540 (96%)	498 (96%)	19 (4%)	29	22
All	All	1036/1080 (96%)	1000 (96%)	36 (4%)	31	24

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	A	82	GLN
1	A	90	ARG
1	A	96	ARG
1	A	152	SER
1	A	262	GLU
1	A	273	ASP
1	A	368	TYR
1	A	372	TYR
1	A	376	PRO
1	A	377	VAL
1	A	388	HIS
1	A	414	VAL
1	A	417	ASP
1	A	496	THR
1	A	517	LYS
1	A	598	GLN
1	B	23	SER
1	B	30	GLN
1	B	52	ARG
1	B	60	LEU
1	B	74	GLU
1	B	82	GLN
1	B	87	GLN
1	B	90	ARG
1	B	96	ARG
1	B	116	SER
1	B	128	CYS
1	B	152	SER
1	B	368	TYR
1	B	372	TYR
1	B	388	HIS
1	B	421	ASP
1	B	517	LYS
1	B	598	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	606	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	82	GLN
1	A	292	HIS
1	B	30	GLN
1	B	263	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	D	1	1,2	14,14,15	0.50	0	17,19,21	1.45	5 (29%)
2	FUC	D	2	2	10,10,11	0.51	0	14,14,16	1.54	2 (14%)
3	NAG	F	1	1,3	14,14,15	0.61	0	17,19,21	1.25	3 (17%)
3	NAG	F	2	3	14,14,15	0.35	0	17,19,21	1.18	3 (17%)
3	BMA	F	3	3	11,11,12	0.82	1 (9%)	15,15,17	2.25	3 (20%)
3	FUC	F	4	3	10,10,11	0.44	0	14,14,16	1.04	1 (7%)
4	NAG	G	1	4,1	14,14,15	0.64	0	17,19,21	1.46	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	G	2	4	14,14,15	0.37	0	17,19,21	1.12	2 (11%)
4	BMA	G	3	4	11,11,12	0.84	0	15,15,17	1.48	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	1,2	-	2/6/23/26	0/1/1/1
2	FUC	D	2	2	-	-	0/1/1/1
3	NAG	F	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	F	2	3	-	4/6/23/26	0/1/1/1
3	BMA	F	3	3	-	0/2/19/22	0/1/1/1
3	FUC	F	4	3	-	-	0/1/1/1
4	NAG	G	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
4	BMA	G	3	4	-	2/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	3	BMA	C2-C3	2.33	1.55	1.52

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	3	BMA	C1-C2-C3	7.13	118.43	109.67
2	D	2	FUC	O2-C2-C3	4.88	119.91	110.14
3	F	3	BMA	C2-C3-C4	3.42	116.81	110.89
4	G	2	NAG	C1-O5-C5	3.20	116.52	112.19
4	G	3	BMA	C1-C2-C3	3.13	113.52	109.67
4	G	1	NAG	C1-C2-N2	2.99	115.60	110.49
4	G	1	NAG	C2-N2-C7	2.94	127.09	122.90
2	D	1	NAG	C1-O5-C5	2.70	115.86	112.19
3	F	1	NAG	C1-O5-C5	2.58	115.69	112.19
2	D	1	NAG	O6-C6-C5	2.58	120.13	111.29
3	F	2	NAG	C2-N2-C7	-2.49	119.36	122.90
3	F	1	NAG	C1-C2-N2	2.38	114.56	110.49
4	G	3	BMA	O2-C2-C3	2.37	114.89	110.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	2	NAG	C1-C2-N2	2.34	114.49	110.49
3	F	4	FUC	O2-C2-C3	2.34	114.83	110.14
3	F	3	BMA	C3-C4-C5	2.32	114.37	110.24
3	F	2	NAG	O3-C3-C2	-2.29	104.73	109.47
2	D	1	NAG	O4-C4-C3	-2.26	105.13	110.35
4	G	3	BMA	O3-C3-C2	2.26	114.32	109.99
4	G	3	BMA	C1-O5-C5	2.24	115.23	112.19
2	D	1	NAG	O5-C1-C2	-2.21	107.80	111.29
4	G	1	NAG	C1-O5-C5	2.19	115.16	112.19
2	D	2	FUC	O5-C1-C2	-2.18	107.40	110.77
3	F	1	NAG	O4-C4-C3	-2.07	105.56	110.35
2	D	1	NAG	C1-C2-N2	2.05	113.99	110.49
4	G	1	NAG	O3-C3-C2	2.02	113.65	109.47
4	G	2	NAG	C1-C2-N2	2.01	113.92	110.49

There are no chirality outliers.

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	F	2	NAG	C8-C7-N2-C2
4	G	1	NAG	C8-C7-N2-C2
4	G	1	NAG	O7-C7-N2-C2
4	G	2	NAG	C8-C7-N2-C2
3	F	2	NAG	O5-C5-C6-O6
3	F	2	NAG	C4-C5-C6-O6
3	F	2	NAG	O7-C7-N2-C2
4	G	2	NAG	O7-C7-N2-C2
4	G	3	BMA	O5-C5-C6-O6
4	G	3	BMA	C4-C5-C6-O6
3	F	1	NAG	C8-C7-N2-C2
2	D	1	NAG	C1-C2-N2-C7
2	D	1	NAG	C3-C2-N2-C7


There are no ring outliers.


3 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	3	BMA	1	0
4	G	1	NAG	1	0
4	G	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 5 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
10	A1IJZ	B	707	8	35,35,35	2.95	11 (31%)	42,49,49	1.95	9 (21%)
7	PEG	A	705	-	6,6,6	0.35	0	5,5,5	0.27	0
6	P33	A	702	-	21,21,21	0.25	0	20,20,20	0.27	0
7	PEG	A	704	-	6,6,6	0.37	0	5,5,5	0.25	0
7	PEG	B	703	-	6,6,6	0.27	0	5,5,5	0.16	0
10	A1IJZ	A	709	8	35,35,35	2.93	12 (34%)	42,49,49	1.86	10 (23%)
5	NAG	B	701	1	14,14,15	0.34	0	17,19,21	0.82	0
11	PG4	B	702	-	12,12,12	0.38	0	11,11,11	0.29	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	A	708	1	14,14,15	0.61	0	17,19,21	1.73	5 (29%)
5	NAG	A	701	1	14,14,15	0.52	0	17,19,21	1.21	2 (11%)
7	PEG	A	703	-	6,6,6	0.21	0	5,5,5	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	A1IJZ	B	707	8	-	6/36/56/56	0/3/3/3
7	PEG	A	705	-	-	0/4/4/4	-
6	P33	A	702	-	-	12/19/19/19	-
7	PEG	A	704	-	-	1/4/4/4	-
7	PEG	B	703	-	-	4/4/4/4	-
10	A1IJZ	A	709	8	-	4/36/56/56	0/3/3/3
5	NAG	B	701	1	-	1/6/23/26	0/1/1/1
11	PG4	B	702	-	-	6/10/10/10	-
5	NAG	A	708	1	-	3/6/23/26	0/1/1/1
5	NAG	A	701	1	-	0/6/23/26	0/1/1/1
7	PEG	A	703	-	-	2/4/4/4	-

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	A	709	A1IJZ	C07-C06	-9.33	1.37	1.53
10	B	707	A1IJZ	C07-C06	-8.26	1.39	1.53
10	B	707	A1IJZ	C06-N10	7.64	1.56	1.47
10	A	709	A1IJZ	C06-N10	5.86	1.54	1.47
10	B	707	A1IJZ	C09-N10	-5.37	1.37	1.47
10	B	707	A1IJZ	C11-N10	5.33	1.46	1.34
10	B	707	A1IJZ	C30-N26	5.28	1.57	1.47
10	A	709	A1IJZ	C09-N10	-5.11	1.37	1.47
10	B	707	A1IJZ	C29-C30	-5.06	1.41	1.53
10	A	709	A1IJZ	C29-C30	-4.76	1.42	1.53
10	B	707	A1IJZ	C02-N26	4.32	1.44	1.34
10	A	709	A1IJZ	C11-N10	4.30	1.44	1.34
10	A	709	A1IJZ	C02-N26	4.24	1.44	1.34
10	A	709	A1IJZ	C30-N26	4.06	1.55	1.47
10	A	709	A1IJZ	C27-N26	-4.02	1.39	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	A	709	A1IJZ	C05-C06	3.80	1.58	1.54
10	B	707	A1IJZ	C27-N26	-2.95	1.41	1.47
10	B	707	A1IJZ	C28-C29	2.48	1.62	1.51
10	A	709	A1IJZ	O32-C31	2.42	1.29	1.22
10	A	709	A1IJZ	C08-C07	2.21	1.61	1.51
10	B	707	A1IJZ	O01-C02	-2.21	1.18	1.22
10	B	707	A1IJZ	C08-C09	2.21	1.59	1.51
10	A	709	A1IJZ	C19-C20	2.01	1.43	1.38

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B	707	A1IJZ	C31-C30-N26	-5.57	100.97	112.26
10	B	707	A1IJZ	O24-C22-O23	-5.23	112.21	124.09
10	A	709	A1IJZ	C31-C30-N26	-5.10	101.93	112.26
5	A	708	NAG	C1-O5-C5	4.61	118.44	112.19
10	B	707	A1IJZ	O33-C31-O32	-4.21	114.52	124.09
10	A	709	A1IJZ	O33-C31-O32	-4.15	114.66	124.09
10	B	707	A1IJZ	O24-C22-C05	4.12	128.76	114.21
10	A	709	A1IJZ	O33-C31-C30	3.78	126.49	113.38
10	A	709	A1IJZ	C29-C30-N26	3.61	108.39	103.03
10	A	709	A1IJZ	C07-C06-N10	-3.39	99.84	102.64
5	A	701	NAG	C1-O5-C5	3.17	116.48	112.19
5	A	708	NAG	C1-C2-N2	2.96	115.54	110.49
10	B	707	A1IJZ	C29-C30-C31	2.93	116.16	111.36
10	A	709	A1IJZ	C27-N26-C30	-2.91	107.39	112.00
10	A	709	A1IJZ	O24-C22-C05	2.61	123.43	114.21
10	A	709	A1IJZ	C25-C03-N04	-2.59	103.37	108.85
10	B	707	A1IJZ	C28-C27-N26	2.42	107.49	103.25
10	A	709	A1IJZ	C28-C27-N26	2.37	107.40	103.25
10	B	707	A1IJZ	O33-C31-C30	2.29	121.31	113.38
5	A	708	NAG	C2-N2-C7	-2.27	119.67	122.90
10	B	707	A1IJZ	C14-C12-C11	-2.26	103.86	109.27
10	B	707	A1IJZ	C20-C15-C16	2.17	121.57	118.17
10	A	709	A1IJZ	C15-C14-C12	-2.15	109.67	114.13
5	A	708	NAG	O6-C6-C5	2.13	118.61	111.29
5	A	701	NAG	O3-C3-C2	-2.10	105.13	109.47
5	A	708	NAG	O3-C3-C4	2.08	115.15	110.35

There are no chirality outliers.

All (39) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
10	B	707	A1IJZ	C22-C05-C06-C07
11	B	702	PG4	O3-C5-C6-O4
6	A	702	P33	O16-C17-C18-O19
7	B	703	PEG	O2-C3-C4-O4
6	A	702	P33	O13-C14-C15-O16
7	A	704	PEG	O2-C3-C4-O4
7	A	703	PEG	O1-C1-C2-O2
6	A	702	P33	O10-C11-C12-O13
11	B	702	PG4	O1-C1-C2-O2
5	A	708	NAG	C4-C5-C6-O6
10	B	707	A1IJZ	C22-C05-N04-C03
10	B	707	A1IJZ	N04-C05-C22-O24
7	A	703	PEG	C4-C3-O2-C2
10	A	709	A1IJZ	N04-C05-C06-C07
10	A	709	A1IJZ	C22-C05-C06-C07
7	B	703	PEG	O1-C1-C2-O2
6	A	702	P33	C17-C18-O19-C20
7	B	703	PEG	C1-C2-O2-C3
6	A	702	P33	O1-C2-C3-O4
10	B	707	A1IJZ	C22-C05-C06-N10
5	B	701	NAG	C4-C5-C6-O6
7	B	703	PEG	C4-C3-O2-C2
6	A	702	P33	O19-C20-C21-O22
6	A	702	P33	C12-C11-O10-C9
11	B	702	PG4	C4-C3-O2-C2
5	A	708	NAG	C3-C2-N2-C7
10	A	709	A1IJZ	N04-C05-C22-O24
10	B	707	A1IJZ	N04-C05-C22-O23
6	A	702	P33	C14-C15-O16-C17
11	B	702	PG4	C3-C4-O3-C5
11	B	702	PG4	C8-C7-O4-C6
6	A	702	P33	C18-C17-O16-C15
6	A	702	P33	C21-C20-O19-C18
10	A	709	A1IJZ	N04-C05-C22-O23
6	A	702	P33	O7-C8-C9-O10
6	A	702	P33	C8-C9-O10-C11
10	B	707	A1IJZ	N04-C05-C06-C07
11	B	702	PG4	O2-C3-C4-O3
5	A	708	NAG	O5-C5-C6-O6



There are no ring outliers.

3 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	702	P33	3	0
7	A	704	PEG	1	0
11	B	702	PG4	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	604/628 (96%)	-0.28	23 (3%) 44 46	18, 31, 56, 86	0
1	B	602/628 (95%)	-0.03	31 (5%) 34 36	19, 37, 75, 110	0
All	All	1206/1256 (96%)	-0.16	54 (4%) 39 40	18, 34, 67, 110	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	134	ALA	5.4
1	B	15	ALA	4.8
1	B	129	LEU	4.0
1	B	79	ILE	3.9
1	A	607	TYR	3.7
1	B	8	GLY	3.7
1	B	83	PHE	3.6
1	B	86	PRO	3.6
1	A	129	LEU	3.2
1	B	414	VAL	3.1
1	B	80	TRP	3.1
1	A	72	ALA	3.1
1	B	93	GLY	3.1
1	A	91	ILE	3.0
1	B	17	ALA	3.0
1	A	92	ILE	2.9
1	B	13	ASP	2.7
1	A	94	ALA	2.6
1	A	24	TYR	2.6
1	A	86	PRO	2.6
1	B	78	PRO	2.6
1	A	80	TRP	2.5
1	A	88	LEU	2.5
1	A	78	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	135	THR	2.5
1	B	20	PHE	2.4
1	B	19	LEU	2.4
1	B	92	ILE	2.4
1	B	11	SER	2.4
1	B	10	PHE	2.4
1	A	95	VAL	2.3
1	B	16	GLY	2.3
1	B	64	PHE	2.3
1	B	606	ASN	2.3
1	A	414	VAL	2.2
1	A	15	ALA	2.2
1	A	25	GLN	2.2
1	B	9	GLN	2.2
1	B	12	ALA	2.2
1	B	135	THR	2.1
1	B	5	LEU	2.1
1	B	89	ARG	2.1
1	B	91	ILE	2.1
1	B	84	THR	2.1
1	A	325	GLY	2.1
1	A	12	ALA	2.1
1	B	379	LEU	2.1
1	A	93	GLY	2.1
1	B	2	ASP	2.1
1	B	72	ALA	2.1
1	A	19	LEU	2.1
1	B	52	ARG	2.1
1	A	83	PHE	2.0
1	A	14	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

SUGAR-RSR INFOmissingINFO

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	B	701	14/15	0.85	0.11	64,66,74,77	0
7	PEG	A	703	7/7	0.87	0.12	55,60,64,65	0
7	PEG	A	705	7/7	0.87	0.14	43,47,55,65	0
7	PEG	B	703	7/7	0.90	0.12	46,57,62,63	0
5	NAG	A	708	14/15	0.91	0.10	35,40,53,59	0
5	NAG	A	701	14/15	0.92	0.08	45,51,52,54	0
11	PG4	B	702	13/13	0.92	0.10	45,49,59,60	0
6	P33	A	702	22/22	0.93	0.12	51,59,74,79	0
7	PEG	A	704	7/7	0.94	0.10	48,51,57,61	0
10	A1IJZ	A	709	33/33	0.95	0.08	24,28,46,49	0
10	A1IJZ	B	707	33/33	0.96	0.07	22,27,43,50	0
8	ZN	A	706	1/1	0.98	0.02	21,21,21,21	0
8	ZN	B	704	1/1	0.99	0.03	21,21,21,21	0
9	CL	A	707	1/1	0.99	0.06	23,23,23,23	0
9	CL	B	705	1/1	0.99	0.02	26,26,26,26	0
12	MG	B	706	1/1	0.99	0.06	38,38,38,38	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around P33 A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1IJZ A 709:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1IJZ B 707:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN A 706:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.