

Full wwPDB X-ray Structure Validation Report (i)

Jan 16, 2025 - 06:45 am GMT

Title · Human Angiotensin-1 converting enzyme N-domain in complex with a di	orolvl
inter in the second in the second in the second sec	
inhibitor- SG17	
Authors : Gregory, K.S.; Cozier, G.E.; Acharya, K.R.	
Deposited on : 2024-07-31	
Resolution : $1.90 \text{ Å}(\text{reported})$	

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	3.0
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	164625	7293 (1.90-1.90)
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)
RSRZ outliers	164620	7292 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quality of chain				
1	А	628	2%	83%		11%	•	•
1	В	628	12%	77%		17%	•	•
2	С	2		100%				_
3	D	2	50%		50%			
4	Е	4	25%	50%		25%		



9 GBR

2 Entry composition (i)

There are 12 unique types of molecules in this entry. The entry contains 10778 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace	
1	Δ	604	Total	С	Ν	Ο	S 0	7	0		
1		004	4994	3204	857	914	19	0	1	0	
1	р	602	Total	С	Ν	0	S	0	1	0	
	D	002	4953	3180	849	905	19	0	4	0	

• Molecule 1 is a protein called Angiotensin-converting enzyme, soluble form.

Chain	Residue	Modelled	Actual	Comment	Reference
А	9	GLN	ASN	engineered mutation	UNP P12821
А	25	GLN	ASN	engineered mutation	UNP P12821
А	82	GLN	ASN	engineered mutation	UNP P12821
А	117	GLN	ASN	engineered mutation	UNP P12821
А	131	GLN	ASN	engineered mutation	UNP P12821
А	289	GLN	ASN	engineered mutation	UNP P12821
А	545	ARG	GLN	engineered mutation	UNP P12821
А	576	LEU	PRO	engineered mutation	UNP P12821
В	9	GLN	ASN	engineered mutation	UNP P12821
В	25	GLN	ASN	engineered mutation	UNP P12821
В	82	GLN	ASN	engineered mutation	UNP P12821
В	117	GLN	ASN	engineered mutation	UNP P12821
В	131	GLN	ASN	engineered mutation	UNP P12821
В	289	GLN	ASN	engineered mutation	UNP P12821
В	545	ARG	GLN	engineered mutation	UNP P12821
В	576	LEU	PRO	engineered mutation	UNP P12821

There are 16 discrepancies between the modelled and reference sequences:

• Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	С	2	Total 28	C 16	N 2	O 10	0	0	0

• Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-bet a-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	2	Total 24	C 14	N 1	O 9	0	0	0

• Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopy ranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	Е	4	Total 49	C 28	N 2	O 19	0	0	0

• Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	А	1	Total 14	C 8	N 1	O 5	0	0
5	А	1	Total 14	C 8	N 1	O 5	0	0

• Molecule 6 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	Total Zn 1 1	0	0
6	В	1	Total Zn 1 1	0	0

• Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	Total Cl 1 1	0	0
7	В	1	Total Cl 1 1	0	0

• Molecule 8 is (2S)-1-[(2S)-2-[[(1S)-1-[(2S)-1-[(2S)-2-azanyl-5-oxidanyl-5-oxidanylidene-penta noyl]pyrrolidin-2-yl]-2-oxidanyl-2-oxidanylidene-ethyl]amino]propanoyl]pyrrolidine-2-carbox ylic acid (three-letter code: A1IJX) (formula: C₁₉H₃₀N₄O₈) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	Δ	1	Total	С	Ν	Ο	0	0
0	Л	I	31	19	4	8	0	
8	В	1	Total	С	Ν	Ο	0	0
0	D	L	31	19	4	8	0	

• Molecule 9 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	В	1	Total C C 10 6 4) 1	0	0

• Molecule 10 is 3,6,9,12,15,18-HEXAOXAICOSANE-1,20-DIOL (three-letter code: P33)



(formula: $C_{14}H_{30}O_8$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	В	1	Total 22	C 14	O 8	0	0

• Molecule 11 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	В	1	Total C O 13 8 5	0	0

• Molecule 12 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	А	360	Total O 360 360	0	0
12	В	231	Total O 231 231	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Angiotensin-converting enzyme, soluble form

• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



Chain C:	1	00%	
NAG1 NAG2			
• Molecule	3: alpha-L-fucopyranose-(1-6)	-2-acetamido-2-deoxy-beta-D-gluc	opyranose
Chain D:	50%	50%	
NAG1 FUC2			
• Molecule ha-L-fucopy	4: beta-D-mannopyranose-(1- yranose-(1-6)]2-acetamido-2-de	4)-2-acetamido-2-deoxy-beta-D-gl eoxy-beta-D-glucopyranose	ucopyranose-(1-4)-[alp

Chain E:	25%	50%	25%
NAG1 NAG2 BMA3 FUC4			



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	73.05Å 77.38Å 82.91Å	Depositor
a, b, c, α , β , γ	88.38° 64.31° 74.92°	Depositor
Bosolution(A)	74.36 - 1.90	Depositor
Resolution (A)	74.36 - 1.90	EDS
% Data completeness	97.8 (74.36-1.90)	Depositor
(in resolution range)	97.8 (74.36-1.90)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.63 (at 1.90 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
P. P.	0.188 , 0.225	Depositor
n, n_{free}	0.188 , 0.227	DCC
R_{free} test set	6093 reflections $(4.91%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	25.8	Xtriage
Anisotropy	0.209	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.36 , 41.6	EDS
L-test for $twinning^2$	$ < L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10778	wwPDB-VP
Average B, all atoms $(Å^2)$	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.71% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, FUC, BMA, PGE, PG4, A1IJX, ZN, P33, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	B	ond angles
NIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.65	0/5149	1.17	35/7011~(0.5%)
1	В	0.61	4/5108~(0.1%)	1.11	25/6956~(0.4%)
All	All	0.63	4/10257~(0.0%)	1.14	60/13967~(0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2
1	В	0	4
All	All	0	6

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	В	12	ALA	C-O	10.51	1.43	1.23
1	В	15	ALA	C-O	8.30	1.39	1.23
1	В	262	GLU	CD-OE1	6.85	1.33	1.25
1	В	15	ALA	C-N	5.28	1.42	1.33

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	339	ASN	CB-CA-C	-10.70	89.00	110.40
1	А	267	MET	CG-SD-CE	-9.02	85.77	100.20
1	А	151	ARG	NE-CZ-NH2	8.90	124.75	120.30
1	В	54	GLN	CB-CA-C	8.20	126.80	110.40
1	В	608	PRO	N-CA-CB	-8.20	93.46	103.30



9GBR	
------	--

Continued from previous page...

Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	203	ASN	CB-CA-C	-7.95	94.50	110.40
1	А	550	ARG	NE-CZ-NH2	-7.76	116.42	120.30
1	А	59	LEU	CB-CG-CD2	7.75	124.17	111.00
1	В	272	PRO	N-CA-C	7.57	131.78	112.10
1	В	295	ARG	NE-CZ-NH2	-7.43	116.58	120.30
1	А	18	GLN	CB-CA-C	-7.41	95.57	110.40
1	А	107	LYS	CD-CE-NZ	-7.13	95.31	111.70
1	А	236	ARG	CA-CB-CG	-7.05	97.89	113.40
1	В	412	ASP	CB-CA-C	6.78	123.96	110.40
1	В	9	GLN	CB-CA-C	6.74	123.89	110.40
1	В	344	ARG	NE-CZ-NH1	-6.71	116.94	120.30
1	А	236	ARG	NE-CZ-NH2	-6.65	116.98	120.30
1	А	550	ARG	CD-NE-CZ	6.53	132.74	123.60
1	А	89	ARG	NE-CZ-NH1	-6.49	117.06	120.30
1	В	50	ASN	CB-CA-C	6.45	123.29	110.40
1	А	340	ARG	CG-CD-NE	-6.40	98.37	111.80
1	В	559	MET	CG-SD-CE	6.39	110.42	100.20
1	В	128	CYS	CB-CA-C	-6.35	97.69	110.40
1	А	453	ARG	CA-CB-CG	-6.20	99.75	113.40
1	А	236	ARG	CD-NE-CZ	6.13	132.18	123.60
1	А	373	LYS	CD-CE-NZ	-6.10	97.68	111.70
1	А	97	THR	CA-CB-OG1	-6.01	96.37	109.00
1	А	372	TYR	CA-CB-CG	5.97	124.74	113.40
1	А	151	ARG	CD-NE-CZ	5.92	131.88	123.60
1	А	96	ARG	CA-CB-CG	5.91	126.40	113.40
1	В	380	ARG	NE-CZ-NH2	-5.89	117.36	120.30
1	А	278	ASP	CB-CA-C	5.88	122.15	110.40
1	А	30	GLN	N-CA-CB	5.82	121.07	110.60
1	А	541[A]	ARG	NE-CZ-NH2	-5.81	117.39	120.30
1	А	541[B]	ARG	NE-CZ-NH2	-5.81	117.39	120.30
1	В	9	GLN	CA-C-N	-5.79	104.45	117.20
1	А	326	ARG	CB-CA-C	5.79	121.97	110.40
1	А	446	ARG	N-CA-CB	-5.73	100.29	110.60
1	В	240	ARG	CD-NE-CZ	5.61	131.45	123.60
1	А	73	LYS	CD-CE-NZ	-5.58	98.88	111.70
1	А	108	ARG	NE-CZ-NH2	-5.45	117.58	120.30
1	В	518	GLU	CB-CA-C	5.34	121.07	110.40
1	В	54	GLN	N-CA-CB	-5.32	101.03	110.60
1	A	70	GLN	CB-CA-C	-5.30	99.80	110.40
1	А	459	TYR	CB-CG-CD2	-5.26	117.85	121.00
1	A	550	ARG	NE-CZ-NH1	5.25	122.92	120.30
1	В	156	LEU	CB-CG-CD2	-5.23	102.11	111.00



9GBR

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	478	THR	CA-CB-OG1	-5.22	98.04	109.00
1	В	199	ARG	NE-CZ-NH1	-5.19	117.70	120.30
1	В	96	ARG	CA-CB-CG	5.17	124.78	113.40
1	А	52	ARG	CD-NE-CZ	5.14	130.79	123.60
1	В	158	PHE	N-CA-CB	-5.13	101.37	110.60
1	А	235	ARG	N-CA-CB	5.12	119.82	110.60
1	В	34	GLN	CB-CA-C	5.12	120.64	110.40
1	А	350	ARG	NE-CZ-NH2	-5.05	117.78	120.30
1	В	114	LEU	CB-CG-CD1	-5.04	102.43	111.00
1	В	199	ARG	CD-NE-CZ	5.03	130.64	123.60
1	А	372	TYR	CB-CG-CD1	5.03	124.02	121.00
1	В	235	ARG	CD-NE-CZ	5.02	130.63	123.60
1	А	270	PRO	N-CD-CG	-5.01	95.69	103.20

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Group
1	А	381	ARG	Sidechain
1	А	453	ARG	Sidechain
1	В	120	ARG	Sidechain
1	В	236	ARG	Sidechain
1	В	467	ARG	Sidechain
1	В	78	PRO	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4994	0	4764	30	0
1	В	4953	0	4725	65	0
2	С	28	0	25	0	0
3	D	24	0	22	0	0
4	Е	49	0	43	1	0
5	А	28	0	26	0	0
6	А	1	0	0	0	0
6	В	1	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	А	1	0	0	0	0
7	В	1	0	0	0	0
8	А	31	0	0	1	0
8	В	31	0	0	0	0
9	В	10	0	14	1	0
10	В	22	0	30	5	0
11	В	13	0	18	4	0
12	А	360	0	0	2	0
12	В	231	0	0	10	0
All	All	10778	0	9667	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:7:PRO:O	12:B:801:HOH:O	1.85	0.92
1:B:292:HIS:NE2	10:B:702:P33:H171	1.85	0.90
1:B:102:ASN:ND2	1:B:189:ASP:OD1	2.04	0.89
1:B:66:GLU:O	1:B:70:GLN:HG3	1.73	0.88
1:B:59:LEU:O	1:B:63:GLU:HG3	1.75	0.87
1:B:8:GLY:HA3	12:B:848:HOH:O	1.75	0.83
1:B:292:HIS:HE2	10:B:702:P33:H171	1.39	0.83
1:B:330:CYS:HG	1:B:348:CYS:HG	0.87	0.83
1:A:117:GLN:HG2	12:A:1027:HOH:O	1.77	0.83
1:B:91:ILE:O	1:B:95:VAL:HG23	1.81	0.80
1:B:128:CYS:HG	1:B:136:CYS:HG	1.27	0.74
1:B:270:PRO:HB3	1:B:580:TRP:CH2	2.25	0.71
1:B:25:GLN:OE1	1:B:376:PRO:HB2	1.92	0.69
1:B:18:GLN:HE21	1:B:88:LEU:HG	1.60	0.67
1:B:90:ARG:NH1	12:B:804:HOH:O	2.27	0.67
1:A:260:SER:OG	1:A:262:GLU:OE1	2.13	0.66
11:B:703:PG4:C6	12:B:1008:HOH:O	2.44	0.65
1:A:157:LEU:HD11	1:A:477:VAL:HG13	1.80	0.64
1:B:413:ARG:HH21	1:B:413:ARG:HG2	1.62	0.64
1:A:66:GLU:O	1:A:70:GLN:HG3	1.98	0.63
1:B:180:ALA:O	1:B:184[B]:GLU:HG3	1.98	0.62
12:A:1144:HOH:O	4:E:1:NAG:H5	1.99	0.61
11:B:703:PG4:H61	12:B:1008:HOH:O	2.00	0.59
1:A:157:LEU:HD13	1:A:476:PRO:HB2	1.85	0.57



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:15:ALA:O	1:B:18:GLN:HB2	2.03	0.57	
1:B:2:ASP:OD1	1:B:3:PRO:HD2	2.04	0.57	
1:B:49:GLU:HB2	12:B:919:HOH:O	2.03	0.57	
1:B:2:ASP:HB3	1:B:5:LEU:HD12	1.88	0.56	
1:B:305:GLU:HG3	1:B:534:THR:HG22	1.88	0.56	
1:A:172:LYS:O	1:A:176[A]:GLU:HG3	2.06	0.55	
1:B:292:HIS:CD2	10:B:702:P33:H142	2.41	0.55	
1:B:18:GLN:NE2	1:B:88:LEU:HG	2.21	0.55	
1:B:25:GLN:CD	1:B:376:PRO:HB2	2.27	0.55	
1:B:274:LYS:HB3	1:B:275:PRO:CD	2.37	0.54	
1:B:274:LYS:HB3	1:B:275:PRO:HD2	1.89	0.54	
1:B:390:ALA:O	1:B:394:VAL:HG23	2.07	0.54	
11:B:703:PG4:H62	12:B:1008:HOH:O	2.04	0.54	
1:B:59:LEU:O	1:B:63:GLU:CG	2.53	0.54	
1:B:201:TRP:HZ3	1:B:497:PRO:HG2	1.72	0.53	
1:B:15:ALA:O	1:B:18:GLN:N	2.42	0.53	
1:B:12:ALA:O	1:B:13:ASP:HB3	2.09	0.53	
1:A:390:ALA:O	1:A:394:VAL:HG23	2.10	0.52	
1:B:9:GLN:C	1:B:10:PHE:CD1	2.82	0.52	
1:B:66:GLU:CD	1:B:108:ARG:HH22	2.13	0.52	
1:B:99:GLY:HA2	1:B:186:TYR:CE1	2.44	0.52	
1:A:270:PRO:HB3	1:A:580:TRP:CH2	2.46	0.51	
1:B:18:GLN:HE21	1:B:88:LEU:CG	2.23	0.51	
1:B:465:TYR:CZ	11:B:703:PG4:H51	2.46	0.50	
1:B:201:TRP:CZ3	1:B:497:PRO:HG2	2.46	0.50	
1:B:292:HIS:CE1	10:B:702:P33:H171	2.46	0.50	
1:A:66:GLU:CD	1:A:108:ARG:HH22	2.15	0.49	
1:B:73:LYS:HA	1:B:77:GLU:HB2	1.94	0.49	
1:A:260:SER:CB	1:A:262:GLU:OE1	2.61	0.49	
1:B:140:ASP:OD1	12:B:802:HOH:O	2.19	0.49	
1:B:510:GLN:HG2	1:B:569:PRO:HG2	1.96	0.48	
1:B:426:LEU:C	1:B:426:LEU:HD13	2.34	0.47	
1:B:8:GLY:CA	12:B:848:HOH:O	2.48	0.47	
1:B:157:LEU:HD11	1:B:477:VAL:HG13	1.96	0.47	
1:B:141:PRO:HB3	1:B:350:ARG:HD3	1.97	0.47	
1:A:381:ARG:NH2	8:A:705:A1IJX:O17	2.48	0.47	
1:A:426:LEU:C	1:A:426:LEU:HD13	2.36	0.46	
1:B:568:GLN:N	1:B:569:PRO:CD	2.79	0.46	
1:B:139:LEU:HD22	1:B:163:TRP:CZ2	2.50	0.46	
1:B:543:VAL:CG2	1:B:559:MET:HG3	2.46	0.45	
1:A:218:LEU:HD13	1:A:436:LEU:HD13	1.97	0.45	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:85:ASP:HB3	1:A:88:LEU:HB3	1.98	0.45
1:B:172:LYS:O	1:B:176:GLU:HG3	2.17	0.45
1:B:172:LYS:HB3	1:B:173:PRO:HD3	1.99	0.45
1:B:413:ARG:HG2	1:B:413:ARG:NH2	2.29	0.45
1:A:521:TYR:CE2	1:A:528:CYS:HB2	2.52	0.44
1:B:339:ASN:HB2	1:B:341:LYS:H	1.82	0.44
1:A:381:ARG:HA	1:A:381:ARG:HE	1.81	0.44
1:A:158:PHE:HA	1:A:607:TYR:OH	2.17	0.44
1:B:562:LEU:HD23	1:B:564:ALA:O	2.18	0.44
1:A:354:ASP:O	1:A:357[B]:SER:HB3	2.18	0.43
1:A:127:VAL:HG23	1:A:143:LEU:HD11	2.00	0.43
10:B:702:P33:H121	10:B:702:P33:H91	1.92	0.43
1:B:140:ASP:HA	1:B:141:PRO:HA	1.85	0.43
1:B:570:LEU:C	1:B:570:LEU:HD23	2.40	0.43
1:B:607:TYR:HA	1:B:608:PRO:HA	1.76	0.43
9:B:701:PGE:H22	12:B:914:HOH:O	2.19	0.42
1:A:77:GLU:HB3	1:A:78:PRO:HD3	2.01	0.42
1:A:570:LEU:C	1:A:570:LEU:HD23	2.40	0.42
1:B:13:ASP:OD1	1:B:13:ASP:C	2.58	0.42
1:A:274:LYS:HB3	1:A:275:PRO:CD	2.49	0.42
1:A:301:PHE:CZ	1:A:395:LEU:HD22	2.55	0.42
1:B:18:GLN:HG2	1:B:88:LEU:HD11	2.01	0.42
1:B:369:TYR:HA	1:B:372:TYR:CE1	2.55	0.42
1:B:541:ARG:O	1:B:545:ARG:HG3	2.20	0.42
1:A:17:ALA:O	1:A:20:PHE:HB3	2.19	0.41
1:B:531:TYR:O	1:B:532:ARG:HB2	2.20	0.41
1:A:77:GLU:HA	1:A:77:GLU:OE1	2.21	0.41
1:A:139:LEU:HD22	1:A:163:TRP:CZ2	2.56	0.41
1:A:436:LEU:N	1:A:437:PRO:HD2	2.35	0.41
1:A:81:GLN:HE21	1:A:81:GLN:HB2	1.68	0.41
1:B:230:ARG:HD2	1:B:243:ASN:O	2.21	0.41
1:B:521:TYR:CD2	1:B:528:CYS:HB2	2.56	0.41
1:A:76:TYR:HD1	1:A:79:ILE:HD11	1.86	0.40
1:A:607:TYR:HA	1:A:608:PRO:HA	1.85	0.40
1:B:14:GLU:OE2	1:B:85:ASP:HB3	2.22	0.40
1:B:300:PHE:CD1	1:B:395:LEU:HD23	2.56	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	607/628~(97%)	594 (98%)	12 (2%)	1 (0%)	44	36
1	В	602/628~(96%)	585~(97%)	14 (2%)	3~(0%)	25	17
All	All	1209/1256~(96%)	1179 (98%)	26 (2%)	4 (0%)	37	29

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	78	PRO
1	В	45	ASN
1	В	377	VAL
1	В	608	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Rotameric Outliers	
1	А	527/540~(98%)	508~(96%)	19 (4%)	30 23
1	В	522/540~(97%)	503~(96%)	19 (4%)	30 23
All	All	1049/1080~(97%)	1011 (96%)	38 (4%)	29 23

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	11	SER
1	А	26	SER



Mol	Chain	Res	Type
1	А	59	LEU
1	А	79	ILE
1	А	96	ARG
1	А	135	THR
1	А	152	SER
1	А	236	ARG
1	А	266	ASP
1	А	273	ASP
1	А	291	THR
1	А	326	ARG
1	А	368	TYR
1	А	372	TYR
1	А	377	VAL
1	А	381	ARG
1	А	388	HIS
1	А	413	ARG
1	А	417	ASP
1	В	13	ASP
1	В	52	ARG
1	В	74	GLU
1	В	88	LEU
1	В	96	ARG
1	В	126	LYS
1	В	152	SER
1	В	189	ASP
1	В	239	ASP
1	В	285	GLN
1	В	326	ARG
1	В	368	TYR
1	В	372	TYR
1	В	373	LYS
1	В	381	ARG
1	В	388	HIS
1	В	415	THR
1	В	559	MET
1	В	608	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	81	GLN
1	А	568	GLN



Continued from previous page...

Mol	Chain	Res	Type
1	А	579	GLN
1	А	588	ASN
1	В	9	GLN
1	В	18	GLN
1	В	339	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm ths}$	B	ond ang	les
INIOI	туре	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	С	1	1,2	14,14,15	0.42	0	17,19,21	2.21	3 (17%)
2	NAG	С	2	2	14,14,15	0.37	0	17,19,21	1.48	2 (11%)
3	NAG	D	1	1,3	14,14,15	0.44	0	17,19,21	1.57	1 (5%)
3	FUC	D	2	3	10,10,11	0.46	0	14,14,16	0.67	0
4	NAG	Е	1	1,4	14,14,15	0.58	0	17,19,21	1.40	3 (17%)
4	NAG	Е	2	4	14,14,15	0.31	0	17,19,21	1.17	1 (5%)
4	BMA	Е	3	4	11,11,12	0.96	0	15,15,17	1.14	2 (13%)
4	FUC	Е	4	4	10,10,11	0.56	0	14,14,16	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	С	1	1,2	-	5/6/23/26	0/1/1/1
2	NAG	С	2	2	-	0/6/23/26	0/1/1/1
3	NAG	D	1	1,3	-	3/6/23/26	0/1/1/1
3	FUC	D	2	3	-	-	0/1/1/1
4	NAG	Е	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	Е	2	4	-	2/6/23/26	0/1/1/1
4	BMA	Е	3	4	-	0/2/19/22	0/1/1/1
4	FUC	Е	4	4	-	-	0/1/1/1

'-' means no outliers of that kind were identified.

There are no bond length outliers.

All	(12)	bond	angle	outliers	are	listed	below:	

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	D	1	NAG	C1-C2-N2	5.34	119.60	110.49
2	С	1	NAG	C1-C2-N2	5.29	119.53	110.49
2	С	1	NAG	C1-O5-C5	5.20	119.23	112.19
2	С	1	NAG	C2-N2-C7	4.82	129.76	122.90
2	С	2	NAG	C2-N2-C7	4.72	129.62	122.90
4	Е	1	NAG	C1-O5-C5	3.27	116.62	112.19
2	С	2	NAG	C1-O5-C5	3.01	116.26	112.19
4	Е	3	BMA	O2-C2-C3	2.91	115.96	110.14
4	Е	2	NAG	C1-C2-N2	2.77	115.22	110.49
4	Е	1	NAG	C1-C2-N2	-2.73	105.83	110.49
4	Е	3	BMA	C1-O5-C5	2.33	115.35	112.19
4	Е	1	NAG	O5-C5-C4	-2.14	105.62	110.83

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	С	1	NAG	O7-C7-N2-C2
2	С	1	NAG	C8-C7-N2-C2
2	С	1	NAG	C4-C5-C6-O6
2	С	1	NAG	C1-C2-N2-C7
2	С	1	NAG	O5-C5-C6-O6
3	D	1	NAG	C1-C2-N2-C7
4	Е	2	NAG	C8-C7-N2-C2
4	Ε	1	NAG	C4-C5-C6-O6
4	E	2	NAG	O7-C7-N2-C2
3	D	1	NAG	C3-C2-N2-C7



Mol	Chain	Res	Type	Atoms
3	D	1	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	Е	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry (i)

Of 11 ligands modelled in this entry, 4 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Ty	Tuno	Chain	Chain	Chain	Pog Link	Tink	Bond lengths			Bond angles		
	туре		nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2		
5	NAG	A	702	1	14,14,15	0.53	0	17,19,21	2.19	5 (29%)		



Mol	Tuno	Chain	Dec	Link	В	Bond lengths			Bond angles		
	туре	ype Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2	
11	PG4	B	703	-	12,12,12	0.37	0	11,11,11	0.39	0	
8	A1IJX	В	706	6	32,32,32	3.88	14 (43%)	38,45,45	1.64	9 (23%)	
9	PGE	В	701	-	9,9,9	0.23	0	8,8,8	0.33	0	
8	A1IJX	A	705	6	32,32,32	3.41	14 (43%)	38,45,45	1.80	11 (28%)	
10	P33	В	702	-	21,21,21	0.34	0	20,20,20	0.29	0	
5	NAG	A	701	1	14,14,15	0.50	0	17,19,21	1.23	3 (17%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	А	702	1	-	2/6/23/26	0/1/1/1
11	PG4	В	703	-	-	8/10/10/10	-
8	A1IJX	В	706	6	-	3/37/57/57	0/2/2/2
9	PGE	В	701	-	-	3/7/7/7	-
8	A1IJX	А	705	6	-	2/37/57/57	0/2/2/2
10	P33	В	702	-	-	11/19/19/19	-
5	NAG	А	701	1	-	0/6/23/26	0/1/1/1

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	В	706	A1IJX	C09-N10	9.66	1.66	1.47
8	В	706	A1IJX	C25-N24	9.16	1.65	1.47
8	А	705	A1IJX	C06-N10	-8.88	1.35	1.47
8	А	705	A1IJX	C25-N24	8.67	1.64	1.47
8	А	705	A1IJX	C09-N10	8.52	1.64	1.47
8	В	706	A1IJX	C11-N10	8.38	1.54	1.34
8	В	706	A1IJX	C06-N10	-8.12	1.36	1.47
8	В	706	A1IJX	C02-N24	7.65	1.52	1.34
8	А	705	A1IJX	C02-N24	5.78	1.47	1.34
8	В	706	A1IJX	C07-C06	5.32	1.62	1.53
8	А	705	A1IJX	C11-N10	4.65	1.45	1.34
8	А	705	A1IJX	C07-C06	4.32	1.61	1.53
8	А	705	A1IJX	C28-N24	-4.06	1.38	1.47
8	В	706	A1IJX	C26-C25	-3.00	1.41	1.51
8	A	705	A1IJX	C26-C25	-2.92	1.41	1.51
8	B	706	A1IJX	C05-N04	2.83	1.49	1.46



9GBR

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
8	В	706	A1IJX	C27-C28	2.70	1.60	1.53
8	В	706	A1IJX	C28-N24	-2.60	1.41	1.47
8	В	706	A1IJX	C08-C09	-2.58	1.42	1.51
8	А	705	A1IJX	C26-C27	2.31	1.61	1.51
8	В	706	A1IJX	O21-C20	2.29	1.29	1.22
8	А	705	A1IJX	C08-C09	-2.26	1.43	1.51
8	В	706	A1IJX	O22-C20	-2.25	1.23	1.30
8	А	705	A1IJX	C08-C07	2.18	1.60	1.51
8	А	705	A1IJX	C15-C16	2.15	1.55	1.50
8	A	705	A1IJX	O18-C16	2.14	1.29	1.22
8	А	705	A1IJX	O21-C20	2.09	1.28	1.22
8	В	706	A1IJX	C03-C02	2.02	1.57	1.53

Continued from previous page...

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	А	702	NAG	C1-C2-N2	-5.27	101.48	110.49
8	А	705	A1IJX	C27-C28-C29	-4.67	103.68	111.36
8	А	705	A1IJX	C27-C28-N24	3.86	108.76	103.03
8	В	706	A1IJX	O30-C29-C28	3.69	126.19	113.38
5	А	702	NAG	C1-O5-C5	3.29	116.66	112.19
8	В	706	A1IJX	C25-N24-C28	-3.20	106.93	112.00
8	В	706	A1IJX	C27-C28-N24	3.06	107.57	103.03
8	В	706	A1IJX	C29-C28-N24	-3.03	106.11	112.26
8	В	706	A1IJX	C03-C02-N24	3.02	123.94	118.10
8	А	705	A1IJX	C14-C12-C11	-2.87	104.90	110.84
5	А	702	NAG	C4-C3-C2	2.82	115.15	111.02
8	А	705	A1IJX	C25-N24-C28	-2.82	107.53	112.00
5	А	701	NAG	C1-O5-C5	2.70	115.84	112.19
8	А	705	A1IJX	C07-C06-N10	-2.68	100.43	102.64
8	В	706	A1IJX	O30-C29-O31	-2.67	118.03	124.09
5	А	702	NAG	O5-C1-C2	2.65	115.47	111.29
8	А	705	A1IJX	O30-C29-C28	2.63	122.51	113.38
5	А	701	NAG	O4-C4-C5	2.60	115.75	109.30
5	А	702	NAG	C2-N2-C7	-2.53	119.31	122.90
5	А	701	NAG	O3-C3-C2	-2.42	104.45	109.47
8	А	705	A1IJX	O01-C02-N24	-2.40	117.10	121.38
8	В	706	A1IJX	C09-N10-C06	-2.39	107.99	111.74
8	А	705	A1IJX	C08-C07-C06	-2.27	100.34	104.16
8	В	706	A1IJX	O01-C02-C03	-2.22	115.60	120.19
8	А	705	A1IJX	C06-C05-N04	2.16	114.44	109.99
8	В	706	A1IJX	O31-C29-C28	-2.14	115.76	122.48



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
8	А	705	A1IJX	C23-C03-N04	-2.02	104.59	108.85
8	А	705	A1IJX	O30-C29-O31	-2.00	119.54	124.09

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	А	705	A1IJX	N04-C05-C20-O21
8	А	705	A1IJX	N04-C05-C20-O22
11	В	703	PG4	C4-C3-O2-C2
5	А	702	NAG	O5-C5-C6-O6
5	А	702	NAG	C4-C5-C6-O6
10	В	702	P33	O13-C14-C15-O16
10	В	702	P33	C12-C11-O10-C9
11	В	703	PG4	O3-C5-C6-O4
11	В	703	PG4	O1-C1-C2-O2
10	В	702	P33	O10-C11-C12-O13
10	В	702	P33	O7-C8-C9-O10
8	В	706	A1IJX	N04-C05-C20-O21
8	В	706	A1IJX	N04-C05-C20-O22
11	В	703	PG4	O4-C7-C8-O5
10	В	702	P33	O4-C5-C6-O7
11	В	703	PG4	O2-C3-C4-O3
8	В	706	A1IJX	N04-C05-C06-C07
9	В	701	PGE	O1-C1-C2-O2
10	В	702	P33	C6-C5-O4-C3
11	В	703	PG4	C6-C5-O3-C4
9	В	701	PGE	C4-C3-O2-C2
10	В	702	P33	O16-C17-C18-O19
9	В	701	PGE	O3-C5-C6-O4
11	В	703	PG4	C5-C6-O4-C7
10	В	702	P33	C11-C12-O13-C14
10	В	702	P33	C8-C9-O10-C11
11	В	703	PG4	C8-C7-O4-C6
10	В	702	P33	C17-C18-O19-C20
10	В	702	P33	C21-C20-O19-C18

There are no ring outliers.

4 monomers are involved in 11 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	В	703	PG4	4	0
9	В	701	PGE	1	0
8	А	705	A1IJX	1	0
10	В	702	P33	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	604/628~(96%)	-0.32	12 (1%) 64 67	6, 25, 47, 80	7(1%)
1	В	602/628~(95%)	0.37	75~(12%) 9 9	8, 34, 75, 104	4(0%)
All	All	1206/1256~(96%)	0.03	87 (7%) 23 24	6, 28, 66, 104	11 (0%)

All (87) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	15	ALA	6.8
1	А	129	LEU	5.3
1	В	19	LEU	5.3
1	В	11	SER	5.0
1	В	5	LEU	5.0
1	В	17	ALA	4.7
1	В	80	TRP	4.6
1	В	129	LEU	4.5
1	В	88	LEU	4.4
1	В	10	PHE	4.4
1	В	92	ILE	4.4
1	В	20	PHE	4.3
1	В	12	ALA	4.3
1	В	18	GLN	4.2
1	А	78	PRO	4.2
1	В	8	GLY	4.0
1	В	67	ALA	4.0
1	В	91	ILE	3.9
1	В	13	ASP	3.9
1	A	79	ILE	3.9
1	В	83	PHE	3.8
1	В	4	GLY	3.8
1	В	95	VAL	3.7
1	В	79	ILE	3.7



Mol	Chain	Res	Type	RSRZ
1	В	377	VAL	3.7
1	В	16	GLY	3.6
1	В	9	GLN	3.6
1	В	26	SER	3.6
1	В	84	THR	3.6
1	В	68	TRP	3.5
1	В	78	PRO	3.4
1	В	64	PHE	3.4
1	А	325	GLY	3.4
1	В	71	LYS	3.3
1	В	24	TYR	3.3
1	В	86	PRO	3.2
1	В	59	LEU	3.2
1	В	23	SER	3.2
1	В	93	GLY	3.2
1	В	75	LEU	3.1
1	В	31	VAL	3.1
1	В	76	TYR	3.1
1	В	94	ALA	3.0
1	В	72	ALA	3.0
1	В	2	ASP	3.0
1	В	69	GLY	2.9
1	В	25	GLN	2.9
1	В	7	PRO	2.9
1	В	6	GLN	2.9
1	В	378	SER	2.8
1	В	379	LEU	2.7
1	В	51	ALA	2.7
1	А	606	ASN	2.7
1	В	56	GLU	2.7
1	В	272	PRO	2.6
1	В	90	ARG	2.6
1	В	58	ALA	2.5
1	А	83	PHE	2.5
1	А	135	THR	2.5
1	В	28	ALA	2.5
1	В	412	ASP	2.4
1	В	546	ALA	2.4
1	В	27	SER	2.4
1	В	21	ALA	2.4
1	В	82	GLN	2.4
1	В	63	GLU	2.4



Mol	Chain	Res	Type	RSRZ
1	А	14	GLU	2.3
1	В	325	GLY	2.3
1	А	84	THR	2.3
1	В	74	GLU	2.3
1	А	12	ALA	2.3
1	А	607	TYR	2.3
1	В	85	ASP	2.2
1	В	106	ALA	2.2
1	В	338	TYR	2.2
1	В	3	PRO	2.2
1	В	609	GLU	2.2
1	В	414	VAL	2.2
1	В	105	LEU	2.2
1	В	29	GLU	2.2
1	В	70	GLN	2.1
1	А	80	TRP	2.1
1	В	104	PRO	2.1
1	В	57	ALA	2.1
1	В	103	LEU	2.1
1	В	562	LEU	2.0
1	В	339	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
4	BMA	Е	3	11/12	0.79	0.14	$50,\!62,\!68,\!69$	0
2	NAG	С	2	14/15	0.81	0.13	74,81,84,84	0
3	FUC	D	2	10/11	0.82	0.13	66,70,80,81	0
2	NAG	С	1	14/15	0.82	0.12	60,64,71,72	0
4	FUC	Е	4	10/11	0.84	0.13	37,44,54,59	0
4	NAG	Е	2	14/15	0.89	0.10	38,47,59,67	0
4	NAG	Е	1	14/15	0.92	0.09	26,33,38,39	0



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
3	NAG	D	1	14/15	0.92	0.08	$33,\!35,\!45,\!55$	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.











6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
11	PG4	В	703	13/13	0.85	0.16	$45,\!51,\!65,\!72$	0
10	P33	В	702	22/22	0.86	0.15	47,53,65,66	0
5	NAG	А	701	14/15	0.87	0.10	42,45,48,52	0
5	NAG	А	702	14/15	0.88	0.12	30,35,45,50	0
8	A1IJX	В	706	31/31	0.92	0.11	22,37,50,62	0
9	PGE	В	701	10/10	0.92	0.12	47,51,60,62	0
8	A1IJX	А	705	31/31	0.95	0.08	18,25,47,54	0
6	ZN	В	704	1/1	1.00	0.01	19,19,19,19	0
7	CL	А	704	1/1	1.00	0.03	17,17,17,17	0



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
7	CL	В	705	1/1	1.00	0.03	$25,\!25,\!25,\!25$	0
6	ZN	А	703	1/1	1.00	0.01	$17,\!17,\!17,\!17$	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers (i)

There are no such residues in this entry.

