



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 21, 2024 – 09:04 pm BST

PDB ID : 1GJW
Title : Thermotoga maritima maltosyltransferase complex with maltose
Authors : Roujeinikova, A.; Raasch, C.; Burke, J.; Baker, P.J.; Liebl, W.; Rice, D.W.
Deposited on : 2001-08-03
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	637	 78% 19%
2	B	2	 100%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5595 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MALTODEXTRIN GLYCOSYLTRANSFERASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	636	5208	3398	848	948	14	0	0	0

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
			Total	C	O			
2	B	2	23	12	11	0	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0

- Molecule 4 is alpha-D-glucopyranose (three-letter code: GLC) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 12 6 6	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	337	Total O 337 337	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: MALTODEXTRIN GLYCOSYLTRANSFERASE



- Molecule 2: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	147.39Å 147.39Å 105.63Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.10	Depositor
% Data completeness (in resolution range)	81.0 (10.00-2.10)	Depositor
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.197 , 0.252	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	5595	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/5357	0.70	4/7262 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	61	ARG	NE-CZ-NH2	7.67	124.14	120.30
1	A	44	ASP	N-CA-C	-5.89	95.10	111.00
1	A	90	LEU	N-CA-C	-5.31	96.65	111.00
1	A	205	ARG	NE-CZ-NH1	-5.29	117.65	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	20	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5208	0	5199	144	1
2	B	23	0	21	4	0
3	A	15	0	0	0	0
4	A	12	0	12	3	0
5	A	337	0	0	7	0
All	All	5595	0	5232	147	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:ARG:HG2	1:A:63:TRP:CD1	1.71	1.24
1:A:61:ARG:CD	1:A:63:TRP:H	1.57	1.15
1:A:61:ARG:HD2	1:A:63:TRP:H	1.01	1.12
1:A:61:ARG:HD2	1:A:63:TRP:N	1.73	1.03
1:A:61:ARG:HH21	1:A:63:TRP:N	1.55	1.03
1:A:61:ARG:HG2	1:A:63:TRP:HD1	1.22	0.95
1:A:61:ARG:CG	1:A:63:TRP:HD1	1.79	0.95
1:A:61:ARG:CG	1:A:63:TRP:CD1	2.50	0.94
1:A:60:SER:HB2	1:A:61:ARG:HH11	1.38	0.88
1:A:61:ARG:HG3	1:A:65:TYR:OH	1.72	0.87
1:A:236:ARG:HB3	1:A:236:ARG:HH11	1.39	0.86
1:A:442:ARG:HD2	1:A:445:GLU:HG3	1.59	0.85
1:A:61:ARG:HD2	1:A:62:GLU:N	1.93	0.83
1:A:61:ARG:NH2	1:A:63:TRP:O	2.13	0.81
1:A:61:ARG:NE	1:A:61:ARG:C	2.36	0.79
1:A:517:THR:HG23	1:A:521:LEU:HD12	1.62	0.79
1:A:61:ARG:CZ	1:A:65:TYR:HE1	1.97	0.78
1:A:61:ARG:CD	1:A:63:TRP:HD1	1.98	0.76
1:A:374:GLN:HE22	1:A:402:VAL:HA	1.51	0.76
1:A:61:ARG:NE	1:A:65:TYR:CE1	2.53	0.76
1:A:61:ARG:CZ	1:A:65:TYR:CE1	2.69	0.75
1:A:395:LEU:HD12	5:A:2219:HOH:O	1.87	0.72
1:A:61:ARG:CD	1:A:63:TRP:CD1	2.72	0.72
1:A:61:ARG:N	1:A:61:ARG:HE	1.87	0.72
1:A:269:PRO:HB2	1:A:271:ASN:ND2	2.06	0.71
1:A:176:GLU:HG2	5:A:2115:HOH:O	1.90	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:581:LYS:HA	1:A:581:LYS:HE2	1.74	0.70
1:A:387:GLY:O	4:A:701:GLC:H62	1.92	0.69
1:A:600:ASN:ND2	1:A:602:GLY:H	1.89	0.69
1:A:61:ARG:HH21	1:A:62:GLU:C	1.96	0.69
1:A:61:ARG:HG2	1:A:63:TRP:NE1	2.09	0.67
1:A:61:ARG:NH2	1:A:63:TRP:N	2.38	0.67
1:A:579:THR:HG23	1:A:584:VAL:HA	1.77	0.66
1:A:61:ARG:CD	1:A:61:ARG:C	2.63	0.66
1:A:61:ARG:CD	1:A:62:GLU:N	2.59	0.65
1:A:61:ARG:CG	1:A:65:TYR:OH	2.44	0.64
1:A:61:ARG:NE	1:A:65:TYR:HE1	1.93	0.64
1:A:61:ARG:CZ	1:A:61:ARG:O	2.47	0.62
1:A:61:ARG:CD	1:A:63:TRP:N	2.42	0.62
1:A:269:PRO:HB2	1:A:271:ASN:HD21	1.65	0.62
1:A:327:HIS:HD2	5:A:2198:HOH:O	1.84	0.61
1:A:13:LYS:O	1:A:15:THR:HG23	2.01	0.61
1:A:61:ARG:HD3	1:A:63:TRP:HD1	1.63	0.61
1:A:61:ARG:HD3	1:A:63:TRP:H	1.57	0.60
1:A:281:ILE:HG21	1:A:295:GLU:HG3	1.83	0.60
1:A:61:ARG:HD3	1:A:63:TRP:CD1	2.36	0.60
1:A:470:PRO:HB3	1:A:521:LEU:CD1	2.32	0.60
1:A:584:VAL:CG1	1:A:599:ALA:HB3	2.31	0.60
1:A:8:ARG:O	1:A:12:GLU:HG3	2.01	0.60
1:A:387:GLY:C	4:A:701:GLC:H62	2.23	0.59
1:A:442:ARG:HH11	1:A:442:ARG:HG2	1.67	0.58
1:A:85:VAL:HG23	1:A:564:HIS:CE1	2.38	0.58
1:A:470:PRO:HB3	1:A:521:LEU:HD11	1.86	0.58
1:A:60:SER:CB	1:A:61:ARG:HH11	2.13	0.57
1:A:61:ARG:NE	1:A:61:ARG:N	2.53	0.57
1:A:61:ARG:NE	1:A:61:ARG:O	2.37	0.57
1:A:444:GLU:HG2	1:A:445:GLU:HG2	1.86	0.56
1:A:574:LYS:CG	1:A:589:GLU:HB3	2.35	0.56
1:A:280:LYS:O	1:A:280:LYS:HE2	2.05	0.56
1:A:609:THR:HG21	1:A:636:GLN:HE21	1.70	0.56
1:A:360:ARG:O	1:A:364:GLU:HG2	2.06	0.55
1:A:513:LEU:HD23	1:A:517:THR:HG21	1.89	0.55
1:A:91:PRO:HG3	1:A:139:LEU:HD22	1.89	0.54
1:A:400:LYS:HE2	5:A:2089:HOH:O	2.08	0.54
1:A:60:SER:HB2	1:A:61:ARG:NH1	2.15	0.53
1:A:61:ARG:NH2	1:A:62:GLU:C	2.61	0.53
1:A:462:ALA:HB1	1:A:489:THR:HG22	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:281:ILE:HG13	1:A:282:LYS:N	2.22	0.53
1:A:576:GLU:OE2	1:A:578:LEU:HD21	2.08	0.52
1:A:413:ALA:HB2	1:A:429:TYR:CG	2.45	0.52
1:A:236:ARG:HH11	1:A:236:ARG:CB	2.16	0.52
1:A:281:ILE:CG2	1:A:295:GLU:HG3	2.40	0.52
1:A:607:GLU:OE2	1:A:623:LYS:HD2	2.09	0.52
1:A:517:THR:CG2	1:A:521:LEU:HD12	2.39	0.51
1:A:584:VAL:HG13	1:A:599:ALA:HB3	1.92	0.51
2:B:1:GLC:H61	2:B:2:GLC:H5	1.91	0.51
1:A:522:ARG:HG2	1:A:522:ARG:HH11	1.76	0.51
1:A:61:ARG:CD	1:A:65:TYR:OH	2.59	0.50
1:A:61:ARG:NH2	1:A:62:GLU:HA	2.27	0.50
1:A:26:TRP:CE2	1:A:125:LEU:HD21	2.46	0.50
1:A:480:LYS:NZ	5:A:2266:HOH:O	2.45	0.49
1:A:146:SER:HB2	1:A:208:ALA:HB1	1.93	0.49
1:A:413:ALA:HB2	1:A:429:TYR:CD2	2.48	0.49
2:B:1:GLC:H61	2:B:2:GLC:C5	2.43	0.49
1:A:521:LEU:O	1:A:524:VAL:HG13	2.12	0.49
1:A:203:ILE:HD12	1:A:203:ILE:N	2.27	0.48
1:A:433:LEU:HD12	1:A:461:LEU:HD12	1.95	0.48
1:A:429:TYR:HE1	4:A:701:GLC:HO6	1.58	0.48
1:A:493:PRO:O	1:A:494:ASN:HB2	2.14	0.48
1:A:480:LYS:HE3	5:A:2267:HOH:O	2.15	0.47
1:A:158:TYR:CZ	2:B:1:GLC:H2	2.50	0.47
1:A:402:VAL:HG23	1:A:403:LYS:N	2.29	0.47
1:A:517:THR:HG22	1:A:518:ASP:N	2.29	0.47
1:A:310:ASP:OD1	1:A:312:GLN:HG2	2.15	0.46
1:A:149:PHE:CD2	1:A:209:ARG:HG3	2.50	0.46
1:A:242:PHE:CE1	1:A:310:ASP:HA	2.51	0.46
1:A:453:ALA:HB3	1:A:493:PRO:HD2	1.98	0.46
1:A:176:GLU:HB3	5:A:2116:HOH:O	2.18	0.44
1:A:67:GLN:HB2	1:A:68:PRO:HD2	1.99	0.44
1:A:269:PRO:CB	1:A:271:ASN:HD21	2.30	0.44
1:A:328:PRO:HG2	1:A:331:SER:HB2	1.98	0.44
1:A:85:VAL:CG2	1:A:564:HIS:CE1	3.01	0.44
1:A:447:GLY:O	1:A:450:PRO:HD2	2.18	0.44
1:A:392:LYS:NZ	1:A:396:ASP:OD1	2.51	0.44
1:A:438:TYR:HE1	1:A:442:ARG:HH21	1.55	0.44
1:A:518:ASP:HA	1:A:519:PRO:HD3	1.93	0.43
1:A:61:ARG:CD	1:A:65:TYR:CZ	3.01	0.43
1:A:61:ARG:NH1	1:A:65:TYR:HE1	2.14	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:ARG:HD2	1:A:62:GLU:CA	2.49	0.43
1:A:280:LYS:HE2	1:A:280:LYS:C	2.39	0.43
1:A:61:ARG:HE	1:A:61:ARG:H	1.62	0.43
1:A:72:LEU:HD12	1:A:72:LEU:N	2.33	0.43
1:A:106:GLU:O	1:A:115:GLU:HB2	2.18	0.43
1:A:337:PRO:O	1:A:338:ASN:HB2	2.19	0.43
1:A:442:ARG:HB2	1:A:445:GLU:HB2	1.99	0.43
1:A:13:LYS:O	1:A:14:ALA:C	2.57	0.43
1:A:61:ARG:NE	1:A:65:TYR:CZ	2.85	0.43
1:A:518:ASP:OD2	1:A:520:ASN:HB2	2.19	0.43
1:A:607:GLU:HG2	1:A:608:ILE:N	2.33	0.43
1:A:61:ARG:NH2	1:A:62:GLU:CA	2.82	0.43
1:A:247:GLU:OE2	1:A:330:ALA:HB1	2.19	0.43
1:A:400:LYS:O	1:A:404:GLU:HB2	2.19	0.43
1:A:281:ILE:HA	1:A:284:GLU:OE2	2.20	0.42
2:B:1:GLC:C6	2:B:2:GLC:H5	2.49	0.42
1:A:371:PRO:HA	1:A:374:GLN:HE21	1.83	0.42
1:A:437:TRP:CD2	1:A:469:THR:HG21	2.54	0.42
1:A:205:ARG:O	1:A:205:ARG:HG3	2.20	0.42
1:A:327:HIS:O	1:A:332:LYS:HE3	2.20	0.42
1:A:202:PHE:CE1	1:A:370:ILE:HG12	2.55	0.42
1:A:470:PRO:HG2	1:A:475:ARG:CZ	2.49	0.42
1:A:81:ILE:HB	1:A:410:VAL:HG21	2.01	0.42
1:A:234:PRO:HA	1:A:235:PRO:HD2	1.93	0.42
1:A:370:ILE:HB	1:A:371:PRO:HD3	2.02	0.42
1:A:374:GLN:NE2	1:A:402:VAL:HG12	2.35	0.42
1:A:513:LEU:CD2	1:A:517:THR:HG21	2.50	0.41
1:A:577:ASN:HD22	1:A:578:LEU:N	2.18	0.41
1:A:176:GLU:CB	1:A:177:PRO:HD3	2.51	0.41
1:A:449:LEU:HD23	1:A:449:LEU:HA	1.88	0.41
1:A:2:LEU:HD12	1:A:185:LYS:HD3	2.03	0.41
1:A:65:TYR:CE1	1:A:193:ILE:HG12	2.56	0.41
1:A:614:TRP:CZ2	1:A:616:GLY:HA2	2.56	0.41
1:A:383:ARG:NH2	1:A:414:GLU:HG3	2.36	0.41
1:A:390:LEU:HA	1:A:391:PRO:HD3	1.95	0.41
1:A:484:LEU:C	1:A:484:LEU:HD23	2.41	0.41
1:A:454:GLU:OE2	1:A:454:GLU:HA	2.21	0.40
1:A:509:GLN:NE2	1:A:524:VAL:HG22	2.36	0.40
1:A:552:VAL:O	1:A:556:ILE:HG12	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:620:ASP:OD1	1:A:620:ASP:OD1[8_554]	1.51	0.69

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	634/637 (100%)	614 (97%)	20 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	566/567 (100%)	549 (97%)	17 (3%)	41 44

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	61	ARG
1	A	143	SER
1	A	176	GLU
1	A	203	ILE
1	A	236	ARG
1	A	275	PRO
1	A	280	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	285	GLU
1	A	359	ASN
1	A	395	LEU
1	A	548	PRO
1	A	564	HIS
1	A	577	ASN
1	A	581	LYS
1	A	589	GLU
1	A	600	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	67	GLN
1	A	271	ASN
1	A	327	HIS
1	A	359	ASN
1	A	374	GLN
1	A	500	ASN
1	A	509	GLN
1	A	554	ASN
1	A	564	HIS
1	A	577	ASN
1	A	591	ASN
1	A	600	ASN
1	A	636	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	B	1	2	12,12,12	0.53	0	17,17,17	0.56	0
2	GLC	B	2	2	11,11,12	0.77	0	15,15,17	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	B	1	2	-	2/2/22/22	0/1/1/1
2	GLC	B	2	2	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	1	GLC	O5-C5-C6-O6
2	B	1	GLC	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	2	GLC	3	0
2	B	1	GLC	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GLC	A	701	-	12,12,12	0.44	0	17,17,17	0.72	0
3	PO4	A	698	-	4,4,4	0.75	0	6,6,6	0.83	0
3	PO4	A	697	-	4,4,4	0.68	0	6,6,6	0.84	0
3	PO4	A	699	-	4,4,4	0.77	0	6,6,6	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GLC	A	701	-	-	2/2/22/22	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	701	GLC	O5-C5-C6-O6
4	A	701	GLC	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	701	GLC	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.