



Full wwPDB EM Validation Report ⓘ

Nov 18, 2024 – 07:03 PM JST

PDB ID : 5GM6
EMDB ID : EMD-9524
Title : Cryo-EM structure of the activated spliceosome (Bact complex) at 3.5 angstrom resolution
Authors : Yan, C.; Wan, R.; Bai, R.; Huang, G.; Shi, Y.
Deposited on : 2016-07-12
Resolution : 3.50 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2287	
2	B	2163	
3	C	1008	
4	D	214	
5	E	112	
6	F	1361	
7	H	436	
8	I	266	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	J	107	
10	K	85	
11	L	1175	
12	N	25	
13	M	61	
14	O	451	
15	P	379	
16	Q	364	
17	R	339	
18	S	175	
19	T	157	
20	U	207	
21	V	148	
22	W	266	
23	Y	876	
24	Z	577	
25	a	259	
26	b	301	
27	c	587	
28	G	971	
29	d	687	
30	X	135	
31	v	859	
32	e	213	
33	f	215	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	o	503	
34	p	503	
34	q	503	
34	r	503	
35	t	175	
36	n	455	
37	k	196	
38	i	94	
39	h	86	
40	j	77	
41	l	101	
42	m	146	
43	g	94	

2 Entry composition i

There are 47 unique types of molecules in this entry. The entry contains 112064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pre-mRNA-splicing factor 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	2200	18101	11636	3086	3315	64	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	127	ALA	-	insertion	UNP P33334

- Molecule 2 is a protein called Pre-mRNA-splicing helicase BRR2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	1809	14504	9283	2414	2750	57	0	0

- Molecule 3 is a protein called Pre-mRNA-splicing factor SNU114.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	878	7014	4526	1166	1293	29	0	0

- Molecule 4 is a RNA chain called Saccharomyces cerevisiae strain CDRDR_sf_H chromosome VII sequence.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	D	117	2465	1104	414	830	117	0	0

- Molecule 5 is a RNA chain called Saccharomyces cerevisiae strain T.52_2H chromosome XII sequence.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
5	E	103	2192	982	391	716	103	0	0

- Molecule 6 is a protein called Pre-mRNA-splicing factor RSE1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	1180	9380	5996	1580	1753	51	0	0

- Molecule 7 is a protein called Cold sensitive U2 snRNA suppressor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	H	151	1248	804	217	221	6	0	0

- Molecule 8 is a protein called Pre-mRNA-splicing factor PRP11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	I	102	800	495	150	150	5	0	0

- Molecule 9 is a protein called Pre-mRNA-splicing factor RDS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	J	103	814	503	154	143	14	0	0

- Molecule 10 is a protein called RDS3 complex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	K	84	693	429	130	132	2	0	0

- Molecule 11 is a RNA chain called U2 snRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
11	L	66	1388	622	228	472	66	0	0

- Molecule 12 is a RNA chain called Pre-mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
12	N	25	521	234	77	185	25	0	0

- Molecule 13 is a RNA chain called Pre-mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
13	M	50	1057	479	191	338	49	0	0

- Molecule 14 is a protein called Pre-mRNA-splicing factor PRP46.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	O	337	2646	1669	466	501	10	0	0

- Molecule 15 is a protein called Pre-mRNA-processing protein 45.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	P	246	1978	1233	359	380	6	0	0

- Molecule 16 is a protein called Pre-mRNA-splicing factor SLT11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	Q	185	1472	930	256	271	15	0	0

- Molecule 17 is a protein called Pre-mRNA-splicing factor CWC2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	R	261	2089	1320	369	388	12	0	0

- Molecule 18 is a protein called Pre-mRNA-splicing factor CWC15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	S	71	578	361	117	99	1	0	0

- Molecule 19 is a protein called Pre-mRNA-splicing factor BUD31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	T	157	1291	808	240	232	11	0	0

- Molecule 20 is a protein called Pre-mRNA leakage protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	U	176	1401	877	237	277	10	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
U	205	HIS	-	insertion	UNP Q07930
U	206	HIS	-	insertion	UNP Q07930
U	207	HIS	-	insertion	UNP Q07930

- Molecule 21 is a protein called U2 snRNP component IST3.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
21	V	128	1051	662	181	208	0	0

- Molecule 22 is a protein called Pre-mRNA-splicing factor CWC26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	W	104	842	528	145	167	2	0	0

- Molecule 23 is a protein called Pre-mRNA-splicing factor ATP-dependent RNA helicase-like protein PRP2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	Y	598	4047	2590	690	752	15	0	0

- Molecule 24 is a protein called Pre-mRNA-splicing factor CWC22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	Z	447	3651	2343	602	688	18	0	0

- Molecule 25 is a protein called Pre-mRNA-splicing factor CWC24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	a	123	988	621	171	183	13	0	0

- Molecule 26 is a protein called Peptidyl-prolyl isomerase CWC27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	b	150	1224	789	206	223	6	0	0

- Molecule 27 is a protein called Pre-mRNA-splicing factor CEF1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	c	415	2803	1741	518	537	7	0	0

- Molecule 28 is a protein called U2 snRNP component HSH155.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	G	875	6970	4467	1196	1265	42	0	0

- Molecule 29 is a protein called Pre-mRNA-splicing factor CLF1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	d	545	3558	2212	671	667	8	0	0

- Molecule 30 is a protein called Pre-mRNA-splicing factor CWC21.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
30	X	27	190	112	38	40	0	0

- Molecule 31 is a protein called Pre-mRNA-splicing factor SYF1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	v	566	3047	1871	576	599	1	0	0

- Molecule 32 is a protein called Protein HSH49.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	e	149	947	617	154	174	2	0	0

- Molecule 33 is a protein called Pre-mRNA-splicing factor SYF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	f	102	Total	C	N	O	S	0	0
			822	504	152	165	1		

- Molecule 34 is a protein called Pre-mRNA-processing factor 19.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	o	124	Total	C	N	O	S	0	0
			819	518	132	167	2		
34	p	128	Total	C	N	O	S	0	0
			843	533	136	172	2		
34	q	381	Total	C	N	O	S	0	0
			2315	1456	396	455	8		
34	r	125	Total	C	N	O	S	0	0
			823	521	133	167	2		

- Molecule 35 is a protein called Pre-mRNA-splicing factor SNT309.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	t	155	Total	C	N	O	S	0	0
			921	582	159	179	1		

- Molecule 36 is a protein called Pre-mRNA-processing factor 17.

Mol	Chain	Residues	Atoms				AltConf	Trace
36	n	23	Total	C	N	O	0	0
			195	122	41	32		

- Molecule 37 is a protein called Small nuclear ribonucleoprotein-associated protein B.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	k	80	Total	C	N	O	S	0	0
			631	403	114	111	3		

- Molecule 38 is a protein called Small nuclear ribonucleoprotein E.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	i	75	Total	C	N	O	S	0	0
			575	379	92	101	3		

- Molecule 39 is a protein called Small nuclear ribonucleoprotein F.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	h	70	554	355	98	100	1	0	0

- Molecule 40 is a protein called Small nuclear ribonucleoprotein G.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	j	69	529	337	93	97	2	0	0

- Molecule 41 is a protein called Small nuclear ribonucleoprotein Sm D3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	l	82	625	399	109	115	2	0	0


- Molecule 42 is a protein called Small nuclear ribonucleoprotein Sm D1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	m	82	644	409	110	123	2	0	0

- Molecule 43 is a protein called Small nuclear ribonucleoprotein Sm D2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	g	94	741	477	141	119	4	0	0

- Molecule 44 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms					AltConf
44	C	1	Total	C	N	O	P	0
			32	10	5	14	3	


- Molecule 45 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
45	E	4	Total	Mg	0
			4	4	
45	Y	1	Total	Mg	0
			1	1	

- Molecule 46 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
46	I	1	Total	Zn	0
			1	1	
46	J	3	Total	Zn	0
			3	3	
46	Q	2	Total	Zn	0
			2	2	
46	R	1	Total	Zn	0
			1	1	
46	T	3	Total	Zn	0
			3	3	
46	a	3	Total	Zn	0
			3	3	

- Molecule 47 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
47	Y	1	27	10	5	10	2	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pre-mRNA-splicing factor 8



F1416	F1417	F1418	F1419	F1420	F1421	F1422	F1423	F1424	F1425	F1426	F1427	F1428	F1429	F1430	F1431	F1432	F1433	F1434	F1435	F1436	F1437	F1438	F1439	F1440	F1441	F1442	F1443	F1444	F1445	F1446	F1447	F1448	F1449	F1450	F1451	F1452	F1453	F1454	F1455	F1456	F1457	F1458	F1459	F1460	F1461	F1462	F1463	F1464	F1465	F1466	F1467	F1468	F1469	F1470	F1471	F1472	F1473	F1474	F1475																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
H1476	H1477	E1478	I1479	S1480	Q1481	G1482	V1483	Y1484	G1485	A1486	V1487	Y1488	E1489	T1490	L1491	I1492	S1493	R1494	M1495	I1496	F1497	I1498	L1499	T1500	Q1501	L1502	S1503	H1504	K1505	I1506	R1507	F1508	V1509	C1510	L1511	S1512	N1513	C1514	L1515	A1516	N1517	A1518	R1519	D1520	F1521	G1522	E1523	W1524	A1525	M1526	M1527	I1528	K1529	S1530	N1531	L1532	I1533	N1534	S1535	E1536	F1537	G1538	G1539	G1540	G1541	G1542	G1543	G1544	G1545	G1546	G1547	G1548	G1549	G1550	G1551	G1552	G1553	G1554	G1555	H1556	F1557	M1558	S1559	F1560	L1561	I1562	E1563	L1564	T1565	M1566	A1567	F1568	E1569	A1570	S1571	A1572	A1573	A1574	A1575	G1576	N1577	R1578	N1579	S1580	S1581	S1582	F1583	L1584	L1585	F1586	S1587	K1588	D1589	E1590	I1591	V1592	I1593	L1594	A1595	S1596	A1597	F1598	M1599	K1600	F1601	S1602	K1603	A1604	I1605	E1606	V1607	D1608	M1609	L1610	M1611	V1612	E1613	E1614	E1615	Q1616	I1617	V1618	F1619	Y1620	I1621	E1622	K1623	L1624	T1625	Q1626	G1627	H1628	L1629	R1630	A1631	P1632	L1633	G1636	V1637	G1638	I1639	L1640	Y1641	K1642	G1643	M1644	E1645	S1646	M1647	F1648	E1649	K1650	I1651	V1652	K1653	R1654	L1655	I1656	Y1657	Y1658	F1659	A1660	V1661	S1662	V1663	L1664	L1665	I1666	S1667	K1668	D1669	C1670	S1671	A1672	F1673	A1674	C1675	E1676	T1677	E1678	E1679	V1680	I1681	I1682	L1683	L1687	Y1688	D1689	G1690	A1691	E1692	H1693	K1694	Y1698	T1699	I1700	N1701	E1702	L1703	L1704	E1705	M1706	V1707	G1708	A1710	S1711	G1712	N1713	D1714	S1715	M1716	A1717	G1718	K1719	V1720	L1721	I1722	L1723	T1724	M1727	M1730	K1734	F1735	L1736	I1737	E1738	P1739	L1740	Y1745	L1746	Q1747	Y1748	I1749	I1750	H1751	D1752	L1753	L1754	N1755	M1756	E1757	I1758	M1760	S1761	I1762	A1763	Q1764	S1765	K1766	Q1767	D1768	C1769	V1770	D1771	W1772	F1773	L1774	I1775	S1776	Y1777	M1780	R1781	Y1784	G1790	V1791	R1792	D1793	T1794	S1795	P1796	H1797	G1798	I1799	F1802	L1803	S1804	M1805	L1806	L1807	E1808	T1809	L1810	L1811	M1812	D1813	L1814	L1815	E1816	S1817	L1818	F1819	L1820	E1821	L1822	D1823	L1824	L1825	GLU	ALA	GLU	VAL	THR	ALA	GLU	VAL	ASN	GLY	ASP	ASP	GLU	ALA	T1841	E1842	I1843	I1844	S1845	T1846	L1847	S1848	N1849	G1850	L1851	L1852	A1853	S1854	Y1856	G1857	S1858	F1860	F1861	I1862	L1863	Q1864	S1865	F1866	V1867	S1868	S1869	L1870	S1871	N1872	L1873	S1874	T1875	L1876	K1877	N1878	M1879	L1880	Y1881	V1882	L1883	S1884	T1885	A1886	V1887	E1888	F1889	E1890	S1891	V1892	P1893	L1894	R1895	K1896	G1897	D1898	R1899	A1900	L1901	L1902	V1903	K1904	L1905	S1906	K1907	R1908	L1909	P1910	L1911	R1912	F1913	P1914	E1915	H1916	T1917	S1918	S1919	G1920	S1921	S1922	S1923	F1924	K1925	V1926	F1927	L1928	L1929	L1930	Q1931	A1932	Y1933	F1934	S1935	R1936	L1937	E1938	L1939	P1940	V1941	D1942	F1943	Q1944	N1945	D1946	L1947	K1948	L1949	I1950	L1951	E1952	K1953	V1954	V1955	T2015	V2016	L1957	I1958	N1959	I2019	M2020	A2021	L2022	E2023	D2024	L1965	S1966	A1967	N1968	G1969	Y1970	L1971	N1972	A1973	T1974	L1975	A1976	M1977	D1978	A1980	Q1981	M1982	L1983	I1984	Q1985	G1986	V1987	N1988	D1989	V1990	D1991	N1992	P1993	L1994	R1995	Q1996	I1997	P1998	H1999	F2000	M2001	M2002	K2003	L2004	L2005	E2006	K2007	C2008	K2009	Q2009	E2010	I2011	M2012	V2013	E2014	Q2074	T2015	L2075	T2076	R2077	D2018	I2019	E2080	P2081	I2082	M2083	L2084	Q2085	V2086	R2027	T2087	S2088	E2089	L2150	D2151	A2152	D2153	K2154	E2155	L2096	Q2037	L2038	A2039	Q2040	V2041	A2042	A2043	F2044	V2045	N2046	M2047	Y2048	P2049	N2050	V2051	E2052	L2053	T2054	Y2055	S2056	L2057	N2058	M2059	S2060	D2061	S2062	L2063	L2064	S2065	G2066	V2067	K2068	Q2069	E2129	F2130	D2131	T2132	P2133	L2134	S2135	G2136	K2137	H2138	N2139	L2140	T2141	I2142	W2143	C2144	C2146	D2147	S2148	Y2149	L2150	D2151	A2152	D2153	K2154	E2155	L2156	S2157	F2158	E2159	I2160	N2161	V2162	K2163



• Molecule 7: Cold sensitive U2 snRNA suppressor 1




• Molecule 8: Pre-mRNA-splicing factor PRP11





```
A U A A G G G A U A A G C C U U U G G C C C C C C C C C A A U G U A U U G C C C U U U G G A A G
U G U C C C U C C G U G G U C C U U G G U U A C U D U G G U C C U U C C U U U G G U U G A A G
A A C C G U C C C U G G U C C U U U G C C U U U A C C A A U U U U C C A A U U G U U U C C U U C C A
U U G A G G A G A G A A G G C U U U U A C C U U U C U C U U C U U C U U U G A A G U U U C C U
G U G U U U G G U G A A A U A C C U G U C C U G G A G A G C G A G G U U U A A G G
C G U U U U G C C U U G G A G G A A A G A G G A G G A A A A G U U U C C A A G A U U U U
A A C C G C C C C A A U G U U C A A U A G A G A G C C U U U U G G U U U U U G G C C A
A G A A A A C C G C G A A C C U U U G U U G G U G U U U G A C C U U G U U U G C C C
U U G U U G G A G U G A C C U U U G G U U G A C C U U U U G U U U U G C C U U U U C
```


- Molecule 12: Pre-mRNA



- Molecule 13: Pre-mRNA



- Molecule 14: Pre-mRNA-splicing factor PRP46



- Molecule 15: Pre-mRNA-processing protein 45

SER	VAL	ASP	ASN	VAL	LYS	LYS	ARG	LEU	LEU	PRO	PRO	LEU	ASP	ASP	ASN	GLY	MET	GLU	SER	SER	ASP	ASP	PHE	ILE	GLU	GLY	LYS	LYS	LYS	LYS	VAL	VAL	LYS	LYS	ASN	ASN	ILE	SER	SER	ARG	GLU	GLU	ASN	ASN	ILE	SER	SER	SER	PRO	VAL	LYS	LYS	GLY	LEU	GLY	GLY	GLY	GLY	PRO	LEU	LEU	LEU	ASP	ASP	TYR	SER	SER	ASP	ASP	GLU	GLU	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

● Molecule 18: Pre-mRNA-splicing factor CWC15



MET	THR	T3	S4	H5	R6	Q7	P8	L9	E10	A11	R12	S13	G14	A15	K16	A17	A18	A19	Y20	T21	P22	T23	R40	K41	PHE	LYS	GLU	GLU	GLU	GLU	ASN	ILE	SER	SER	SER	ARG	GLU	GLU	LEU	LEU	LEU	ASN	LEU	ARG	ALA	ASN	CYS	GLN	ALA	GLY	GLY	GLY	GLY	ASN	SER	SER	PRO	ASP	ASP	LEU	LEU	ASP	LEU	GLU	GLU	ALA	VAL	VAL	MET	ASN	SER	GLU	GLU	GLN	GLN	ASP	VAL
-----	-----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

VAL	GLY	SER	GLY	ASN	THR	LEU	GLN	LEU	THR	ARG	GLU	LEU	GLU	ASP	LYS	GLN	GLY	SER	SER	ASP	LEU	LEU	GLN	GLU	ASP	LYS	ALA	GLU	LEU	GLY	ASN	GLY	LEU	GLU	ASN	GLN	LEU	LEU	LEU	LEU	VAL	VAL	ASP	GLU	ASP	ASP	ASP	ARG	R125	S126	G130	T131	A132	F133	G134	R135	HIS	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	-----	-----


VAL	THR	LYS	GLU	THR	ASN	ILE	LYS	THR	ALA	HIS	THR	LYS	LYS	SER	ALA	SER	SER	SER	GLN	GLY	GLY	ASP	G155	Y156	I157	M158	D159	M160	T161	K162	S163	E164	Y165	H166	Q167	E168	F169	L170	H171	K172	H173	V174	R175
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

● Molecule 19: Pre-mRNA-splicing factor BUD31




M1	P2	K5	R8	D14	K37	Q54	D76	C104	T119	C122	R123	R126	K136	G137	T138	Q139	V140	C148	D157
----	----	----	----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------

● Molecule 20: Pre-mRNA leakage protein 1




MET	PHE	HIS	ARG	ARG	LYS	PRO	TYR	ASN	THR	THR	ASN	ARG	TYR	HIS	HIS	ASP	ASP	LYS	LYS	PHE	K22	S23	Q24	Y25	I26	D27	I28	L38	F39	L40	E41	S42	N43	N44	K45	E46	G47	I48	A49	L50	K51	H52	V53	Q56	D57	N63	Y64	M65	D66	M67	L68	G69	L70	E71	A72	R73
D74	R75	T76	M77	Y78	E79	L80	Y83	R84	K85	M86	D87	K88	D89	K90	G91	P92	W93	K94	R95	Y96	D97	L98	L105	R108	E109	L110	G111	H112	SER	LEU	ASP	THR	ASP	LEU	ASP	ASP	ASP	ARG	T122	E123	I124	V125	V126	A127	D128	I129	G130	I131	E134	S137	K138	R149	D158			
L159	D160	S161	S162	M163	G164	T165	C166	M168	M169	V170	V171	I172	P173	G174	I178	E179	L180	R181	S182	G183	D184	V185	L186	T187	L188	S189	E190	F191	E192	E193	D194	M195	D196	Y197	E198	F201	M202	N203	V204	H205	H206	HIS														


● Molecule 21: U2 snRNP component IST3




MET	M2	K3	Q6	L17	S18	E66	L87	R110	E124	D127	R128	D129	ILE	VAL	SER	LYS	ASN	ASN	ALA	ALA	GLU	LYS	LEU	ILE	LEU	ALA	LYS	LYS	ASP	GLN	PRO	ASN
-----	----	----	----	-----	-----	-----	-----	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----


● Molecule 22: Pre-mRNA-splicing factor CWC26







● Molecule 23: Pre-mRNA-splicing factor ATP-dependent RNA helicase-like protein PRP2






• Molecule 24: Pre-mRNA-splicing factor CWC22




• Molecule 25: Pre-mRNA-splicing factor CWC24







• Molecule 26: Peptidyl-prolyl isomerase CWC27




• Molecule 27: Pre-mRNA-splicing factor CEF1






• Molecule 28: U2 snRNP component HSH155


Chain G:




• Molecule 29: Pre-mRNA-splicing factor CLF1

Chain d:







● Molecule 33: Pre-mRNA-splicing factor SYF2





● Molecule 34: Pre-mRNA-processing factor 19









- Molecule 38: Small nuclear ribonucleoprotein E




- Molecule 39: Small nuclear ribonucleoprotein F




- Molecule 40: Small nuclear ribonucleoprotein G





- Molecule 41: Small nuclear ribonucleoprotein Sm D3







• Molecule 42: Small nuclear ribonucleoprotein Sm D1



• Molecule 43: Small nuclear ribonucleoprotein Sm D2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	77312	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	4.7	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.285	Depositor
Minimum map value	-0.174	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.0405	Depositor
Map size (Å)	522.4, 522.4, 522.4	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.3060001, 1.3060001, 1.3060001	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN, GTP, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.77	7/18560 (0.0%)	0.79	16/25158 (0.1%)
2	B	0.35	0/14812	0.48	0/20077
3	C	0.51	0/7162	0.65	2/9698 (0.0%)
4	D	0.63	0/2747	0.76	0/4267
5	E	0.63	0/2452	0.78	0/3817
6	F	0.76	5/9564 (0.1%)	0.84	7/12963 (0.1%)
7	H	0.72	0/1281	0.84	0/1727
8	I	0.77	0/812	0.92	3/1081 (0.3%)
9	J	0.81	0/827	0.85	0/1105
10	K	0.81	0/702	0.85	0/939
11	L	0.59	0/1547	0.78	0/2404
12	N	0.55	0/579	0.82	0/897
13	M	0.62	2/1183 (0.2%)	0.93	2/1833 (0.1%)
14	O	0.72	0/2704	0.77	1/3676 (0.0%)
15	P	0.52	0/2008	0.66	1/2703 (0.0%)
16	Q	0.45	1/1496 (0.1%)	0.63	0/2014
17	R	0.50	0/2135	0.63	2/2871 (0.1%)
18	S	0.42	0/592	0.60	0/790
19	T	0.63	1/1315 (0.1%)	0.73	1/1759 (0.1%)
20	U	0.32	0/1424	0.52	0/1922
21	V	0.66	0/1071	0.73	1/1445 (0.1%)
22	W	0.61	0/856	0.73	1/1149 (0.1%)
23	Y	0.34	0/4085	0.50	1/5499 (0.0%)
24	Z	0.59	0/3712	0.76	4/5004 (0.1%)
25	a	0.60	0/1010	0.68	0/1351
26	b	0.38	0/1252	0.54	0/1692
27	c	0.54	0/2237	0.63	1/2995 (0.0%)
28	G	0.72	0/7104	0.81	3/9632 (0.0%)
29	d	0.42	0/2075	0.55	1/2808 (0.0%)
30	X	0.57	0/191	0.75	0/254
31	v	0.41	0/899	0.54	0/1206
32	e	0.47	0/954	0.74	0/1285

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	f	0.43	0/826	0.59	1/1097 (0.1%)
34	o	0.40	0/824	0.52	0/1111
34	p	0.40	0/848	0.55	0/1143
34	q	0.44	0/2312	0.65	0/3097
34	r	0.39	0/828	0.54	1/1117 (0.1%)
35	t	0.42	0/919	0.56	2/1237 (0.2%)
36	n	0.48	0/200	0.71	0/264
37	k	0.37	0/636	0.61	0/856
38	i	0.42	0/585	0.62	0/795
39	h	0.44	0/564	0.65	1/761 (0.1%)
40	j	0.37	0/532	0.60	0/715
41	l	0.40	0/634	0.70	0/859
42	m	0.41	0/649	0.61	0/880
43	g	0.45	0/753	0.69	2/1013 (0.2%)
All	All	0.60	16/110458 (0.0%)	0.70	54/150966 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
2	B	0	2
3	C	0	5
6	F	0	13
7	H	0	6
8	I	0	3
14	O	0	6
15	P	0	1
16	Q	0	2
19	T	0	2
20	U	0	2
24	Z	0	4
28	G	0	3
29	d	0	1
33	f	0	1
36	n	0	2
40	j	0	1
41	l	0	2
43	g	0	2
All	All	0	64

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	M	468	A	N9-C4	-7.77	1.33	1.37
13	M	468	A	C3'-O3'	6.84	1.51	1.42
1	A	1265	PHE	CG-CD1	-6.29	1.29	1.38
6	F	830	TYR	CG-CD2	-6.15	1.31	1.39
1	A	753	TYR	CE1-CZ	-6.00	1.30	1.38
1	A	1335	TRP	CG-CD1	5.94	1.45	1.36
6	F	71	PHE	CG-CD1	-5.93	1.29	1.38
19	T	148	CYS	CB-SG	-5.92	1.72	1.81
1	A	1609	TRP	CB-CG	-5.78	1.39	1.50
6	F	836	TRP	CB-CG	-5.65	1.40	1.50
1	A	298	TYR	CG-CD2	-5.48	1.32	1.39
6	F	1226	GLY	CA-C	-5.46	1.43	1.51
16	Q	215	PRO	N-CD	5.35	1.55	1.47
1	A	708	TRP	CG-CD1	-5.07	1.29	1.36
1	A	1542	TYR	CG-CD2	-5.06	1.32	1.39
6	F	1228	PHE	CG-CD1	-5.05	1.31	1.38

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	I	55	ASN	C-N-CD	-15.28	86.99	120.60
13	M	468	A	C2'-C3'-O3'	9.32	130.00	109.50
13	M	468	A	C4'-C3'-O3'	-9.29	89.89	109.40
1	A	737	ARG	NE-CZ-NH2	-7.86	116.37	120.30
24	Z	397	LEU	C-N-CD	-7.43	104.25	120.60
1	A	1405	ILE	CG1-CB-CG2	-6.74	96.58	111.40
6	F	1124	LEU	CB-CG-CD1	6.63	122.27	111.00
17	R	218	GLY	N-CA-C	6.41	129.12	113.10
28	G	680	PRO	C-N-CD	-6.34	106.64	120.60
24	Z	42	ARG	NE-CZ-NH2	6.09	123.34	120.30
28	G	689	LEU	CB-CG-CD2	-6.08	100.66	111.00
27	c	93	ARG	NE-CZ-NH2	-6.04	117.28	120.30
6	F	179	LEU	CA-CB-CG	5.88	128.84	115.30
1	A	399	ARG	NE-CZ-NH1	5.78	123.19	120.30
1	A	1317	ARG	NE-CZ-NH2	-5.77	117.41	120.30
1	A	1159	ARG	NE-CZ-NH2	-5.77	117.41	120.30
35	t	105	PRO	CA-CB-CG	5.76	115.75	104.80
3	C	461	LYS	N-CA-CB	5.76	120.96	110.60
6	F	839	ARG	NE-CZ-NH1	-5.73	117.43	120.30
1	A	1440	ILE	CG1-CB-CG2	-5.71	98.84	111.40
14	O	193	ARG	NE-CZ-NH2	-5.63	117.49	120.30
6	F	1130	ILE	CG1-CB-CG2	-5.59	99.11	111.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	G	888	ILE	CG1-CB-CG2	-5.57	99.15	111.40
43	g	81	GLY	CA-C-N	-5.55	104.98	117.20
15	P	318	ARG	NE-CZ-NH1	5.55	123.07	120.30
22	W	197	PHE	CB-CG-CD1	-5.54	116.93	120.80
1	A	1816	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	A	1816	ARG	NE-CZ-NH2	-5.50	117.55	120.30
3	C	464	PRO	N-CA-CB	5.49	109.89	103.30
1	A	716	ARG	NE-CZ-NH1	5.48	123.04	120.30
21	V	87	LEU	CB-CG-CD2	-5.46	101.71	111.00
1	A	614	ARG	NE-CZ-NH1	5.46	123.03	120.30
19	T	123	ARG	NE-CZ-NH2	-5.41	117.60	120.30
35	t	77	PRO	CA-CB-CG	5.34	114.94	104.80
24	Z	62	ASP	CB-CG-OD1	5.32	123.08	118.30
1	A	716	ARG	NE-CZ-NH2	-5.26	117.67	120.30
1	A	831	ARG	NE-CZ-NH1	5.26	122.93	120.30
34	r	62	LEU	CA-CB-CG	-5.23	103.26	115.30
1	A	1825	ILE	CG1-CB-CG2	-5.19	99.97	111.40
6	F	1357	ARG	NE-CZ-NH1	-5.19	117.70	120.30
23	Y	411	LEU	CA-CB-CG	-5.16	103.44	115.30
8	I	15	GLY	N-CA-C	5.15	125.98	113.10
6	F	1041	LEU	CB-CG-CD1	-5.13	102.27	111.00
39	h	74	ARG	NE-CZ-NH1	5.13	122.86	120.30
6	F	240	MET	CA-CB-CG	5.12	122.00	113.30
24	Z	108	ARG	NE-CZ-NH2	5.12	122.86	120.30
17	R	217	GLU	N-CA-C	5.11	124.79	111.00
1	A	1342	LEU	CB-CG-CD2	-5.09	102.35	111.00
43	g	82	LYS	N-CA-C	5.08	124.71	111.00
8	I	33	LEU	CB-CG-CD1	-5.04	102.44	111.00
33	f	109	LEU	CB-CG-CD2	-5.01	102.48	111.00
1	A	1382	ARG	NE-CZ-NH2	-5.01	117.80	120.30
29	d	119	ARG	NE-CZ-NH1	5.01	122.80	120.30
1	A	1426	ARG	NE-CZ-NH2	-5.00	117.80	120.30

There are no chirality outliers.

All (64) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1014	LYS	Peptide
1	A	1418	THR	Peptide
1	A	239	PHE	Mainchain,Peptide
1	A	539	PRO	Peptide
1	A	772	GLU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	B	696	SER	Peptide
2	B	904	GLN	Peptide
3	C	460	GLY	Mainchain,Peptide
3	C	534	THR	Peptide
3	C	70	TYR	Peptide
3	C	951	ILE	Peptide
6	F	1012	LYS	Mainchain,Peptide
6	F	1014	LYS	Mainchain,Peptide
6	F	1183	CYS	Mainchain,Peptide
6	F	185	ARG	Peptide
6	F	206	SER	Peptide
6	F	666	LEU	Peptide
6	F	667	THR	Mainchain,Peptide
6	F	855	ALA	Mainchain,Peptide
28	G	389	GLY	Peptide
28	G	680	PRO	Mainchain,Peptide
7	H	184	SER	Peptide
7	H	185	GLY	Peptide
7	H	212	LEU	Mainchain,Peptide
7	H	234	GLN	Mainchain,Peptide
8	I	13	GLY	Peptide
8	I	14	GLY	Peptide
8	I	15	GLY	Peptide
14	O	123	PRO	Peptide
14	O	278	ASP	Peptide
14	O	351	GLY	Mainchain,Peptide
14	O	437	GLU	Peptide
14	O	441	ALA	Peptide
15	P	85	SER	Peptide
16	Q	103	GLU	Peptide
16	Q	291	ILE	Peptide
19	T	104	CYS	Peptide
19	T	140	VAL	Peptide
20	U	44	ASN	Peptide
20	U	71	GLU	Peptide
24	Z	219	SER	Peptide
24	Z	232	GLU	Peptide
24	Z	397	LEU	Mainchain,Peptide
29	d	237	ILE	Peptide
33	f	92	ARG	Peptide
43	g	81	GLY	Mainchain,Peptide
40	j	41	ASP	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
41	l	81	ALA	Mainchain,Peptide
36	n	67	GLY	Mainchain,Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	2192/2287 (96%)	2037 (93%)	134 (6%)	21 (1%)	13	46
2	B	1803/2163 (83%)	1687 (94%)	112 (6%)	4 (0%)	44	75
3	C	872/1008 (86%)	800 (92%)	62 (7%)	10 (1%)	12	45
6	F	1164/1361 (86%)	1042 (90%)	110 (10%)	12 (1%)	13	46
7	H	147/436 (34%)	139 (95%)	6 (4%)	2 (1%)	9	40
8	I	98/266 (37%)	87 (89%)	9 (9%)	2 (2%)	6	33
9	J	101/107 (94%)	87 (86%)	14 (14%)	0	100	100
10	K	82/85 (96%)	78 (95%)	3 (4%)	1 (1%)	11	43
14	O	335/451 (74%)	302 (90%)	26 (8%)	7 (2%)	5	32
15	P	236/379 (62%)	209 (89%)	23 (10%)	4 (2%)	7	36
16	Q	177/364 (49%)	157 (89%)	16 (9%)	4 (2%)	5	31
17	R	259/339 (76%)	238 (92%)	18 (7%)	3 (1%)	11	43
18	S	65/175 (37%)	53 (82%)	9 (14%)	3 (5%)	2	18
19	T	155/157 (99%)	139 (90%)	13 (8%)	3 (2%)	6	34
20	U	172/207 (83%)	162 (94%)	9 (5%)	1 (1%)	22	56
21	V	126/148 (85%)	118 (94%)	6 (5%)	2 (2%)	8	38
22	W	98/266 (37%)	89 (91%)	6 (6%)	3 (3%)	3	26

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
23	Y	570/876 (65%)	548 (96%)	21 (4%)	1 (0%)	44	75
24	Z	443/577 (77%)	399 (90%)	32 (7%)	12 (3%)	4	28
25	a	119/259 (46%)	104 (87%)	13 (11%)	2 (2%)	7	36
26	b	146/301 (48%)	134 (92%)	9 (6%)	3 (2%)	5	32
27	c	291/587 (50%)	276 (95%)	9 (3%)	6 (2%)	5	32
28	G	871/971 (90%)	820 (94%)	41 (5%)	10 (1%)	12	45
29	d	234/687 (34%)	214 (92%)	19 (8%)	1 (0%)	30	64
30	X	25/135 (18%)	20 (80%)	5 (20%)	0	100	100
31	v	120/859 (14%)	110 (92%)	5 (4%)	5 (4%)	2	19
32	e	141/213 (66%)	114 (81%)	16 (11%)	11 (8%)	1	8
33	f	98/215 (46%)	95 (97%)	3 (3%)	0	100	100
34	o	118/503 (24%)	113 (96%)	4 (3%)	1 (1%)	16	51
34	p	122/503 (24%)	116 (95%)	6 (5%)	0	100	100
34	q	349/503 (69%)	321 (92%)	16 (5%)	12 (3%)	3	24
34	r	119/503 (24%)	111 (93%)	5 (4%)	3 (2%)	4	29
35	t	149/175 (85%)	133 (89%)	13 (9%)	3 (2%)	6	33
36	n	21/455 (5%)	19 (90%)	1 (5%)	1 (5%)	2	17
37	k	76/196 (39%)	69 (91%)	7 (9%)	0	100	100
38	i	71/94 (76%)	65 (92%)	6 (8%)	0	100	100
39	h	66/86 (77%)	61 (92%)	4 (6%)	1 (2%)	8	39
40	j	65/77 (84%)	64 (98%)	1 (2%)	0	100	100
41	l	80/101 (79%)	70 (88%)	9 (11%)	1 (1%)	10	41
42	m	78/146 (53%)	74 (95%)	4 (5%)	0	100	100
43	g	92/94 (98%)	85 (92%)	6 (6%)	1 (1%)	12	45
All	All	12546/19315 (65%)	11559 (92%)	831 (7%)	156 (1%)	14	43

All (156) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	265	ASN
1	A	1376	ASN
1	A	1405	ILE
1	A	1829	SER
1	A	1830	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1847	ASP
1	A	2288	CYS
2	B	696	SER
2	B	697	SER
2	B	905	GLN
3	C	364	PHE
3	C	602	VAL
6	F	363	VAL
6	F	413	ILE
6	F	1299	ILE
8	I	55	ASN
8	I	56	PRO
16	Q	99	VAL
18	S	7	PRO
19	T	140	VAL
21	V	17	LEU
22	W	172	ILE
22	W	191	GLU
25	a	139	PHE
26	b	167	ILE
27	c	204	LYS
28	G	57	VAL
28	G	386	TYR
28	G	681	PRO
28	G	830	MET
28	G	831	SER
28	G	835	ILE
28	G	836	TYR
31	v	616	PRO
32	e	83	VAL
32	e	117	ASP
32	e	144	SER
32	e	148	LEU
32	e	170	ASN
34	q	53	ILE
34	q	77	ILE
34	q	172	PRO
34	q	174	TRP
34	q	239	PRO
34	q	246	PRO
34	q	362	PRO
34	q	442	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
34	r	64	GLU
35	t	77	PRO
1	A	1323	SER
1	A	1746	HIS
3	C	460	GLY
6	F	961	CYS
16	Q	255	SER
17	R	44	ASN
17	R	146	LEU
17	R	218	GLY
20	U	52	HIS
22	W	230	SER
24	Z	69	ASN
24	Z	206	LYS
24	Z	234	GLU
24	Z	235	ALA
24	Z	398	PRO
25	a	168	PHE
27	c	230	THR
31	v	601	VAL
31	v	618	GLU
31	v	634	HIS
32	e	147	LYS
32	e	149	LYS
32	e	171	GLN
34	q	196	PRO
35	t	110	GLU
36	n	61	LYS
1	A	645	ASP
1	A	1585	MET
3	C	952	PRO
6	F	364	THR
10	K	19	ILE
14	O	124	GLU
14	O	391	GLU
14	O	442	TRP
15	P	59	THR
18	S	131	THR
24	Z	67	LYS
24	Z	204	ASP
26	b	68	THR
27	c	82	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	e	82	LYS
34	o	17	PRO
34	r	20	ARG
35	t	80	ASN
1	A	540	THR
1	A	562	ILE
2	B	1609	MET
3	C	84	GLN
14	O	278	ASP
14	O	279	PRO
14	O	435	GLU
15	P	86	ASN
19	T	119	THR
24	Z	304	SER
26	b	8	GLN
27	c	224	MET
27	c	231	SER
32	e	33	ASN
41	l	82	PRO
43	g	82	LYS
1	A	1015	PRO
1	A	1490	ARG
3	C	366	ASN
3	C	854	ILE
6	F	92	GLN
6	F	247	PHE
6	F	248	ASN
6	F	434	ASN
6	F	773	LYS
7	H	194	PHE
7	H	235	PRO
15	P	312	ALA
16	Q	52	SER
16	Q	119	LYS
21	V	18	SER
24	Z	229	VAL
28	G	873	HIS
34	q	60	ALA
3	C	363	PRO
18	S	22	PRO
19	T	104	CYS
23	Y	783	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
24	Z	146	ASN
28	G	348	VAL
28	G	892	SER
1	A	1964	PRO
29	d	166	VAL
34	q	36	GLY
39	h	15	PRO
1	A	407	VAL
1	A	741	ILE
1	A	802	PRO
3	C	704	PRO
3	C	829	VAL
24	Z	471	GLY
31	v	617	PRO
34	q	175	PRO
6	F	523	ILE
24	Z	214	ILE
32	e	18	PRO
1	A	644	VAL
1	A	771	PRO
6	F	1031	ILE
14	O	277	VAL
15	P	143	VAL
27	c	218	VAL
34	r	36	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1994/2066 (96%)	1916 (96%)	78 (4%)	27 56
2	B	1632/1955 (84%)	1632 (100%)	0	100 100
3	C	791/910 (87%)	778 (98%)	13 (2%)	58 76
6	F	1088/1244 (88%)	1071 (98%)	17 (2%)	58 76
7	H	139/392 (36%)	129 (93%)	10 (7%)	12 37

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	I	89/236 (38%)	82 (92%)	7 (8%)	10	34
9	J	93/97 (96%)	85 (91%)	8 (9%)	8	32
10	K	76/77 (99%)	67 (88%)	9 (12%)	4	21
14	O	295/397 (74%)	293 (99%)	2 (1%)	81	89
15	P	218/328 (66%)	202 (93%)	16 (7%)	11	37
16	Q	171/332 (52%)	159 (93%)	12 (7%)	12	38
17	R	224/296 (76%)	209 (93%)	15 (7%)	13	40
18	S	58/151 (38%)	56 (97%)	2 (3%)	32	60
19	T	141/141 (100%)	138 (98%)	3 (2%)	48	71
20	U	157/189 (83%)	150 (96%)	7 (4%)	23	53
21	V	114/132 (86%)	112 (98%)	2 (2%)	54	74
22	W	91/240 (38%)	77 (85%)	14 (15%)	2	14
23	Y	299/789 (38%)	291 (97%)	8 (3%)	40	65
24	Z	417/538 (78%)	383 (92%)	34 (8%)	9	33
25	a	112/237 (47%)	108 (96%)	4 (4%)	30	59
26	b	134/273 (49%)	134 (100%)	0	100	100
27	c	196/316 (62%)	190 (97%)	6 (3%)	35	63
28	G	778/867 (90%)	768 (99%)	10 (1%)	65	81
29	d	215/249 (86%)	213 (99%)	2 (1%)	75	86
30	X	21/121 (17%)	21 (100%)	0	100	100
31	v	59/152 (39%)	49 (83%)	10 (17%)	1	10
32	e	48/189 (25%)	43 (90%)	5 (10%)	5	25
33	f	92/193 (48%)	92 (100%)	0	100	100
34	o	61/451 (14%)	54 (88%)	7 (12%)	4	22
34	p	62/451 (14%)	54 (87%)	8 (13%)	3	18
34	q	121/451 (27%)	105 (87%)	16 (13%)	3	18
34	r	59/451 (13%)	54 (92%)	5 (8%)	8	32
35	t	39/165 (24%)	28 (72%)	11 (28%)	0	2
36	n	20/413 (5%)	12 (60%)	8 (40%)	0	1
37	k	70/176 (40%)	70 (100%)	0	100	100
38	i	65/83 (78%)	60 (92%)	5 (8%)	10	34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
39	h	61/77 (79%)	60 (98%)	1 (2%)	58	76
40	j	58/66 (88%)	55 (95%)	3 (5%)	19	47
41	l	69/89 (78%)	67 (97%)	2 (3%)	37	64
42	m	77/129 (60%)	71 (92%)	6 (8%)	10	34
43	g	79/87 (91%)	74 (94%)	5 (6%)	15	42
All	All	10583/16196 (65%)	10212 (96%)	371 (4%)	33	59

All (371) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	180	PRO
1	A	228	LYS
1	A	236	ARG
1	A	238	ARG
1	A	256	GLU
1	A	261	LEU
1	A	263	PRO
1	A	266	LEU
1	A	268	LEU
1	A	270	SER
1	A	271	GLN
1	A	309	SER
1	A	324	ASP
1	A	331	PHE
1	A	377	VAL
1	A	380	ARG
1	A	392	ASN
1	A	394	ARG
1	A	396	ARG
1	A	451	ASP
1	A	452	PHE
1	A	461	LEU
1	A	497	GLN
1	A	570	GLN
1	A	614	ARG
1	A	640	ARG
1	A	715	LEU
1	A	716	ARG
1	A	737	ARG
1	A	750	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	769	MET
1	A	773	SER
1	A	774	ILE
1	A	775	ARG
1	A	777	LYS
1	A	782	ILE
1	A	854	ARG
1	A	893	ARG
1	A	928	ARG
1	A	934	ARG
1	A	1011	ASN
1	A	1043	ARG
1	A	1325	SER
1	A	1370	ARG
1	A	1376	ASN
1	A	1378	LYS
1	A	1379	MET
1	A	1442	ARG
1	A	1456	ARG
1	A	1470	GLN
1	A	1499	ARG
1	A	1509	ARG
1	A	1521	ARG
1	A	1589	LYS
1	A	1590	LEU
1	A	1605	ARG
1	A	1608	LEU
1	A	1629	LEU
1	A	1739	ARG
1	A	1747	ASP
1	A	1748	ILE
1	A	1749	SER
1	A	1783	MET
1	A	1794	LEU
1	A	1809	ASN
1	A	1816	ARG
1	A	1830	VAL
1	A	1831	GLN
1	A	1843	LEU
1	A	1899	TRP
1	A	1998	ARG
1	A	2006	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2255	LEU
1	A	2402	GLU
1	A	2403	GLU
1	A	2408	GLN
1	A	2409	ILE
1	A	2412	PHE
3	C	100	LEU
3	C	108	GLN
3	C	115	LYS
3	C	132	ARG
3	C	150	MET
3	C	160	ARG
3	C	170	LEU
3	C	176	ARG
3	C	177	TYR
3	C	180	ASN
3	C	275	LEU
3	C	395	LYS
3	C	548	ARG
6	F	80	VAL
6	F	97	THR
6	F	147	PHE
6	F	153	ASP
6	F	162	ILE
6	F	203	ILE
6	F	257	ILE
6	F	294	PHE
6	F	410	PHE
6	F	444	LEU
6	F	770	LEU
6	F	885	TRP
6	F	1195	VAL
6	F	1231	LEU
6	F	1239	MET
6	F	1302	ARG
6	F	1318	ILE
7	H	155	ARG
7	H	179	LYS
7	H	180	LYS
7	H	181	GLU
7	H	192	ARG
7	H	195	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	H	233	VAL
7	H	242	LEU
7	H	246	LYS
7	H	288	HIS
8	I	11	LYS
8	I	18	SER
8	I	51	GLN
8	I	53	ARG
8	I	55	ASN
8	I	77	SER
8	I	83	ARG
9	J	2	SER
9	J	4	HIS
9	J	54	GLN
9	J	78	ARG
9	J	97	LEU
9	J	98	ASP
9	J	99	ARG
9	J	102	GLU
10	K	8	LEU
10	K	24	GLU
10	K	27	THR
10	K	28	ARG
10	K	42	THR
10	K	44	GLN
10	K	57	ARG
10	K	60	LEU
10	K	63	ARG
14	O	138	HIS
14	O	228	ARG
15	P	37	ASN
15	P	40	LEU
15	P	44	ILE
15	P	48	GLN
15	P	52	GLU
15	P	55	VAL
15	P	57	LEU
15	P	60	LYS
15	P	111	HIS
15	P	133	LYS
15	P	243	GLU
15	P	244	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
15	P	247	ARG
15	P	300	ASP
15	P	302	GLN
15	P	325	ASP
16	Q	119	LYS
16	Q	120	LEU
16	Q	209	ASN
16	Q	213	SER
16	Q	217	TRP
16	Q	220	THR
16	Q	222	THR
16	Q	226	LEU
16	Q	227	LEU
16	Q	245	LYS
16	Q	248	CYS
16	Q	252	ARG
17	R	7	LYS
17	R	10	LYS
17	R	12	GLN
17	R	14	LYS
17	R	15	GLU
17	R	17	GLU
17	R	18	LEU
17	R	31	ASN
17	R	41	PHE
17	R	66	ASN
17	R	67	ASP
17	R	121	ARG
17	R	181	CYS
17	R	210	LYS
17	R	215	ARG
18	S	10	GLU
18	S	40	ARG
19	T	54	GLN
19	T	122	CYS
19	T	126	ARG
20	U	38	LEU
20	U	40	LEU
20	U	42	SER
20	U	44	ASN
20	U	45	LYS
20	U	46	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
20	U	50	LEU
21	V	6	GLN
21	V	110	ARG
22	W	160	LYS
22	W	168	GLN
22	W	174	VAL
22	W	187	SER
22	W	188	LEU
22	W	189	THR
22	W	191	GLU
22	W	196	THR
22	W	207	THR
22	W	208	SER
22	W	209	LEU
22	W	212	ARG
22	W	214	LEU
22	W	262	LEU
23	Y	266	THR
23	Y	367	PRO
23	Y	413	PRO
23	Y	578	PRO
23	Y	606	PRO
23	Y	614	PRO
23	Y	784	PRO
23	Y	826	PRO
24	Z	12	LYS
24	Z	16	GLU
24	Z	34	MET
24	Z	67	LYS
24	Z	94	LEU
24	Z	132	GLU
24	Z	138	ILE
24	Z	145	LYS
24	Z	149	ARG
24	Z	151	VAL
24	Z	162	LEU
24	Z	168	LYS
24	Z	174	TRP
24	Z	177	LEU
24	Z	179	TYR
24	Z	181	LEU
24	Z	184	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
24	Z	185	GLU
24	Z	186	LEU
24	Z	190	LEU
24	Z	192	GLU
24	Z	193	SER
24	Z	194	LEU
24	Z	195	GLU
24	Z	197	LEU
24	Z	198	PHE
24	Z	199	GLU
24	Z	201	ARG
24	Z	216	ASP
24	Z	229	VAL
24	Z	243	GLU
24	Z	245	CYS
24	Z	303	LEU
24	Z	398	PRO
25	a	134	THR
25	a	167	ASP
25	a	168	PHE
25	a	178	TRP
27	c	504	PRO
27	c	505	PRO
27	c	517	VAL
27	c	523	LEU
27	c	532	PRO
27	c	550	PRO
28	G	22	GLN
28	G	327	TRP
28	G	386	TYR
28	G	469	SER
28	G	543	ARG
28	G	553	LEU
28	G	681	PRO
28	G	740	LYS
28	G	849	ARG
28	G	936	ARG
29	d	120	ASN
29	d	134	LYS
31	v	616	PRO
31	v	617	PRO
31	v	641	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	v	706	LEU
31	v	712	CYS
31	v	722	PRO
31	v	723	SER
31	v	725	THR
31	v	726	ARG
31	v	733	ILE
32	e	10	THR
32	e	13	VAL
32	e	87	THR
32	e	153	VAL
32	e	179	THR
34	o	17	PRO
34	o	26	SER
34	o	44	PRO
34	o	63	THR
34	o	96	PHE
34	o	109	LEU
34	o	134	SER
34	p	17	PRO
34	p	44	PRO
34	p	63	THR
34	p	80	LEU
34	p	85	GLN
34	p	93	LEU
34	p	99	ARG
34	p	109	LEU
34	q	17	PRO
34	q	44	PRO
34	q	55	PRO
34	q	56	SER
34	q	61	SER
34	q	102	LEU
34	q	126	LEU
34	q	172	PRO
34	q	175	PRO
34	q	196	PRO
34	q	215	CYS
34	q	235	THR
34	q	239	PRO
34	q	262	PRO
34	q	350	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
34	q	412	PRO
34	r	17	PRO
34	r	44	PRO
34	r	63	THR
34	r	93	LEU
34	r	99	ARG
35	t	5	SER
35	t	7	VAL
35	t	13	PRO
35	t	77	PRO
35	t	96	PRO
35	t	100	THR
35	t	105	PRO
35	t	108	SER
35	t	133	PRO
35	t	136	VAL
35	t	150	THR
36	n	51	PHE
36	n	55	GLU
36	n	57	LYS
36	n	58	ARG
36	n	59	ARG
36	n	61	LYS
36	n	62	THR
36	n	66	ASP
38	i	16	CYS
38	i	18	PHE
38	i	25	THR
38	i	79	LYS
38	i	81	LEU
39	h	79	LEU
40	j	18	ASN
40	j	41	ASP
40	j	71	LEU
41	l	10	LEU
41	l	76	ASP
42	m	20	LYS
42	m	26	TRP
42	m	30	GLN
42	m	77	ASP
42	m	99	ASP
42	m	104	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	g	24	PHE
43	g	49	ARG
43	g	77	THR
43	g	99	ASP
43	g	100	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (173) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	271	GLN
1	A	392	ASN
1	A	429	ASN
1	A	541	ASN
1	A	574	GLN
1	A	785	HIS
1	A	848	ASN
1	A	868	GLN
1	A	997	GLN
1	A	1034	ASN
1	A	1045	GLN
1	A	1115	GLN
1	A	1156	HIS
1	A	1231	GLN
1	A	1295	GLN
1	A	1368	GLN
1	A	1376	ASN
1	A	1789	ASN
1	A	1836	ASN
1	A	1845	ASN
1	A	1895	HIS
1	A	2229	GLN
1	A	2355	ASN
1	A	2394	GLN
1	A	2408	GLN
2	B	116	ASN
2	B	122	GLN
2	B	170	GLN
2	B	191	ASN
2	B	529	ASN
2	B	706	GLN
2	B	739	GLN
2	B	773	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	862	GLN
2	B	904	GLN
2	B	1003	ASN
2	B	1148	GLN
2	B	1219	ASN
2	B	1281	GLN
2	B	1352	GLN
2	B	1386	ASN
2	B	1390	GLN
2	B	1430	ASN
2	B	1435	ASN
2	B	1531	ASN
2	B	1701	ASN
2	B	1959	ASN
2	B	2046	ASN
2	B	2050	ASN
2	B	2139	ASN
2	B	2161	ASN
3	C	82	ASN
3	C	112	ASN
3	C	183	GLN
3	C	251	GLN
3	C	289	ASN
3	C	309	ASN
3	C	432	GLN
3	C	772	ASN
3	C	776	ASN
3	C	794	GLN
6	F	62	HIS
6	F	119	ASN
6	F	248	ASN
6	F	382	GLN
6	F	384	ASN
6	F	420	HIS
6	F	481	GLN
6	F	547	ASN
6	F	590	HIS
6	F	609	HIS
6	F	641	GLN
6	F	686	GLN
6	F	687	HIS
6	F	738	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	754	HIS
6	F	944	ASN
6	F	950	GLN
6	F	1011	ASN
6	F	1091	HIS
6	F	1117	HIS
6	F	1192	HIS
6	F	1222	GLN
6	F	1304	HIS
6	F	1359	ASN
7	H	145	GLN
7	H	175	HIS
7	H	262	HIS
8	I	2	ASN
8	I	25	GLN
8	I	55	ASN
8	I	72	ASN
9	J	95	ASN
9	J	100	HIS
10	K	32	GLN
10	K	37	ASN
10	K	41	ASN
10	K	44	GLN
10	K	46	HIS
14	O	138	HIS
14	O	382	HIS
15	P	50	ASN
15	P	86	ASN
15	P	302	GLN
15	P	313	ASN
15	P	319	HIS
15	P	322	GLN
16	Q	67	GLN
16	Q	69	ASN
16	Q	106	ASN
16	Q	209	ASN
16	Q	225	GLN
17	R	31	ASN
17	R	58	HIS
17	R	69	GLN
17	R	91	HIS
17	R	201	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
17	R	248	ASN
17	R	259	ASN
18	S	173	HIS
19	T	54	GLN
19	T	57	HIS
19	T	116	ASN
19	T	143	HIS
20	U	44	ASN
20	U	52	HIS
20	U	99	ASN
20	U	139	GLN
21	V	5	GLN
22	W	168	GLN
22	W	173	ASN
22	W	236	HIS
22	W	239	ASN
23	Y	272	GLN
23	Y	349	HIS
23	Y	429	HIS
24	Z	170	HIS
24	Z	184	GLN
24	Z	354	HIS
24	Z	362	ASN
24	Z	457	HIS
24	Z	463	ASN
25	a	140	GLN
25	a	175	ASN
25	a	176	GLN
27	c	82	ASN
27	c	214	ASN
28	G	17	HIS
28	G	58	GLN
28	G	59	ASN
28	G	65	HIS
28	G	216	GLN
28	G	219	HIS
28	G	295	ASN
28	G	311	ASN
28	G	407	HIS
28	G	572	GLN
28	G	618	GLN
28	G	695	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
28	G	697	HIS
28	G	760	HIS
28	G	853	HIS
29	d	79	HIS
29	d	120	ASN
29	d	147	ASN
29	d	179	GLN
29	d	258	GLN
33	f	200	ASN
38	i	34	GLN
38	i	86	ASN
40	j	66	ASN
41	l	41	ASN
42	m	30	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
11	L	65/1175 (5%)	12 (18%)	0
12	N	24/25 (96%)	9 (37%)	0
13	M	47/61 (77%)	21 (44%)	5 (10%)
4	D	114/214 (53%)	24 (21%)	2 (1%)
5	E	102/112 (91%)	17 (16%)	0
All	All	352/1587 (22%)	83 (23%)	7 (1%)

All (83) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
4	D	29	G
4	D	31	G
4	D	42	A
4	D	43	G
4	D	45	A
4	D	46	C
4	D	74	U
4	D	75	A
4	D	77	A
4	D	79	C
4	D	81	A
4	D	84	A
4	D	92	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	101	C
4	D	127	U
4	D	164	C
4	D	165	A
4	D	166	U
4	D	170	U
4	D	171	U
4	D	172	U
4	D	173	U
4	D	174	G
4	D	175	G
5	E	14	C
5	E	35	A
5	E	36	U
5	E	51	A
5	E	60	G
5	E	66	C
5	E	67	C
5	E	68	C
5	E	80	U
5	E	81	G
5	E	85	C
5	E	86	G
5	E	88	U
5	E	91	A
5	E	92	C
5	E	93	A
5	E	103	A
11	L	15	C
11	L	17	U
11	L	18	U
11	L	19	U
11	L	26	G
11	L	32	G
11	L	38	U
11	L	41	C
11	L	46	C
11	L	48	U
11	L	52	A
11	L	66	A
12	N	96	U
12	N	98	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	N	100	G
12	N	102	A
12	N	109	U
12	N	110	U
12	N	111	U
12	N	112	U
12	N	114	U
13	M	471	A
13	M	473	A
13	M	481	A
13	M	484	A
13	M	493	A
13	M	497	A
13	M	501	A
13	M	502	C
13	M	505	A
13	M	506	U
13	M	507	U
13	M	508	U
13	M	509	A
13	M	510	A
13	M	512	U
13	M	515	U
13	M	516	U
13	M	518	U
13	M	520	G
13	M	521	U
13	M	522	U

All (7) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
4	D	78	A
4	D	172	U
13	M	472	A
13	M	480	A
13	M	500	A
13	M	514	U
13	M	515	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 18 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
44	GTP	C	1500	-	26,34,34	1.00	1 (3%)	32,54,54	1.81	6 (18%)
47	ADP	Y	902	45	24,29,29	1.04	2 (8%)	29,45,45	1.48	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
44	GTP	C	1500	-	-	8/18/38/38	0/3/3/3
47	ADP	Y	902	45	-	2/12/32/32	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
44	C	1500	GTP	C6-N1	-3.21	1.33	1.37
47	Y	902	ADP	C5-C4	2.59	1.47	1.40
47	Y	902	ADP	C2-N3	2.17	1.35	1.32

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	C	1500	GTP	PB-O3B-PG	-4.28	118.15	132.83
44	C	1500	GTP	PA-O3A-PB	-4.20	118.42	132.83
44	C	1500	GTP	O6-C6-C5	-3.92	116.71	124.37
44	C	1500	GTP	C5-C6-N1	3.85	120.74	113.95
47	Y	902	ADP	PA-O3A-PB	-3.77	119.89	132.83
47	Y	902	ADP	N3-C2-N1	-3.48	123.24	128.68
47	Y	902	ADP	C3'-C2'-C1'	3.14	105.70	100.98
47	Y	902	ADP	C4-C5-N7	-2.88	106.40	109.40
44	C	1500	GTP	C2-N1-C6	-2.36	120.75	125.10
44	C	1500	GTP	C8-N7-C5	2.24	107.25	102.99

There are no chirality outliers.


All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
44	C	1500	GTP	C5'-O5'-PA-O3A
44	C	1500	GTP	C5'-O5'-PA-O1A
44	C	1500	GTP	C5'-O5'-PA-O2A
44	C	1500	GTP	O4'-C4'-C5'-O5'
44	C	1500	GTP	C3'-C4'-C5'-O5'
47	Y	902	ADP	O4'-C4'-C5'-O5'
47	Y	902	ADP	C3'-C4'-C5'-O5'
44	C	1500	GTP	PB-O3B-PG-O1G
44	C	1500	GTP	PB-O3B-PG-O2G
44	C	1500	GTP	PB-O3B-PG-O3G

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-9524. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 210



Y Index: 230




Z Index: 205


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0405. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 444 nm³; this corresponds to an approximate mass of 401 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.286\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-9524 and PDB model 5GM6. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0405 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0405).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 55% of all backbone atoms, 49% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

























The table lists the average atom inclusion at the recommended contour level (0.0405) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4900	 0.3770
A	 0.7180	 0.5060
B	 0.3690	 0.3670
C	 0.6530	 0.4590
D	 0.6510	 0.4110
E	 0.7100	 0.4250
F	 0.7260	 0.4990
G	 0.7370	 0.5160
H	 0.7320	 0.5150
I	 0.7080	 0.5150
J	 0.7820	 0.5380
K	 0.7560	 0.5180
L	 0.5520	 0.3720
M	 0.4310	 0.2930
N	 0.6830	 0.4730
O	 0.7490	 0.5090
P	 0.5780	 0.4550
Q	 0.4370	 0.3720
R	 0.6050	 0.4360
S	 0.3680	 0.4690
T	 0.7270	 0.5000
U	 0.3670	 0.3550
V	 0.7040	 0.4770
W	 0.5710	 0.4320
X	 0.6150	 0.5320
Y	 0.0380	 0.1520
Z	 0.3500	 0.2870
a	 0.4190	 0.4020
b	 0.3770	 0.4070
c	 0.2530	 0.2320
d	 0.2480	 0.2260
e	 0.2340	 0.1550
f	 0.2130	 0.1990
g	 0.0370	 0.0960
h	 0.0310	 0.0760



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.0230	 0.1060
j	 0.0540	 0.1780
k	 0.0870	 0.2060
l	 0.2220	 0.3230
m	 0.0280	 0.1040
n	 0.6810	 0.4770
o	 0.0000	 0.0280
p	 0.0000	 0.0060
q	 0.0000	 0.0160
r	 0.0000	 0.0140
t	 0.0000	 0.0420
v	 0.0000	 0.0180