



# Full wwPDB X-ray Structure Validation Report i

Sep 10, 2023 – 01:29 AM JST

PDB ID : 8GOA

Title : Crystal Structure of Glycerol Dehydrogenase in the absence of NAD<sup>+</sup>

Authors : Park, T.; Hoang, H.N.; Kang, J.Y.; Park, J.; Mun, S.A.; Jin, M.; Yang, J.; Jung, C.-H.; Eom, S.H.

Deposited on : 2022-08-24

Resolution : 2.90 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.35

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001)

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	TRS	A	403	-	-	X	-
3	TRS	B	403	-	-	X	-
3	TRS	C	404	-	-	-	X
3	TRS	D	403	-	-	-	X

## 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 11323 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycerol dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	367	Total	C	N	O	S	0	0	0
			2711	1717	460	520	14			
1	B	367	Total	C	N	O	S	0	0	0
			2715	1719	460	522	14			
1	C	367	Total	C	N	O	S	0	0	0
			2711	1716	459	522	14			
1	D	367	Total	C	N	O	S	0	0	0
			2707	1713	458	522	14			

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	368	LEU	-	expression tag	UNP P0A9S5
A	369	GLU	-	expression tag	UNP P0A9S5
A	370	HIS	-	expression tag	UNP P0A9S5
A	371	HIS	-	expression tag	UNP P0A9S5
A	372	HIS	-	expression tag	UNP P0A9S5
A	373	HIS	-	expression tag	UNP P0A9S5
A	374	HIS	-	expression tag	UNP P0A9S5
A	375	HIS	-	expression tag	UNP P0A9S5
B	368	LEU	-	expression tag	UNP P0A9S5
B	369	GLU	-	expression tag	UNP P0A9S5
B	370	HIS	-	expression tag	UNP P0A9S5
B	371	HIS	-	expression tag	UNP P0A9S5
B	372	HIS	-	expression tag	UNP P0A9S5
B	373	HIS	-	expression tag	UNP P0A9S5
B	374	HIS	-	expression tag	UNP P0A9S5
B	375	HIS	-	expression tag	UNP P0A9S5
C	368	LEU	-	expression tag	UNP P0A9S5
C	369	GLU	-	expression tag	UNP P0A9S5
C	370	HIS	-	expression tag	UNP P0A9S5
C	371	HIS	-	expression tag	UNP P0A9S5
C	372	HIS	-	expression tag	UNP P0A9S5

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	373	HIS	-	expression tag	UNP P0A9S5
C	374	HIS	-	expression tag	UNP P0A9S5
C	375	HIS	-	expression tag	UNP P0A9S5
D	368	LEU	-	expression tag	UNP P0A9S5
D	369	GLU	-	expression tag	UNP P0A9S5
D	370	HIS	-	expression tag	UNP P0A9S5
D	371	HIS	-	expression tag	UNP P0A9S5
D	372	HIS	-	expression tag	UNP P0A9S5
D	373	HIS	-	expression tag	UNP P0A9S5
D	374	HIS	-	expression tag	UNP P0A9S5
D	375	HIS	-	expression tag	UNP P0A9S5

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Zn 1 1	0	0
2	B	1	Total Zn 1 1	0	0
2	C	1	Total Zn 1 1	0	0
2	D	1	Total Zn 1 1	0	0

- Molecule 3 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: C<sub>4</sub>H<sub>12</sub>NO<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	4	1	3		
3	A	1	Total	C	N	O	0	0
			8	4	1	3		
3	A	1	Total	C	N	O	0	0
			8	4	1	3		
3	B	1	Total	C	N	O	0	0
			8	4	1	3		
3	B	1	Total	C	N	O	0	0
			8	4	1	3		
3	B	1	Total	C	N	O	0	0
			8	4	1	3		
3	C	1	Total	C	N	O	0	0
			8	4	1	3		
3	C	1	Total	C	N	O	0	0
			8	4	1	3		
3	C	1	Total	C	N	O	0	0
			8	4	1	3		
3	D	1	Total	C	N	O	0	0
			8	4	1	3		
3	D	1	Total	C	N	O	0	0
			8	4	1	3		
3	D	1	Total	C	N	O	0	0
			8	4	1	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	110	Total	O	0	0
			110	110		
4	B	92	Total	O	0	0
			92	92		
4	C	106	Total	O	0	0
			106	106		
4	D	71	Total	O	0	0
			71	71		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glycerol dehydrogenase




- Molecule 1: Glycerol dehydrogenase



- Molecule 1: Glycerol dehydrogenase



- Molecule 1: Glycerol dehydrogenase





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	161.47Å    161.47Å    291.91Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	49.24 – 2.90 49.24 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.8 (49.24-2.90) 99.8 (49.24-2.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.28 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
$R$ , $R_{free}$	0.192 , 0.220 0.196 , 0.223	Depositor DCC
$R_{free}$ test set	4362 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	59.3	Xtriage
Anisotropy	0.062	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 35.3	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.48$ , $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	11323	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.17% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TRS, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.47	0/2761	0.60	0/3759
1	B	0.45	0/2765	0.59	0/3764
1	C	0.44	0/2761	0.59	0/3760
1	D	0.41	0/2757	0.57	0/3756
All	All	0.44	0/11044	0.59	0/15039

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2711	0	2700	37	0
1	B	2715	0	2704	35	0
1	C	2711	0	2693	38	0
1	D	2707	0	2682	42	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	24	0	35	12	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	24	0	35	10	0
3	C	24	0	36	7	0
3	D	24	0	35	5	0
4	A	110	0	0	2	0
4	B	92	0	0	1	0
4	C	106	0	0	3	0
4	D	71	0	0	1	0
All	All	11323	0	10920	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:271:HIS:HB2	3:B:404:TRS:H12	1.51	0.89
1:D:271:HIS:HD1	3:D:403:TRS:H12	1.43	0.83
1:D:101:LYS:HD3	1:D:147:PRO:HG3	1.64	0.80
1:A:271:HIS:HA	3:A:403:TRS:H12	1.64	0.79
1:B:97:LEU:HD22	1:B:113:ILE:HG23	1.63	0.78
1:D:136:GLU:HB2	1:D:261:THR:HB	1.66	0.77
1:C:97:LEU:HD22	1:C:113:ILE:HG23	1.69	0.74
3:A:403:TRS:N	3:A:404:TRS:O1	2.21	0.74
1:D:97:LEU:HD22	1:D:113:ILE:HG23	1.70	0.72
1:C:41:LEU:HD22	1:C:45:GLN:HG3	1.72	0.71
1:C:218:MET:HG3	1:C:303:VAL:HG12	1.72	0.70
1:A:12:ILE:HG12	1:C:4:ILE:HG12	1.74	0.70
1:C:271:HIS:HB2	3:C:404:TRS:H12	1.74	0.70
1:C:211:LEU:HD23	1:C:299:LEU:HD22	1.74	0.69
1:C:77:ARG:O	1:C:81:GLU:HG3	1.92	0.69
1:C:107:MET:HG2	4:C:515:HOH:O	1.94	0.68
1:C:130:ILE:HG22	1:C:138:ASP:HB3	1.75	0.68
1:A:271:HIS:HD1	3:A:403:TRS:H32	1.59	0.67
1:B:367:GLU:N	1:B:367:GLU:OE2	2.28	0.66
3:B:403:TRS:N	3:B:404:TRS:H11	2.11	0.66
1:D:33:LEU:HD22	1:D:80:ALA:HB2	1.78	0.65
1:B:271:HIS:HA	3:B:403:TRS:H22	1.79	0.63
1:D:132:THR:HG22	1:D:133:ASP:H	1.63	0.62
1:C:270:TYR:HB2	1:C:273:GLU:HG3	1.81	0.62
1:A:270:TYR:HA	3:A:404:TRS:H12	1.82	0.62
1:A:31:ARG:NH1	1:A:83:ALA:O	2.33	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:PRO:O	1:A:124:CYS:HB2	1.99	0.61
1:D:37:ASP:O	1:D:41:LEU:HD12	2.01	0.61
1:C:271:HIS:H	3:C:404:TRS:H21	1.67	0.60
1:D:34:VAL:HG22	1:D:89:LEU:HD23	1.84	0.60
1:C:271:HIS:N	3:C:404:TRS:H21	2.17	0.60
1:A:228:PRO:HB2	1:B:287:ASN:HB2	1.83	0.59
1:B:149:MET:CE	1:B:151:ILE:HD11	2.32	0.59
1:A:252:ALA:HA	1:A:336:ILE:HD12	1.85	0.58
1:D:271:HIS:HA	3:D:403:TRS:H32	1.83	0.58
1:C:10:LYS:HB3	1:C:149:MET:HG3	1.85	0.58
1:C:252:ALA:HA	1:C:336:ILE:HD12	1.85	0.58
1:D:266:ALA:O	1:D:274:LYS:HE2	2.03	0.58
1:B:67:GLU:OE2	1:B:95:LYS:NZ	2.26	0.56
1:D:41:LEU:HB3	1:D:45:GLN:HB2	1.87	0.56
1:A:33:LEU:HD22	1:A:80:ALA:HB2	1.87	0.56
1:C:287:ASN:HB2	1:D:228:PRO:HB2	1.87	0.56
1:C:41:LEU:O	1:C:45:GLN:HB2	2.06	0.55
1:D:131:TYR:OH	3:D:403:TRS:H11	2.06	0.55
1:A:250:LEU:HB2	1:A:335:THR:HG21	1.89	0.55
1:D:271:HIS:O	1:D:275:VAL:HG23	2.06	0.54
1:D:131:TYR:CD1	1:D:137:PHE:HA	2.43	0.54
1:A:10:LYS:HB3	1:A:149:MET:HG2	1.88	0.54
1:A:274:LYS:NZ	3:A:403:TRS:H11	2.23	0.54
1:B:33:LEU:HD22	1:B:80:ALA:HB2	1.91	0.53
1:B:270:TYR:HD1	3:B:404:TRS:H22	1.73	0.53
1:B:131:TYR:CZ	3:B:403:TRS:H12	2.44	0.52
1:B:167:ALA:O	1:B:272:GLY:HA3	2.10	0.52
1:B:271:HIS:HD1	3:B:403:TRS:H32	1.75	0.52
1:B:270:TYR:HB2	1:B:273:GLU:HG3	1.90	0.52
1:A:267:HIS:HB3	4:A:588:HOH:O	2.10	0.51
1:A:257:HIS:NE2	3:A:403:TRS:O1	2.32	0.51
1:D:40:VAL:HA	1:D:43:PHE:CE1	2.46	0.51
1:D:130:ILE:HG22	1:D:138:ASP:HB3	1.91	0.51
1:C:274:LYS:NZ	3:C:403:TRS:O2	2.44	0.51
1:D:10:LYS:HB3	1:D:149:MET:HG3	1.94	0.50
1:D:18:ILE:HG12	1:D:153:ASP:OD2	2.11	0.50
1:B:50:LYS:NZ	1:B:54:ASP:OD2	2.40	0.50
3:C:403:TRS:N	3:C:404:TRS:H22	2.26	0.50
1:C:334:GLU:O	1:C:337:HIS:HD2	1.94	0.50
1:C:257:HIS:NE2	3:C:403:TRS:H21	2.27	0.49
1:A:37:ASP:OD1	1:A:38:LYS:N	2.45	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:101:LYS:HD3	1:A:147:PRO:HG3	1.95	0.49
1:B:25:LEU:HD22	1:B:32:TRP:CH2	2.48	0.49
3:B:403:TRS:HN2	3:B:404:TRS:H11	1.76	0.49
3:B:403:TRS:HN3	3:B:404:TRS:H11	1.78	0.49
1:D:75:ARG:O	1:D:79:ILE:HG13	2.13	0.49
1:A:97:LEU:HD22	1:A:113:ILE:HG23	1.95	0.48
3:D:404:TRS:O1	3:D:404:TRS:O3	2.30	0.48
3:D:402:TRS:O2	3:D:402:TRS:O3	2.28	0.48
1:B:254:HIS:CD2	3:B:402:TRS:H11	2.48	0.47
1:D:291:GLU:HB2	4:D:530:HOH:O	2.13	0.47
1:B:93:GLY:O	1:B:97:LEU:HG	2.13	0.47
1:A:176:TRP:CE2	1:A:204:GLU:HG3	2.49	0.47
1:B:127:LEU:HD21	1:B:190:MET:SD	2.55	0.47
1:B:131:TYR:OH	3:B:403:TRS:H31	2.14	0.47
1:C:330:CYS:HA	1:C:336:ILE:HG21	1.97	0.47
1:A:107:MET:HB2	1:A:109:VAL:HG22	1.96	0.46
1:D:11:TYR:OH	1:D:13:GLN:NE2	2.48	0.46
1:A:291:GLU:HB2	4:A:525:HOH:O	2.14	0.46
1:D:362:PHE:HA	1:D:366:TRP:HB2	1.98	0.46
1:B:330:CYS:HA	1:B:336:ILE:HG21	1.97	0.46
1:D:127:LEU:HD12	1:D:141:LEU:O	2.16	0.46
1:B:149:MET:HE2	1:B:151:ILE:HD11	1.98	0.46
1:D:236:ALA:HA	1:D:240:LEU:HB2	1.98	0.46
1:B:33:LEU:HD12	1:B:60:GLU:HB3	1.97	0.46
1:A:93:GLY:O	1:A:97:LEU:HG	2.15	0.45
1:A:270:TYR:HD1	3:A:404:TRS:H12	1.82	0.45
1:A:205:LEU:HD22	1:C:201:ALA:HB2	1.98	0.45
1:A:271:HIS:ND1	3:A:403:TRS:H32	2.29	0.45
1:A:178:GLU:CD	1:A:253:ALA:HB3	2.37	0.45
1:A:3:ARG:HB3	1:A:196:THR:HG22	1.99	0.45
1:A:330:CYS:HA	1:A:336:ILE:HG21	1.99	0.45
1:A:245:PHE:CE2	3:A:402:TRS:H11	2.52	0.45
1:C:33:LEU:HD11	1:C:62:ALA:HB2	1.99	0.44
1:A:31:ARG:HD3	1:A:84:GLN:O	2.17	0.44
1:D:127:LEU:HD22	1:D:190:MET:CE	2.47	0.44
1:A:131:TYR:OH	3:A:403:TRS:H31	2.17	0.44
1:B:211:LEU:HD23	1:B:299:LEU:HD22	1.98	0.44
1:C:18:ILE:HD13	1:C:156:ILE:HD11	2.00	0.44
1:D:131:TYR:HD1	1:D:137:PHE:HA	1.83	0.44
1:C:33:LEU:HD22	1:C:80:ALA:HB2	2.00	0.44
1:A:45:GLN:O	1:A:49:GLU:HG3	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:149:MET:HE3	1:B:151:ILE:HD11	1.99	0.43
1:A:17:VAL:HA	1:A:20:ARG:NH2	2.33	0.43
1:C:334:GLU:O	1:C:337:HIS:CD2	2.71	0.43
1:D:128:SER:HB2	1:D:141:LEU:HD23	1.99	0.43
1:A:321:LYS:O	1:A:325:VAL:HG23	2.18	0.43
1:D:236:ALA:O	1:D:241:SER:HB2	2.17	0.43
1:C:101:LYS:HD3	1:C:147:PRO:HG3	2.00	0.43
1:D:218:MET:HG3	1:D:303:VAL:HG12	2.00	0.43
1:D:265:ASP:HB2	1:D:314:ILE:HG12	2.00	0.43
1:C:25:LEU:HB3	1:C:32:TRP:CZ2	2.53	0.43
1:D:213:GLU:HG2	1:D:229:ALA:HA	2.01	0.43
1:A:270:TYR:HD1	3:A:404:TRS:C1	2.31	0.43
1:D:276:ALA:HB2	1:D:305:LEU:HD13	1.99	0.43
1:D:33:LEU:HB2	1:D:85:CYS:SG	2.59	0.43
1:C:173:LEU:HB3	4:C:546:HOH:O	2.17	0.43
1:D:41:LEU:HD12	1:D:41:LEU:H	1.84	0.42
1:C:267:HIS:HB3	4:C:585:HOH:O	2.18	0.42
1:C:245:PHE:HB2	1:C:250:LEU:HD21	2.01	0.42
1:A:274:LYS:HZ1	3:A:403:TRS:H11	1.85	0.42
1:D:127:LEU:HG	1:D:128:SER:O	2.20	0.42
1:B:267:HIS:HB3	4:B:553:HOH:O	2.20	0.42
1:C:33:LEU:HB2	1:C:85:CYS:SG	2.60	0.42
1:C:280:LEU:HA	1:C:280:LEU:HD12	1.84	0.42
1:A:77:ARG:O	1:A:81:GLU:HG3	2.19	0.41
1:C:236:ALA:HA	1:C:240:LEU:HB2	2.01	0.41
1:B:128:SER:HB3	1:B:141:LEU:HB3	2.01	0.41
1:C:206:CYS:HB2	1:C:240:LEU:HB3	2.02	0.41
1:C:257:HIS:CE1	3:C:403:TRS:H31	2.55	0.41
1:D:25:LEU:HB3	1:D:32:TRP:CZ2	2.55	0.41
1:B:31:ARG:NH1	1:B:58:VAL:HG21	2.36	0.41
1:C:117:ILE:HD12	1:C:119:SER:OG	2.21	0.41
1:B:323:ARG:HG2	1:B:349:TYR:CE1	2.55	0.41
1:D:33:LEU:HD23	1:D:88:ILE:HG13	2.03	0.41
1:B:25:LEU:HB3	1:B:32:TRP:CZ2	2.55	0.41
1:A:167:ALA:O	1:A:272:GLY:HA3	2.21	0.41
1:B:4:ILE:HG12	1:D:12:ILE:HG12	2.02	0.41
1:B:10:LYS:HG3	1:D:6:GLN:HG2	2.01	0.41
1:D:69:SER:O	1:D:73:ILE:HG13	2.21	0.41
1:B:130:ILE:HD11	1:B:141:LEU:HD13	2.03	0.41
1:B:236:ALA:HA	1:B:240:LEU:HB2	2.03	0.41
1:B:201:ALA:HB2	1:D:205:LEU:HD22	2.02	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:323:ARG:HD3	1:C:323:ARG:HA	1.96	0.40
1:B:173:LEU:HD12	1:B:173:LEU:HA	1.94	0.40
1:C:299:LEU:O	1:C:303:VAL:HG22	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	365/375 (97%)	354 (97%)	11 (3%)	0	100 100
1	B	365/375 (97%)	357 (98%)	8 (2%)	0	100 100
1	C	365/375 (97%)	355 (97%)	10 (3%)	0	100 100
1	D	365/375 (97%)	356 (98%)	9 (2%)	0	100 100
All	All	1460/1500 (97%)	1422 (97%)	38 (3%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	273/283 (96%)	265 (97%)	8 (3%)	42 76
1	B	274/283 (97%)	273 (100%)	1 (0%)	91 97

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	C	273/283 (96%)	269 (98%)	4 (2%)	65 87
1	D	272/283 (96%)	264 (97%)	8 (3%)	42 76
All	All	1092/1132 (96%)	1071 (98%)	21 (2%)	57 84

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	ASP
1	A	46	SER
1	A	145	ASN
1	A	155	LYS
1	A	245	PHE
1	A	265	ASP
1	A	291	GLU
1	A	317	ASP
1	B	10	LYS
1	C	47	THR
1	C	245	PHE
1	C	257	HIS
1	C	317	ASP
1	D	46	SER
1	D	54	ASP
1	D	155	LYS
1	D	190	MET
1	D	245	PHE
1	D	265	ASP
1	D	317	ASP
1	D	361	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	ASN
1	A	237	ASN
1	B	13	GLN
1	B	84	GLN
1	B	364	GLN
1	C	337	HIS
1	D	13	GLN
1	D	145	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	237	ASN
1	D	337	HIS

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

Of 16 ligands modelled in this entry, 4 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	TRS	B	404	-	7,7,7	0.49	0	9,9,9	0.82	0
3	TRS	B	402	2	7,7,7	0.52	0	9,9,9	0.68	0
3	TRS	D	404	-	7,7,7	0.54	0	9,9,9	0.66	0
3	TRS	B	403	-	7,7,7	0.57	0	9,9,9	0.89	0
3	TRS	C	402	2	7,7,7	0.51	0	9,9,9	0.87	0
3	TRS	D	402	2	7,7,7	0.49	0	9,9,9	0.81	0
3	TRS	D	403	-	7,7,7	0.53	0	9,9,9	0.69	0
3	TRS	A	402	2	7,7,7	0.58	0	9,9,9	0.96	0
3	TRS	C	403	-	7,7,7	0.54	0	9,9,9	0.94	0
3	TRS	A	403	-	7,7,7	0.60	0	9,9,9	1.13	0
3	TRS	C	404	-	7,7,7	0.49	0	9,9,9	0.70	0
3	TRS	A	404	-	7,7,7	0.68	0	9,9,9	0.91	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRS	B	404	-	-	9/9/9/9	-
3	TRS	B	402	2	-	6/9/9/9	-
3	TRS	D	404	-	-	7/9/9/9	-
3	TRS	B	403	-	-	7/9/9/9	-
3	TRS	C	402	2	-	3/9/9/9	-
3	TRS	D	402	2	-	6/9/9/9	-
3	TRS	D	403	-	-	8/9/9/9	-
3	TRS	A	402	2	-	5/9/9/9	-
3	TRS	C	403	-	-	5/9/9/9	-
3	TRS	A	403	-	-	3/9/9/9	-
3	TRS	C	404	-	-	4/9/9/9	-
3	TRS	A	404	-	-	0/9/9/9	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (63) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	402	TRS	C3-C-C1-O1
3	A	402	TRS	N-C-C1-O1
3	A	402	TRS	N-C-C3-O3
3	A	403	TRS	C1-C-C3-O3
3	A	403	TRS	C2-C-C3-O3
3	B	402	TRS	C2-C-C1-O1
3	B	402	TRS	C3-C-C1-O1
3	B	402	TRS	N-C-C1-O1
3	B	402	TRS	C1-C-C3-O3
3	B	402	TRS	C2-C-C3-O3
3	B	402	TRS	N-C-C3-O3
3	B	404	TRS	C2-C-C1-O1
3	B	404	TRS	C3-C-C1-O1
3	B	404	TRS	N-C-C1-O1
3	B	404	TRS	C1-C-C3-O3
3	C	403	TRS	N-C-C1-O1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	C	403	TRS	C1-C-C3-O3
3	C	403	TRS	C2-C-C3-O3
3	C	403	TRS	N-C-C3-O3
3	C	404	TRS	C1-C-C2-O2
3	C	404	TRS	C3-C-C2-O2
3	D	402	TRS	C2-C-C1-O1
3	D	402	TRS	C3-C-C1-O1
3	D	402	TRS	N-C-C1-O1
3	D	402	TRS	C1-C-C3-O3
3	D	402	TRS	C2-C-C3-O3
3	D	402	TRS	N-C-C3-O3
3	D	403	TRS	C3-C-C1-O1
3	D	403	TRS	N-C-C2-O2
3	D	403	TRS	C1-C-C3-O3
3	D	403	TRS	C2-C-C3-O3
3	D	403	TRS	N-C-C3-O3
3	D	404	TRS	C1-C-C3-O3
3	D	404	TRS	C2-C-C3-O3
3	A	402	TRS	C2-C-C1-O1
3	B	403	TRS	C1-C-C2-O2
3	B	404	TRS	C1-C-C2-O2
3	B	404	TRS	C2-C-C3-O3
3	D	403	TRS	C2-C-C1-O1
3	A	402	TRS	C2-C-C3-O3
3	B	403	TRS	C3-C-C1-O1
3	B	403	TRS	N-C-C2-O2
3	B	404	TRS	N-C-C2-O2
3	C	402	TRS	N-C-C1-O1
3	C	402	TRS	N-C-C3-O3
3	C	403	TRS	C2-C-C1-O1
3	C	404	TRS	N-C-C2-O2
3	D	403	TRS	C1-C-C2-O2
3	D	404	TRS	C1-C-C2-O2
3	D	404	TRS	N-C-C2-O2
3	B	403	TRS	C2-C-C1-O1
3	B	403	TRS	C3-C-C2-O2
3	B	403	TRS	C1-C-C3-O3
3	B	404	TRS	C3-C-C2-O2
3	C	402	TRS	C2-C-C1-O1
3	D	404	TRS	C3-C-C1-O1
3	D	404	TRS	C3-C-C2-O2

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	A	403	TRS	N-C-C3-O3
3	B	403	TRS	N-C-C1-O1
3	B	404	TRS	N-C-C3-O3
3	C	404	TRS	C1-C-C3-O3
3	D	403	TRS	N-C-C1-O1


There are no ring outliers.


11 monomers are involved in 34 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	404	TRS	5	0
3	B	402	TRS	1	0
3	D	404	TRS	1	0
3	B	403	TRS	7	0
3	D	402	TRS	1	0
3	D	403	TRS	3	0
3	A	402	TRS	1	0
3	C	403	TRS	4	0
3	A	403	TRS	8	0
3	C	404	TRS	4	0
3	A	404	TRS	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	367/375 (97%)	-0.35	8 (2%) 62 59	37, 52, 84, 139	0
1	B	367/375 (97%)	-0.34	11 (2%) 50 45	39, 51, 81, 131	0
1	C	367/375 (97%)	-0.42	0 100 100	38, 52, 72, 95	0
1	D	367/375 (97%)	-0.16	11 (2%) 50 45	43, 60, 100, 163	0
All	All	1468/1500 (97%)	-0.32	30 (2%) 65 63	37, 54, 88, 163	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	134	GLU	6.9
1	D	135	GLY	5.0
1	A	134	GLU	4.8
1	B	138	ASP	4.3
1	A	138	ASP	4.1
1	B	134	GLU	4.1
1	D	366	TRP	4.0
1	A	135	GLY	3.8
1	A	137	PHE	3.6
1	B	132	THR	3.6
1	B	135	GLY	3.5
1	B	131	TYR	3.4
1	A	139	ARG	3.2
1	D	85	CYS	3.2
1	A	136	GLU	3.2
1	B	133	ASP	2.9
1	D	131	TYR	2.7
1	B	139	ARG	2.6
1	B	137	PHE	2.5
1	A	132	THR	2.5
1	D	136	GLU	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	138	ASP	2.4
1	B	366	TRP	2.3
1	A	140	TYR	2.2
1	D	133	ASP	2.2
1	B	136	GLU	2.2
1	D	139	ARG	2.2
1	D	132	THR	2.1
1	D	130	ILE	2.1
1	B	129	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	TRS	D	403	8/8	0.72	0.49	87,97,110,110	0
3	TRS	C	404	8/8	0.78	0.43	79,85,94,113	0
3	TRS	D	404	8/8	0.80	0.31	73,79,89,97	0
3	TRS	C	403	8/8	0.81	0.27	79,90,101,105	0
3	TRS	B	403	8/8	0.81	0.46	66,75,93,95	8
3	TRS	A	404	8/8	0.83	0.34	60,74,85,91	0
3	TRS	A	403	8/8	0.84	0.39	70,83,101,107	0
3	TRS	B	404	8/8	0.89	0.33	64,75,81,89	0
3	TRS	A	402	8/8	0.95	0.41	74,75,88,95	8
3	TRS	C	402	8/8	0.96	0.24	52,73,79,83	8
3	TRS	D	402	8/8	0.96	0.36	86,91,98,130	0
3	TRS	B	402	8/8	0.97	0.44	87,89,119,133	0
2	ZN	A	401	1/1	0.99	0.16	49,49,49,49	0
2	ZN	B	401	1/1	0.99	0.10	44,44,44,44	0


*Continued on next page...*


Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	ZN	C	401	1/1	0.99	0.15	53,53,53,53	0
2	ZN	D	401	1/1	1.00	0.15	57,57,57,57	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.












































## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.