



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 25, 2024 – 01:32 am BST

PDB ID : 9GP8
Title : Crystal Structure of TgoT_PGLVVWA XNA Polymerase (Apo)
Authors : Dasoondi, R.S.; Bellini, D.; Holliger, P.
Deposited on : 2024-09-07
Resolution : 2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.002 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.38.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	8336 (2.20-2.16)
Clashscore	180529	9404 (2.20-2.16)
Ramachandran outliers	177936	9297 (2.20-2.16)
Sidechain outliers	177891	9297 (2.20-2.16)
RSRZ outliers	164620	8337 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	773	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6598 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	759	6236	4029	1044	1150	13	0	1	0

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	93	GLN	VAL	conflict	UNP P56689
A	141	ALA	ASP	conflict	UNP P56689
A	143	ALA	GLU	conflict	UNP P56689
A	269	TRP	ASN	conflict	UNP P56689
A	429	GLY	GLU	conflict	UNP P56689
A	455	PRO	ASP	conflict	UNP P56689
A	485	LEU	ALA	conflict	UNP P56689
A	487	GLY	LYS	conflict	UNP P56689
A	521	LEU	ILE	conflict	UNP P56689
A	589	ALA	VAL	conflict	UNP P56689
A	606	VAL	ARG	conflict	UNP P56689
A	613	VAL	ARG	conflict	UNP P56689
A	684	GLU	LYS	conflict	UNP P56689
A	726	ARG	LYS	conflict	UNP P56689

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	352	Total	O	0	0
			352	352		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA polymerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.20Å 105.80Å 156.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	52.90 – 2.18 52.90 – 2.18	Depositor EDS
% Data completeness (in resolution range)	99.3 (52.90-2.18) 99.4 (52.90-2.18)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.01 (at 2.18Å)	Xtrriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.228 , 0.282 0.228 , 0.278	Depositor DCC
R_{free} test set	2663 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	60.8	Xtrriage
Anisotropy	0.337	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 80.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6598	wwPDB-VP
Average B, all atoms (Å ²)	86.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/6380	0.68	0/8610

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	379	ARG	Sidechain
1	A	381	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6236	0	6262	153	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	10	0	0	1	0
3	A	352	0	0	40	2
All	All	6598	0	6262	153	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:375:ARG:HG3	1:A:379:ARG:NH2	1.79	0.98
1:A:541:THR:HB	3:A:1131:HOH:O	1.67	0.93
1:A:743:ARG:NH2	3:A:901:HOH:O	2.03	0.91
1:A:285:GLN:HG2	1:A:286:PRO:HD2	1.53	0.89
1:A:272:THR:HB	1:A:665:GLN:HG2	1.62	0.81
1:A:650:LEU:HD12	1:A:655:VAL:HG21	1.63	0.81
1:A:247:ARG:HD3	1:A:247:ARG:H	1.46	0.79
1:A:186:THR:HG22	1:A:188:LYS:H	1.48	0.77
1:A:411:SER:HB3	1:A:575:LEU:HD23	1.69	0.74
1:A:370:ASN:OD1	3:A:902:HOH:O	2.04	0.74
1:A:704:LEU:HD11	1:A:715:ILE:HG12	1.68	0.74
1:A:246:ASP:OD1	1:A:247:ARG:NH1	2.22	0.73
1:A:464:LYS:HG3	1:A:483:GLN:HG3	1.69	0.73
1:A:459:GLU:OE2	1:A:482:ARG:NH2	2.26	0.69
1:A:590:THR:HG22	1:A:593:LYS:HB2	1.74	0.69
1:A:314:GLU:O	3:A:903:HOH:O	2.14	0.66
1:A:247:ARG:H	1:A:247:ARG:CD	2.10	0.65
1:A:509:CYS:SG	3:A:1059:HOH:O	2.54	0.65
1:A:471:ILE:O	1:A:473:PRO:HD3	1.97	0.65
1:A:93:GLN:HB3	3:A:1132:HOH:O	1.97	0.64
1:A:317:LYS:N	3:A:903:HOH:O	2.30	0.64
1:A:293:GLU:O	1:A:297:GLN:HG3	1.97	0.64
1:A:366:GLU:OE2	3:A:904:HOH:O	2.15	0.63
1:A:118:LYS:NZ	2:A:802:SO4:O1	2.31	0.62
1:A:387:GLY:HA3	1:A:541:THR:HG22	1.81	0.61
1:A:382:GLU:HG2	1:A:507:LYS:HD2	1.82	0.61
1:A:464:LYS:CG	1:A:483:GLN:HG3	2.29	0.61
1:A:686:LEU:HD13	1:A:691:ILE:HB	1.84	0.59
1:A:188:LYS:NZ	3:A:919:HOH:O	2.35	0.59
1:A:284:GLY:N	3:A:922:HOH:O	2.37	0.58
1:A:111:GLU:N	3:A:902:HOH:O	2.36	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:THR:CB	1:A:665:GLN:HG2	2.33	0.57
1:A:590:THR:OG1	3:A:905:HOH:O	2.18	0.57
1:A:650:LEU:CD1	1:A:655:VAL:HG21	2.34	0.57
1:A:334:SER:HA	1:A:344:VAL:HG21	1.86	0.57
1:A:291:TYR:HD1	1:A:294:GLU:OE2	1.88	0.57
1:A:226:LEU:HD21	3:A:1188:HOH:O	2.04	0.57
1:A:585:ARG:NH2	3:A:920:HOH:O	2.36	0.57
1:A:285:GLN:HG2	1:A:286:PRO:CD	2.32	0.56
1:A:273:TYR:HD1	3:A:1056:HOH:O	1.88	0.56
1:A:382:GLU:N	1:A:382:GLU:OE2	2.39	0.56
1:A:165:GLU:N	1:A:165:GLU:OE2	2.38	0.56
1:A:63:VAL:HG22	3:A:943:HOH:O	2.06	0.55
1:A:758:GLN:OE1	3:A:906:HOH:O	2.18	0.55
1:A:324:LYS:NZ	3:A:930:HOH:O	2.39	0.55
1:A:406:ARG:NH2	3:A:929:HOH:O	2.39	0.54
1:A:364:ARG:HH11	1:A:364:ARG:HG3	1.72	0.54
1:A:682:VAL:HG11	1:A:701:TYR:HB3	1.90	0.53
1:A:625:ARG:HB2	3:A:1088:HOH:O	2.08	0.53
1:A:466:LYS:O	1:A:470:THR:HG22	2.09	0.53
1:A:585:ARG:NH2	3:A:911:HOH:O	2.27	0.53
1:A:260:LEU:O	1:A:264:ILE:HG12	2.08	0.53
1:A:674:LYS:HB2	1:A:679:HIS:CE1	2.44	0.52
1:A:188:LYS:HB2	1:A:226:LEU:HD23	1.91	0.52
1:A:122:ILE:HD12	3:A:1051:HOH:O	2.10	0.52
1:A:644:LYS:HE3	1:A:754:ASP:O	2.10	0.52
1:A:660:LEU:HB3	1:A:732:TYR:CZ	2.45	0.52
1:A:520:TYR:CE2	1:A:575:LEU:HD11	2.45	0.52
1:A:270:LEU:HD21	1:A:281:ALA:HB3	1.92	0.52
1:A:721:ASP:O	1:A:725:HIS:HB2	2.10	0.51
1:A:260:LEU:HD21	1:A:323:GLY:HA2	1.93	0.51
1:A:669:ASP:O	1:A:671:LYS:N	2.43	0.51
1:A:707:SER:OG	1:A:708:GLY:N	2.39	0.51
1:A:436:GLN:HA	1:A:436:GLN:OE1	2.11	0.51
1:A:128:PRO:HG2	1:A:339:GLN:C	2.31	0.50
1:A:465:LYS:HE2	3:A:1149:HOH:O	2.10	0.50
1:A:257:HIS:O	1:A:346:ARG:NH2	2.35	0.50
1:A:329:MET:HE1	3:A:1235:HOH:O	2.11	0.50
1:A:491:ASN:ND2	3:A:941:HOH:O	2.44	0.50
1:A:622:THR:HA	3:A:1088:HOH:O	2.12	0.49
1:A:731:TYR:O	1:A:735:ASN:HB3	2.12	0.49
1:A:354:GLU:OE1	1:A:496:TYR:OH	2.21	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:PHE:HB2	1:A:234:ARG:NH1	2.27	0.49
1:A:188:LYS:HB2	1:A:226:LEU:CD2	2.43	0.49
1:A:186:THR:HG22	1:A:188:LYS:N	2.23	0.49
1:A:196:LYS:HE2	1:A:200:GLU:OE2	2.13	0.49
1:A:622:THR:O	1:A:626:VAL:HG13	2.13	0.48
1:A:202:ASP:OD1	1:A:255:ARG:NH1	2.42	0.48
1:A:474:ILE:H	1:A:474:ILE:HD12	1.78	0.48
1:A:318:VAL:N	3:A:903:HOH:O	2.14	0.48
1:A:387:GLY:CA	1:A:541:THR:HG22	2.44	0.48
1:A:610:ILE:HD12	1:A:620:LYS:HG2	1.96	0.48
1:A:630:ILE:O	1:A:634:GLY:HA2	2.14	0.47
1:A:646:VAL:O	1:A:650:LEU:HD13	2.14	0.47
1:A:195:LEU:HD21	1:A:230:PHE:CE1	2.50	0.47
1:A:251:GLU:HG2	1:A:342:TRP:CE2	2.50	0.47
1:A:375:ARG:HG3	1:A:379:ARG:HH22	1.75	0.47
1:A:699:ILE:HG22	1:A:701:TYR:HD2	1.80	0.47
1:A:342:TRP:CD1	1:A:346:ARG:NH2	2.84	0.46
1:A:380:ARG:NH1	1:A:500:ALA:O	2.40	0.46
1:A:159:MET:HG2	1:A:172:THR:HB	1.97	0.46
1:A:212:ASP:OD2	1:A:346:ARG:HD3	2.16	0.46
1:A:602:LYS:HB3	1:A:602:LYS:HE2	1.74	0.46
1:A:195:LEU:HD21	1:A:230:PHE:CD1	2.50	0.46
1:A:301:THR:HG22	1:A:302:GLY:N	2.31	0.45
1:A:609:GLU:HG2	1:A:610:ILE:H	1.79	0.45
1:A:303:GLU:HG3	1:A:304:GLY:H	1.81	0.45
1:A:315:ASP:O	1:A:319:THR:HG23	2.15	0.45
1:A:558:LYS:HE3	1:A:562:GLU:OE1	2.17	0.44
1:A:593:LYS:NZ	3:A:946:HOH:O	2.50	0.44
1:A:743:ARG:NH2	3:A:946:HOH:O	2.49	0.44
1:A:58:ARG:NH2	3:A:950:HOH:O	2.49	0.44
1:A:564:LEU:HD11	1:A:579:TYR:HB2	1.99	0.44
1:A:165:GLU:HG3	3:A:930:HOH:O	2.15	0.44
1:A:364:ARG:HH11	1:A:364:ARG:CG	2.30	0.44
1:A:487:GLY:O	1:A:491:ASN:ND2	2.51	0.44
1:A:103:HIS:CE1	1:A:105:ALA:HB3	2.53	0.44
1:A:219:LEU:O	1:A:223:SER:OG	2.28	0.44
1:A:499:TYR:CE1	1:A:501:LYS:HE2	2.53	0.44
1:A:270:LEU:HD21	1:A:281:ALA:CB	2.47	0.43
1:A:705:LYS:HB3	1:A:705:LYS:HE2	1.84	0.43
1:A:557:LYS:O	1:A:561:LYS:HG3	2.18	0.43
1:A:671:LYS:O	1:A:671:LYS:HG3	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:ALA:HB3	1:A:63:VAL:HG22	2.00	0.43
1:A:519:GLN:O	1:A:523:THR:HG23	2.18	0.43
1:A:694:ARG:O	1:A:697:THR:OG1	2.28	0.43
1:A:215:ASP:O	1:A:219:LEU:HD12	2.18	0.43
1:A:540:ASP:C	1:A:541:THR:HG1	2.21	0.43
1:A:682:VAL:HG11	1:A:701:TYR:CB	2.49	0.43
1:A:189:GLU:HG2	3:A:1095:HOH:O	2.18	0.43
1:A:518:ARG:HB3	1:A:522:GLU:OE2	2.18	0.43
1:A:477:LYS:HD3	3:A:1103:HOH:O	2.18	0.43
1:A:665:GLN:NE2	1:A:696:GLY:O	2.51	0.43
1:A:145:LEU:HB2	1:A:158:LEU:HD21	2.01	0.43
1:A:282:ILE:N	3:A:922:HOH:O	2.51	0.43
1:A:103:HIS:HB3	1:A:106:VAL:HG23	2.01	0.42
1:A:394:ARG:HD3	3:A:1201:HOH:O	2.19	0.42
1:A:215:ASP:N	1:A:215:ASP:OD1	2.51	0.42
1:A:55:THR:HG22	1:A:64:ARG:HB3	2.01	0.42
1:A:361:ALA:HB1	1:A:366:GLU:O	2.19	0.42
1:A:553:ALA:O	1:A:557:LYS:HG3	2.19	0.42
1:A:78:ARG:NH2	1:A:426:GLU:OE1	2.53	0.42
1:A:548:ILE:HD12	1:A:556:VAL:HA	2.01	0.42
1:A:268:ILE:HG21	1:A:282:ILE:HD11	2.02	0.42
1:A:317:LYS:HD3	1:A:321:GLU:OE2	2.20	0.42
1:A:97:ARG:HD3	3:A:1132:HOH:O	2.20	0.41
1:A:671:LYS:O	1:A:672:ASP:HB2	2.19	0.41
1:A:131:GLY:HA3	3:A:985:HOH:O	2.19	0.41
1:A:613:VAL:O	1:A:664:GLU:HA	2.20	0.41
1:A:621:GLU:O	1:A:625:ARG:HG3	2.20	0.41
1:A:153:ALA:HA	1:A:218:TYR:CZ	2.55	0.41
1:A:653:TYR:HA	1:A:727:TYR:OH	2.20	0.41
1:A:126:LEU:O	1:A:359:ARG:NH2	2.54	0.41
1:A:381:ARG:HD2	1:A:381:ARG:HA	1.61	0.41
1:A:78:ARG:NH1	3:A:960:HOH:O	2.53	0.41
1:A:667:THR:HG23	3:A:984:HOH:O	2.19	0.41
1:A:119:ARG:HA	3:A:1051:HOH:O	2.20	0.41
1:A:658:GLU:O	1:A:661:VAL:HG23	2.21	0.41
1:A:721:ASP:O	1:A:723:ALA:N	2.52	0.40
1:A:303:GLU:CG	1:A:304:GLY:H	2.34	0.40
1:A:333:LEU:HD21	1:A:352:LEU:CD2	2.51	0.40
1:A:1:MET:CE	1:A:133:GLU:HB3	2.52	0.40
1:A:270:LEU:HD11	1:A:278:VAL:HA	2.02	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1029:HOH:O	3:A:1206:HOH:O[4_555]	1.99	0.21
3:A:1071:HOH:O	3:A:1082:HOH:O[4_455]	2.06	0.14

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	758/773 (98%)	721 (95%)	37 (5%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	656/666 (98%)	638 (97%)	18 (3%)	40 49

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	199	LYS
1	A	215	ASP
1	A	235	GLU
1	A	240	LYS
1	A	247	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	310	ARG
1	A	317	LYS
1	A	329	MET
1	A	375	ARG
1	A	381	ARG
1	A	406	ARG
1	A	462	LYS
1	A	483	GLN
1	A	516	TRP
1	A	531	LYS
1	A	596	VAL
1	A	713	ARG
1	A	752	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	242	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	801	-	4,4,4	0.17	0	6,6,6	0.14	0
2	SO4	A	802	-	4,4,4	0.13	0	6,6,6	0.28	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	802	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	759/773 (98%)	0.41	19 (2%) 58 57	46, 79, 130, 190	1 (0%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	268	ILE	4.1
1	A	699	ILE	3.1
1	A	698	VAL	2.8
1	A	702	ILE	2.7
1	A	675	ALA	2.6
1	A	615	TRP	2.6
1	A	693	ILE	2.5
1	A	673	TYR	2.4
1	A	697	THR	2.4
1	A	318	VAL	2.4
1	A	650	LEU	2.3
1	A	168	ALA	2.3
1	A	319	THR	2.3
1	A	295	ILE	2.2
1	A	610	ILE	2.2
1	A	283	PHE	2.2
1	A	270	LEU	2.2
1	A	291	TYR	2.2
1	A	385	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	801	5/5	0.91	0.11	115,115,139,141	0
2	SO4	A	802	5/5	0.91	0.06	85,96,105,106	0

6.5 Other polymers [i](#)

There are no such residues in this entry.