

Full wwPDB X-ray Structure Validation Report (i)

Nov 3, 2024 - 12:55 am GMT

:	1GTT
:	CRYSTAL STRUCTURE OF HPCE
:	Tame, J.R.H.; Namba, K.; Dodson, E.J.; Roper, D.I.
:	2002-01-18
:	1.70 Å(reported)
	•

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution		
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R _{free}	164625	5161(1.70-1.70)		
Clashscore	180529	5671(1.70-1.70)		
Ramachandran outliers	177936	5594(1.70-1.70)		
Sidechain outliers	177891	5594(1.70-1.70)		
RSRZ outliers	164620	5159 (1.70-1.70)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	429	88%	9%	••
1	В	429	3% 86%	11%	••
1	С	429	86%	10%	••••
1	D	429	82%	14%	••



$1 \mathrm{GTT}$

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 14274 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called 4-HYDROXYPHENYLACETATE DEGRADATION BI-FUNCTIONAL ISOMERASE/DECARBOXYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Λ	491	Total	С	Ν	Ο	\mathbf{S}	24	4	0
1	Л	421	3263	2067	556	629	11	24		0
1	В	491	Total	С	Ν	0	S	29	4	0
1	D	421	3264	2068	556	629	11			
1	С	491	Total	С	Ν	0	S	31	3	0
1	U	421	3260	2066	555	628	11			
1	1 D	491	Total	С	Ν	0	S	20	4	0
	D	421	3266	2069	557	629	11	- 50	4	0

• Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total Ca 1 1	0	0
2	В	1	Total Ca 1 1	0	0
2	С	1	Total Ca 1 1	0	0
2	D	1	Total Ca 1 1	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	316	Total O 316 316	0	0
3	В	306	Total O 306 306	0	0
3	С	322	Total O 322 322	0	0
3	D	273	Total O 273 273	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 4-HYDROXYPHENYLACETATE DEGRADATION BIFUNCTIONAL ISOMER ASE/DECARBOXYLASE



• Molecule 1: 4-HYDROXYPHENYLACETATE DEGRADATION BIFUNCTIONAL ISOMER ASE/DECARBOXYLASE



R417 ● K429

 \bullet Molecule 1: 4-HYDROXYPHENYLACETATE DEGRADATION BIFUNCTIONAL ISOMER ASE/DECARBOXYLASE





D205 D205 T21 1 T23 1 T23 1 T24 1 T222 1 T322 1 T333 1 T333 1 T333 1 T333</td



 \bullet Molecule 1: 4-HYDROXYPHENYLACETATE DEGRADATION BIFUNCTIONAL ISOMER ASE/DECARBOXYLASE





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	126.08Å 138.20Å 103.97Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	91.29 - 1.70	Depositor
Resolution (A)	91.29 - 1.70	EDS
% Data completeness	98.5 (91.29-1.70)	Depositor
(in resolution range)	98.6 (91.29-1.70)	EDS
R_{merge}	0.06	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.61 (at 1.70 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.1.06	Depositor
B B.	0.216 , 0.252	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.223 , 0.256	DCC
R_{free} test set	9927 reflections (5.06%)	wwPDB-VP
Wilson B-factor $(Å^2)$	30.5	Xtriage
Anisotropy	0.143	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.38 , 34.4	EDS
L-test for $twinning^2$	$ < L >=0.50, < L^2>=0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14274	wwPDB-VP
Average B, all atoms $(Å^2)$	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 26.47 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.6189e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	ond lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.94	3/3358~(0.1%)	0.95	7/4584~(0.2%)	
1	В	0.84	4/3358~(0.1%)	0.99	16/4584~(0.3%)	
1	С	1.11	7/3349~(0.2%)	1.17	18/4571~(0.4%)	
1	D	0.89	5/3361~(0.1%)	1.03	20/4587~(0.4%)	
All	All	0.95	19/13426~(0.1%)	1.04	61/18326~(0.3%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2
1	В	0	3
1	С	0	4
1	D	0	1
All	All	0	10

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
1	С	210	THR	C-O	31.97	1.84	1.23
1	С	209	VAL	C-N	-24.82	0.77	1.34
1	А	234	ASP	C-N	-16.84	0.95	1.34
1	D	209	VAL	C-N	-15.32	0.98	1.34
1	D	234	ASP	C-N	-12.85	1.04	1.34
1	В	234	ASP	C-N	-9.40	1.12	1.34
1	С	210	THR	N-CA	9.01	1.64	1.46
1	С	212	ARG	C-N	7.96	1.52	1.34
1	А	321	ASN	CB-CG	6.33	1.65	1.51
1	А	333	MET	CG-SD	-6.20	1.65	1.81



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
1	С	210	THR	C-N	-6.14	1.20	1.34
1	В	358	GLU	CD-OE1	6.05	1.32	1.25
1	В	321	ASN	CB-CG	5.75	1.64	1.51
1	С	333	MET	CG-SD	-5.59	1.66	1.81
1	В	358	GLU	CG-CD	5.48	1.60	1.51
1	D	212	ARG	CB-CG	-5.45	1.37	1.52
1	D	321	ASN	CB-CG	5.27	1.63	1.51
1	С	304	VAL	CB-CG1	-5.26	1.41	1.52
1	D	211	THR	C-N	-5.02	1.22	1.34

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	С	209	VAL	O-C-N	-20.50	89.90	122.70
1	С	209	VAL	C-N-CA	20.28	172.39	121.70
1	С	210	THR	CA-C-O	-16.83	84.76	120.10
1	С	209	VAL	CA-C-N	14.77	149.70	117.20
1	В	234	ASP	CA-C-N	-13.01	88.58	117.20
1	С	234	ASP	CA-C-N	-12.89	88.84	117.20
1	С	234	ASP	O-C-N	12.55	142.79	122.70
1	В	210	THR	O-C-N	-11.67	104.03	122.70
1	D	234	ASP	O-C-N	10.64	139.72	122.70
1	С	210	THR	O-C-N	10.46	139.44	122.70
1	D	345	ASP	CB-CG-OD2	10.00	127.30	118.30
1	D	209	VAL	O-C-N	-8.83	108.58	122.70
1	D	13	ARG	NE-CZ-NH1	8.46	124.53	120.30
1	D	234	ASP	CB-CG-OD2	8.39	125.85	118.30
1	С	234	ASP	CB-CG-OD2	8.08	125.57	118.30
1	D	234	ASP	CA-C-N	-7.97	99.66	117.20
1	А	260	ASP	CB-CG-OD2	7.70	125.23	118.30
1	С	205	ASP	CB-CG-OD1	7.47	125.02	118.30
1	С	13	ARG	NE-CZ-NH1	7.46	124.03	120.30
1	D	307	ASP	CB-CG-OD2	7.13	124.72	118.30
1	В	148	ASP	CB-CG-OD2	7.10	124.69	118.30
1	В	234	ASP	O-C-N	6.85	133.67	122.70
1	D	190	ARG	NE-CZ-NH1	6.78	123.69	120.30
1	D	209	VAL	CA-C-N	6.61	131.74	117.20
1	В	213	LYS	N-CA-CB	-6.54	98.82	110.60
1	С	148	ASP	CB-CG-OD2	6.51	124.16	118.30
1	D	328	ASP	CB-CG-OD1	6.27	123.94	118.30
1	D	142	ASP	CB-CG-OD2	6.24	123.92	118.30
1	D	401	ASP	CB-CG-OD2	6.23	123.91	118.30



Mol	Chain	\mathbf{Res}	Type	Atoms	\mathbf{Z}	$Observed(^{o})$	$Ideal(^{o})$
1	А	234	ASP	CB-CG-OD2	6.14	123.82	118.30
1	В	234	ASP	CB-CG-OD2	6.05	123.74	118.30
1	С	367	ASP	CB-CG-OD2	6.03	123.73	118.30
1	D	148	ASP	CB-CG-OD2	5.99	123.69	118.30
1	В	401	ASP	CB-CG-OD2	5.98	123.68	118.30
1	D	345	ASP	OD1-CG-OD2	-5.97	111.95	123.30
1	D	13	ARG	NE-CZ-NH2	-5.96	117.32	120.30
1	С	345	ASP	CB-CG-OD2	5.88	123.60	118.30
1	D	190	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	А	94	ASP	CB-CG-OD2	5.77	123.49	118.30
1	В	212	ARG	CD-NE-CZ	-5.74	115.56	123.60
1	С	190	ARG	NE-CZ-NH1	5.70	123.15	120.30
1	А	319	ARG	NE-CZ-NH1	5.68	123.14	120.30
1	С	334	LEU	CB-CG-CD1	-5.66	101.38	111.00
1	D	234	ASP	C-N-CA	-5.63	107.63	121.70
1	С	188	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	В	367	ASP	CB-CG-OD2	5.43	123.19	118.30
1	В	260	ASP	CB-CG-OD1	5.40	123.16	118.30
1	В	345	ASP	CB-CG-OD2	5.35	123.12	118.30
1	В	170	ASP	CB-CG-OD1	5.32	123.09	118.30
1	В	358	GLU	CG-CD-OE1	5.32	128.93	118.30
1	D	319	ARG	NE-CZ-NH1	5.25	122.92	120.30
1	В	17	ASP	CB-CG-OD2	5.24	123.01	118.30
1	D	113	ASP	CB-CG-OD1	5.22	123.00	118.30
1	D	210	THR	N-CA-C	5.20	125.04	111.00
1	А	297	ASP	CB-CG-OD2	5.20	122.98	118.30
1	В	234	ASP	C-N-CA	-5.18	108.75	121.70
1	В	78	ARG	NE-CZ-NH2	-5.17	117.71	120.30
1	С	81	ASP	CB-CG-OD2	5.17	122.95	118.30
1	С	401	ASP	CB-CG-OD2	5.13	122.92	118.30
1	А	142	ASP	CB-CG-OD2	5.05	122.84	118.30
1	А	401	ASP	CB-CG-OD2	5.02	122.82	118.30

There are no chirality outliers.

All (10) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	234	ASP	Mainchain,Peptide
1	В	210	THR	Mainchain
1	В	234	ASP	Mainchain,Peptide
1	С	209	VAL	Peptide
1	С	210	THR	Mainchain,Peptide



Continued from previous page...

Mol	Chain	Res	Type	Group
1	С	234	ASP	Peptide
1	D	234	ASP	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3263	0	3216	27	1
1	В	3264	0	3220	24	2
1	С	3260	0	3215	31	3
1	D	3266	0	3224	37	2
2	А	1	0	0	0	0
2	В	1	0	0	0	0
2	С	1	0	0	0	0
2	D	1	0	0	0	0
3	А	316	0	0	7	0
3	В	306	0	0	0	0
3	С	322	0	0	5	0
3	D	273	0	0	2	0
All	All	14274	0	12875	115	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:183:ILE:O	1:C:184:GLN:NE2	1.92	1.02
1:C:304:VAL:HG12	1:C:334:LEU:HD12	1.42	0.99
1:B:184[B]:GLN:HG3	1:B:185:PRO:HD2	1.56	0.86
1:B:37:TRP:H	1:B:321:ASN:HD21	1.27	0.83
1:B:409:VAL:HG11	1:B:417:ARG:CZ	2.11	0.80
1:A:184[A]:GLN:HG3	1:A:185:PRO:HD2	1.64	0.79
1:D:184[A]:GLN:HG3	1:D:185:PRO:HD2	1.66	0.78
1:C:304:VAL:CG1	1:C:334:LEU:HD12	2.16	0.76
1:B:304:VAL:HG12	1:B:334:LEU:HD12	1.65	0.76



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:C:322:LEU:HD22	1:C:326:SER:CB	2.20	0.72
1:A:322:LEU:HD22	1:A:326:SER:CB	2.20	0.72
1:C:56:GLN:HG2	3:C:2051:HOH:O	1.90	0.71
1:C:322:LEU:HD22	1:C:326:SER:HB2	1.75	0.68
1:D:304:VAL:HG12	1:D:334:LEU:HD12	1.75	0.67
1:B:322:LEU:HD22	1:B:326:SER:HB2	1.75	0.67
1:A:322:LEU:HD22	1:A:326:SER:HB2	1.78	0.66
1:C:66:VAL:HG13	1:C:174:LEU:HD12	1.78	0.64
1:B:322:LEU:HD22	1:B:326:SER:CB	2.31	0.60
1:D:13:ARG:HH11	1:D:13:ARG:HG3	1.67	0.60
1:B:105:PRO:HD2	1:B:248:LEU:HD11	1.83	0.59
1:B:1:MET:N	1:B:5:ILE:HD11	2.18	0.59
1:D:1:MET:N	1:D:5:ILE:HD11	2.18	0.58
1:C:322:LEU:HD22	1:C:326:SER:OG	2.04	0.58
1:C:56:GLN:OE1	3:C:2051:HOH:O	2.17	0.57
1:C:1:MET:N	1:C:5:ILE:HD11	2.20	0.57
1:D:263:THR:HA	1:D:421:ARG:O	2.03	0.57
1:A:188:ARG:NH2	1:A:202:PRO:HB3	2.21	0.56
1:D:270:ILE:HD13	1:D:310:ILE:HG23	1.90	0.54
1:B:304:VAL:CG1	1:B:334:LEU:HD12	2.34	0.53
1:C:13:ARG:HG2	1:C:13:ARG:HH11	1.73	0.53
1:B:372:VAL:HB	1:B:373:PRO:HD3	1.91	0.53
1:A:246:GLU:HB2	1:A:247:PRO:HD2	1.91	0.53
1:C:13:ARG:HH11	1:C:13:ARG:CG	2.21	0.53
1:C:234:ASP:HB3	1:C:397:LYS:CG	2.40	0.52
1:C:268:ASN:ND2	3:C:2219:HOH:O	2.43	0.52
1:A:322:LEU:HD22	1:A:326:SER:OG	2.10	0.52
1:C:45:VAL:O	1:C:213:LYS:NZ	2.35	0.52
1:A:76:LYS:C	3:A:2064:HOH:O	2.48	0.52
1:A:270:ILE:HD13	1:A:310:ILE:HG23	1.90	0.52
1:A:76:LYS:HA	3:A:2064:HOH:O	2.10	0.51
1:D:410:VAL:HG23	1:D:418:LEU:HB3	1.92	0.51
1:B:409:VAL:HG11	1:B:417:ARG:NH2	2.24	0.51
1:D:13:ARG:HH11	1:D:13:ARG:CG	2.22	0.51
1:C:322:LEU:CD2	1:C:326:SER:OG	2.59	0.51
1:D:205:ASP:OD2	1:D:207:ARG:NH2	2.37	0.50
1:D:45:VAL:O	1:D:213:LYS:NZ	2.32	0.50
1:D:246:GLU:HB2	1:D:247:PRO:HD2	1.94	0.50
1:B:270:ILE:HD13	1:B:310:ILE:HG23	1.93	0.50
1:D:59:LYS:HE2	1:D:61:LEU:HD21	1.94	0.49
1:A:233:ALA:O	1:A:234:ASP:C	2.50	0.49



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:D:66:VAL:HG13	1:D:174:LEU:HD12	1.95	0.49	
1:A:105:PRO:HD2	1:A:248:LEU:HD11	1.95	0.49	
1:C:321:ASN:HB3	3:C:2255:HOH:O	2.12	0.48	
1:B:161:SER:HA	1:B:164:ALA:O	2.14	0.48	
1:B:233:ALA:O	1:B:234:ASP:C	2.51	0.48	
1:A:128:ASP:OD2	3:A:2115:HOH:O	2.20	0.48	
1:C:72:LYS:HA	1:C:168:PRO:HG3	1.96	0.48	
1:D:322:LEU:HD22	1:D:326:SER:OG	2.14	0.47	
1:D:345:ASP:OD1	1:D:345:ASP:N	2.47	0.47	
1:A:13:ARG:CG	1:A:13:ARG:HH11	2.28	0.47	
1:D:308:TYR:OH	1:D:420:ASN:ND2	2.43	0.47	
1:A:234:ASP:HB3	1:A:397:LYS:CG	2.45	0.47	
1:B:234:ASP:HB3	1:B:397:LYS:CG	2.45	0.47	
1:D:38:PHE:CE2	1:D:110:LYS:HD3	2.50	0.47	
1:B:2:LYS:HG3	1:B:2:LYS:O	2.15	0.47	
1:B:66:VAL:HG13	1:B:174:LEU:HD12	1.98	0.46	
1:A:188:ARG:HH22	1:D:188:ARG:NH1	2.13	0.46	
1:C:39:ILE:HD11	1:C:322:LEU:HD21	1.96	0.46	
1:D:2:LYS:O	1:D:2:LYS:HG3	2.16	0.46	
1:A:356:ASN:ND2	3:A:2272:HOH:O	2.48	0.45	
1:C:410:VAL:CG2	1:C:418:LEU:HB3	2.46	0.45	
1:D:233:ALA:O	1:D:234:ASP:C	2.54	0.45	
1:C:366:ALA:O	3:C:2286:HOH:O	2.21	0.45	
1:B:120:GLU:HB3	1:B:197:PRO:HG2	1.98	0.45	
1:D:120:GLU:CD	1:D:197:PRO:HG3	2.36	0.45	
1:D:341:GLU:H	1:D:341:GLU:CD	2.20	0.45	
1:C:233:ALA:O	1:C:234:ASP:C	2.55	0.45	
1:C:105:PRO:HD3	1:C:319:ARG:O	2.17	0.44	
1:D:15:GLN:NE2	3:D:2012:HOH:O	2.50	0.44	
1:D:213:LYS:HB3	1:D:213:LYS:HE3	1.72	0.44	
1:C:40:LYS:HE3	1:C:116:CYS:HB2	2.00	0.44	
1:D:74:ALA:HB3	1:D:166:LEU:HB2	1.99	0.44	
1:A:188:ARG:HH22	1:D:188:ARG:HH12	1.66	0.43	
1:B:72:LYS:HA	1:B:168:PRO:HG3	2.00	0.43	
1:A:188:ARG:NH1	1:D:188:ARG:NH2	2.67	0.43	
1:A:322:LEU:HD23	3:A:2258:HOH:O	2.17	0.43	
1:D:275:TYR:HA	1:D:308:TYR:CD1	2.53	0.43	
1:C:341:GLU:CD	1:C:341:GLU:H	2.22	0.43	
1:D:164:ALA:HA	1:D:328:ASP:OD1	2.18	0.42	
1:A:184[B]:GLN:HG2	1:A:185:PRO:HD2	2.00	0.42	
1:A:292:GLU:O	3:A:2237:HOH:O	2.20	0.42	



	A. ()	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:157:LEU:HD12	1:D:166:LEU:HD13	2.01	0.42
1:B:246:GLU:HB2	1:B:247:PRO:HD2	2.00	0.42
1:D:253:ALA:O	1:D:256:THR:HG22	2.20	0.42
1:D:403:VAL:O	1:D:406:ASP:HB2	2.19	0.42
1:D:131:THR:HA	1:D:144:TRP:O	2.20	0.42
1:A:161:SER:HA	1:A:164:ALA:O	2.19	0.42
1:C:68:LEU:C	1:C:68:LEU:HD12	2.40	0.42
1:A:292:GLU:HG3	1:A:373:PRO:HB2	2.02	0.41
1:D:304:VAL:CG1	1:D:334:LEU:HD12	2.45	0.41
1:B:351:LEU:O	1:B:362:GLN:HA	2.21	0.41
1:D:2:LYS:O	1:D:2:LYS:CG	2.68	0.41
1:C:410:VAL:HG23	1:C:418:LEU:HB3	2.03	0.41
1:A:120:GLU:OE2	3:A:2103:HOH:O	2.22	0.41
1:B:341:GLU:H	1:B:341:GLU:CD	2.24	0.41
1:C:246:GLU:HB2	1:C:247:PRO:HD2	2.01	0.41
1:A:40:LYS:HE3	1:A:116:CYS:HB2	2.02	0.41
1:B:66:VAL:CG1	1:B:174:LEU:HD12	2.50	0.41
1:A:322:LEU:CD2	1:A:326:SER:OG	2.70	0.40
1:B:210:THR:HG21	1:C:138:GLY:HA3	2.02	0.40
1:D:300:ALA:O	3:D:2197:HOH:O	2.22	0.40
1:C:197:PRO:HA	1:C:198:PRO:HD3	1.90	0.40
1:D:322:LEU:HD22	1:D:326:SER:CB	2.51	0.40
1:A:372:VAL:HB	1:A:373:PRO:HD3	2.03	0.40
1:C:292:GLU:HG3	1:C:373:PRO:HB2	2.03	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:13:ARG:NH1	$1:C:235:HIS:NE2[4_546]$	1.74	0.46
1:B:13:ARG:NH1	$1:C:235:HIS:CE1[4_546]$	1.79	0.41
1:A:13:ARG:NH1	$1:D:235:HIS:NE2[4_545]$	2.04	0.16
1:C:139:ARG:NH2	1:D:136:ILE:O[2_555]	2.07	0.13

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries



of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	421/429~(98%)	410 (97%)	8 (2%)	3 (1%)	19	7
1	В	421/429~(98%)	405 (96%)	13 (3%)	3 (1%)	19	7
1	С	420/429~(98%)	403 (96%)	14 (3%)	3 (1%)	19	7
1	D	421/429~(98%)	407 (97%)	9(2%)	5 (1%)	11	2
All	All	1683/1716~(98%)	1625 (97%)	44 (3%)	14 (1%)	16	5

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	210	THR
1	В	210	THR
1	В	234	ASP
1	С	210	THR
1	С	234	ASP
1	D	234	ASP
1	А	234	ASP
1	D	210	THR
1	D	230	LEU
1	А	2	LYS
1	D	413	GLU
1	С	230	LEU
1	D	212	ARG
1	В	212	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	А	355/360~(99%)	345~(97%)	10 (3%)	38	21
1	В	355/360~(99%)	346 (98%)	9(2%)	42	25



Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	С	354/360~(98%)	348~(98%)	6(2%)	56	41	
1	D	356/360~(99%)	351~(99%)	5 (1%)	62	49	
All	All	1420/1440 (99%)	1390 (98%)	30 (2%)	48	32	

Continued from previous page...

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	2	LYS
1	А	13	ARG
1	А	33	LYS
1	А	58	GLU
1	А	210	THR
1	А	212	ARG
1	А	230	LEU
1	А	312	ASP
1	А	340	LYS
1	А	341	GLU
1	В	13	ARG
1	В	33	LYS
1	В	84	GLU
1	В	139	ARG
1	В	230	LEU
1	В	312	ASP
1	В	340	LYS
1	В	341	GLU
1	В	351	LEU
1	С	13	ARG
1	С	184	GLN
1	С	210	THR
1	С	213	LYS
1	С	312	ASP
1	С	341	GLU
1	D	2	LYS
1	D	13	ARG
1	D	33	LYS
1	D	58	GLU
1	D	341	GLU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such side chains are listed below:



Mol	Chain	Res	Type
1	А	15	GLN
1	А	25	GLN
1	А	129	ASN
1	А	150	GLN
1	А	201	ASN
1	А	268	ASN
1	А	274	HIS
1	А	286	GLN
1	А	348	ASN
1	А	386	ASN
1	А	420	ASN
1	В	15	GLN
1	В	25	GLN
1	В	201	ASN
1	В	268	ASN
1	В	321	ASN
1	В	348	ASN
1	В	420	ASN
1	С	15	GLN
1	С	25	GLN
1	С	201	ASN
1	С	268	ASN
1	С	420	ASN
1	D	25	GLN
1	D	129	ASN
1	D	201	ASN
1	D	268	ASN
1	D	420	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.



5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	С	2
1	D	2
1	В	1
1	А	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	С	210:THR	С	211:THR	Ν	1.19
1	В	234:ASP	С	235:HIS	Ν	1.12
1	D	234:ASP	С	235:HIS	N	1.04
1	D	209:VAL	С	210:THR	Ν	0.98
1	А	234:ASP	С	235:HIS	N	0.95
1	С	209:VAL	С	210:THR	Ν	0.77



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	418/429~(97%)	-0.00	8 (1%) 66 69	24, 31, 48, 64	4 (0%)
1	В	418/429~(97%)	0.22	14 (3%) 49 52	25, 35, 54, 70	5 (1%)
1	С	418/429~(97%)	0.32	21 (5%) 35 37	24, 35, 53, 70	5 (1%)
1	D	418/429~(97%)	0.86	53 (12%) 9 8	24, 39, 61, 76	5 (1%)
All	All	1672/1716~(97%)	0.35	96 (5%) 30 32	24, 35, 55, 76	19 (1%)

All (96) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	244	PRO	5.3
1	D	1	MET	5.2
1	D	74	ALA	4.9
1	D	428	ALA	4.7
1	С	233	ALA	4.6
1	D	147	ALA	4.3
1	D	272	TYR	4.2
1	D	30	ALA	4.0
1	С	413	GLU	4.0
1	В	1	MET	3.9
1	С	1	MET	3.8
1	В	244	PRO	3.8
1	В	210	THR	3.7
1	D	270	ILE	3.6
1	D	18	ALA	3.5
1	D	413	GLU	3.4
1	D	150	GLN	3.4
1	D	56	GLN	3.2
1	D	233	ALA	3.2
1	D	344	PRO	3.2
1	D	422	ILE	3.1



~~ ~ ~ ~

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	С	22	ALA	3.0
1	D	410	VAL	3.0
1	D	28	TYR	3.0
1	А	212	ARG	3.0
1	D	309	ALA	3.0
1	D	269	ASN	2.9
1	D	19	TRP	2.9
1	D	22	ALA	2.9
1	D	207	ARG	2.9
1	С	56	GLN	2.9
1	D	79	GLU	2.9
1	С	2	LYS	2.9
1	С	23	PHE	2.9
1	С	214	SER	2.8
1	D	403	VAL	2.8
1	D	408	VAL	2.8
1	D	271	GLU	2.8
1	А	1	MET	2.7
1	А	233	ALA	2.7
1	А	234	ASP	2.7
1	С	272	TYR	2.7
1	D	16	LEU	2.6
1	D	3	GLY	2.6
1	С	21	GLU	2.6
1	D	355	VAL	2.6
1	D	13	ARG	2.6
1	В	23	PHE	2.5
1	D	424	SER	2.5
1	D	402	VAL	2.5
1	D	36	VAL	2.5
1	В	233	ALA	2.5
1	D	358	GLU	2.5
1	А	342	ALA	2.4
1	D	205	ASP	2.4
1	D	244	PRO	2.4
1	С	139	ARG	2.4
1	В	301	GLY	2.4
1	D	427	THR	2.4
1	D	125	SER	2.4
1	С	181	VAL	2.4
1	В	234	ASP	2.4
1	D	234	ASP	2.4



Mol	Chain	Res	Type	RSRZ
1	В	48[A]	CYS	2.3
1	В	417	ARG	2.3
1	D	188	ARG	2.3
1	D	209	VAL	2.3
1	А	21	GLU	2.3
1	А	208	GLU	2.3
1	D	123	ALA	2.3
1	В	213	LYS	2.3
1	D	75	THR	2.3
1	С	3	GLY	2.2
1	D	426	GLU	2.2
1	D	17	ASP	2.2
1	С	423	VAL	2.2
1	С	24	GLN	2.2
1	В	343	ILE	2.2
1	С	25	GLN	2.2
1	А	244	PRO	2.2
1	С	124	LEU	2.2
1	В	291	SER	2.1
1	С	30	ALA	2.1
1	С	212	ARG	2.1
1	D	88	GLY	2.1
1	С	79	GLU	2.1
1	D	27	PRO	2.1
1	D	10	LEU	2.1
1	D	26	SER	2.1
1	D	86	ILE	2.1
1	D	314	LEU	2.1
1	D	217	THR	2.0
1	D	25	GLN	2.0
1	В	57	GLY	2.0
1	D	268	ASN	2.0
1	В	216	PRO	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
2	CA	D	1430	1/1	0.93	0.07	36,36,36,36	0
2	CA	В	1430	1/1	0.99	0.02	31,31,31,31	0
2	CA	С	1430	1/1	0.99	0.03	32,32,32,32	0
2	CA	А	1430	1/1	0.99	0.02	27,27,27,27	0

6.5 Other polymers (i)

There are no such residues in this entry.

