



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 25, 2024 – 03:08 PM EST

PDB ID : 1H1I  
Title : CRYSTAL STRUCTURE OF QUERCETIN 2,3-DIOXYGENASE ANAEROBICALLY COMPLEXED WITH THE SUBSTRATE QUERCETIN  
Authors : Steiner, R.A.; Dijkstra, B.W.  
Deposited on : 2002-07-15  
Resolution : 1.75 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 1.21  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.004 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	2888 (1.76-1.76)
Clashscore	180529	3097 (1.76-1.76)
Ramachandran outliers	177936	3072 (1.76-1.76)
Sidechain outliers	177891	3072 (1.76-1.76)
RSRZ outliers	164620	2887 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	350	 92% 6% ..
1	B	350	 93% 5% ..
1	C	350	 91% 6% ..
1	D	350	 96% 93% 5% .
2	E	2	 50% 50%
2	F	2	 100%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	G	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	MPD	B	1358	-	-	X	-

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 12575 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called QUERCETIN 2,3-DIOXYGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	344	Total 2665	C 1687	N 433	O 540	S 5	0	7	0
1	B	346	Total 2674	C 1692	N 433	O 543	S 6	0	7	0
1	C	343	Total 2642	C 1676	N 429	O 532	S 5	0	2	0
1	D	343	Total 2651	C 1681	N 431	O 534	S 5	0	3	0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	E	2	Total 28	C 16	N 2	O 10	0	0	0
2	F	2	Total 28	C 16	N 2	O 10	0	0	0
2	G	2	Total 28	C 16	N 2	O 10	0	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	Total 14	8	1	5	0	0
3	A	1	Total 14	8	1	5	0	0
3	A	1	Total 14	8	1	5	0	0
3	A	1	Total 14	8	1	5	0	0
3	B	1	Total 14	8	1	5	0	0
3	B	1	Total 14	8	1	5	0	0
3	B	1	Total 14	8	1	5	0	0
3	B	1	Total 14	8	1	5	0	0
3	C	1	Total 14	8	1	5	0	0
3	C	1	Total 14	8	1	5	0	0
3	C	1	Total 14	8	1	5	0	0
3	D	1	Total 14	8	1	5	0	0
3	D	1	Total 14	8	1	5	0	0
3	D	1	Total 14	8	1	5	0	0

- Molecule 4 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cu 1 1	0	0
4	B	1	Total Cu 1 1	0	0
4	C	1	Total Cu 1 1	0	0
4	D	1	Total Cu 1 1	0	0

- Molecule 5 is 3,5,7,3',4'-PENTAHYDROXYFLAVONE (three-letter code: QUE) (formula: C<sub>15</sub>H<sub>10</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 22 15 7	0	0
5	B	1	Total C O 22 15 7	0	0
5	C	1	Total C O 22 15 7	0	0
5	D	1	Total C O 22 15 7	0	0

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 8 6 2	0	0
6	B	1	Total C O 8 6 2	0	0
6	B	1	Total C O 8 6 2	0	0
6	C	1	Total C O 8 6 2	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	427	Total O 427 427	0	0
7	B	378	Total O 378 378	0	0
7	C	370	Total O 370 370	0	0
7	D	364	Total O 364 364	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: QUERCETIN 2,3-DIOXYGENASE




- Molecule 1: QUERCETIN 2,3-DIOXYGENASE




- Molecule 1: QUERCETIN 2,3-DIOXYGENASE



- Molecule 1: QUERCETIN 2,3-DIOXYGENASE







- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 100%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 100%

MAG1  
MAG2

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	109.30Å 55.74Å 124.16Å 90.00° 98.39° 90.00°	Depositor
Resolution (Å)	49.39 – 1.75 49.39 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.5 (49.39-1.75) 99.4 (49.39-1.75)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.86 (at 1.75Å)	Xtrriage
Refinement program	REFMAC 5.1.24	Depositor
R, $R_{free}$	0.148 , 0.183 0.190 , 0.214	Depositor DCC
$R_{free}$ test set	7473 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.8	Xtrriage
Anisotropy	0.599	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 47.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	12575	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.70% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CU, NAG, MPD, QUE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.84	0/2777	0.86	4/3806 (0.1%)
1	B	0.74	0/2788	0.82	2/3820 (0.1%)
1	C	0.73	0/2732	0.81	5/3746 (0.1%)
1	D	0.74	0/2746	0.80	3/3764 (0.1%)
All	All	0.77	0/11043	0.82	14/15136 (0.1%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	246	ASP	CB-CG-OD2	6.47	124.12	118.30
1	D	31	ASP	CB-CG-OD2	6.32	123.99	118.30
1	B	31	ASP	CB-CG-OD2	6.20	123.88	118.30
1	A	31	ASP	CB-CG-OD2	6.15	123.84	118.30
1	C	289	ASP	CB-CG-OD2	5.57	123.31	118.30
1	C	299	ASP	CB-CG-OD1	5.49	123.24	118.30
1	C	328	ASP	CB-CG-OD2	5.37	123.13	118.30
1	D	43	SER	CA-CB-OG	-5.36	96.73	111.20
1	B	349	ASP	CB-CG-OD2	5.30	123.07	118.30
1	D	9	ASP	CB-CG-OD2	5.27	123.05	118.30
1	C	145	ASP	CB-CG-OD2	5.12	122.90	118.30
1	A	9	ASP	CB-CG-OD2	5.10	122.89	118.30
1	A	289	ASP	CB-CG-OD2	5.10	122.89	118.30
1	C	31	ASP	CB-CG-OD2	5.02	122.82	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2665	0	2460	16	0
1	B	2674	0	2475	14	0
1	C	2642	0	2447	16	0
1	D	2651	0	2453	9	0
2	E	28	0	25	0	0
2	F	28	0	25	0	0
2	G	28	0	25	0	0
3	A	56	0	52	0	0
3	B	56	0	52	0	0
3	C	42	0	39	0	0
3	D	42	0	39	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	22	0	5	2	0
5	B	22	0	5	2	0
5	C	22	0	5	1	0
5	D	22	0	5	0	0
6	A	8	0	14	3	0
6	B	16	0	28	6	0
6	C	8	0	14	3	0
7	A	427	0	0	5	0
7	B	378	0	0	3	0
7	C	370	0	0	5	0
7	D	364	0	0	5	0
All	All	12575	0	10168	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:196:ALA:O	1:C:197:ASN:HB3	1.61	0.97

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:1357:MPD:H32	6:B:1358:MPD:H32	1.50	0.93
1:B:8[A]:GLU:HG2	7:B:2003:HOH:O	1.73	0.88
1:D:8[A]:GLU:HG2	7:D:2010:HOH:O	1.74	0.87
1:A:173:GLN:HE21	1:A:173:GLN:H	1.21	0.84
1:A:8[A]:GLU:HG2	7:A:2014:HOH:O	1.78	0.82
6:B:1357:MPD:C3	6:B:1358:MPD:H32	2.11	0.81
1:C:8:GLU:HG2	7:C:2009:HOH:O	1.79	0.81
1:B:201:HIS:CE1	6:B:1358:MPD:HM1	2.26	0.71
1:A:171:THR:HG23	7:A:2215:HOH:O	1.94	0.68
6:A:1359:MPD:H32	6:C:1351:MPD:H32	1.78	0.66
1:A:173:GLN:H	1:A:173:GLN:NE2	1.95	0.64
1:C:197:ASN:O	1:C:197:ASN:ND2	2.30	0.63
1:B:31:ASP:HB2	1:B:162:THR:HG23	1.80	0.63
1:D:8[A]:GLU:CG	7:D:2010:HOH:O	2.41	0.62
1:C:172:LEU:HA	7:C:2202:HOH:O	2.02	0.59
1:D:31:ASP:HB2	1:D:162:THR:HG23	1.85	0.58
1:C:64:LEU:HB2	1:C:169:ILE:HD13	1.85	0.57
1:C:196:ALA:O	1:C:197:ASN:CB	2.34	0.56
1:C:8:GLU:CG	7:C:2009:HOH:O	2.44	0.56
1:B:168:THR:O	1:B:171:THR:HB	2.09	0.53
1:B:171:THR:HG22	1:B:172:LEU:HD23	1.91	0.52
1:D:40:THR:H	1:D:43:SER:HB2	1.75	0.52
6:A:1359:MPD:C3	6:C:1351:MPD:H32	2.39	0.51
1:D:173:GLN:HG3	7:D:2195:HOH:O	2.10	0.51
1:A:31:ASP:HB2	1:A:162:THR:HG23	1.93	0.51
1:A:117:GLN:HG3	7:C:2225:HOH:O	2.11	0.51
1:C:168:THR:O	1:C:171:THR:HB	2.11	0.50
1:B:26:ARG:HD3	1:B:137:TYR:CE1	2.47	0.49
1:C:31:ASP:HB2	1:C:162:THR:HG23	1.95	0.49
1:A:201:HIS:CE1	6:A:1359:MPD:HM1	2.47	0.49
1:C:289:ASP:CG	1:C:289:ASP:O	2.51	0.48
1:B:117:GLN:HG3	7:D:2220:HOH:O	2.12	0.48
1:C:173:GLN:HG2	1:C:178:TYR:CE2	2.48	0.48
1:C:201:HIS:CE1	6:C:1351:MPD:HM1	2.48	0.48
1:C:164:PRO:HG2	1:C:169:ILE:HD12	1.96	0.47
5:A:1358:QUE:H19	5:A:1358:QUE:O27	2.15	0.46
1:B:73:GLU:CD	5:B:1356:QUE:H19	2.35	0.46
1:B:8[A]:GLU:CG	7:B:2003:HOH:O	2.45	0.46
1:A:78[B]:ASN:ND2	7:A:2110:HOH:O	2.34	0.46
1:C:26:ARG:HD2	7:C:2053:HOH:O	2.16	0.46
6:B:1357:MPD:H31	6:B:1358:MPD:H32	1.95	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:154:SER:HB2	7:B:2170:HOH:O	2.17	0.45
1:B:61:LEU:HB2	1:B:161:THR:HG23	1.99	0.45
6:B:1358:MPD:H11	1:D:99:SER:HB3	1.99	0.44
1:A:61:LEU:HB2	1:A:161:THR:HG23	2.00	0.43
1:A:168:THR:O	1:A:171:THR:HB	2.19	0.43
1:A:8[A]:GLU:CG	7:A:2014:HOH:O	2.51	0.43
6:B:1357:MPD:H4	6:B:1358:MPD:H13	2.01	0.43
5:C:1358:QUE:O27	5:C:1358:QUE:H19	2.20	0.42
1:B:73:GLU:OE2	5:B:1356:QUE:H19	2.19	0.42
1:A:16:PRO:HB3	1:A:287:ILE:HG21	2.01	0.42
1:C:21:HIS:CG	1:C:298:GLY:HA3	2.55	0.42
1:A:73:GLU:OE2	5:A:1358:QUE:H19	2.20	0.41
1:D:64:LEU:HB2	1:D:169:ILE:HD13	2.02	0.41
1:A:201:HIS:HB3	1:C:117:GLN:NE2	2.36	0.41
1:D:61:LEU:HB2	1:D:161:THR:HG23	2.02	0.41
1:A:86:ALA:HA	1:A:111:THR:O	2.21	0.40
1:A:154:SER:HB2	7:A:2202:HOH:O	2.20	0.40
1:D:109:ASN:HB3	7:D:2133:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	347/350 (99%)	340 (98%)	7 (2%)	0	100	100
1	B	349/350 (100%)	340 (97%)	9 (3%)	0	100	100
1	C	341/350 (97%)	329 (96%)	12 (4%)	0	100	100
1	D	342/350 (98%)	332 (97%)	10 (3%)	0	100	100
All	All	1379/1400 (98%)	1341 (97%)	38 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	295/294 (100%)	290 (98%)	5 (2%)	56	39
1	B	297/294 (101%)	292 (98%)	5 (2%)	56	39
1	C	289/294 (98%)	284 (98%)	5 (2%)	56	39
1	D	290/294 (99%)	284 (98%)	6 (2%)	48	29
All	All	1171/1176 (100%)	1150 (98%)	21 (2%)	54	37

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	TYR
1	A	160	SER
1	A	171	THR
1	A	173	GLN
1	A	181	LEU
1	B	3	SER
1	B	26	ARG
1	B	72	TYR
1	B	156	SER
1	B	171	THR
1	C	3	SER
1	C	26	ARG
1	C	159	SER
1	C	160	SER
1	C	171	THR
1	D	43	SER
1	D	67	ILE
1	D	72	TYR
1	D	90	ASN
1	D	159	SER
1	D	160	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	117	GLN
1	A	173	GLN
1	A	245	GLN
1	B	83	GLN
1	C	197	ASN
1	D	90	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	E	1	1,2	14,14,15	0.57	0	17,19,21	0.88	0
2	NAG	E	2	2	14,14,15	0.56	0	17,19,21	1.10	1 (5%)
2	NAG	F	1	1,2	14,14,15	0.68	0	17,19,21	1.10	1 (5%)
2	NAG	F	2	2	14,14,15	0.41	0	17,19,21	1.16	2 (11%)
2	NAG	G	1	1,2	14,14,15	0.54	0	17,19,21	1.04	1 (5%)
2	NAG	G	2	2	14,14,15	0.56	0	17,19,21	1.23	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	E	2	2	-	1/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	NAG	G	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	G	2	NAG	O7-C7-N2	2.85	127.01	121.98
2	F	2	NAG	O7-C7-N2	2.80	126.94	121.98
2	F	2	NAG	O7-C7-C8	-2.68	117.27	122.05
2	F	1	NAG	O4-C4-C5	-2.65	102.81	109.32
2	E	2	NAG	O4-C4-C5	2.29	114.97	109.32
2	G	2	NAG	C1-O5-C5	2.24	115.19	112.19
2	G	1	NAG	O4-C4-C5	-2.13	104.08	109.32

There are no chirality outliers.


All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	E	1	NAG	C4-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







## 5.6 Ligand geometry [i](#)

Of 26 ligands modelled in this entry, 4 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	NAG	B	1351	1	14,14,15	0.58	0	17,19,21	0.79	0
3	NAG	B	1353	1	14,14,15	0.73	0	17,19,21	1.22	1 (5%)
3	NAG	A	1351	1	14,14,15	0.47	0	17,19,21	1.10	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	C	1352	1	14,14,15	0.39	0	17,19,21	1.22	2 (11%)
6	MPD	A	1359	-	7,7,7	0.48	0	9,10,10	1.85	2 (22%)
3	NAG	D	1351	1	14,14,15	0.45	0	17,19,21	1.21	3 (17%)
3	NAG	B	1354	1	14,14,15	0.67	0	17,19,21	0.99	1 (5%)
3	NAG	C	1355	1	14,14,15	0.74	1 (7%)	17,19,21	1.02	2 (11%)
6	MPD	B	1358	-	7,7,7	0.42	0	9,10,10	1.65	3 (33%)
3	NAG	D	1354	1	14,14,15	0.87	1 (7%)	17,19,21	1.56	2 (11%)
5	QUE	C	1358	4	20,24,24	2.42	5 (25%)	27,36,36	1.66	7 (25%)
3	NAG	C	1356	1	14,14,15	0.64	0	17,19,21	0.94	1 (5%)
3	NAG	A	1356	1	14,14,15	0.87	1 (7%)	17,19,21	1.58	1 (5%)
3	NAG	B	1352	1	14,14,15	0.47	0	17,19,21	1.10	1 (5%)
6	MPD	C	1351	-	7,7,7	0.45	0	9,10,10	2.02	2 (22%)
5	QUE	A	1358	4	20,24,24	2.66	6 (30%)	27,36,36	1.96	9 (33%)
5	QUE	D	1357	4	20,24,24	2.74	6 (30%)	27,36,36	1.96	7 (25%)
5	QUE	B	1356	4	20,24,24	2.52	5 (25%)	27,36,36	1.68	3 (11%)
3	NAG	A	1354	1	14,14,15	0.77	1 (7%)	17,19,21	1.00	0
6	MPD	B	1357	-	7,7,7	0.45	0	9,10,10	1.95	3 (33%)
3	NAG	D	1355	1	14,14,15	0.78	1 (7%)	17,19,21	1.46	2 (11%)
3	NAG	A	1355	1	14,14,15	0.66	0	17,19,21	1.05	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	1351	1	-	0/6/23/26	0/1/1/1
3	NAG	B	1353	1	-	0/6/23/26	0/1/1/1
3	NAG	A	1351	1	-	0/6/23/26	0/1/1/1
3	NAG	C	1352	1	-	0/6/23/26	0/1/1/1
6	MPD	A	1359	-	-	1/5/5/5	-
3	NAG	D	1351	1	-	2/6/23/26	0/1/1/1
3	NAG	B	1354	1	-	0/6/23/26	0/1/1/1
3	NAG	C	1355	1	-	0/6/23/26	0/1/1/1
6	MPD	B	1358	-	-	4/5/5/5	-
3	NAG	D	1354	1	-	1/6/23/26	0/1/1/1
5	QUE	C	1358	4	-	0/0/4/4	0/3/3/3
3	NAG	C	1356	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1356	1	-	1/6/23/26	0/1/1/1
3	NAG	B	1352	1	-	0/6/23/26	0/1/1/1
6	MPD	C	1351	-	-	2/5/5/5	-
5	QUE	A	1358	4	-	0/0/4/4	0/3/3/3
5	QUE	D	1357	4	-	0/0/4/4	0/3/3/3
5	QUE	B	1356	4	-	0/0/4/4	0/3/3/3
3	NAG	A	1354	1	-	0/6/23/26	0/1/1/1
6	MPD	B	1357	-	-	3/5/5/5	-
3	NAG	D	1355	1	-	0/6/23/26	0/1/1/1
3	NAG	A	1355	1	-	0/6/23/26	0/1/1/1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1358	QUE	O12-C11	6.73	1.46	1.36
5	D	1357	QUE	O12-C11	6.62	1.46	1.36
5	B	1356	QUE	O12-C11	6.36	1.46	1.36
5	D	1357	QUE	C18-C17	6.35	1.50	1.40
5	C	1358	QUE	C3-C4	5.97	1.48	1.41
5	C	1358	QUE	O12-C11	5.80	1.45	1.36
5	B	1356	QUE	C3-C4	5.52	1.47	1.41
5	A	1358	QUE	C3-C4	5.48	1.47	1.41
5	D	1357	QUE	C3-C4	5.34	1.47	1.41
5	A	1358	QUE	C18-C17	5.18	1.48	1.40
5	B	1356	QUE	C18-C17	4.61	1.47	1.40
5	C	1358	QUE	C18-C17	4.47	1.47	1.40
5	A	1358	QUE	C2-C3	3.61	1.49	1.43
5	B	1356	QUE	C19-C18	3.45	1.40	1.37
5	D	1357	QUE	C19-C18	3.38	1.40	1.37
5	D	1357	QUE	C2-C3	3.17	1.48	1.43
5	C	1358	QUE	C19-C18	2.67	1.39	1.37
3	C	1355	NAG	C1-C2	2.35	1.55	1.52
3	D	1354	NAG	C1-C2	2.32	1.55	1.52
3	A	1354	NAG	C1-C2	2.29	1.55	1.52
5	A	1358	QUE	C5-C6	2.24	1.41	1.37
5	A	1358	QUE	O29-C6	-2.16	1.32	1.37
5	B	1356	QUE	C2-C3	2.16	1.46	1.43
3	D	1355	NAG	C1-C2	2.15	1.55	1.52
5	D	1357	QUE	C5-C6	2.14	1.41	1.37
5	C	1358	QUE	C2-C3	2.09	1.46	1.43
3	A	1356	NAG	C1-C2	2.04	1.55	1.52

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	1357	QUE	O12-C4-C5	5.36	122.22	115.95
5	A	1358	QUE	O12-C4-C5	5.28	122.13	115.95
3	A	1356	NAG	C1-O5-C5	5.18	119.14	112.19
6	C	1351	MPD	CM-C2-C1	-4.96	99.52	110.63
5	C	1358	QUE	O12-C4-C5	4.78	121.54	115.95
5	B	1356	QUE	C4-O12-C11	4.76	124.26	120.25
6	B	1357	MPD	CM-C2-C1	-4.69	100.12	110.63
5	A	1358	QUE	C4-O12-C11	4.43	123.99	120.25
3	D	1354	NAG	O5-C1-C2	-4.30	104.63	111.29
6	A	1359	MPD	CM-C2-C1	-4.19	101.25	110.63
3	D	1355	NAG	O5-C1-C2	-4.14	104.88	111.29
5	B	1356	QUE	O12-C4-C5	4.11	120.76	115.95
3	D	1354	NAG	C1-O5-C5	3.78	117.25	112.19
5	D	1357	QUE	C18-C19-C14	-3.76	118.32	121.26
3	B	1352	NAG	C1-O5-C5	3.76	117.22	112.19
5	A	1358	QUE	C5-C4-C3	-3.55	119.30	123.11
5	D	1357	QUE	C5-C4-C3	-3.51	119.33	123.11
5	B	1356	QUE	O12-C4-C3	-3.43	118.13	121.12
6	B	1358	MPD	CM-C2-C1	-3.37	103.07	110.63
3	C	1352	NAG	C2-N2-C7	3.34	127.38	122.90
3	B	1353	NAG	O5-C1-C2	-3.23	106.29	111.29
5	C	1358	QUE	O12-C4-C3	-3.20	118.33	121.12
5	D	1357	QUE	O12-C4-C3	-3.07	118.44	121.12
5	D	1357	QUE	C4-O12-C11	2.93	122.72	120.25
5	A	1358	QUE	O12-C4-C3	-2.92	118.57	121.12
3	B	1354	NAG	C1-O5-C5	-2.90	108.30	112.19
3	D	1355	NAG	O5-C5-C4	-2.84	103.92	110.83
6	C	1351	MPD	O2-C2-CM	2.79	116.68	107.99
5	C	1358	QUE	C5-C4-C3	-2.78	120.12	123.11
3	C	1356	NAG	O4-C4-C3	-2.67	104.08	110.38
3	C	1355	NAG	O5-C1-C2	-2.57	107.32	111.29
5	D	1357	QUE	O27-C10-C11	2.55	124.13	119.48
6	A	1359	MPD	O2-C2-CM	2.52	115.84	107.99
5	A	1358	QUE	C5-C6-C1	2.47	123.05	120.82
5	C	1358	QUE	C5-C6-C1	2.43	123.01	120.82
5	C	1358	QUE	C4-O12-C11	2.42	122.29	120.25
5	A	1358	QUE	C15-C16-C17	-2.37	118.07	120.31
6	B	1358	MPD	C5-C4-C3	2.37	122.67	111.67
3	D	1351	NAG	O7-C7-C8	-2.30	117.96	122.05
3	C	1355	NAG	C2-N2-C7	-2.27	119.86	122.90
5	D	1357	QUE	C5-C6-C1	2.26	122.86	120.82
3	A	1351	NAG	O7-C7-C8	-2.25	118.05	122.05

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1358	QUE	O27-C10-C11	2.25	123.57	119.48
5	A	1358	QUE	C18-C19-C14	-2.18	119.55	121.26
3	D	1351	NAG	C1-O5-C5	2.16	115.08	112.19
3	A	1355	NAG	O7-C7-C8	-2.12	118.29	122.05
3	D	1351	NAG	C2-N2-C7	2.11	125.73	122.90
5	A	1358	QUE	C19-C14-C15	2.10	120.76	118.15
5	C	1358	QUE	C19-C14-C15	2.09	120.76	118.15
3	C	1352	NAG	O7-C7-C8	-2.08	118.36	122.05
6	B	1357	MPD	O2-C2-CM	2.08	114.46	107.99
6	B	1358	MPD	O2-C2-CM	2.05	114.37	107.99
6	B	1357	MPD	O2-C2-C1	-2.04	101.63	107.99
5	C	1358	QUE	C18-C19-C14	-2.01	119.69	121.26

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	1358	MPD	C2-C3-C4-C5
3	D	1354	NAG	C3-C2-N2-C7
3	D	1351	NAG	O5-C5-C6-O6
6	B	1357	MPD	CM-C2-C3-C4
6	B	1358	MPD	CM-C2-C3-C4
3	A	1356	NAG	C3-C2-N2-C7
6	B	1357	MPD	C2-C3-C4-C5
6	C	1351	MPD	O2-C2-C3-C4
6	B	1358	MPD	C2-C3-C4-O4
3	D	1351	NAG	O7-C7-N2-C2
6	A	1359	MPD	CM-C2-C3-C4
6	B	1357	MPD	C1-C2-C3-C4
6	B	1358	MPD	C1-C2-C3-C4
6	C	1351	MPD	CM-C2-C3-C4

There are no ring outliers.

7 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1359	MPD	3	0
6	B	1358	MPD	6	0
5	C	1358	QUE	1	0
6	C	1351	MPD	3	0
5	A	1358	QUE	2	0


*Continued on next page...*






Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	1356	QUE	2	0
6	B	1357	MPD	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

**Warning:** The R factor obtained from EDS is 0.2628, which does not match the depositor's R factor of 0.148. Please interpret the results in this section carefully.

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	344/350 (98%)	-0.17	4 (1%) 76 82	6, 10, 18, 31	7 (2%)
1	B	346/350 (98%)	0.00	9 (2%) 57 64	5, 10, 18, 41	7 (2%)
1	C	343/350 (98%)	0.05	8 (2%) 61 67	6, 10, 18, 32	2 (0%)
1	D	343/350 (98%)	4.99	335 (97%) 0 0	6, 10, 17, 34	3 (0%)
All	All	1376/1400 (98%)	1.21	356 (25%) 2 2	5, 10, 18, 41	19 (1%)

All (356) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	160	SER	22.3
1	D	159	SER	21.8
1	D	4	SER	16.2
1	D	154	SER	14.0
1	D	169	ILE	13.0
1	D	161	THR	12.9
1	D	263	VAL	11.4
1	D	166	SER	11.3
1	D	262	THR	11.1
1	D	289	ASP	10.8
1	D	190	VAL	10.7
1	D	70	LYS	10.0
1	D	171	THR	9.1
1	D	162	THR	8.9
1	D	168	THR	8.8
1	D	230	TYR	8.5
1	D	167	SER	8.4
1	D	43	SER	8.2
1	D	183	PHE	8.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	31	ASP	8.1
1	D	90	ASN	8.1
1	D	216	PHE	8.0
1	D	261	SER	8.0
1	D	177	VAL	7.6
1	D	163	GLY	7.5
1	D	143	ALA	7.5
1	D	152	ILE	7.5
1	D	328	ASP	7.4
1	D	138	TYR	7.4
1	D	55	ALA	7.4
1	D	132	PHE	7.4
1	D	137	TYR	7.3
1	D	189	THR	7.3
1	D	115[A]	GLN	7.3
1	D	67	ILE	7.2
1	D	175	PHE	7.1
1	D	217	ILE	7.1
1	D	207	LEU	7.1
1	D	63	VAL	7.0
1	D	29	THR	7.0
1	D	116	ILE	6.9
1	D	191	ASN	6.9
1	D	164	PRO	6.8
1	D	37	PHE	6.8
1	D	342	SER	6.8
1	D	146	THR	6.7
1	D	77	CYS	6.7
1	D	350	TRP	6.7
1	D	35	TYR	6.7
1	D	6	ILE	6.7
1	D	170	SER	6.7
1	D	82	PHE	6.6
1	D	181	LEU	6.5
1	D	173	GLN	6.5
1	D	78	ASN	6.5
1	D	73	GLU	6.5
1	D	80	GLY	6.4
1	D	172	LEU	6.4
1	D	22	TYR	6.4
1	D	151	TYR	6.4
1	D	225	TYR	6.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	32	THR	6.4
1	D	60	ALA	6.4
1	D	34	LEU	6.4
1	D	75	PHE	6.3
1	D	5	LEU	6.3
1	D	141	THR	6.3
1	D	215	TYR	6.2
1	D	214	PRO	6.2
1	D	30	VAL	6.2
1	D	208	ALA	6.2
1	D	127	ILE	6.2
1	D	61	LEU	6.1
1	D	178	TYR	6.1
1	D	153	PRO	6.0
1	D	97	VAL	6.0
1	D	120	ASP	6.0
1	D	196	ALA	6.0
1	D	64	LEU	6.0
1	D	139	LEU	5.9
1	D	270	PHE	5.9
1	D	211	ALA	5.8
1	D	135	LEU	5.8
1	D	51	MET	5.8
1	D	202	THR	5.8
1	D	98	LEU	5.8
1	D	218	ALA	5.7
1	D	184	THR	5.7
1	D	27	ALA	5.7
1	D	14	VAL	5.7
1	D	264	THR	5.7
1	D	81	SER	5.6
1	D	290	TYR	5.6
1	D	84	LEU	5.6
1	D	109	ASN	5.6
1	D	321	LEU	5.6
1	D	28	VAL	5.6
1	D	335	VAL	5.6
1	D	213	ASP	5.5
1	D	194	ALA	5.5
1	D	200	TRP	5.5
1	D	140	GLY	5.5
1	D	199	VAL	5.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	241	ALA	5.5
1	D	58	SER	5.4
1	D	144	THR	5.4
1	D	54	ASN	5.4
1	D	193	THR	5.4
1	D	239	VAL	5.4
1	D	179	ALA	5.4
1	D	238	PHE	5.4
1	D	111	THR	5.3
1	D	149	THR	5.3
1	D	53	THR	5.3
1	D	62	GLY	5.3
1	D	89	GLY	5.3
1	D	131	GLY	5.3
1	D	39	VAL	5.2
1	D	110	VAL	5.2
1	D	323	VAL	5.2
1	D	56	PRO	5.2
1	D	198	THR	5.2
1	D	165	ASP	5.2
1	D	72	TYR	5.2
1	D	265	VAL	5.1
1	D	310	LYS	5.1
1	D	150	PRO	5.1
1	D	185	PRO	5.1
1	D	240	THR	5.1
1	D	300	VAL	5.1
1	D	24	HIS	5.0
1	D	69	GLN	5.0
1	D	195	PRO	5.0
1	D	17	TYR	5.0
1	D	249	TYR	5.0
1	D	136	PHE	5.0
1	D	188	ASP	4.9
1	D	246	ASP	4.9
1	D	142	ASN	4.9
1	D	250	THR	4.9
1	D	293	THR	4.9
1	D	327	SER	4.9
1	D	126	VAL	4.9
1	D	121	THR	4.9
1	D	48	PHE	4.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	85	TRP	4.8
1	D	341	TRP	4.8
1	D	340	GLU	4.8
1	D	57	HIS	4.8
1	D	251	LEU	4.8
1	D	99	SER	4.8
1	D	47	ALA	4.8
1	D	40	THR	4.8
1	D	187	THR	4.8
1	D	242	THR	4.8
1	D	46	TYR	4.8
1	D	76	TYR	4.8
1	D	7	VAL	4.7
1	D	254	ILE	4.7
1	D	182	SER	4.7
1	D	180	GLU	4.7
1	D	128	VAL	4.7
1	D	25	ALA	4.7
1	D	65	PRO	4.7
1	D	212	GLY	4.6
1	D	308	GLU	4.6
1	D	10	ALA	4.6
1	D	192	GLY	4.6
1	D	303	ILE	4.6
1	D	59	ASP	4.6
1	D	68	HIS	4.6
1	D	123	MET	4.6
1	D	229	GLN	4.6
1	D	278	VAL	4.6
1	D	274	CYS	4.6
1	D	114	PHE	4.5
1	D	106	VAL	4.5
1	D	23	SER	4.5
1	D	124	THR	4.5
1	D	234	ILE	4.5
1	D	206	ALA	4.5
1	D	223	PRO	4.4
1	D	197	ASN	4.4
1	D	201	HIS	4.4
1	D	337	GLY	4.4
1	D	147	THR	4.4
1	D	100	SER	4.4

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	221	TRP	4.4
1	D	334	LEU	4.4
1	D	86	ALA	4.3
1	D	49	THR	4.3
1	D	317	PHE	4.3
1	D	226	LEU	4.3
1	D	244	ALA	4.3
1	D	247	THR	4.3
1	D	269	SER	4.3
1	D	102	ASP	4.3
1	D	336	ASN	4.3
1	D	297	SER	4.3
1	D	298	GLY	4.2
1	D	95	THR	4.2
1	D	8[A]	GLU	4.2
1	D	320	VAL	4.2
1	D	108	ARG	4.2
1	D	21	HIS	4.2
1	D	9	ASP	4.2
1	D	235	VAL	4.2
1	D	50	LEU	4.2
1	D	288	GLY	4.2
1	D	117[A]	GLN	4.2
1	D	268	TRP	4.2
1	D	33	GLN	4.1
1	D	338	GLY	4.1
1	D	118	ASP	4.1
1	D	129	PRO	4.1
1	B	159	SER	4.1
1	D	66	HIS	4.1
1	D	324	SER	4.1
1	D	344	VAL	4.1
1	D	287	ILE	4.1
1	D	52	GLY	4.1
1	D	130	GLY	4.1
1	D	38	TYR	4.0
1	D	276	PHE	4.0
1	D	253	THR	4.0
1	D	103	TYR	4.0
1	D	122	GLU	4.0
1	D	134	ASP	4.0
1	D	248	ASN	4.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	11	PRO	4.0
1	B	169	ILE	3.9
1	D	113	THR	3.9
1	D	104	GLY	3.9
1	D	71	HIS	3.9
1	D	325	SER	3.9
1	D	219	ASN	3.9
1	D	125	GLY	3.9
1	D	245	GLN	3.9
1	D	107	PRO	3.8
1	D	119	PRO	3.8
1	D	333	ASN	3.8
1	D	309	PHE	3.8
1	D	326	GLY	3.8
1	D	19	ILE	3.8
1	D	176	ASP	3.8
1	D	174	SER	3.8
1	D	204	ALA	3.8
1	D	302	PHE	3.8
1	D	299	ASP	3.8
1	D	224	LYS	3.8
1	D	209	SER	3.8
1	D	243	GLN	3.8
1	D	210	THR	3.7
1	D	271	PRO	3.7
1	D	236	ALA	3.7
1	D	101	GLY	3.7
1	D	281	GLY	3.7
1	D	237	PRO	3.7
1	D	12	ASP	3.6
1	D	319	LYS	3.6
1	D	252	SER	3.6
1	D	186	ARG	3.6
1	D	260	PRO	3.6
1	D	259	THR	3.6
1	D	304	PRO	3.6
1	D	91	GLU	3.6
1	D	312	TYR	3.5
1	D	305	GLY	3.5
1	D	79	LYS	3.5
1	D	145	ASP	3.5
1	D	148	HIS	3.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	345	SER	3.5
1	D	41	GLY	3.5
1	D	92	THR	3.5
1	D	332	GLN	3.5
1	D	330	LEU	3.5
1	C	289	ASP	3.5
1	D	273	ALA	3.4
1	D	296	GLY	3.4
1	D	322	PHE	3.4
1	D	295	LEU	3.4
1	C	89	GLY	3.4
1	D	222	GLY	3.4
1	D	83	GLN	3.4
1	D	112	HIS	3.4
1	D	307	VAL	3.3
1	D	286	GLN	3.3
1	D	42	PRO	3.3
1	D	292	ALA	3.3
1	D	13	HIS	3.2
1	D	205	ASN	3.2
1	D	339	GLU	3.2
1	C	169	ILE	3.2
1	D	203	GLY	3.2
1	D	329	GLY	3.2
1	D	26	ARG	3.2
1	D	44	SER	3.2
1	D	16	PRO	3.2
1	D	133	GLU	3.1
1	D	275	ALA	3.1
1	D	36	ARG	3.1
1	D	255	SER	3.1
1	D	284	VAL	3.0
1	D	105	SER	3.0
1	D	18	VAL	3.0
1	D	87	GLN	3.0
1	D	45	GLY	3.0
1	D	346	PHE	3.0
1	D	220	GLY	3.0
1	D	301	ALA	2.9
1	B	156	SER	2.9
1	D	232	TYR	2.9
1	D	279	GLN	2.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	272	GLY	2.9
1	B	168	THR	2.9
1	A	90	ASN	2.8
1	D	88	SER	2.8
1	D	315	ALA	2.8
1	D	285	VAL	2.8
1	D	291	ALA	2.8
1	D	311	TYR	2.8
1	A	160	SER	2.7
1	D	280	GLU	2.7
1	D	266	PRO	2.7
1	D	283	VAL	2.7
1	C	197	ASN	2.7
1	D	277	GLN	2.7
1	D	231	GLY	2.7
1	D	227	ASN	2.7
1	C	4	SER	2.7
1	D	256	MET	2.7
1	D	258	THR	2.6
1	D	267	THR	2.6
1	D	74	ASN	2.6
1	D	20	ARG	2.6
1	D	331	ASP	2.5
1	D	96	ARG	2.5
1	D	93	GLN	2.5
1	A	197	ASN	2.4
1	D	347	PRO	2.4
1	D	228	SER	2.4
1	C	171	THR	2.4
1	D	94	GLN	2.3
1	C	161	THR	2.3
1	B	3	SER	2.3
1	B	154	SER	2.3
1	D	318	SER	2.3
1	D	15	ARG	2.3
1	C	3	SER	2.3
1	D	314	GLU	2.2
1	D	316	TYR	2.2
1	B	225	TYR	2.1
1	B	162	THR	2.1
1	B	167	SER	2.1
1	A	168	THR	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	343	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	E	2	14/15	0.67	0.17	43,48,52,54	0
2	NAG	F	2	14/15	0.72	0.15	34,44,47,50	0
2	NAG	G	2	14/15	0.72	0.15	36,42,45,46	0
2	NAG	E	1	14/15	0.81	0.12	31,38,42,42	0
2	NAG	G	1	14/15	0.82	0.12	31,36,40,40	0
2	NAG	F	1	14/15	0.82	0.13	28,35,44,44	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around Chain E:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain F:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	QUE	D	1357	22/22	0.25	0.29	16,20,23,26	0
4	CU	D	1356	1/1	0.65	0.26	18,18,18,18	1
3	NAG	A	1356	14/15	0.68	0.15	27,35,40,43	0
3	NAG	B	1352	14/15	0.74	0.14	36,44,49,49	0
3	NAG	D	1351	14/15	0.76	0.13	39,44,50,50	0
6	MPD	B	1358	8/8	0.76	0.21	34,41,44,45	0
3	NAG	D	1355	14/15	0.77	0.15	30,36,46,47	0
3	NAG	B	1354	14/15	0.79	0.13	32,39,45,46	0

*Continued on next page...*






*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	MPD	B	1357	8/8	0.80	0.17	26,36,40,41	0
3	NAG	C	1356	14/15	0.81	0.13	31,40,46,47	0
3	NAG	A	1355	14/15	0.82	0.12	22,33,39,43	0
3	NAG	B	1353	14/15	0.82	0.12	26,35,45,48	0
6	MPD	A	1359	8/8	0.83	0.16	22,36,41,42	0
3	NAG	C	1355	14/15	0.83	0.11	29,36,45,46	0
3	NAG	C	1352	14/15	0.83	0.12	29,36,43,45	0
6	MPD	C	1351	8/8	0.83	0.17	25,34,39,41	0
3	NAG	D	1354	14/15	0.84	0.12	26,30,38,39	0
5	QUE	A	1358	22/22	0.85	0.09	15,21,25,27	0
3	NAG	B	1351	14/15	0.86	0.10	25,33,37,37	0
3	NAG	A	1351	14/15	0.87	0.10	26,31,38,39	0
5	QUE	B	1356	22/22	0.88	0.08	17,21,25,28	0
3	NAG	A	1354	14/15	0.90	0.10	22,28,39,39	0
5	QUE	C	1358	22/22	0.91	0.07	14,18,22,25	0
4	CU	C	1357	1/1	0.97	0.10	17,17,17,17	1
4	CU	B	1355	1/1	0.98	0.10	17,17,17,17	1
4	CU	A	1357	1/1	0.99	0.10	19,19,19,19	1




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around QUE D 1357:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around QUE A 1358:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around QUE B 1356:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.