



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 03:01 AM EDT

PDB ID : 2H5E  
Title : Crystal structure of E.coli polypeptide release factor RF3  
Authors : Song, H.W.; Zhou, Z.H.  
Deposited on : 2006-05-26  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.36.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	529	
1	B	529	

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7810 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptide chain release factor RF-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	488	Total 3870	C 2454	N 664	O 732	S 20	0	0	0
1	B	479	Total 3793	C 2407	N 648	O 719	S 19	0	0	0

- Molecule 2 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>11</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	57	Total 57	O 57	0	0
3	B	34	Total 34	O 34	0	0





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.17Å 239.78Å 69.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.80 69.99 – 2.80	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.80) 99.4 (69.99-2.80)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	8.55 (at 2.81Å)	Xtrriage
Refinement program	CNS, REFMAC 5.0	Depositor
R, $R_{free}$	0.225 , 0.262 0.228 , 0.258	Depositor DCC
$R_{free}$ test set	1563 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	38.2	Xtrriage
Anisotropy	0.090	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 41.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.029 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	7810	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.88% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.45	0/3941	0.81	15/5324 (0.3%)
1	B	0.43	0/3860	0.77	8/5213 (0.2%)
All	All	0.44	0/7801	0.79	23/10537 (0.2%)

There are no bond length outliers.

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	229	ASP	CB-CG-OD2	6.87	124.49	118.30
1	A	229	ASP	CB-CG-OD2	6.81	124.43	118.30
1	A	150	ASP	CB-CG-OD2	6.24	123.92	118.30
1	A	23	ASP	CB-CG-OD2	6.21	123.89	118.30
1	B	150	ASP	CB-CG-OD2	6.20	123.88	118.30
1	B	242	ASP	CB-CG-OD2	6.15	123.83	118.30
1	A	313	ASP	CB-CG-OD2	6.07	123.76	118.30
1	A	344	ASP	CB-CG-OD2	6.05	123.75	118.30
1	A	499	ASP	CB-CG-OD2	5.90	123.61	118.30
1	B	107	ASP	CB-CG-OD2	5.87	123.58	118.30
1	A	98	ASP	CB-CG-OD2	5.86	123.58	118.30
1	B	499	ASP	CB-CG-OD2	5.86	123.58	118.30
1	A	520	ASP	CB-CG-OD2	5.70	123.43	118.30
1	A	405	ASP	CB-CG-OD2	5.69	123.42	118.30
1	B	121	ASP	CB-CG-OD2	5.42	123.18	118.30
1	B	98	ASP	CB-CG-OD2	5.36	123.12	118.30
1	A	222	ASP	CB-CG-OD2	5.35	123.12	118.30
1	A	188	ASP	CB-CG-OD2	5.25	123.03	118.30
1	A	363	ASP	CB-CG-OD2	5.18	122.96	118.30
1	A	121	ASP	CB-CG-OD2	5.14	122.92	118.30
1	A	242	ASP	CB-CG-OD2	5.12	122.91	118.30
1	B	447	ASP	CB-CG-OD2	5.09	122.89	118.30

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	308	ASP	CB-CG-OD2	5.08	122.87	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3870	0	3855	68	0
1	B	3793	0	3780	41	0
2	A	28	0	12	1	0
2	B	28	0	12	1	0
3	A	57	0	0	0	0
3	B	34	0	0	0	0
All	All	7810	0	7659	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:GLN:HE21	1:A:85:ASN:HD21	1.17	0.93
1:B:284:THR:HG22	1:B:286:THR:H	1.54	0.73
1:A:130:THR:HG21	1:A:137:ILE:HD11	1.71	0.70
1:A:405:ASP:HB2	1:A:406:PRO:HA	1.76	0.68
1:A:405:ASP:HB2	1:A:406:PRO:CA	2.26	0.65
1:A:294:ASP:O	1:A:295:LYS:O	2.17	0.63
1:A:369:ASN:ND2	1:A:373:ILE:H	1.97	0.62
1:B:188:ASP:O	1:B:208:LYS:O	2.18	0.62
1:B:401:ILE:HG21	1:B:416:LEU:HD11	1.82	0.61
1:A:76:GLN:HE21	1:A:85:ASN:ND2	1.94	0.61
1:A:284:THR:HG22	1:A:286:THR:H	1.65	0.61
1:A:76:GLN:NE2	1:A:85:ASN:HD21	1.94	0.61
1:A:401:ILE:HD12	1:A:461:ALA:HB1	1.82	0.61

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:PHE:HE1	1:A:262:ASN:HD21	1.49	0.59
1:B:297:THR:HB	1:B:322:SER:OG	2.03	0.59
1:B:388:THR:O	1:B:388:THR:HG23	2.03	0.59
1:A:388:THR:HG23	1:A:388:THR:O	2.03	0.58
1:A:212:ASN:HD22	1:A:213:PRO:HD2	1.68	0.58
1:B:401:ILE:CG2	1:B:412:LEU:HD21	2.33	0.58
1:A:135:THR:O	1:A:137:ILE:HD12	2.03	0.58
1:A:212:ASN:HD22	1:A:213:PRO:CD	2.16	0.58
1:A:188:ASP:O	1:A:208:LYS:O	2.24	0.56
1:A:405:ASP:CB	1:A:406:PRO:HA	2.35	0.56
1:A:294:ASP:O	1:A:295:LYS:C	2.44	0.56
1:B:327:LYS:O	1:B:342:ILE:O	2.24	0.56
1:A:347:THR:CG2	1:A:349:MET:HG2	2.36	0.55
1:A:405:ASP:HB2	1:A:406:PRO:C	2.26	0.55
1:A:401:ILE:CG2	1:A:412:LEU:HD21	2.36	0.54
1:A:401:ILE:HG21	1:A:416:LEU:HD11	1.89	0.54
1:A:4:SER:O	1:A:6:TYR:N	2.41	0.53
1:A:307:MET:HB2	1:A:312:ARG:HA	1.91	0.53
1:A:284:THR:CG2	1:A:385:MET:HB2	2.39	0.53
1:A:173:ILE:HG21	1:A:219:VAL:HG11	1.90	0.53
1:A:212:ASN:HD22	1:A:213:PRO:N	2.07	0.53
1:A:392:ASN:ND2	1:A:529:HIS:ND1	2.56	0.53
1:A:401:ILE:HG23	1:A:412:LEU:HD21	1.91	0.52
1:A:295:LYS:HA	1:A:381:GLN:OE1	2.10	0.52
1:A:401:ILE:CD1	1:A:461:ALA:HB1	2.40	0.51
1:B:375:ILE:CG2	1:B:390:ILE:HD11	2.40	0.51
1:A:297:THR:HG22	1:A:321:VAL:HB	1.92	0.51
1:A:391:PRO:HG2	1:A:393:PHE:CE1	2.46	0.51
1:B:90:PRO:HB3	1:B:94:ASP:HB3	1.92	0.50
1:B:212:ASN:HD22	1:B:213:PRO:CD	2.25	0.50
1:B:360:TYR:HB3	1:B:361:PRO:HD2	1.93	0.50
1:A:327:LYS:O	1:A:342:ILE:O	2.29	0.50
1:B:26:LYS:HA	1:B:29:ILE:HG22	1.93	0.49
1:A:4:SER:O	1:A:4:SER:OG	2.25	0.49
1:B:212:ASN:HD22	1:B:213:PRO:N	2.11	0.49
1:A:284:THR:HG21	1:A:385:MET:HB2	1.94	0.48
1:A:476:CYS:HB3	1:A:482:PHE:CG	2.48	0.48
1:A:145:ASP:OD2	2:A:2567:GDP:N1	2.45	0.48
1:B:211:ASN:HA	1:B:228:ARG:NH1	2.28	0.48
1:B:130:THR:HG21	1:B:137:ILE:HD11	1.96	0.48
1:A:21:HIS:HD2	1:A:122:ARG:H	1.62	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:369:ASN:HD22	1:B:373:ILE:HG12	1.78	0.47
1:A:11:ALA:O	1:A:14:ARG:NH2	2.48	0.47
1:B:284:THR:HG21	1:B:385:MET:SD	2.54	0.47
1:A:331:LEU:HD12	1:A:342:ILE:HD12	1.97	0.47
1:A:425:VAL:HG11	1:A:449:VAL:HG21	1.96	0.47
1:B:342:ILE:HD13	1:B:367:LEU:HD22	1.97	0.47
1:A:278:ALA:HB1	1:A:279:PRO:HD2	1.96	0.46
1:A:10:VAL:HG22	1:A:361:PRO:HG2	1.98	0.46
1:B:219:VAL:HG12	1:B:219:VAL:O	2.15	0.46
1:A:32:LYS:HD2	1:A:262:ASN:HB2	1.97	0.46
1:B:289:VAL:HG11	1:B:297:THR:HG21	1.97	0.46
1:A:360:TYR:HB3	1:A:361:PRO:HD2	1.97	0.45
1:A:453:LEU:O	1:A:457:TYR:O	2.33	0.45
1:B:18:ILE:HG12	1:B:110:LEU:HD23	1.99	0.45
1:A:496:ASP:HB3	1:A:498:GLY:H	1.81	0.45
1:A:375:ILE:CG2	1:A:390:ILE:HD11	2.47	0.45
1:B:212:ASN:HD22	1:B:213:PRO:HD2	1.81	0.45
1:B:29:ILE:CD1	1:B:265:VAL:HG22	2.47	0.45
1:B:496:ASP:HB3	1:B:498:GLY:H	1.82	0.44
1:B:145:ASP:OD2	2:B:3567:GDP:N1	2.45	0.44
1:B:416:LEU:HB3	1:B:427:VAL:HG11	1.99	0.44
1:A:405:ASP:OD2	1:A:406:PRO:HA	2.18	0.44
1:B:278:ALA:HB1	1:B:279:PRO:HD2	1.99	0.44
1:B:391:PRO:HG2	1:B:393:PHE:CZ	2.53	0.44
1:A:170:THR:HA	1:A:183:TYR:O	2.17	0.43
1:A:289:VAL:HG11	1:A:297:THR:HG21	1.99	0.43
1:B:21:HIS:HD2	1:B:122:ARG:H	1.65	0.43
1:A:405:ASP:CB	1:A:406:PRO:CA	2.92	0.43
1:A:191:TYR:CD1	1:A:267:HIS:CE1	3.07	0.43
1:A:416:LEU:HB3	1:A:427:VAL:HG11	2.00	0.43
1:B:32:LYS:HA	1:B:32:LYS:HD3	1.88	0.43
1:A:101:ARG:HD2	1:A:390:ILE:CD1	2.50	0.42
1:B:294:ASP:O	1:B:295:LYS:O	2.37	0.42
1:B:425:VAL:HG12	1:B:445:GLN:HB3	2.01	0.42
1:A:401:ILE:HD13	1:A:401:ILE:HA	1.91	0.42
1:A:212:ASN:HD22	1:A:212:ASN:C	2.22	0.42
1:A:284:THR:CG2	1:A:285:ASP:N	2.82	0.42
1:B:401:ILE:CD1	1:B:461:ALA:HB1	2.49	0.42
1:A:212:ASN:ND2	1:A:214:ASP:H	2.16	0.42
1:B:9:GLU:O	1:B:13:ARG:HG2	2.19	0.42
1:A:401:ILE:HG12	1:A:463:TYR:HE2	1.86	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:284:THR:CG2	1:B:385:MET:HB2	2.51	0.41
1:A:284:THR:HG22	1:A:286:THR:N	2.35	0.41
1:B:157:GLU:O	1:B:161:GLU:HB2	2.21	0.41
1:A:16:PHE:CZ	1:A:86:LEU:HD13	2.56	0.41
1:B:95:PHE:CE2	1:B:122:ARG:NH2	2.89	0.41
1:B:167:ALA:O	1:B:253:PRO:HA	2.21	0.41
1:A:172:PRO:HD3	1:A:256:PHE:CG	2.56	0.41
1:A:216:ASP:HB3	1:A:221:GLU:HG3	2.03	0.41
1:B:278:ALA:O	1:B:279:PRO:C	2.59	0.41
1:B:476:CYS:HB3	1:B:482:PHE:CG	2.56	0.41
1:A:284:THR:HG22	1:A:285:ASP:N	2.35	0.41
1:A:297:THR:HB	1:A:322:SER:OG	2.21	0.41
1:B:101:ARG:HD2	1:B:390:ILE:CD1	2.51	0.41
1:A:399:ARG:HA	1:A:466:VAL:HG22	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	480/529 (91%)	449 (94%)	22 (5%)	9 (2%)	8	26
1	B	469/529 (89%)	433 (92%)	32 (7%)	4 (1%)	17	46
All	All	949/1058 (90%)	882 (93%)	54 (6%)	13 (1%)	11	34

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	5	PRO
1	A	295	LYS
1	A	309	PRO
1	A	405	ASP

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	294	ASP
1	B	295	LYS
1	B	315	VAL
1	A	294	ASP
1	A	306	ASN
1	A	308	ASP
1	B	92	HIS
1	A	391	PRO
1	A	425	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	420/453 (93%)	380 (90%)	40 (10%)	8	25
1	B	411/453 (91%)	369 (90%)	42 (10%)	7	22
All	All	831/906 (92%)	749 (90%)	82 (10%)	8	23

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	4	SER
1	A	8	GLN
1	A	14	ARG
1	A	35	LEU
1	A	74	VAL
1	A	75	MET
1	A	87	LEU
1	A	122	ARG
1	A	130	THR
1	A	156	ASP
1	A	169	ILE
1	A	178	LEU
1	A	192	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	197	LYS
1	A	212	ASN
1	A	231	LEU
1	A	258	THR
1	A	262	ASN
1	A	268	MET
1	A	286	THR
1	A	294	ASP
1	A	297	THR
1	A	332	ARG
1	A	347	THR
1	A	365	LEU
1	A	390	ILE
1	A	392	ASN
1	A	397	LEU
1	A	399	ARG
1	A	401	ILE
1	A	403	LEU
1	A	404	LYS
1	A	410	LYS
1	A	427	VAL
1	A	458	ASN
1	A	474	VAL
1	A	481	LYS
1	A	496	ASP
1	A	516	GLU
1	B	3	LEU
1	B	23	ASP
1	B	35	LEU
1	B	74	VAL
1	B	75	MET
1	B	87	LEU
1	B	94	ASP
1	B	117	LYS
1	B	122	ARG
1	B	130	THR
1	B	156	ASP
1	B	178	LEU
1	B	192	LEU
1	B	197	LYS
1	B	212	ASN
1	B	231	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	258	THR
1	B	268	MET
1	B	284	THR
1	B	332	ARG
1	B	347	THR
1	B	369	ASN
1	B	372	THR
1	B	390	ILE
1	B	392	ASN
1	B	396	GLU
1	B	397	LEU
1	B	399	ARG
1	B	401	ILE
1	B	403	LEU
1	B	404	LYS
1	B	410	LYS
1	B	427	VAL
1	B	456	GLU
1	B	458	ASN
1	B	459	VAL
1	B	470	THR
1	B	481	LYS
1	B	496	ASP
1	B	499	ASP
1	B	516	GLU
1	B	525	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	8	GLN
1	A	21	HIS
1	A	85	ASN
1	A	184	HIS
1	A	202	GLN
1	A	212	ASN
1	A	262	ASN
1	A	369	ASN
1	A	392	ASN
1	A	458	ASN
1	A	522	GLN
1	B	21	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	85	ASN
1	B	92	HIS
1	B	184	HIS
1	B	202	GLN
1	B	212	ASN
1	B	262	ASN
1	B	369	ASN
1	B	392	ASN
1	B	458	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GDP	A	2567	-	25,30,30	1.11	1 (4%)	30,47,47	1.38	5 (16%)
2	GDP	B	3567	-	25,30,30	1.28	2 (8%)	30,47,47	1.34	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral



centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GDP	A	2567	-	-	0/12/32/32	0/3/3/3
2	GDP	B	3567	-	-	2/12/32/32	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	3567	GDP	C5-C6	-4.13	1.39	1.47
2	A	2567	GDP	C5-C6	-3.77	1.40	1.47
2	B	3567	GDP	PA-O3A	3.21	1.63	1.59

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2567	GDP	C8-N7-C5	3.43	108.39	102.55
2	B	3567	GDP	C8-N7-C5	3.20	107.99	102.55
2	A	2567	GDP	O6-C6-N1	-3.14	116.89	120.62
2	B	3567	GDP	C5-C6-N1	2.54	118.92	114.07
2	B	3567	GDP	O4'-C1'-N9	2.49	112.04	108.75
2	B	3567	GDP	C2-N1-C6	-2.40	120.72	125.11
2	A	2567	GDP	C5-C6-N1	2.22	118.31	114.07
2	B	3567	GDP	O2B-PB-O3A	2.17	111.93	104.64
2	A	2567	GDP	C2-N1-C6	-2.15	121.17	125.11
2	A	2567	GDP	O6-C6-C5	-2.08	120.19	124.32

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	3567	GDP	PA-O3A-PB-O3B
2	B	3567	GDP	PA-O3A-PB-O2B


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2567	GDP	1	0
2	B	3567	GDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	488/529 (92%)	-0.13	3 (0%) 89 86	14, 30, 51, 65	0
1	B	479/529 (90%)	0.15	8 (1%) 70 63	23, 42, 63, 71	0
All	All	967/1058 (91%)	0.01	11 (1%) 80 75	14, 35, 59, 71	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2	THR	5.1
1	B	370	HIS	3.8
1	B	305	ALA	3.6
1	A	313	ASP	3.6
1	B	71	THR	3.1
1	A	71	THR	3.1
1	B	314	ARG	2.6
1	B	413	LEU	2.5
1	B	5	PRO	2.3
1	B	344	ASP	2.2
1	A	404	LYS	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	GDP	A	2567	28/28	0.96	0.17	21,26,28,30	0
2	GDP	B	3567	28/28	0.96	0.22	21,25,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.