

Full wwPDB X-ray Structure Validation Report (i)

Oct 10, 2023 - 06:07 PM JST

PDB ID	:	8H5Y
Title	:	Crystal structure of RadD- ADP complex
Authors	:	Yan, X.X.; Tian, L.F.
Deposited on	:	2022-10-14
Resolution	:	2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	586	5%	26%	•••
1	В	586	8%	28%	• •



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 8956 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Putative DNA repair helicase RadD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	В	568	Total 4349	C 2779	N 778	0 775	S 17	0	2	0
1	А	564	Total 4336	C 2769	N 771	0 778	S 18	0	2	0

• Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	В	1	Total Zn 1 1	0	0
2	А	1	Total Zn 1 1	0	0

• Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
9	D	1	Total	С	Ν	Ο	Р	0	0
9 D	1	27	10	5	10	2	0	0	
2	Λ	1	Total	С	Ν	Ο	Р	0	0
5	3 A	1	27	10	5	10	2	0	0

• Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	1	Total Mg 1 1	0	0
4	А	1	Total Mg 1 1	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	В	131	Total O 131 131	0	0
5	А	82	TotalO8282	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Putative DNA repair helicase RadD

A330 L325 H553 M445 L325 H563 M445 S330 M560 M445 S330 M560 M445 S330 M560 M445 S330 M563 M445 S330 M560 M445 S330 M561 M445 S330 M562 M445 S330 M563 M45 S330 M564 M45 S330 M565 M45 S330 M56 M45 S330 M56 M45 S330 M56 M45 S330 M56 M46 M331 M56 M47 M325 M66 M48 M331 M67 M47 M365 M68 M47 M365 M68 M47 M365 M68 M47 M365 M68 M48 M317 M88 M48



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	82.09Å 78.77Å 110.24Å	Depositor
a, b, c, α , β , γ	90.00° 99.56° 90.00°	Depositor
Bosolution (Å)	19.96 - 2.70	Depositor
Resolution (A)	19.96 - 2.70	EDS
% Data completeness	99.3 (19.96-2.70)	Depositor
(in resolution range)	99.3 (19.96-2.70)	EDS
R _{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$4.20 (at 2.71 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.12-2829_1692	Depositor
P. P.	0.223 , 0.269	Depositor
n, n_{free}	0.224 , 0.270	DCC
R_{free} test set	1848 reflections (4.87%)	wwPDB-VP
Wilson B-factor $(Å^2)$	38.5	Xtriage
Anisotropy	0.130	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32, 58.9	EDS
L-test for $twinning^2$	$ < L >=0.52, < L^2>=0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	8956	wwPDB-VP
Average B, all atoms $(Å^2)$	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 47.77 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.4613e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, ADP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
INIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.61	0/4440	0.80	7/6037~(0.1%)	
1	В	0.62	0/4453	0.81	8/6053~(0.1%)	
All	All	0.62	0/8893	0.80	15/12090~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	4
1	В	0	2
All	All	0	6

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	354	LEU	CB-CG-CD2	-10.11	93.81	111.00
1	В	445	ALA	CB-CA-C	7.87	121.90	110.10
1	В	49	ARG	C-N-CA	-7.43	106.70	122.30
1	В	33	THR	C-N-CA	-6.80	108.02	122.30
1	В	340	ARG	NE-CZ-NH1	-6.28	117.16	120.30
1	А	498	ASP	CB-CG-OD1	6.21	123.89	118.30
1	А	80	ALA	N-CA-CB	-6.14	101.51	110.10
1	А	202	LEU	CB-CG-CD1	-6.06	100.70	111.00
1	В	474	LEU	CA-CB-CG	5.93	128.94	115.30
1	В	315	ASP	CB-CG-OD1	-5.92	112.97	118.30
1	В	272	LEU	CB-CG-CD1	-5.85	101.05	111.00
1	A	310	LEU	CB-CG-CD2	5.51	120.37	111.00



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	А	309	VAL	CA-CB-CG1	5.46	119.09	110.90
1	В	403	LEU	CA-CB-CG	5.30	127.50	115.30
1	А	498	ASP	CB-CG-OD2	-5.00	113.80	118.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	124	ASP	Peptide
1	А	273	PRO	Peptide
1	А	308	ALA	Peptide
1	А	484	GLY	Peptide
1	В	229	ARG	Peptide
1	В	50	GLY	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4336	0	4178	113	0
1	В	4349	0	4185	124	0
2	А	1	0	0	0	0
2	В	1	0	0	0	0
3	А	27	0	12	1	0
3	В	27	0	12	0	0
4	А	1	0	0	0	0
4	В	1	0	0	0	0
5	А	82	0	0	8	1
5	В	131	0	0	7	1
All	All	8956	0	8387	237	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (237) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



8H5Y

Atom-1	Atom-2	Interatomic	Clash
	2100HT 2	distance (Å)	overlap (Å)
1:A:434:CYS:N	5:A:701:HOH:O	1.62	1.24
1:B:433:ASN:ND2	1:B:448:CYS:O	1.99	0.96
1:B:428:ARG:NH1	1:B:438:ASN:OD1	2.00	0.95
1:B:206:VAL:HG13	1:B:207:VAL:HG22	1.49	0.93
1:B:315:ASP:N	1:B:315:ASP:OD1	2.07	0.86
1:B:272:LEU:HD11	1:B:277:ALA:HB2	1.60	0.83
1:B:405:GLU:HG2	1:B:529:ARG:HB3	1.63	0.79
1:A:405:GLU:HG3	1:A:529:ARG:HB3	1.66	0.78
1:A:433:ASN:C	5:A:701:HOH:O	2.02	0.78
1:A:291:VAL:O	1:A:295:ASN:ND2	2.17	0.77
1:A:321:LEU:HD21	1:A:354:LEU:HD12	1.66	0.76
1:B:362[A]:ASP:HB2	1:B:365:ALA:HB2	1.68	0.76
1:A:242:ILE:HD11	1:A:272:LEU:HD21	1.68	0.75
1:B:433:ASN:O	5:B:701:HOH:O	2.05	0.73
1:B:271:LEU:O	5:B:702:HOH:O	2.09	0.70
1:A:372:LYS:NZ	1:A:377:ASN:O	2.25	0.69
1:B:574:TYR:CZ	1:B:576:GLY:O	2.47	0.68
1:A:37:LYS:HG2	3:A:602:ADP:O2B	1.94	0.67
1:B:272:LEU:HB2	1:B:273:PRO:HD2	1.75	0.67
1:B:280:ILE:HG13	1:B:306:ASN:HB3	1.78	0.66
1:B:432:LYS:HE3	1:B:455:LEU:HD13	1.77	0.66
1:B:444:ALA:HB2	1:B:455:LEU:HD21	1.76	0.66
1:B:259:ALA:HB1	1:B:264:HIS:HB3	1.78	0.65
1:B:574:TYR:OH	1:B:576:GLY:O	2.15	0.64
1:A:432:LYS:NZ	1:A:439:ALA:O	2.29	0.64
1:B:447:ARG:N	1:B:451:CYS:O	2.31	0.63
1:A:18:ASN:HB3	1:A:22:ARG:HH22	1.64	0.63
1:A:434:CYS:CA	5:A:701:HOH:O	2.24	0.63
1:B:267:GLU:O	1:B:271:LEU:HD23	1.99	0.63
1:A:285:PRO:HB2	1:A:288:GLU:H	1.63	0.62
1:B:257:ILE:HG12	1:B:323:ALA:HB3	1.82	0.62
1:B:577:ARG:HA	1:B:578:PHE:HB2	1.82	0.61
1:B:513:PRO:HB3	1:B:516[A]:ARG:HH21	1.63	0.61
1:B:430:ARG:CZ	1:B:531:PRO:HG3	2.31	0.61
1:A:444:ALA:O	1:A:452:ASP:HA	2.01	0.61
1:A:428:ARG:HD3	1:A:438:ASN:OD1	2.00	0.60
1:A:280:ILE:HG12	1:A:304:LEU:HD11	1.82	0.60
1:B:398:THR:HG23	1:B:400:ASP:H	1.66	0.60
1:A:241:ILE:HG21	1:A:325:LEU:HD11	1.82	0.60
1:A:436:GLN:HA	5:A:701:HOH:O	2.02	0.60
1:B:432:LYS:HE2	1:B:438:ASN:O	2.02	0.60
1:A:295:ASN:HA	1:A:300:ARG:HH11	1.66	0.60



Atom-1	Atom-2	Interatomic	Clash
	1100111-2	distance (Å)	overlap (Å)
1:B:169:MET:HG3	1:B:389:PHE:HZ	1.67	0.60
1:B:211:PHE:CD1	1:B:231:LEU:HD12	2.36	0.59
1:A:315:ASP:O	1:A:343:ARG:NH2	2.36	0.59
1:B:264:HIS:O	1:B:268:ILE:HG13	2.01	0.59
1:A:242:ILE:HG21	1:A:271:LEU:HB3	1.84	0.59
1:A:434:CYS:HA	1:A:436:GLN:HA	1.86	0.58
1:A:486:ASP:HB2	1:A:487:GLU:OE2	2.04	0.57
1:A:259:ALA:HB3	1:A:307:VAL:HG22	1.85	0.57
1:B:272:LEU:HD11	1:B:277:ALA:CB	2.34	0.56
1:B:239:PRO:HA	1:B:242:ILE:HG22	1.86	0.56
1:A:69:TYR:OH	5:A:702:HOH:O	2.15	0.56
1:B:280:ILE:CG1	1:B:306:ASN:HB3	2.34	0.56
1:A:64:GLN:O	1:A:68:LYS:HG3	2.05	0.56
1:B:444:ALA:O	1:B:445:ALA:C	2.44	0.56
1:B:381:GLN:HA	1:B:391:ASN:O	2.06	0.56
1:A:160:TRP:CE2	1:A:171:ARG:HD2	2.41	0.56
1:A:321:LEU:HD21	1:A:354:LEU:CD1	2.36	0.55
1:B:509:ARG:O	1:B:515:GLN:HB3	2.06	0.55
1:B:245:ILE:HG21	1:B:257:ILE:HD11	1.88	0.55
1:A:476:CYS:HB3	1:A:553:PRO:O	2.06	0.55
1:A:566:GLN:HE21	1:A:568:ARG:HE	1.55	0.55
1:B:372:LYS:HB2	1:B:372:LYS:NZ	2.22	0.55
1:A:264:HIS:O	1:A:268:ILE:HG13	2.07	0.55
1:A:355:ASP:OD1	1:A:359:ASN:HB2	2.07	0.55
1:A:146:LEU:HD22	1:A:178:PHE:HE1	1.72	0.54
1:B:66:HIS:CD2	1:B:78:ILE:HB	2.42	0.54
1:A:80:ALA:O	1:A:99:SER:OG	2.25	0.54
1:B:246:MET:SD	5:B:702:HOH:O	2.58	0.54
1:B:362[B]:ASP:HB3	1:B:365:ALA:HB2	1.88	0.54
1:A:29:ILE:HG23	1:A:183:TYR:HB3	1.89	0.54
1:A:52:VAL:HG22	1:A:113:LEU:HB3	1.89	0.54
1:A:237:ILE:HA	1:A:240:HIS:HD2	1.73	0.54
1:B:29:ILE:HG13	1:B:147:LEU:HD11	1.90	0.53
1:A:398:THR:HG23	1:A:400:ASP:H	1.74	0.53
1:B:257:ILE:HG23	1:B:325:LEU:HD23	1.91	0.53
1:B:56:ALA:O	1:B:96:SER:HA	2.08	0.53
1:A:446:ARG:O	1:A:452:ASP:N	2.42	0.53
1:A:511:GLN:O	1:A:516:ARG:NH1	2.40	0.53
1:A:484:GLY:HA3	1:A:491:TRP:CZ2	2.43	0.53
1:A:242:ILE:HD11	1:A:272:LEU:CD2	2.37	0.53
1:B:52:VAL:HG22	1:B:113:LEU:HB3	1.90	0.53



Continued from previous page						
Atom-1	Atom-2	Interatomic	Clash			
	1 D 451 OVO N	distance (A)	overlap (A)			
1:B:447:ARG:HA	1:B:451:CYS:N	2.23	0.53			
1:B:476:CYS:HB3	1:B:553:PRO:0	2.08	0.53			
1:B:258:PHE:CD1	1:B:306:ASN:ND2	2.75	0.52			
1:A:6:ARG:HD3	1:A:195:TYR:CE1	2.45	0.52			
1:A:33:THR:HG21	1:A:340:ARG:HH12	1.75	0.52			
1:B:28:VAL:HG13	1:B:178:PHE:CG	2.44	0.52			
1:B:289:ARG:O	1:B:293:ILE:HG23	2.08	0.52			
1:B:309:VAL:O	1:B:311:THR:HG23	2.08	0.52			
1:B:266:LYS:HA	1:B:269:VAL:HG12	1.90	0.52			
1:A:131[A]:GLN:OE1	1:A:135:THR:HG23	2.10	0.51			
1:B:160:TRP:CE2	1:B:171:ARG:HD2	2.45	0.51			
1:A:162:TYR:HA	1:A:178:PHE:O	2.11	0.51			
1:A:154:PHE:HB2	1:A:160:TRP:CE3	2.45	0.51			
1:A:257:ILE:HG13	1:A:325:LEU:HD23	1.92	0.51			
1:B:512:THR:O	1:B:516[A]:ARG:HG3	2.11	0.51			
1:A:485:HIS:O	5:A:703:HOH:O	2.20	0.51			
1:A:481:LEU:HD22	1:A:494:ILE:HG13	1.93	0.51			
1:B:444:ALA:C	1:B:446:ARG:N	2.64	0.51			
1:A:17:LEU:O	1:A:21:ARG:HG3	2.11	0.51			
1:A:261:THR:OG1	1:A:264:HIS:HB2	2.09	0.51			
1:B:169:MET:HG3	1:B:389:PHE:CZ	2.47	0.50			
1:B:475:ARG:NH1	5:B:705:HOH:O	2.37	0.50			
1:A:430:ARG:CZ	1:A:531:PRO:HG3	2.42	0.50			
1:B:162:TYR:HA	1:B:178:PHE:O	2.12	0.50			
1:B:467:ARG:NH2	5:B:708:HOH:O	2.44	0.50			
1:B:444:ALA:O	1:B:452:ASP:HA	2.11	0.50			
1:A:255:VAL:HG22	1:A:321:LEU:HB3	1.94	0.49			
1:B:256:MET:CE	1:B:311:THR:HG21	2.42	0.49			
1:A:16:THR:OG1	1:A:29:ILE:HD11	2.12	0.49			
1:B:513:PRO:HB3	1:B:516[A]:ARG:NH2	2.28	0.49			
1:B:326:ARG:HG2	1:B:327:PRO:N	2.28	0.49			
1:B:238:THR:HB	1:B:239:PRO:HD3	1.96	0.48			
1:A:287:ALA:O	1:A:291:VAL:HG23	2.13	0.48			
1:B:382:VAL:HG21	1:B:406:HIS:CD2	2.47	0.48			
1:B:288:GLU:O	1:B:292:LEU:HG	2.14	0.48			
1:B:326:ARG:O	1:B:359:ASN:ND2	2.39	0.48			
1:A:29:ILE:HG13	1:A:147:LEU:HD11	1.96	0.48			
1:A:115:ILE:HA	1:A:147:LEU:O	2.14	0.48			
1:A:21:ARG:NH2	5:A:709:HOH:O	2.46	0.47			
1:A:284:THR:HG22	1:A:285:PRO:O	2.13	0.47			
1:B:398:THR:HG22	1:B:402:THR:HB	1.96	0.47			

 \sim . . 1 0



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:160:TRP:CZ2	1:B:171:ARG:HD2	2.49	0.47
1:A:414:TRP:HZ3	1:A:416:GLU:HG3	1.79	0.47
1:A:208:GLN:HG2	1:A:209:TYR:O	2.14	0.47
1:A:257:ILE:HG23	1:A:305:VAL:HA	1.97	0.47
1:A:62:VAL:HG21	1:A:96:SER:HB3	1.97	0.46
1:B:372:LYS:HA	1:B:394:TRP:CE2	2.50	0.46
1:A:173:ASP:OD2	1:A:175:LYS:HG3	2.14	0.46
1:B:17:LEU:O	1:B:21:ARG:HG3	2.15	0.46
1:A:201:ARG:HD2	1:A:361:HIS:NE2	2.31	0.46
1:A:206:VAL:HG13	1:A:207:VAL:HG22	1.96	0.46
1:A:410:ARG:HD2	1:A:438:ASN:HD21	1.80	0.46
1:B:48:ALA:O	1:B:91:LYS:NZ	2.48	0.46
1:B:207:VAL:HB	1:B:237:ILE:HD11	1.98	0.46
1:B:29:ILE:HG22	1:B:31:LEU:HG	1.99	0.45
1:B:243:SER:HA	1:B:246:MET:CE	2.46	0.45
1:B:419:ASP:HB3	5:B:726:HOH:O	2.15	0.45
1:A:160:TRP:CZ2	1:A:171:ARG:HD2	2.52	0.45
1:A:8:TYR:CE1	1:A:9:GLN:HG3	2.51	0.45
1:A:362:ASP:HB2	1:A:365:ALA:CB	2.45	0.45
1:A:523:PHE:O	1:A:527:HIS:HB2	2.16	0.45
1:A:295:ASN:HA	1:A:300:ARG:NH1	2.31	0.45
1:A:542:ASP:O	1:A:546:GLN:HG3	2.16	0.45
1:A:288:GLU:O	1:A:292:LEU:HD22	2.16	0.45
1:B:276:ASP:OD2	1:B:302:ARG:HD3	2.17	0.45
1:A:462:LEU:O	1:A:466:LEU:HG	2.17	0.45
1:B:154:PHE:HB2	1:B:160:TRP:CE3	2.52	0.45
1:B:472:LEU:HD12	1:B:473:VAL:H	1.82	0.45
1:A:362:ASP:OD1	1:A:362:ASP:N	2.45	0.45
1:B:19:HIS:HE1	1:B:25:THR:O	2.00	0.44
1:B:523:PHE:O	1:B:527:HIS:HB2	2.17	0.44
1:A:433:ASN:O	1:A:434:CYS:HB3	2.17	0.44
1:B:146:LEU:HD22	1:B:178:PHE:HE1	1.82	0.44
1:A:362:ASP:HB2	1:A:365:ALA:HB2	2.00	0.44
1:A:483:HIS:HD2	1:A:544:LEU:HD22	1.82	0.44
1:A:560:MET:CE	1:A:563:GLN:O	2.65	0.44
1:A:474:LEU:H	1:A:474:LEU:HD12	1.83	0.44
1:A:190:MET:HB3	1:A:196:LEU:HG	1.99	0.44
1:A:206:VAL:HG12	1:A:244:GLN:OE1	2.18	0.44
1:B:173:ASP:C	1:B:175:LYS:H	2.21	0.44
1:A:330:SER:HB2	1:A:367:GLU:OE1	2.17	0.44
1:B:231:LEU:HD23	1:B:231:LEU:HA	1.79	0.44



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:516[B]:ARG:HG2	1:B:537:TRP:CH2	2.52	0.44
1:A:78:ILE:HA	1:A:94:PHE:O	2.18	0.44
1:A:561:LYS:HA	1:A:562:GLY:HA2	1.53	0.44
1:A:484:GLY:O	1:A:490:GLU:HA	2.18	0.44
1:B:512:THR:HB	1:B:513:PRO:HD2	2.00	0.43
1:A:355:ASP:CG	1:A:359:ASN:HB2	2.37	0.43
1:B:246:MET:HB2	1:B:246:MET:HE2	1.88	0.43
1:A:199:PRO:HB3	1:A:342:LEU:HD21	2.00	0.43
1:B:271:LEU:HD13	1:B:271:LEU:HA	1.76	0.43
1:B:489:GLY:HA3	1:B:511:GLN:HB2	2.01	0.43
1:A:61:LEU:HD22	1:A:118:GLU:OE2	2.18	0.43
1:A:432:LYS:HE2	1:A:438:ASN:O	2.17	0.43
1:A:28:VAL:HG23	1:A:178:PHE:CG	2.54	0.43
1:A:487:GLU:CD	1:A:487:GLU:H	2.21	0.43
1:B:207:VAL:CG2	1:B:237:ILE:HD11	2.48	0.43
1:B:398:THR:HG23	1:B:400:ASP:N	2.32	0.43
1:B:447:ARG:O	1:B:448:CYS:C	2.55	0.43
1:B:134:LEU:HD21	1:B:146:LEU:HD12	2.01	0.43
1:B:188:ARG:HD3	1:B:364:TYR:CD2	2.54	0.43
1:A:201:ARG:HG2	1:A:353:ILE:O	2.19	0.43
1:B:30:VAL:HB	1:B:184:GLU:HG3	2.01	0.43
1:B:161:ILE:HD11	1:B:177:LEU:HD12	2.01	0.43
1:B:424:GLN:HG2	1:B:425:CYS:O	2.19	0.43
1:B:561:LYS:HA	1:B:562:GLY:HA2	1.41	0.43
1:A:400:ASP:OD1	1:A:400:ASP:N	2.51	0.43
1:B:261:THR:O	1:B:307:VAL:HG21	2.19	0.42
1:B:492:LEU:HB2	1:B:510:LEU:HD11	2.01	0.42
1:B:466:LEU:HA	1:B:466:LEU:HD23	1.77	0.42
1:B:416:GLU:HG2	1:B:422:ARG:HB2	2.00	0.42
1:A:266:LYS:O	1:A:269:VAL:HG12	2.19	0.42
1:B:125:ASP:HA	1:B:127:GLU:HA	2.01	0.42
1:B:168:GLY:O	1:B:413:GLY:HA2	2.19	0.42
1:B:233:LYS:H	1:B:233:LYS:HG2	1.67	0.42
1:A:362:ASP:HA	5:A:734:HOH:O	2.19	0.42
1:A:479:MET:HG2	1:A:552:HIS:HB3	2.02	0.42
1:B:239:PRO:HG3	1:B:271:LEU:HG	2.00	0.42
1:B:380:VAL:O	1:B:392:THR:HA	2.19	0.42
1:B:398:THR:CG2	1:B:402:THR:HB	2.50	0.42
1:B:252:ARG:HD3	1:B:320:ASP:OD2	2.20	0.42
1:B:474:LEU:HD21	1:B:504:VAL:HG12	2.01	0.41
1:A:256:MET:CE	1:A:311:THR:HG21	2.50	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:311:THR:O	1:B:315:ASP:OD1	2.37	0.41
1:A:45:ALA:O	1:A:91:LYS:HE2	2.20	0.41
1:B:28:VAL:HG23	1:B:181:CYS:HA	2.03	0.41
1:B:62:VAL:HG21	1:B:96:SER:HB3	2.02	0.41
1:B:542:ASP:O	1:B:546:GLN:HG3	2.20	0.41
1:B:259:ALA:HB3	1:B:307:VAL:CG2	2.50	0.41
1:A:154:PHE:HB2	1:A:160:TRP:CZ3	2.55	0.41
1:B:198:PRO:HA	1:B:199:PRO:HD3	1.97	0.41
1:A:56:ALA:HB1	1:A:61:LEU:HD23	2.01	0.41
1:A:161:ILE:HD12	1:A:161:ILE:HA	1.90	0.41
1:A:227:LEU:HD23	1:A:227:LEU:HA	1.91	0.41
1:B:104:LEU:HD23	1:B:104:LEU:HA	1.84	0.41
1:B:280:ILE:HG13	1:B:306:ASN:CB	2.49	0.41
1:B:240:HIS:O	1:B:243:SER:OG	2.39	0.41
1:A:381:GLN:HA	1:A:391:ASN:O	2.20	0.41
1:B:444:ALA:O	1:B:446:ARG:N	2.53	0.41
1:A:249:ALA:HB2	1:A:255:VAL:HG21	2.02	0.41
1:A:256:MET:HE3	1:A:311:THR:HG21	2.01	0.41
1:A:417:ASP:OD1	1:A:421:HIS:N	2.54	0.41
1:B:16:THR:HA	1:B:182:ILE:CD1	2.51	0.41
1:B:134:LEU:HA	1:B:134:LEU:HD23	1.75	0.40
1:B:242:ILE:HD12	1:B:245:ILE:HB	2.03	0.40
1:B:104:LEU:HD13	1:B:136:HIS:HB2	2.04	0.40
1:A:104:LEU:HD23	1:A:104:LEU:HA	1.85	0.40
1:A:271:LEU:HA	1:A:271:LEU:HD23	1.91	0.40
1:B:366:PRO:HB3	5:B:824:HOH:O	2.20	0.40
1:A:249:ALA:HB3	1:A:303:TYR:OH	2.21	0.40
1:B:272:LEU:HD13	1:B:303:TYR:CD2	2.56	0.40
1:B:339:GLY:HA2	1:B:342:LEU:HG	2.03	0.40
1:A:509:ARG:O	1:A:515:GLN:HB3	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:816:HOH:O	5:A:714:HOH:O[2_748]	1.79	0.41



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	558/586~(95%)	501 (90%)	57 (10%)	0	100	100
1	В	560/586~(96%)	500 (89%)	60 (11%)	0	100	100
All	All	1118/1172~(95%)	1001 (90%)	117 (10%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	А	430/491 (88%)	409 (95%)	21 (5%)	25 52		
1	В	428/491 (87%)	400 (94%)	28~(6%)	17 38		
All	All	858/982~(87%)	809 (94%)	49 (6%)	21 44		

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	В	98	GLN
1	В	105	ASP
1	В	134	LEU
1	В	155	ARG
1	В	175	LYS
1	В	188	ARG
1	В	209	TYR
1	В	213	ARG



Mol	Chain	Res	Type
1	B	226	ASP
1	B	232	LYS
1	B	236	ARG
1	B	309	VAL
1	B	310	LEU
1	B	315	ASP
1	B	326	ARG
1	B	362[A]	ASP
1	B	362[B]	ASP
1	B	372	LYS
1	B	381	GLN
1	B	392	THR
1	B	415	PHE
1	B	416	GLU
1	B	418	ASP
1	B	432	LYS
1	B	443	ILE
1	B	521	GLN
1	B	551	ARG
1	B	569	GLU
1	A	134	LEU
1	A	146	LEU
1	A	175	LYS
1	А	200	GLU
1	А	201	ARG
1	А	208	GLN
1	А	229	ARG
1	А	275	GLU
1	А	280	ILE
1	А	292	LEU
1	А	300	ARG
1	А	361	HIS
1	А	372	LYS
1	А	400	ASP
1	А	402	THR
1	А	415	PHE
1	А	416	GLU
1	А	432	LYS
1	А	474	LEU
1	А	487	GLU
1	А	551	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such



sidechains are listed below:

Mol	Chain	Res	Type
1	В	18	ASN
1	В	19	HIS
1	А	240	HIS
1	А	306	ASN
1	А	483	HIS
1	А	566	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type	Turne	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Dec	Tinle	Bo	ond leng	$_{\rm ths}$	B	ond ang	les
INIOI	туре	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2							
3	ADP	А	602	4	24,29,29	1.20	3 (12%)	29,45,45	1.55	5 (17%)							
3	ADP	В	602	4	24,29,29	1.16	3 (12%)	29,45,45	1.37	5 (17%)							

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	А	602	4	-	1/12/32/32	0/3/3/3
3	ADP	В	602	4	-	1/12/32/32	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
3	А	602	ADP	C5-C4	2.93	1.48	1.40
3	В	602	ADP	C5-C4	2.65	1.47	1.40
3	В	602	ADP	C2-N3	2.35	1.35	1.32
3	А	602	ADP	O4'-C1'	2.23	1.44	1.41
3	А	602	ADP	C2'-C1'	-2.17	1.50	1.53
3	В	602	ADP	O4'-C1'	2.11	1.44	1.41

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	В	602	ADP	N3-C2-N1	-3.23	123.63	128.68
3	А	602	ADP	N3-C2-N1	-3.20	123.68	128.68
3	А	602	ADP	C5'-C4'-C3'	-2.77	104.78	115.18
3	А	602	ADP	C4-C5-N7	-2.77	106.51	109.40
3	А	602	ADP	C2-N1-C6	2.48	123.00	118.75
3	В	602	ADP	C4-C5-N7	-2.30	107.00	109.40
3	В	602	ADP	PA-O3A-PB	-2.18	125.35	132.83
3	В	602	ADP	O3B-PB-O2B	2.12	115.74	107.64
3	B	602	ADP	N6-C6-N1	2.03	122.80	118.57
3	А	602	ADP	O2A-PA-O1A	2.01	122.17	112.24

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	602	ADP	O4'-C4'-C5'-O5'
3	В	602	ADP	O4'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	А	602	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In



addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	564/586~(96%)	0.13	30 (5%) 26 25	12, 42, 78, 92	0
1	В	568/586~(96%)	0.20	49 (8%) 10 8	14, 41, 88, 113	0
All	All	1132/1172~(96%)	0.16	79 (6%) 16 14	12, 41, 85, 113	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	1	MET	5.2
1	А	287	ALA	5.1
1	А	207	VAL	4.8
1	В	204	MET	4.8
1	В	207	VAL	4.6
1	В	233	LYS	4.3
1	В	250	ALA	4.2
1	В	451	CYS	4.1
1	В	287	ALA	4.1
1	В	282	GLY	4.0
1	А	400	ASP	4.0
1	А	361	HIS	3.6
1	А	418	ASP	3.6
1	В	302	ARG	3.6
1	В	419	ASP	3.6
1	А	564	TYR	3.6
1	В	255	VAL	3.5
1	А	434	CYS	3.4
1	В	418	ASP	3.4
1	В	270	GLY	3.4
1	В	218	SER	3.3
1	В	286	GLY	3.3
1	В	206	VAL	3.2
1	В	434	CYS	3.2



Mol	Chain	Res	Type	RSRZ	
1	В	304	LEU	3.2	
1	А	285	PRO	3.2	
1	В	80	ALA	3.1	
1	В	285	PRO	3.0	
1	В	272	LEU	3.0	
1	В	358	GLY	3.0	
1	А	81	ALA	2.9	
1	В	575	GLU	2.9	
1	В	257	ILE	2.9	
1	А	399	ALA	2.9	
1	В	303	TYR	2.8	
1	В	205	PRO	2.8	
1	В	281	THR	2.8	
1	А	274	ALA	2.7	
1	В	81	ALA	2.7	
1	В	298	ALA	2.7	
1	В	417	ASP	2.7	
1	А	204	MET	2.6	
1	А	485	HIS	2.6	
1	В	274	ALA	2.6	
1	В	203	ASP	2.5	
1	А	123	GLY	2.5	
1	В	276	ASP	2.5	
1	В	125	ASP	2.5	
1	В	210	ASP	2.5	
1	В	251	THR	2.4	
1	А	128	SER	2.4	
1	В	263	GLU	2.4	
1	В	562	GLY	2.4	
1	В	283	ASP	2.4	
1	В	238	THR	2.4	
1	А	470	ASP	2.4	
1	A	421	HIS	2.3	
1	A	90	GLY	2.3	
1	B	293	ILE	2.3	
1	В	128	SER	2.3	
1	А	562	GLY	2.3	
1	А	308	ALA	2.3	
1	A	469	LYS	2.3	
1	В	576	GLY	2.2	
1	A	565	TRP	2.2	
1	А	203	ASP	2.2	



		-	1 0		
Mol	Chain	\mathbf{Res}	Type	RSRZ	
1	В	485	HIS	2.2	
1	В	278	ALA	2.2	
1	В	291	VAL	2.2	
1	В	561	LYS	2.1	
1	А	250	ALA	2.1	
1	В	256	MET	2.1	
1	В	261	THR	2.1	
1	А	563	GLN	2.1	
1	А	283	ASP	2.1	
1	А	323	ALA	2.1	
1	В	373	GLY	2.0	
1	А	419	ASP	2.0	
1	А	242	ILE	2.0	

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
4	MG	В	603	1/1	0.93	0.33	29,29,29,29	0
3	ADP	А	602	27/27	0.97	0.13	19,28,35,37	0
3	ADP	В	602	27/27	0.97	0.12	23,34,39,40	0
4	MG	А	603	1/1	0.97	0.14	$17,\!17,\!17,\!17$	0
2	ZN	А	601	1/1	0.99	0.10	33,33,33,33	0
2	ZN	В	601	1/1	1.00	0.09	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

