



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 02:46 am BST

PDB ID : 4HBO
Title : Crystal Structure of Rubella virus capsid protein (residues 127-277)
Authors : Mangala Prasad, V.; Fokine, A.; Rossmann, M.G.
Deposited on : 2012-09-28
Resolution : 3.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1619 (3.28-3.20)
Clashscore	141614	1755 (3.28-3.20)
Ramachandran outliers	138981	1728 (3.28-3.20)
Sidechain outliers	138945	1727 (3.28-3.20)
RSRZ outliers	127900	1567 (3.28-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	131	
1	B	131	
1	C	131	
1	D	131	
1	E	131	



2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3155 atoms, of which 0 are hydrogens and 0 are deuteriums.



In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	S				Se
1	A	79	Total 628	C 397	N 117	O 111	S 2	Se 1	0	0	0
1	B	76	Total 602	C 381	N 114	O 105	S 2		0	0	0
1	C	82	Total 646	C 410	N 118	O 115	S 2	Se 1	0	0	0
1	D	81	Total 641	C 406	N 120	O 112	S 2	Se 1	0	0	0
1	E	81	Total 638	C 404	N 117	O 114	S 2	Se 1	0	0	0



- Molecule 1: Capsid protein



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	42.79Å 279.70Å 76.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.62 – 3.24 46.62 – 3.24	Depositor EDS
% Data completeness (in resolution range)	96.7 (46.62-3.24) 98.4 (46.62-3.24)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.54 (at 3.25Å)	Xtrriage
Refinement program	PHENIX 1.8_1069	Depositor
R, R_{free}	0.340 , 0.368 0.349 , 0.375	Depositor DCC
R_{free} test set	760 reflections (9.95%)	wwPDB-VP
Wilson B-factor (Å ²)	54.8	Xtrriage
Anisotropy	0.105	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 131.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	3155	wwPDB-VP
Average B, all atoms (Å ²)	96.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 78.25 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to $7.2009e-07$. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/647	1.50	10/878 (1.1%)
1	B	0.47	0/621	0.62	1/843 (0.1%)
1	C	0.36	0/664	0.73	2/901 (0.2%)
1	D	0.28	0/658	0.54	1/891 (0.1%)
1	E	0.29	0/657	0.51	0/893
All	All	0.38	0/3247	0.86	14/4406 (0.3%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	71	CYS	CB-CA-C	-19.00	72.41	110.40
1	A	118	ARG	NE-CZ-NH1	15.22	127.91	120.30
1	A	74	GLU	N-CA-CB	14.11	135.99	110.60
1	A	73	PRO	N-CA-C	13.04	145.99	112.10
1	A	70	PRO	CB-CA-C	12.44	143.09	112.00
1	A	118	ARG	NE-CZ-NH2	-11.35	114.62	120.30
1	A	99	ARG	NE-CZ-NH1	-10.50	115.05	120.30
1	A	72	GLY	N-CA-C	9.65	137.22	113.10
1	C	112	ARG	NE-CZ-NH1	-8.90	115.85	120.30
1	A	71	CYS	N-CA-C	-8.49	88.07	111.00
1	D	73	PRO	N-CA-CB	6.47	111.07	103.30
1	A	118	ARG	CD-NE-CZ	5.80	131.73	123.60
1	C	43	ARG	NE-CZ-NH1	-5.58	117.51	120.30
1	B	73	PRO	CA-N-CD	-5.54	103.74	111.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	628	0	581	45	1
1	B	602	0	552	19	0
1	C	646	0	598	24	0
1	D	641	0	597	13	0
1	E	638	0	587	16	0
All	All	3155	0	2915	116	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:118:ARG:HG2	1:C:120:PRO:HD3	1.50	0.93
1:A:99:ARG:HE	1:A:118:ARG:HE	1.09	0.93
1:A:99:ARG:NE	1:A:118:ARG:HE	1.78	0.81
1:A:99:ARG:HE	1:A:118:ARG:NE	1.79	0.80
1:A:105:ASP:N	1:A:105:ASP:OD1	2.20	0.74
1:A:71:CYS:O	1:A:71:CYS:SG	2.37	0.73
1:C:31:TRP:HE1	1:C:43:ARG:HG2	1.56	0.70
1:C:31:TRP:NE1	1:C:43:ARG:HG2	2.08	0.69
1:D:99:ARG:HB2	1:D:118:ARG:HH12	1.58	0.69
1:A:28:VAL:HB	1:A:46:LEU:HD11	1.75	0.69
1:A:99:ARG:HA	1:A:118:ARG:NH2	2.08	0.68
1:A:30:SER:OG	1:A:83:TYR:OH	2.11	0.68
1:D:73:PRO:O	1:D:74:GLU:HG3	1.95	0.66
1:A:28:VAL:HG12	1:A:29:THR:H	1.61	0.65
1:A:29:THR:OG1	1:A:44:VAL:O	2.12	0.65
1:D:97:GLY:HA3	1:D:99:ARG:N	2.12	0.65
1:D:91:ARG:NH1	1:D:105:ASP:OD2	2.28	0.64
1:B:105:ASP:OD2	1:B:105:ASP:N	2.31	0.63
1:C:92:GLY:HA2	1:D:96:LYS:HD3	1.79	0.63
1:A:97:GLY:HA2	1:A:98:GLU:C	2.19	0.62
1:C:82:ALA:O	1:C:115:ARG:NH2	2.32	0.62
1:A:115:ARG:HG2	1:A:117:LEU:HD11	1.82	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:97:GLY:HA2	1:A:99:ARG:N	2.15	0.61
1:C:103:GLU:HB2	1:C:114:HIS:CE1	2.36	0.61
1:C:114:HIS:ND1	1:C:115:ARG:N	2.47	0.61
1:E:32:LEU:HD22	1:E:83:TYR:HB2	1.83	0.59
1:E:95:GLY:HA3	1:E:100:THR:HA	1.84	0.59
1:A:118:ARG:HG3	1:A:120:PRO:HD3	1.84	0.59
1:C:104:GLN:HG3	1:C:115:ARG:HB3	1.85	0.58
1:C:117:LEU:HD13	1:C:119:MSE:HE2	1.85	0.58
1:C:115:ARG:HG2	1:C:117:LEU:HG	1.85	0.57
1:A:25:GLU:HG3	1:A:49:THR:HA	1.85	0.57
1:B:34:SER:OG	1:B:35:GLU:N	2.37	0.57
1:E:73:PRO:O	1:E:74:GLU:HB2	2.04	0.57
1:B:101:TYR:HB3	1:B:116:LEU:HD23	1.87	0.57
1:B:73:PRO:O	1:B:74:GLU:HG3	2.05	0.57
1:C:107:ARG:HA	1:C:112:ARG:HA	1.87	0.56
1:B:97:GLY:HA3	1:B:98:GLU:HB2	1.88	0.56
1:A:92:GLY:HA3	1:A:103:GLU:HB3	1.87	0.56
1:A:27:CYS:SG	1:A:47:HIS:ND1	2.46	0.56
1:A:32:LEU:O	1:A:42:TYR:HB2	2.06	0.56
1:C:85:GLN:O	1:C:115:ARG:NH1	2.22	0.55
1:C:103:GLU:CB	1:C:114:HIS:CE1	2.90	0.55
1:A:104:GLN:HG2	1:A:115:ARG:O	2.07	0.55
1:C:97:GLY:HA3	1:C:99:ARG:H	1.71	0.54
1:B:68:TYR:O	1:B:69:ASN:ND2	2.41	0.54
1:A:76:PRO:HB2	1:A:79:VAL:HG23	1.91	0.53
1:C:97:GLY:HA3	1:C:99:ARG:N	2.23	0.53
1:A:99:ARG:CZ	1:A:118:ARG:HE	2.22	0.52
1:C:31:TRP:CD1	1:C:43:ARG:HG2	2.44	0.52
1:A:82:ALA:O	1:A:115:ARG:NH2	2.38	0.52
1:C:28:VAL:HG12	1:C:29:THR:H	1.76	0.51
1:C:35:GLU:HB2	1:C:112:ARG:HE	1.76	0.51
1:D:105:ASP:N	1:D:105:ASP:OD1	2.43	0.50
1:D:97:GLY:HA3	1:D:99:ARG:H	1.76	0.50
1:A:77:ALA:HA	1:A:80:VAL:HG12	1.93	0.50
1:E:100:THR:OG1	1:E:119:MSE:O	2.28	0.50
1:A:102:ALA:O	1:A:116:LEU:HA	2.12	0.50
1:A:100:THR:O	1:A:118:ARG:HD3	2.12	0.50
1:A:42:TYR:CZ	1:A:79:VAL:HG11	2.47	0.49
1:E:108:VAL:CG1	1:E:113:TRP:CD1	2.96	0.49
1:B:33:TRP:HB3	1:B:41:PHE:CD1	2.47	0.49
1:B:32:LEU:HD22	1:B:83:TYR:HB2	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:28:VAL:HG13	1:A:99:ARG:HH12	1.77	0.49
1:B:31:TRP:N	1:B:31:TRP:CD1	2.81	0.48
1:A:99:ARG:NH2	1:A:118:ARG:HG2	2.28	0.48
1:A:68:TYR:O	1:A:69:ASN:HB2	2.14	0.48
1:E:31:TRP:HZ3	1:E:101:TYR:CZ	2.32	0.48
1:B:30:SER:OG	1:B:83:TYR:OH	2.20	0.48
1:B:83:TYR:O	1:B:115:ARG:NH1	2.47	0.48
1:A:30:SER:C	1:A:31:TRP:HD1	2.16	0.47
1:B:104:GLN:HG3	1:B:115:ARG:HB3	1.96	0.47
1:E:105:ASP:N	1:E:105:ASP:OD1	2.47	0.47
1:A:99:ARG:HH21	1:A:118:ARG:NE	2.13	0.46
1:A:44:VAL:HG21	1:A:83:TYR:CZ	2.50	0.46
1:C:107:ARG:NH1	1:C:109:GLY:H	2.14	0.46
1:A:99:ARG:HA	1:A:118:ARG:CZ	2.45	0.46
1:E:32:LEU:O	1:E:42:TYR:HB2	2.16	0.46
1:A:42:TYR:CE1	1:A:79:VAL:HG11	2.51	0.45
1:A:118:ARG:HD2	1:A:120:PRO:HD3	1.98	0.45
1:A:99:ARG:NH2	1:A:118:ARG:HE	2.15	0.45
1:C:103:GLU:CB	1:C:114:HIS:HE1	2.29	0.45
1:D:31:TRP:CE3	1:D:116:LEU:HD23	2.52	0.45
1:E:108:VAL:HG13	1:E:113:TRP:CD1	2.51	0.45
1:A:32:LEU:HD22	1:A:83:TYR:HB2	1.99	0.45
1:C:103:GLU:HB3	1:C:114:HIS:HE1	1.81	0.44
1:C:72:GLY:HA2	1:C:73:PRO:HD3	1.77	0.44
1:B:33:TRP:CE2	1:B:114:HIS:HB2	2.52	0.44
1:D:27:CYS:HA	1:D:46:LEU:O	2.17	0.44
1:E:89:ASP:N	1:E:89:ASP:OD1	2.37	0.44
1:D:104:GLN:HG3	1:D:115:ARG:HB3	1.99	0.44
1:E:34:SER:HA	1:E:112:ARG:O	2.17	0.44
1:E:31:TRP:HB2	1:E:116:LEU:HB2	2.00	0.43
1:A:46:LEU:H	1:A:46:LEU:HG	1.71	0.43
1:B:76:PRO:HB2	1:B:79:VAL:HG23	2.01	0.43
1:B:28:VAL:HG12	1:B:46:LEU:HB2	2.00	0.43
1:A:99:ARG:HD3	1:A:101:TYR:CE2	2.54	0.43
1:D:28:VAL:HG13	1:D:46:LEU:HB2	2.00	0.43
1:A:108:VAL:O	1:A:110:GLY:N	2.51	0.43
1:C:91:ARG:HB2	1:C:91:ARG:CZ	2.48	0.42
1:A:99:ARG:HH21	1:A:118:ARG:HE	1.66	0.42
1:D:28:VAL:CG2	1:D:118:ARG:HD3	2.49	0.42
1:D:76:PRO:HB2	1:D:79:VAL:HG23	2.02	0.42
1:A:115:ARG:HG2	1:A:117:LEU:CD1	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:31:TRP:HB2	1:C:116:LEU:HB3	2.02	0.42
1:B:97:GLY:CA	1:B:98:GLU:HB2	2.49	0.42
1:B:97:GLY:HA3	1:B:99:ARG:N	2.34	0.42
1:A:31:TRP:N	1:A:31:TRP:CD1	2.88	0.42
1:E:108:VAL:CG1	1:E:113:TRP:HD1	2.33	0.41
1:E:32:LEU:HG	1:E:113:TRP:CE3	2.55	0.41
1:A:118:ARG:HD2	1:A:120:PRO:N	2.36	0.41
1:B:100:THR:H	1:B:118:ARG:NH1	2.19	0.41
1:E:108:VAL:HG13	1:E:113:TRP:HD1	1.86	0.41
1:B:97:GLY:HA3	1:B:99:ARG:H	1.86	0.41
1:E:35:GLU:OE1	1:E:112:ARG:NH1	2.54	0.40
1:A:80:VAL:O	1:A:82:ALA:N	2.52	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:GLU:OE1	1:A:99:ARG:NH2[3_455]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	75/131 (57%)	57 (76%)	10 (13%)	8 (11%)	0	2
1	B	72/131 (55%)	61 (85%)	6 (8%)	5 (7%)	1	7
1	C	78/131 (60%)	60 (77%)	12 (15%)	6 (8%)	1	6
1	D	77/131 (59%)	62 (80%)	13 (17%)	2 (3%)	5	28
1	E	77/131 (59%)	64 (83%)	9 (12%)	4 (5%)	2	13
All	All	379/655 (58%)	304 (80%)	50 (13%)	25 (7%)	1	8

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	70	PRO
1	A	74	GLU
1	B	70	PRO
1	B	73	PRO
1	D	73	PRO
1	A	98	GLU
1	A	109	GLY
1	B	96	LYS
1	C	108	VAL
1	D	70	PRO
1	E	97	GLY
1	A	82	ALA
1	C	71	CYS
1	E	74	GLU
1	A	71	CYS
1	A	75	PRO
1	C	98	GLU
1	A	69	ASN
1	B	109	GLY
1	C	74	GLU
1	B	74	GLU
1	C	70	PRO
1	E	88	GLY
1	C	110	GLY
1	E	70	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	62/106 (58%)	49 (79%)	13 (21%)	1 5
1	B	58/106 (55%)	47 (81%)	11 (19%)	1 7
1	C	64/106 (60%)	54 (84%)	10 (16%)	2 11
1	D	63/106 (59%)	56 (89%)	7 (11%)	6 24

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	63/106 (59%)	60 (95%)	3 (5%)	25	59
All	All	310/530 (58%)	266 (86%)	44 (14%)	3	15

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	SER
1	A	41	PHE
1	A	44	VAL
1	A	46	LEU
1	A	71	CYS
1	A	74	GLU
1	A	79	VAL
1	A	105	ASP
1	A	107	ARG
1	A	108	VAL
1	A	112	ARG
1	A	116	LEU
1	A	118	ARG
1	B	29	THR
1	B	31	TRP
1	B	41	PHE
1	B	44	VAL
1	B	69	ASN
1	B	73	PRO
1	B	99	ARG
1	B	104	GLN
1	B	105	ASP
1	B	112	ARG
1	B	116	LEU
1	C	28	VAL
1	C	33	TRP
1	C	41	PHE
1	C	68	TYR
1	C	71	CYS
1	C	98	GLU
1	C	103	GLU
1	C	104	GLN
1	C	112	ARG
1	C	117	LEU
1	D	37	GLU
1	D	47	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	49	THR
1	D	68	TYR
1	D	90	VAL
1	D	104	GLN
1	D	105	ASP
1	E	34	SER
1	E	105	ASP
1	E	108	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	78	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	77/131 (58%)	1.39	22 (28%) 0 0	52, 119, 166, 207	0
1	B	75/131 (57%)	0.81	10 (13%) 3 2	56, 95, 145, 167	0
1	C	80/131 (61%)	1.41	19 (23%) 0 1	46, 110, 172, 216	0
1	D	79/131 (60%)	0.53	6 (7%) 13 9	41, 70, 113, 131	0
1	E	80/131 (61%)	0.80	8 (10%) 7 5	42, 79, 124, 146	0
All	All	391/655 (59%)	0.99	65 (16%) 1 1	41, 96, 149, 216	0

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	88	GLY	8.4
1	C	114	HIS	8.3
1	C	100	THR	6.4
1	A	106	PHE	6.2
1	E	89	ASP	5.8
1	C	91	ARG	5.2
1	A	100	THR	4.5
1	E	90	VAL	4.4
1	A	78	HIS	4.3
1	C	87	ALA	3.9
1	A	49	THR	3.7
1	A	89	ASP	3.4
1	A	114	HIS	3.3
1	E	33	TRP	3.2
1	B	68	TYR	3.2
1	D	89	ASP	3.0
1	C	107	ARG	3.0
1	C	104	GLN	3.0
1	C	36	GLY	3.0
1	A	34	SER	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	34	SER	2.9
1	E	24	THR	2.9
1	E	88	GLY	2.9
1	C	106	PHE	2.9
1	B	88	GLY	2.8
1	C	43	ARG	2.8
1	A	88	GLY	2.8
1	C	66	LEU	2.7
1	D	68	TYR	2.7
1	C	105	ASP	2.7
1	A	107	ARG	2.7
1	E	97	GLY	2.7
1	C	84	ASN	2.7
1	B	73	PRO	2.7
1	C	34	SER	2.6
1	C	31	TRP	2.6
1	B	48	PHE	2.6
1	D	66	LEU	2.6
1	A	81	ARG	2.6
1	A	36	GLY	2.6
1	B	69	ASN	2.6
1	D	69	ASN	2.6
1	D	72	GLY	2.5
1	B	100	THR	2.5
1	A	31	TRP	2.5
1	A	120	PRO	2.4
1	C	89	ASP	2.4
1	A	26	ALA	2.4
1	A	27	CYS	2.4
1	A	84	ASN	2.3
1	C	40	VAL	2.3
1	D	96	LYS	2.3
1	A	68	TYR	2.3
1	A	43	ARG	2.2
1	A	91	ARG	2.2
1	A	32	LEU	2.2
1	C	98	GLU	2.2
1	B	91	ARG	2.1
1	B	89	ASP	2.1
1	C	86	PRO	2.1
1	A	99	ARG	2.1
1	A	25	GLU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	70	PRO	2.0
1	B	72	GLY	2.0
1	E	96	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.