



wwPDB EM Validation Summary Report ⓘ

Jan 23, 2023 – 12:36 PM JST

PDB ID : 8HDR
EMDB ID : EMD-34678
Title : Cyanophage Pam3 neck
Authors : Yang, F.; Jiang, Y.L.; Zhou, C.Z.
Deposited on : 2022-11-06
Resolution : 3.66 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	142	 27% 94% 6%
1	2	142	 25% 94% 6%
1	Y	142	 6% 94% 6%
1	Z	142	 6% 94% 6%
1	m	142	 6% 94% 6%
1	n	142	 5% 94% 6%
1	o	142	 6% 94% 6%
1	p	142	 6% 94% 6%
1	q	142	 9% 94% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	r	142	10% 94% 6%
1	s	142	11% 94% 6%
1	t	142	9% 94% 6%
1	u	142	8% 94% 6%
1	v	142	9% 94% 6%
1	w	142	29% 94% 6%
1	x	142	26% 94% 6%
1	y	142	25% 94% 6%
1	z	142	30% 94% 6%
2	A	110	8% 94% 6%
2	B	110	13% 94% 6%
2	C	110	12% 94% 6%
2	D	110	11% 94% 6%
2	E	110	10% 94% 6%
2	F	110	13% 94% 6%
3	G	156	. 92% 8%
3	H	156	. 92% 8%
3	I	156	. 92% 8%
3	J	156	5% 92% 8%
3	K	156	. 92% 8%
3	L	156	. 92% 8%
4	M	384	28% 93% 7% .
4	N	384	29% 93% 7% .
4	O	384	33% 93% 7% .
4	P	384	30% 93% 7% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	Q	384	29% 93% 7%
4	R	384	28% 93% 7%
4	S	384	58% 93% 7%
4	T	384	56% 93% 7%
4	U	384	56% 93% 7%
4	V	384	56% 92% 7%
4	W	384	58% 93% 7%
4	X	384	57% 93% 7%
5	a	131	64% 95% ..
5	b	131	71% 95% ..
5	c	131	63% 95% ..
5	d	131	70% 95% ..
5	e	131	65% 96% ..
5	f	131	72% 95% ..
5	g	131	66% 96% ..
5	h	131	70% 94% 5%
5	i	131	66% 96% ..
5	j	131	69% 95% 5%
5	k	131	64% 96% ..
5	l	131	72% 95% ..

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 78708 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called pam3 tube protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	1	142	1072	676	182	208	6	0	0
1	2	142	1072	676	182	208	6	0	0
1	Y	142	1072	676	182	208	6	0	0
1	Z	142	1072	676	182	208	6	0	0
1	m	142	1072	676	182	208	6	0	0
1	n	142	1072	676	182	208	6	0	0
1	o	142	1072	676	182	208	6	0	0
1	p	142	1072	676	182	208	6	0	0
1	q	142	1072	676	182	208	6	0	0
1	r	142	1072	676	182	208	6	0	0
1	s	142	1072	676	182	208	6	0	0
1	t	142	1072	676	182	208	6	0	0
1	u	142	1072	676	182	208	6	0	0
1	v	142	1072	676	182	208	6	0	0
1	w	142	1072	676	182	208	6	0	0
1	x	142	1072	676	182	208	6	0	0
1	y	142	1072	676	182	208	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	z	142	Total	C	N	O	S	0	0
			1072	676	182	208	6		

- Molecule 2 is a protein called Pam3 connector protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	110	Total	C	N	O	S	0	0
			845	524	155	164	2		
2	B	110	Total	C	N	O	S	0	0
			845	524	155	164	2		
2	C	110	Total	C	N	O	S	0	0
			845	524	155	164	2		
2	D	110	Total	C	N	O	S	0	0
			845	524	155	164	2		
2	E	110	Total	C	N	O	S	0	0
			845	524	155	164	2		
2	F	110	Total	C	N	O	S	0	0
			845	524	155	164	2		

- Molecule 3 is a protein called Pam3 terminator protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	156	Total	C	N	O	S	0	0
			1247	784	221	240	2		
3	H	156	Total	C	N	O	S	0	0
			1247	784	221	240	2		
3	I	156	Total	C	N	O	S	0	0
			1247	784	221	240	2		
3	J	156	Total	C	N	O	S	0	0
			1247	784	221	240	2		
3	K	156	Total	C	N	O	S	0	0
			1247	784	221	240	2		
3	L	156	Total	C	N	O	S	0	0
			1247	784	221	240	2		

- Molecule 4 is a protein called Pam3 sheath protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	M	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		
4	N	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
4	O	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		
4	P	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		
4	Q	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		
4	R	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		
4	S	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		
4	T	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		
4	U	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		
4	V	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		
4	W	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		
4	X	382	Total	C	N	O	S	0	0
			2938	1857	503	570	8		

- Molecule 5 is a protein called Pam3 adaptor protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	a	130	Total	C	N	O	S	0	0
			967	603	171	191	2		
5	b	130	Total	C	N	O	S	0	0
			967	603	171	191	2		
5	c	130	Total	C	N	O	S	0	0
			967	603	171	191	2		
5	d	130	Total	C	N	O	S	0	0
			967	603	171	191	2		
5	e	130	Total	C	N	O	S	0	0
			967	603	171	191	2		
5	f	130	Total	C	N	O	S	0	0
			967	603	171	191	2		
5	g	130	Total	C	N	O	S	0	0
			967	603	171	191	2		
5	h	130	Total	C	N	O	S	0	0
			967	603	171	191	2		
5	i	130	Total	C	N	O	S	0	0
			967	603	171	191	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
5	j	130	Total	C	N	O	S	0	0
			967	603	171	191	2		
5	k	130	Total	C	N	O	S	0	0
			967	603	171	191	2		
5	l	130	Total	C	N	O	S	0	0
			967	603	171	191	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: pam3 tube protein




- Molecule 1: pam3 tube protein




- Molecule 1: pam3 tube protein



- Molecule 1: pam3 tube protein




• Molecule 1: pam3 tube protein




• Molecule 1: pam3 tube protein




• Molecule 1: pam3 tube protein




• Molecule 1: pam3 tube protein



• Molecule 1: pam3 tube protein



• Molecule 1: pam3 tube protein





• Molecule 1: pam3 tube protein








• Molecule 1: pam3 tube protein




• Molecule 1: pam3 tube protein





• Molecule 1: pam3 tube protein




• Molecule 1: pam3 tube protein




• Molecule 1: pam3 tube protein




• Molecule 1: pam3 tube protein




• Molecule 1: pam3 tube protein




• Molecule 2: Pam3 connector protein




• Molecule 2: Pam3 connector protein




• Molecule 2: Pam3 connector protein




• Molecule 2: Pam3 connector protein




- Molecule 2: Pam3 connector protein




- Molecule 2: Pam3 connector protein




- Molecule 3: Pam3 terminator protein




- Molecule 3: Pam3 terminator protein



- Molecule 3: Pam3 terminator protein




- Molecule 3: Pam3 terminator protein





- Molecule 3: Pam3 terminator protein









• Molecule 3: Pam3 terminator protein




• Molecule 4: Pam3 sheath protein




• Molecule 4: Pam3 sheath protein




• Molecule 4: Pam3 sheath protein




• Molecule 4: Pam3 sheath protein







• Molecule 4: Pam3 sheath protein










• Molecule 4: Pam3 sheath protein




• Molecule 4: Pam3 sheath protein





• Molecule 4: Pam3 sheath protein







• Molecule 4: Pam3 sheath protein




• Molecule 4: Pam3 sheath protein







• Molecule 4: Pam3 sheath protein




• Molecule 4: Pam3 sheath protein








• Molecule 5: Pam3 adaptor protein



• Molecule 5: Pam3 adaptor protein




• Molecule 5: Pam3 adaptor protein



• Molecule 5: Pam3 adaptor protein







• Molecule 5: Pam3 adaptor protein





Chain e:



• Molecule 5: Pam3 adaptor protein





Chain f:




• Molecule 5: Pam3 adaptor protein



Chain g:




• Molecule 5: Pam3 adaptor protein






Chain h:










• Molecule 5: Pam3 adaptor protein






• Molecule 5: Pam3 adaptor protein



• Molecule 5: Pam3 adaptor protein



• Molecule 5: Pam3 adaptor protein



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	117851	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.082	Depositor
Minimum map value	-0.050	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.02	Depositor
Map size (\AA)	303.9, 303.9, 303.9	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.013, 1.013, 1.013	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.31	0/1094	0.47	0/1487
1	2	0.31	0/1094	0.46	0/1487
1	Y	0.31	0/1094	0.47	0/1487
1	Z	0.31	0/1094	0.46	0/1487
1	m	0.31	0/1094	0.46	0/1487
1	n	0.31	0/1094	0.46	0/1487
1	o	0.31	0/1094	0.46	0/1487
1	p	0.31	0/1094	0.46	0/1487
1	q	0.31	0/1094	0.47	0/1487
1	r	0.31	0/1094	0.46	0/1487
1	s	0.31	0/1094	0.46	0/1487
1	t	0.31	0/1094	0.46	0/1487
1	u	0.31	0/1094	0.46	0/1487
1	v	0.31	0/1094	0.46	0/1487
1	w	0.31	0/1094	0.46	0/1487
1	x	0.31	0/1094	0.47	0/1487
1	y	0.31	0/1094	0.46	0/1487
1	z	0.31	0/1094	0.46	0/1487
2	A	0.34	0/860	0.49	0/1169
2	B	0.34	0/860	0.49	0/1169
2	C	0.34	0/860	0.49	0/1169
2	D	0.34	0/860	0.49	0/1169
2	E	0.34	0/860	0.49	0/1169
2	F	0.34	0/860	0.49	0/1169
3	G	0.34	0/1273	0.45	0/1730
3	H	0.34	0/1273	0.45	0/1730
3	I	0.34	0/1273	0.45	0/1730
3	J	0.34	0/1273	0.45	0/1730
3	K	0.34	0/1273	0.45	0/1730
3	L	0.34	0/1273	0.45	0/1730
4	M	0.29	0/2998	0.48	0/4086
4	N	0.29	0/2998	0.48	0/4086
4	O	0.29	0/2998	0.48	0/4086
4	P	0.29	0/2998	0.48	0/4086

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
4	Q	0.29	0/2998	0.48	0/4086
4	R	0.29	0/2998	0.48	0/4086
4	S	0.29	0/2998	0.48	0/4086
4	T	0.29	0/2998	0.48	0/4086
4	U	0.29	0/2998	0.48	0/4086
4	V	0.29	0/2998	0.48	0/4086
4	W	0.29	0/2998	0.48	0/4086
4	X	0.29	0/2998	0.48	0/4086
5	a	0.31	0/987	0.51	0/1347
5	b	0.29	0/987	0.50	0/1347
5	c	0.31	0/987	0.52	0/1347
5	d	0.29	0/987	0.50	0/1347
5	e	0.31	0/987	0.52	0/1347
5	f	0.30	0/987	0.56	2/1347 (0.1%)
5	g	0.31	0/987	0.51	0/1347
5	h	0.29	0/987	0.49	0/1347
5	i	0.31	0/987	0.52	0/1347
5	j	0.29	0/987	0.49	0/1347
5	k	0.31	0/987	0.51	0/1347
5	l	0.29	0/987	0.49	0/1347
All	All	0.31	0/80310	0.48	2/109356 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	f	63	PRO	CA-N-CD	-8.62	99.43	111.50
5	f	62	TYR	C-N-CD	-6.36	106.61	120.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	2	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	Y	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	Z	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	m	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	n	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	o	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	p	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	q	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	r	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	s	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	t	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	u	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	v	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	w	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	x	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	y	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
1	z	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
2	A	108/110 (98%)	98 (91%)	10 (9%)	0	100	100
2	B	108/110 (98%)	97 (90%)	11 (10%)	0	100	100
2	C	108/110 (98%)	97 (90%)	11 (10%)	0	100	100
2	D	108/110 (98%)	98 (91%)	10 (9%)	0	100	100
2	E	108/110 (98%)	97 (90%)	11 (10%)	0	100	100
2	F	108/110 (98%)	98 (91%)	10 (9%)	0	100	100
3	G	154/156 (99%)	139 (90%)	15 (10%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	H	154/156 (99%)	139 (90%)	15 (10%)	0	100	100
3	I	154/156 (99%)	140 (91%)	14 (9%)	0	100	100
3	J	154/156 (99%)	139 (90%)	15 (10%)	0	100	100
3	K	154/156 (99%)	139 (90%)	15 (10%)	0	100	100
3	L	154/156 (99%)	139 (90%)	15 (10%)	0	100	100
4	M	380/384 (99%)	340 (90%)	40 (10%)	0	100	100
4	N	380/384 (99%)	339 (89%)	41 (11%)	0	100	100
4	O	380/384 (99%)	339 (89%)	41 (11%)	0	100	100
4	P	380/384 (99%)	339 (89%)	41 (11%)	0	100	100
4	Q	380/384 (99%)	339 (89%)	41 (11%)	0	100	100
4	R	380/384 (99%)	338 (89%)	42 (11%)	0	100	100
4	S	380/384 (99%)	339 (89%)	41 (11%)	0	100	100
4	T	380/384 (99%)	339 (89%)	41 (11%)	0	100	100
4	U	380/384 (99%)	339 (89%)	41 (11%)	0	100	100
4	V	380/384 (99%)	339 (89%)	41 (11%)	0	100	100
4	W	380/384 (99%)	339 (89%)	41 (11%)	0	100	100
4	X	380/384 (99%)	339 (89%)	41 (11%)	0	100	100
5	a	128/131 (98%)	116 (91%)	12 (9%)	0	100	100
5	b	128/131 (98%)	116 (91%)	12 (9%)	0	100	100
5	c	128/131 (98%)	117 (91%)	11 (9%)	0	100	100
5	d	128/131 (98%)	114 (89%)	14 (11%)	0	100	100
5	e	128/131 (98%)	118 (92%)	10 (8%)	0	100	100
5	f	128/131 (98%)	114 (89%)	13 (10%)	1 (1%)	19	56
5	g	128/131 (98%)	117 (91%)	11 (9%)	0	100	100
5	h	128/131 (98%)	115 (90%)	13 (10%)	0	100	100
5	i	128/131 (98%)	115 (90%)	13 (10%)	0	100	100
5	j	128/131 (98%)	114 (89%)	14 (11%)	0	100	100
5	k	128/131 (98%)	116 (91%)	12 (9%)	0	100	100
5	l	128/131 (98%)	117 (91%)	11 (9%)	0	100	100
All	All	10188/10332 (99%)	9271 (91%)	916 (9%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	f	62	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	2	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	Y	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	Z	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	m	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	n	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	o	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	p	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	q	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	r	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	s	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	t	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	u	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	v	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	w	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	x	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	y	115/115 (100%)	107 (93%)	8 (7%)	15	46
1	z	115/115 (100%)	107 (93%)	8 (7%)	15	46
2	A	87/87 (100%)	80 (92%)	7 (8%)	12	42
2	B	87/87 (100%)	80 (92%)	7 (8%)	12	42
2	C	87/87 (100%)	80 (92%)	7 (8%)	12	42
2	D	87/87 (100%)	80 (92%)	7 (8%)	12	42
2	E	87/87 (100%)	80 (92%)	7 (8%)	12	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	F	87/87 (100%)	80 (92%)	7 (8%)	12	42
3	G	135/135 (100%)	122 (90%)	13 (10%)	8	34
3	H	135/135 (100%)	122 (90%)	13 (10%)	8	34
3	I	135/135 (100%)	122 (90%)	13 (10%)	8	34
3	J	135/135 (100%)	122 (90%)	13 (10%)	8	34
3	K	135/135 (100%)	122 (90%)	13 (10%)	8	34
3	L	135/135 (100%)	122 (90%)	13 (10%)	8	34
4	M	308/309 (100%)	282 (92%)	26 (8%)	11	40
4	N	308/309 (100%)	282 (92%)	26 (8%)	11	40
4	O	308/309 (100%)	282 (92%)	26 (8%)	11	40
4	P	308/309 (100%)	282 (92%)	26 (8%)	11	40
4	Q	308/309 (100%)	282 (92%)	26 (8%)	11	40
4	R	308/309 (100%)	282 (92%)	26 (8%)	11	40
4	S	308/309 (100%)	282 (92%)	26 (8%)	11	40
4	T	308/309 (100%)	282 (92%)	26 (8%)	11	40
4	U	308/309 (100%)	282 (92%)	26 (8%)	11	40
4	V	308/309 (100%)	281 (91%)	27 (9%)	10	38
4	W	308/309 (100%)	282 (92%)	26 (8%)	11	40
4	X	308/309 (100%)	282 (92%)	26 (8%)	11	40
5	a	102/103 (99%)	97 (95%)	5 (5%)	25	56
5	b	102/103 (99%)	97 (95%)	5 (5%)	25	56
5	c	102/103 (99%)	97 (95%)	5 (5%)	25	56
5	d	102/103 (99%)	97 (95%)	5 (5%)	25	56
5	e	102/103 (99%)	98 (96%)	4 (4%)	32	60
5	f	102/103 (99%)	97 (95%)	5 (5%)	25	56
5	g	102/103 (99%)	98 (96%)	4 (4%)	32	60
5	h	102/103 (99%)	95 (93%)	7 (7%)	15	46
5	i	102/103 (99%)	98 (96%)	4 (4%)	32	60
5	j	102/103 (99%)	96 (94%)	6 (6%)	19	51
5	k	102/103 (99%)	98 (96%)	4 (4%)	32	60
5	l	102/103 (99%)	97 (95%)	5 (5%)	25	56

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	8322/8346 (100%)	7686 (92%)	636 (8%)	17 43

5 of 636 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Z	101	GLU
1	s	21	ILE
5	c	37	ASP
1	Z	93	ASP
5	l	62	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 52 such sidechains are listed below:

Mol	Chain	Res	Type
4	W	239	GLN
1	Z	121	ASN
1	o	121	ASN
4	W	374	HIS
1	Y	120	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-34678. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 127




Y Index: 129




Z Index: 73


6.3.2 Raw map



X Index: 173



Y Index: 174




Z Index: 74

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 291 nm³; this corresponds to an approximate mass of 263 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.273 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.273 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.66	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.97	4.76	4.09

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-34678 and PDB model 8HDR. Per-residue inclusion information can be found in section [3](#) on page [9](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 61% of all backbone atoms, 51% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary









































The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5137	 0.4450
1	 0.5327	 0.4860
2	 0.5384	 0.4880
A	 0.6924	 0.5300
B	 0.6716	 0.5290
C	 0.6728	 0.5300
D	 0.6789	 0.5300
E	 0.6801	 0.5310
F	 0.6838	 0.5320
G	 0.7305	 0.5500
H	 0.7322	 0.5510
I	 0.7338	 0.5500
J	 0.7273	 0.5490
K	 0.7297	 0.5500
L	 0.7289	 0.5510
M	 0.5394	 0.4430
N	 0.5325	 0.4430
O	 0.5255	 0.4390
P	 0.5325	 0.4380
Q	 0.5387	 0.4400
R	 0.5432	 0.4430
S	 0.3585	 0.3620
T	 0.3717	 0.3680
U	 0.3717	 0.3690
V	 0.3724	 0.3670
W	 0.3612	 0.3550
X	 0.3661	 0.3640
Y	 0.7081	 0.5280
Z	 0.7005	 0.5270
a	 0.3122	 0.3710
b	 0.2857	 0.3620
c	 0.3153	 0.3660
d	 0.2857	 0.3600
e	 0.3132	 0.3650
f	 0.2815	 0.3620



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
g	 0.3132	 0.3640
h	 0.2857	 0.3610
i	 0.3143	 0.3710
j	 0.2910	 0.3610
k	 0.3206	 0.3700
l	 0.2794	 0.3570
m	 0.6995	 0.5280
n	 0.6957	 0.5300
o	 0.6986	 0.5260
p	 0.6891	 0.5260
q	 0.6578	 0.5120
r	 0.6569	 0.5100
s	 0.6531	 0.5090
t	 0.6521	 0.5110
u	 0.6607	 0.5100
v	 0.6597	 0.5080
w	 0.5355	 0.4870
x	 0.5270	 0.4870
y	 0.5327	 0.4890
z	 0.5232	 0.4820