



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 21, 2024 – 12:24 PM EDT

PDB ID : 2HFB
Title : Crystal structure of selenomethionine-labelled RafE from *Streptococcus pneumoniae*
Authors : Paterson, N.G.; Riboldi-Tunncliffe, A.; Mitchell, T.J.; Isaacs, N.W.
Deposited on : 2006-06-23
Resolution : 2.90 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	2335 (2.90-2.90)
Clashscore	180529	2564 (2.90-2.90)
Ramachandran outliers	177936	2514 (2.90-2.90)
Sidechain outliers	177891	2516 (2.90-2.90)
RSRZ outliers	164620	2337 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	409	
1	B	409	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 6045 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sugar ABC transporter, sugar-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	Se			
1	A	383	3029	1937	497	584	11	69	0	0
1	B	381	3013	1927	494	581	11	376	0	0

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-17	MET	-	cloning artifact	UNP Q97NW2
A	-16	ARG	-	cloning artifact	UNP Q97NW2
A	-15	GLY	-	cloning artifact	UNP Q97NW2
A	-14	SER	-	cloning artifact	UNP Q97NW2
A	-13	HIS	-	cloning artifact	UNP Q97NW2
A	-12	HIS	-	cloning artifact	UNP Q97NW2
A	-11	HIS	-	cloning artifact	UNP Q97NW2
A	-10	HIS	-	cloning artifact	UNP Q97NW2
A	-9	HIS	-	cloning artifact	UNP Q97NW2
A	-8	HIS	-	cloning artifact	UNP Q97NW2
A	-7	THR	-	cloning artifact	UNP Q97NW2
A	-6	ASP	-	cloning artifact	UNP Q97NW2
A	-5	PRO	-	cloning artifact	UNP Q97NW2
A	17	MSE	MET	modified residue	UNP Q97NW2
A	201	MSE	MET	modified residue	UNP Q97NW2
A	208	MSE	MET	modified residue	UNP Q97NW2
A	240	MSE	MET	modified residue	UNP Q97NW2
A	264	MSE	MET	modified residue	UNP Q97NW2
A	302	MSE	MET	modified residue	UNP Q97NW2
A	308	MSE	MET	modified residue	UNP Q97NW2
A	336	MSE	MET	modified residue	UNP Q97NW2
A	364	MSE	MET	modified residue	UNP Q97NW2
A	375	MSE	MET	modified residue	UNP Q97NW2
A	386	MSE	MET	modified residue	UNP Q97NW2
B	-17	MET	-	cloning artifact	UNP Q97NW2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	ARG	-	cloning artifact	UNP Q97NW2
B	-15	GLY	-	cloning artifact	UNP Q97NW2
B	-14	SER	-	cloning artifact	UNP Q97NW2
B	-13	HIS	-	cloning artifact	UNP Q97NW2
B	-12	HIS	-	cloning artifact	UNP Q97NW2
B	-11	HIS	-	cloning artifact	UNP Q97NW2
B	-10	HIS	-	cloning artifact	UNP Q97NW2
B	-9	HIS	-	cloning artifact	UNP Q97NW2
B	-8	HIS	-	cloning artifact	UNP Q97NW2
B	-7	THR	-	cloning artifact	UNP Q97NW2
B	-6	ASP	-	cloning artifact	UNP Q97NW2
B	-5	PRO	-	cloning artifact	UNP Q97NW2
B	17	MSE	MET	modified residue	UNP Q97NW2
B	201	MSE	MET	modified residue	UNP Q97NW2
B	208	MSE	MET	modified residue	UNP Q97NW2
B	240	MSE	MET	modified residue	UNP Q97NW2
B	264	MSE	MET	modified residue	UNP Q97NW2
B	302	MSE	MET	modified residue	UNP Q97NW2
B	308	MSE	MET	modified residue	UNP Q97NW2
B	336	MSE	MET	modified residue	UNP Q97NW2
B	364	MSE	MET	modified residue	UNP Q97NW2
B	375	MSE	MET	modified residue	UNP Q97NW2
B	386	MSE	MET	modified residue	UNP Q97NW2

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Cl 1 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total O 2 2	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sugar ABC transporter, sugar-binding protein



- Molecule 1: Sugar ABC transporter, sugar-binding protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	144.54Å 144.54Å 224.08Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.51 – 2.90 29.51 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.2 (29.51-2.90) 99.0 (29.51-2.90)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.50 (at 2.90Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.248 , 0.290 0.244 , 0.289	Depositor DCC
R_{free} test set	1568 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	73.0	Xtrriage
Anisotropy	0.004	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 91.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6045	wwPDB-VP
Average B, all atoms (Å ²)	99.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.20	7/3088 (0.2%)	1.15	18/4168 (0.4%)
1	B	0.95	11/3072 (0.4%)	1.24	25/4147 (0.6%)
All	All	1.08	18/6160 (0.3%)	1.20	43/8315 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	1
1	B	0	4
All	All	1	5

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	81	GLU	CD-OE2	8.71	1.35	1.25
1	B	185	TYR	CB-CG	-7.77	1.40	1.51
1	B	16	GLU	CG-CD	7.26	1.62	1.51
1	A	322	GLU	CB-CG	7.05	1.65	1.52
1	A	36	LYS	CA-CB	-6.96	1.38	1.53
1	A	73	GLU	CG-CD	6.80	1.62	1.51
1	A	140	GLU	CB-CG	-6.67	1.39	1.52
1	B	74	TRP	CB-CG	6.32	1.61	1.50
1	B	16	GLU	CB-CG	6.27	1.64	1.52
1	B	197	SER	CA-CB	-6.24	1.43	1.52
1	B	358	ASP	CA-CB	-5.91	1.41	1.53
1	A	339	TYR	CE2-CZ	5.80	1.46	1.38
1	B	15	LYS	CE-NZ	5.71	1.63	1.49
1	B	80	PHE	CD1-CE1	5.67	1.50	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	341	PHE	CE1-CZ	5.54	1.47	1.37
1	B	210	ILE	CA-CB	-5.26	1.42	1.54
1	B	90	LYS	CE-NZ	5.24	1.62	1.49
1	A	322	GLU	CG-CD	5.01	1.59	1.51

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	185	TYR	CB-CG-CD1	-27.10	104.74	121.00
1	B	185	TYR	CB-CG-CD2	26.29	136.78	121.00
1	B	28	PHE	CB-CA-C	-9.38	91.63	110.40
1	A	344	ARG	NE-CZ-NH2	-8.32	116.14	120.30
1	B	75	ALA	CB-CA-C	-8.30	97.64	110.10
1	B	359	PHE	CB-CG-CD2	-7.76	115.37	120.80
1	A	31	GLU	N-CA-CB	-7.76	96.63	110.60
1	A	19	LYS	CB-CA-C	7.48	125.37	110.40
1	A	290	LYS	CB-CA-C	7.47	125.34	110.40
1	B	161	ALA	N-CA-C	7.16	130.32	111.00
1	B	215	GLY	N-CA-C	7.11	130.87	113.10
1	B	68	SER	CB-CA-C	-7.04	96.73	110.10
1	B	43	PRO	CB-CA-C	-6.89	94.78	112.00
1	B	204	ASP	N-CA-CB	6.79	122.82	110.60
1	B	161	ALA	CB-CA-C	-6.60	100.19	110.10
1	B	142	LEU	CB-CA-C	6.58	122.71	110.20
1	B	359	PHE	CB-CG-CD1	6.38	125.26	120.80
1	B	170	LEU	CB-CA-C	-6.25	98.33	110.20
1	B	210	ILE	N-CA-CB	6.14	124.93	110.80
1	B	313	ASP	CB-CG-OD2	6.09	123.78	118.30
1	B	185	TYR	CA-CB-CG	5.97	124.75	113.40
1	A	220	ASN	N-CA-CB	5.95	121.31	110.60
1	A	368	LEU	CB-CG-CD2	5.88	120.99	111.00
1	A	204	ASP	CB-CG-OD1	5.86	123.57	118.30
1	A	95	GLY	N-CA-C	-5.84	98.49	113.10
1	A	203	ASP	CB-CG-OD1	5.79	123.51	118.30
1	A	274	LEU	CB-CA-C	-5.76	99.25	110.20
1	A	31	GLU	N-CA-C	5.74	126.50	111.00
1	B	203	ASP	N-CA-CB	-5.73	100.28	110.60
1	B	358	ASP	CB-CA-C	5.60	121.60	110.40
1	A	272	GLN	CB-CA-C	5.58	121.57	110.40
1	B	287	ALA	N-CA-CB	5.55	117.87	110.10
1	B	139	PHE	CB-CA-C	-5.54	99.32	110.40
1	B	19	LYS	CA-CB-CG	5.53	125.57	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	219	LYS	CB-CA-C	-5.48	99.44	110.40
1	B	153	PRO	N-CA-C	5.46	126.31	112.10
1	A	221	TRP	CB-CA-C	-5.44	99.52	110.40
1	A	255	LYS	CA-CB-CG	5.31	125.07	113.40
1	B	18	THR	N-CA-CB	-5.26	100.30	110.30
1	A	346	LEU	CB-CG-CD1	-5.18	102.19	111.00
1	B	14	LYS	CD-CE-NZ	-5.18	99.79	111.70
1	A	238	VAL	CB-CA-C	-5.08	101.74	111.40
1	A	214	ASN	CB-CA-C	5.05	120.50	110.40

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	386	MSE	CA

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	95	GLY	Peptide
1	B	154	PHE	Peptide
1	B	289	THR	Peptide
1	B	32	ASN	Peptide
1	B	6	VAL	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3029	0	2968	165	0
1	B	3013	0	2948	182	0
2	A	1	0	0	0	0
3	A	2	0	0	0	0
All	All	6045	0	5916	338	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All (338) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:187:ARG:HD2	1:B:187:ARG:O	1.43	1.15
1:A:387:LYS:HE2	1:A:387:LYS:O	1.44	1.14
1:A:6:VAL:HG11	1:A:291:HIS:CD2	1.81	1.14
1:B:62:VAL:HG23	1:B:64:ILE:HG22	1.28	1.14
1:B:32:ASN:O	1:B:35:ILE:HG13	1.48	1.11
1:A:6:VAL:CG1	1:A:291:HIS:CD2	2.36	1.09
1:B:289:THR:HG21	1:B:292:PRO:HB3	1.29	1.08
1:B:31:GLU:HG3	1:B:32:ASN:ND2	1.68	1.07
1:A:10:TYR:CE2	1:A:12:ASN:HB2	1.93	1.04
1:A:309:GLN:HE22	1:A:325:LYS:H	1.09	0.97
1:B:62:VAL:HG23	1:B:64:ILE:CG2	1.96	0.95
1:B:31:GLU:HG3	1:B:32:ASN:HD21	1.21	0.95
1:B:153:PRO:O	1:B:240:MSE:HE3	1.65	0.94
1:B:289:THR:CG2	1:B:292:PRO:HB3	1.98	0.93
1:B:13:GLN:H	1:B:63:ASN:ND2	1.66	0.93
1:A:124:LYS:HG3	1:A:239:LEU:CD2	1.99	0.92
1:B:264:MSE:HE3	1:B:275:THR:HG22	1.52	0.92
1:A:86:LYS:HE3	1:A:296:ASN:OD1	1.69	0.91
1:B:42:VAL:HG21	1:B:48:VAL:HG21	1.53	0.91
1:B:32:ASN:H	1:B:32:ASN:HD22	1.19	0.90
1:B:289:THR:HG21	1:B:292:PRO:CB	2.01	0.90
1:A:290:LYS:C	1:A:291:HIS:ND1	2.25	0.89
1:B:13:GLN:N	1:B:63:ASN:HD22	1.71	0.87
1:B:375:MSE:O	1:B:379:LEU:HG	1.75	0.86
1:B:208:MSE:HB3	1:B:366:TYR:HE2	1.39	0.85
1:B:79:VAL:HG12	1:B:79:VAL:O	1.75	0.85
1:A:70:GLU:OE2	1:A:70:GLU:N	2.09	0.84
1:B:28:PHE:C	1:B:28:PHE:CD2	2.51	0.83
1:B:72:GLN:H	1:B:72:GLN:HE21	1.25	0.83
1:B:79:VAL:O	1:B:79:VAL:CG1	2.27	0.82
1:B:53:VAL:HG22	1:B:58:VAL:HG22	1.60	0.82
1:B:13:GLN:H	1:B:63:ASN:HD22	0.86	0.82
1:A:291:HIS:HB3	1:A:294:GLU:OE2	1.80	0.82
1:A:291:HIS:ND1	1:A:291:HIS:N	2.28	0.81
1:B:32:ASN:HD22	1:B:32:ASN:N	1.77	0.80
1:A:123:ASP:O	1:A:127:GLU:HG2	1.81	0.80
1:B:72:GLN:HE21	1:B:72:GLN:N	1.80	0.80
1:B:31:GLU:CG	1:B:32:ASN:HD21	1.94	0.79
1:B:32:ASN:ND2	1:B:32:ASN:N	2.30	0.79
1:B:289:THR:HG23	1:B:290:LYS:O	1.81	0.79
1:A:288:THR:HG22	1:B:22:GLU:HG3	1.65	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:LYS:HG3	1:A:239:LEU:HD21	1.64	0.79
1:B:31:GLU:CG	1:B:32:ASN:ND2	2.46	0.78
1:A:291:HIS:HB3	1:A:294:GLU:CD	2.04	0.78
1:B:208:MSE:HB3	1:B:366:TYR:CE2	2.19	0.78
1:A:192:ASN:H	1:A:384:ASN:HD21	1.30	0.78
1:A:124:LYS:HG3	1:A:239:LEU:HD22	1.64	0.78
1:B:376:VAL:HA	1:B:379:LEU:HD12	1.66	0.78
1:B:28:PHE:CD2	1:B:28:PHE:O	2.37	0.77
1:B:62:VAL:CG2	1:B:64:ILE:CG2	2.62	0.77
1:A:6:VAL:CG2	1:A:291:HIS:HD2	1.98	0.77
1:B:208:MSE:CB	1:B:366:TYR:HE2	1.97	0.77
1:B:187:ARG:O	1:B:187:ARG:CD	2.30	0.77
1:B:50:LYS:HA	1:B:74:TRP:CH2	2.19	0.77
1:B:24:ILE:HD13	1:B:302:MSE:HE1	1.67	0.76
1:B:50:LYS:HA	1:B:74:TRP:HH2	1.50	0.76
1:B:67:GLN:N	1:B:67:GLN:OE1	2.18	0.76
1:A:6:VAL:HG13	1:A:291:HIS:CD2	2.21	0.76
1:A:221:TRP:HZ3	1:A:364:MSE:HE1	1.48	0.76
1:B:17:MSE:HA	1:B:17:MSE:CE	2.16	0.75
1:A:387:LYS:O	1:A:387:LYS:CE	2.30	0.75
1:A:6:VAL:HG12	1:A:7:THR:N	2.01	0.74
1:B:17:MSE:SE	1:B:315:ASP:HB2	2.37	0.74
1:B:84:SER:OG	1:B:106:VAL:N	2.21	0.74
1:B:8:ILE:HG13	1:B:8:ILE:O	1.86	0.73
1:A:10:TYR:CZ	1:A:12:ASN:HB2	2.24	0.73
1:B:32:ASN:HB2	1:B:35:ILE:HD12	1.70	0.73
1:B:72:GLN:HB3	1:B:73:GLU:OE1	1.88	0.73
1:A:6:VAL:HG21	1:A:291:HIS:HD2	1.53	0.73
1:A:6:VAL:CG1	1:A:291:HIS:HD2	2.01	0.72
1:B:208:MSE:CB	1:B:366:TYR:CE2	2.72	0.72
1:B:32:ASN:HB2	1:B:35:ILE:CD1	2.19	0.72
1:B:11:PHE:CD1	1:B:40:VAL:HG12	2.26	0.71
1:B:32:ASN:HB3	1:B:35:ILE:HD11	1.73	0.70
1:B:134:GLU:HB3	1:B:270:LYS:HD2	1.74	0.70
1:B:32:ASN:CB	1:B:35:ILE:CD1	2.69	0.70
1:B:42:VAL:CG2	1:B:48:VAL:HG21	2.22	0.70
1:B:95:GLY:O	1:B:98:GLU:HB2	1.91	0.70
1:A:6:VAL:CG1	1:A:7:THR:N	2.54	0.70
1:A:154:PHE:O	1:A:238:VAL:HG11	1.92	0.69
1:B:17:MSE:HA	1:B:17:MSE:HE3	1.73	0.69
1:A:76:LYS:CG	1:A:76:LYS:O	2.40	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:366:TYR:CB	1:A:375:MSE:HE3	2.23	0.69
1:B:376:VAL:HA	1:B:379:LEU:CD1	2.21	0.69
1:A:34:LYS:O	1:A:35:ILE:HG13	1.93	0.69
1:B:24:ILE:HG21	1:B:302:MSE:HE1	1.75	0.69
1:B:69:ILE:O	1:B:73:GLU:HG2	1.93	0.69
1:B:51:THR:O	1:B:51:THR:OG1	2.11	0.68
1:B:289:THR:CG2	1:B:292:PRO:CB	2.67	0.68
1:A:225:GLY:O	1:A:228:ASP:HB2	1.94	0.67
1:B:309:GLN:HE22	1:B:325:LYS:H	1.42	0.67
1:A:152:THR:HB	1:A:238:VAL:HG12	1.76	0.67
1:B:318:PRO:HA	1:B:326:GLN:HE22	1.61	0.66
1:A:145:ASP:O	1:A:149:LYS:HG3	1.95	0.66
1:A:124:LYS:CG	1:A:239:LEU:HD22	2.26	0.66
1:B:111:PHE:CE1	1:B:302:MSE:HG3	2.30	0.66
1:A:108:ASN:HA	1:A:283:TRP:O	1.97	0.65
1:A:338:GLU:O	1:A:338:GLU:CG	2.45	0.65
1:A:161:ALA:HB1	1:A:360:HIS:O	1.97	0.65
1:A:12:ASN:ND2	1:A:41:ASN:OD1	2.30	0.65
1:A:152:THR:HB	1:A:238:VAL:CG1	2.26	0.65
1:B:69:ILE:HD12	1:B:69:ILE:H	1.60	0.64
1:A:77:ALA:O	1:B:15:LYS:HB3	1.98	0.64
1:A:350:GLN:HA	1:A:353:TRP:CG	2.32	0.64
1:B:294:GLU:N	1:B:294:GLU:OE1	2.31	0.64
1:B:62:VAL:CG2	1:B:64:ILE:HG22	2.14	0.64
1:A:276:VAL:HG22	1:A:277:GLY:N	2.13	0.63
1:A:56:GLY:HA3	1:B:40:VAL:HG22	1.80	0.63
1:A:283:TRP:HH2	1:A:302:MSE:HE2	1.64	0.63
1:B:153:PRO:O	1:B:240:MSE:HB2	1.98	0.63
1:B:219:LYS:O	1:B:220:ASN:HB2	1.98	0.62
1:A:366:TYR:HB3	1:A:375:MSE:HE3	1.81	0.62
1:A:6:VAL:HG11	1:A:291:HIS:CG	2.33	0.61
1:B:28:PHE:O	1:B:28:PHE:CG	2.50	0.61
1:B:155:GLY:HA3	1:B:238:VAL:HG21	1.82	0.61
1:A:179:GLY:H	1:A:346:LEU:HD22	1.65	0.61
1:A:384:ASN:N	1:A:385:PRO:HD2	2.16	0.61
1:B:50:LYS:HD3	1:B:70:GLU:HG2	1.83	0.60
1:A:366:TYR:HB3	1:A:375:MSE:CE	2.31	0.60
1:B:351:GLN:O	1:B:351:GLN:HG2	2.02	0.60
1:A:366:TYR:HB2	1:A:375:MSE:HE3	1.84	0.60
1:A:53:VAL:HA	1:A:58:VAL:HG22	1.85	0.59
1:B:289:THR:HG22	1:B:292:PRO:HG3	1.83	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:42:VAL:HG21	1:B:48:VAL:CG2	2.31	0.58
1:B:357:ALA:O	1:B:360:HIS:HB2	2.03	0.58
1:B:274:LEU:HB3	1:B:346:LEU:HD21	1.86	0.58
1:A:288:THR:CG2	1:B:22:GLU:HG3	2.31	0.58
1:B:102:VAL:CG2	1:B:107:TYR:HD2	2.17	0.58
1:A:190:GLN:OE1	1:A:190:GLN:HA	2.03	0.58
1:A:89:LEU:HD11	1:A:106:VAL:HG11	1.85	0.57
1:B:108:ASN:HD21	1:B:282:ALA:HB1	1.69	0.57
1:B:120:TYR:CD2	1:B:263:PHE:CD2	2.93	0.56
1:A:27:ASP:HA	1:A:30:LYS:HB2	1.88	0.56
1:A:221:TRP:CZ3	1:A:364:MSE:HE1	2.37	0.56
1:A:288:THR:CB	1:B:22:GLU:HG3	2.35	0.56
1:B:15:LYS:N	1:B:16:GLU:OE1	2.39	0.56
1:B:53:VAL:HG22	1:B:58:VAL:HG13	1.87	0.56
1:A:13:GLN:H	1:A:63:ASN:HD22	1.52	0.56
1:B:68:SER:O	1:B:68:SER:OG	2.23	0.56
1:A:6:VAL:HG11	1:A:291:HIS:HD2	1.58	0.56
1:A:76:LYS:O	1:A:76:LYS:HG3	2.05	0.56
1:B:24:ILE:HG21	1:B:302:MSE:CE	2.36	0.55
1:A:34:LYS:C	1:A:35:ILE:HG13	2.25	0.55
1:B:11:PHE:HD1	1:B:40:VAL:HG12	1.70	0.55
1:B:32:ASN:HB3	1:B:35:ILE:CD1	2.34	0.55
1:B:187:ARG:HD3	1:B:386:MSE:HE3	1.89	0.55
1:A:87:ASP:O	1:A:90:LYS:HB2	2.07	0.54
1:A:187:ARG:HD2	1:A:187:ARG:O	2.07	0.54
1:A:154:PHE:C	1:A:238:VAL:HG11	2.27	0.54
1:B:8:ILE:O	1:B:37:VAL:HA	2.07	0.54
1:B:71:LEU:O	1:B:72:GLN:C	2.46	0.54
1:B:28:PHE:O	1:B:32:ASN:ND2	2.40	0.54
1:A:294:GLU:O	1:A:297:ALA:HB3	2.07	0.54
1:A:380:ASN:O	1:A:384:ASN:HB2	2.08	0.54
1:A:291:HIS:CB	1:A:294:GLU:CD	2.75	0.53
1:B:230:ILE:HG23	1:B:251:ILE:HG13	1.90	0.53
1:B:289:THR:HG21	1:B:292:PRO:CA	2.39	0.53
1:B:201:MSE:O	1:B:201:MSE:SE	2.77	0.53
1:B:120:TYR:CD2	1:B:263:PHE:HD2	2.27	0.53
1:A:205:ILE:HD13	1:A:372:LYS:HG2	1.91	0.52
1:B:50:LYS:CA	1:B:74:TRP:HH2	2.21	0.52
1:B:285:ILE:HG23	1:B:295:ALA:HB1	1.92	0.52
1:A:192:ASN:N	1:A:384:ASN:HD21	2.03	0.52
1:A:275:THR:HG23	1:A:345:HIS:HA	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:53:VAL:HG22	1:B:58:VAL:CG2	2.36	0.52
1:B:136:TRP:HE1	1:B:174:THR:HB	1.75	0.52
1:B:384:ASN:N	1:B:384:ASN:HD22	2.08	0.52
1:A:121:ASN:ND2	1:A:124:LYS:HG2	2.25	0.51
1:A:6:VAL:CG1	1:A:7:THR:H	2.22	0.51
1:B:276:VAL:HG23	1:B:346:LEU:O	2.09	0.51
1:B:356:GLU:HG3	1:B:360:HIS:CE1	2.46	0.51
1:A:366:TYR:CB	1:A:375:MSE:CE	2.87	0.51
1:A:69:ILE:HD12	1:A:69:ILE:H	1.75	0.51
1:B:147:VAL:HG23	1:B:153:PRO:HG2	1.93	0.51
1:A:318:PRO:HA	1:A:326:GLN:HE22	1.76	0.51
1:B:69:ILE:O	1:B:72:GLN:HB2	2.11	0.51
1:B:239:LEU:O	1:B:240:MSE:HG3	2.11	0.51
1:A:121:ASN:HB3	1:A:124:LYS:HB2	1.93	0.50
1:A:161:ALA:HA	1:A:364:MSE:HG2	1.92	0.50
1:B:340:ALA:HA	1:B:345:HIS:ND1	2.27	0.50
1:A:169:GLN:HG2	1:A:349:LEU:HD12	1.94	0.50
1:A:53:VAL:HG11	1:A:74:TRP:CD2	2.46	0.50
1:B:136:TRP:HB2	1:B:137:ASP:OD1	2.12	0.50
1:B:289:THR:HG22	1:B:289:THR:O	2.11	0.50
1:B:345:HIS:O	1:B:345:HIS:CD2	2.65	0.50
1:A:387:LYS:HE2	1:A:387:LYS:C	2.24	0.49
1:A:6:VAL:CG2	1:A:291:HIS:CD2	2.88	0.49
1:B:221:TRP:HZ3	1:B:364:MSE:HE1	1.77	0.49
1:A:338:GLU:O	1:A:338:GLU:HG2	2.11	0.49
1:A:384:ASN:N	1:A:385:PRO:CD	2.76	0.49
1:B:162:TRP:O	1:B:165:ASN:HB2	2.12	0.49
1:B:308:MSE:HB3	1:B:324:VAL:HG21	1.95	0.49
1:A:25:THR:HG23	1:A:37:VAL:HB	1.95	0.48
1:A:276:VAL:HG22	1:A:277:GLY:H	1.76	0.48
1:A:283:TRP:HH2	1:A:302:MSE:CE	2.25	0.48
1:B:32:ASN:CB	1:B:35:ILE:HD12	2.35	0.48
1:A:111:PHE:HB2	1:A:281:LEU:O	2.13	0.48
1:B:181:GLU:OE1	1:B:181:GLU:N	2.38	0.48
1:A:283:TRP:CH2	1:A:302:MSE:CE	2.97	0.48
1:A:179:GLY:H	1:A:346:LEU:CD2	2.24	0.48
1:A:82:ASP:OD2	1:A:105:LYS:HG2	2.13	0.48
1:A:232:ALA:HB1	1:A:237:ASP:HB2	1.96	0.48
1:A:244:GLY:HA3	1:A:246:TRP:CZ2	2.48	0.48
1:B:221:TRP:CZ3	1:B:364:MSE:HE1	2.48	0.48
1:A:210:ILE:HA	1:A:213:ILE:HD13	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:208:MSE:HB2	1:B:366:TYR:CE2	2.49	0.48
1:A:113:ALA:O	1:A:318:PRO:HG2	2.15	0.47
1:B:72:GLN:HE21	1:B:72:GLN:CA	2.22	0.47
1:B:120:TYR:CD1	1:B:120:TYR:C	2.88	0.47
1:B:69:ILE:H	1:B:69:ILE:CD1	2.16	0.47
1:B:17:MSE:O	1:B:21:LEU:HD22	2.14	0.47
1:B:48:VAL:O	1:B:52:ARG:HG2	2.15	0.47
1:B:292:PRO:C	1:B:294:GLU:N	2.66	0.47
1:A:124:LYS:CG	1:A:239:LEU:CD2	2.81	0.47
1:A:264:MSE:HE3	1:A:275:THR:HG22	1.97	0.47
1:B:8:ILE:HG13	1:B:37:VAL:HG13	1.97	0.47
1:A:152:THR:CB	1:A:238:VAL:HG12	2.44	0.47
1:A:309:GLN:NE2	1:A:325:LYS:H	1.93	0.47
1:B:20:THR:O	1:B:21:LEU:C	2.53	0.47
1:B:120:TYR:HD2	1:B:263:PHE:CD2	2.32	0.47
1:B:260:ILE:HD13	1:B:332:PRO:HG3	1.97	0.47
1:B:248:ILE:HG23	1:B:249:THR:N	2.30	0.47
1:B:61:VAL:HG21	1:B:298:PHE:HD2	1.80	0.46
1:A:52:ARG:HB3	1:A:57:ASP:O	2.15	0.46
1:A:350:GLN:HA	1:A:353:TRP:CD2	2.51	0.46
1:B:11:PHE:HD1	1:B:40:VAL:CG1	2.28	0.46
1:B:31:GLU:O	1:B:33:PRO:HD3	2.15	0.46
1:B:204:ASP:O	1:B:208:MSE:HG2	2.16	0.46
1:A:212:ARG:HG3	1:A:212:ARG:HH11	1.81	0.46
1:B:6:VAL:CG2	1:B:7:THR:H	2.29	0.46
1:B:115:ALA:HA	1:B:276:VAL:O	2.16	0.46
1:B:277:GLY:O	1:B:347:VAL:HA	2.16	0.46
1:A:52:ARG:O	1:A:56:GLY:N	2.49	0.46
1:A:384:ASN:C	1:A:386:MSE:N	2.69	0.46
1:B:155:GLY:N	1:B:240:MSE:O	2.45	0.46
1:A:290:LYS:HB3	1:A:291:HIS:CE1	2.51	0.45
1:B:125:PHE:CD2	1:B:130:LEU:HB2	2.51	0.45
1:B:161:ALA:HB1	1:B:360:HIS:HB3	1.97	0.45
1:A:76:LYS:O	1:A:76:LYS:HG2	2.15	0.45
1:A:221:TRP:CG	1:A:222:GLU:N	2.85	0.45
1:A:338:GLU:O	1:A:338:GLU:HG3	2.17	0.45
1:B:187:ARG:NE	1:B:352:TYR:O	2.50	0.45
1:B:218:GLN:O	1:B:221:TRP:HD1	2.00	0.45
1:B:299:VAL:O	1:B:300:GLU:C	2.54	0.45
1:B:88:TYR:OH	1:B:296:ASN:OD1	2.28	0.45
1:A:127:GLU:HG2	1:A:127:GLU:H	1.57	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:294:GLU:OE1	1:A:294:GLU:N	2.48	0.44
1:A:134:GLU:O	1:A:135:THR:HG23	2.16	0.44
1:A:196:LEU:HG	1:A:196:LEU:O	2.16	0.44
1:A:244:GLY:HA3	1:A:246:TRP:CE2	2.53	0.44
1:B:114:ASN:O	1:B:277:GLY:HA3	2.18	0.44
1:A:34:LYS:O	1:A:35:ILE:CG1	2.63	0.44
1:A:88:TYR:CD2	1:A:300:GLU:HB2	2.53	0.44
1:B:352:TYR:O	1:B:353:TRP:HD1	2.01	0.44
1:A:126:GLU:OE2	1:A:126:GLU:HA	2.17	0.44
1:B:73:GLU:O	1:B:76:LYS:N	2.51	0.44
1:B:384:ASN:N	1:B:385:PRO:HD2	2.32	0.44
1:A:287:ALA:HB3	1:B:18:THR:HG21	2.00	0.44
1:A:157:ALA:N	1:A:229:VAL:HG21	2.33	0.43
1:A:290:LYS:O	1:A:291:HIS:C	2.57	0.43
1:A:354:THR:H	1:A:386:MSE:HE3	1.82	0.43
1:A:66:PRO:HB2	1:A:100:TYR:CD1	2.53	0.43
1:A:179:GLY:O	1:A:180:LYS:C	2.57	0.43
1:B:244:GLY:HA3	1:B:246:TRP:CH2	2.53	0.43
1:A:60:ASP:OD1	1:A:289:THR:OG1	2.28	0.43
1:B:54:LEU:HD12	1:B:54:LEU:HA	1.81	0.43
1:A:364:MSE:HE3	1:A:367:VAL:HB	2.00	0.43
1:B:345:HIS:CD2	1:B:345:HIS:C	2.92	0.43
1:B:348:TRP:HB3	1:B:350:GLN:OE1	2.19	0.43
1:A:42:VAL:O	1:A:45:ALA:HB2	2.19	0.43
1:A:123:ASP:CG	1:A:258:PHE:HB2	2.39	0.43
1:A:203:ASP:O	1:A:206:LYS:HB3	2.17	0.43
1:A:384:ASN:C	1:A:386:MSE:H	2.21	0.43
1:A:11:PHE:CD2	1:A:49:LEU:HD13	2.54	0.43
1:A:65:TYR:O	1:A:68:SER:HB3	2.18	0.43
1:B:9:GLU:N	1:B:60:ASP:OD2	2.46	0.43
1:B:28:PHE:CE1	1:B:298:PHE:HA	2.54	0.43
1:A:99:LYS:HE2	1:A:343:ASP:OD1	2.18	0.43
1:A:308:MSE:O	1:A:309:GLN:C	2.57	0.42
1:A:25:THR:CG2	1:A:37:VAL:HB	2.50	0.42
1:A:119:TYR:OH	1:A:245:SER:HA	2.20	0.42
1:A:328:GLY:O	1:A:330:ASP:N	2.52	0.42
1:B:301:TYR:O	1:B:304:ARG:HG3	2.19	0.42
1:A:57:ASP:O	1:A:57:ASP:OD1	2.37	0.42
1:A:312:TYR:C	1:A:314:VAL:H	2.23	0.42
1:A:56:GLY:HA3	1:B:40:VAL:CG2	2.47	0.42
1:B:66:PRO:HB3	1:B:108:ASN:ND2	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:28:PHE:HB2	1:A:301:TYR:CE2	2.54	0.42
1:A:276:VAL:CG2	1:A:277:GLY:N	2.81	0.42
1:B:180:LYS:HE2	1:B:184:GLN:OE1	2.20	0.42
1:B:111:PHE:HE2	1:B:283:TRP:HB2	1.85	0.42
1:B:244:GLY:HA3	1:B:246:TRP:CZ2	2.54	0.42
1:A:21:LEU:HA	1:A:21:LEU:HD12	1.58	0.42
1:A:87:ASP:OD2	1:A:87:ASP:N	2.52	0.42
1:A:260:ILE:HB	1:A:332:PRO:HB3	2.01	0.42
1:A:283:TRP:CZ3	1:A:302:MSE:HG2	2.55	0.42
1:A:319:THR:HG23	1:A:319:THR:O	2.19	0.42
1:A:148:ALA:C	1:A:150:GLY:H	2.24	0.42
1:A:262:THR:HB	1:A:336:MSE:HB2	2.02	0.42
1:A:117:GLY:CA	1:A:336:MSE:HE2	2.49	0.42
1:A:249:THR:O	1:A:253:GLU:HG3	2.20	0.42
1:B:17:MSE:HE1	1:B:314:VAL:HG11	2.01	0.42
1:B:26:ARG:O	1:B:29:GLU:HB2	2.20	0.42
1:B:20:THR:O	1:B:22:GLU:N	2.54	0.41
1:A:295:ALA:O	1:A:296:ASN:C	2.56	0.41
1:B:308:MSE:HE2	1:B:319:THR:CB	2.50	0.41
1:A:288:THR:HA	1:B:22:GLU:HG3	2.03	0.41
1:B:49:LEU:HG	1:B:74:TRP:CZ3	2.55	0.41
1:B:76:LYS:HE2	1:B:76:LYS:HB2	1.89	0.41
1:B:102:VAL:HG23	1:B:107:TYR:HD2	1.86	0.41
1:B:231:GLY:HA2	1:B:254:GLN:OE1	2.20	0.41
1:A:65:TYR:HA	1:A:66:PRO:HD2	1.84	0.41
1:B:29:GLU:C	1:B:31:GLU:N	2.74	0.41
1:A:117:GLY:C	1:A:118:ILE:HG12	2.41	0.41
1:B:99:LYS:H	1:B:99:LYS:HG2	1.55	0.41
1:A:173:ALA:CB	1:A:346:LEU:HD11	2.51	0.41
1:A:65:TYR:O	1:A:68:SER:CB	2.68	0.41
1:A:102:VAL:HG12	1:A:103:ASN:N	2.36	0.41
1:A:153:PRO:O	1:A:240:MSE:HB2	2.21	0.41
1:A:211:LEU:HD23	1:A:211:LEU:HA	1.62	0.41
1:A:213:ILE:O	1:A:216:SER:OG	2.39	0.41
1:B:17:MSE:HE1	1:B:314:VAL:CG1	2.51	0.41
1:B:347:VAL:HG12	1:B:348:TRP:O	2.20	0.41
1:A:83:LEU:O	1:A:89:LEU:HD13	2.20	0.41
1:B:50:LYS:HA	1:B:74:TRP:CZ2	2.56	0.41
1:B:53:VAL:CG2	1:B:58:VAL:HG13	2.51	0.41
1:A:288:THR:CA	1:B:22:GLU:HG3	2.51	0.40
1:B:187:ARG:CD	1:B:187:ARG:C	2.88	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:122:LYS:HB2	1:B:259:LYS:O	2.21	0.40
1:B:147:VAL:CG2	1:B:153:PRO:HG2	2.52	0.40
1:B:347:VAL:HG12	1:B:348:TRP:N	2.35	0.40
1:A:152:THR:O	1:A:238:VAL:HG12	2.22	0.40
1:A:146:ILE:O	1:A:147:VAL:C	2.57	0.40
1:B:11:PHE:CD1	1:B:40:VAL:CG1	3.00	0.40
1:A:152:THR:HB	1:A:238:VAL:HG13	2.00	0.40
1:A:203:ASP:O	1:A:204:ASP:C	2.56	0.40
1:A:253:GLU:C	1:A:255:LYS:N	2.75	0.40
1:B:218:GLN:O	1:B:221:TRP:CD1	2.74	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	381/409 (93%)	339 (89%)	41 (11%)	1 (0%)	37	66
1	B	379/409 (93%)	325 (86%)	53 (14%)	1 (0%)	37	66
All	All	760/818 (93%)	664 (87%)	94 (12%)	2 (0%)	37	66

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	90	LYS
1	B	55	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	320/330 (97%)	280 (88%)	40 (12%)	3	12
1	B	318/330 (96%)	261 (82%)	57 (18%)	1	4
All	All	638/660 (97%)	541 (85%)	97 (15%)	2	7

All (97) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	THR
1	A	16	GLU
1	A	19	LYS
1	A	20	THR
1	A	21	LEU
1	A	23	GLU
1	A	26	ARG
1	A	30	LYS
1	A	31	GLU
1	A	54	LEU
1	A	69	ILE
1	A	76	LYS
1	A	83	LEU
1	A	87	ASP
1	A	124	LYS
1	A	126	GLU
1	A	127	GLU
1	A	131	LYS
1	A	134	GLU
1	A	139	PHE
1	A	147	VAL
1	A	151	GLN
1	A	180	LYS
1	A	212	ARG
1	A	216	SER
1	A	217	LYS
1	A	222	GLU
1	A	227	THR
1	A	237	ASP
1	A	238	VAL
1	A	257	ASN
1	A	268	LYS
1	A	290	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	291	HIS
1	A	329	GLU
1	A	330	ASP
1	A	361	THR
1	A	384	ASN
1	A	386	MSE
1	A	387	LYS
1	B	6	VAL
1	B	7	THR
1	B	8	ILE
1	B	14	LYS
1	B	15	LYS
1	B	17	MSE
1	B	21	LEU
1	B	22	GLU
1	B	23	GLU
1	B	25	THR
1	B	30	LYS
1	B	32	ASN
1	B	35	ILE
1	B	37	VAL
1	B	50	LYS
1	B	54	LEU
1	B	64	ILE
1	B	69	ILE
1	B	71	LEU
1	B	72	GLN
1	B	98	GLU
1	B	99	LYS
1	B	102	VAL
1	B	120	TYR
1	B	126	GLU
1	B	139	PHE
1	B	142	LEU
1	B	145	ASP
1	B	152	THR
1	B	180	LYS
1	B	195	LYS
1	B	196	LEU
1	B	201	MSE
1	B	212	ARG
1	B	235	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	237	ASP
1	B	241	THR
1	B	243	ASN
1	B	257	ASN
1	B	260	ILE
1	B	265	ILE
1	B	273	SER
1	B	285	ILE
1	B	286	SER
1	B	289	THR
1	B	319	THR
1	B	322	GLU
1	B	325	LYS
1	B	329	GLU
1	B	330	ASP
1	B	343	ASP
1	B	346	LEU
1	B	358	ASP
1	B	372	LYS
1	B	375	MSE
1	B	376	VAL
1	B	386	MSE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	ASN
1	A	63	ASN
1	A	72	GLN
1	A	141	GLN
1	A	151	GLN
1	A	257	ASN
1	A	291	HIS
1	A	309	GLN
1	A	326	GLN
1	A	380	ASN
1	A	384	ASN
1	B	32	ASN
1	B	63	ASN
1	B	72	GLN
1	B	220	ASN
1	B	309	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	326	GLN
1	B	380	ASN
1	B	384	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	372/409 (90%)	-0.20	7 (1%) 66 60	20, 65, 106, 160	19 (5%)
1	B	350/409 (85%)	1.02	65 (18%) 4 3	45, 108, 194, 234	51 (14%)
All	All	722/818 (88%)	0.39	72 (9%) 14 12	20, 85, 182, 234	70 (9%)

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	366	TYR	8.6
1	B	156	ILE	5.8
1	B	167	TYR	5.3
1	B	155	GLY	4.9
1	B	130	LEU	4.7
1	B	265	ILE	4.5
1	B	186	LEU	4.3
1	B	260	ILE	4.3
1	B	376	VAL	4.2
1	B	200	ILE	4.0
1	B	204	ASP	4.0
1	B	291	HIS	3.8
1	B	74	TRP	3.8
1	B	49	LEU	3.6
1	B	169	GLN	3.6
1	B	211	LEU	3.4
1	B	363	THR	3.3
1	A	387	LYS	3.3
1	B	235	ARG	3.2
1	B	379	LEU	3.1
1	B	365	ASN	3.1
1	A	285	ILE	3.1
1	B	239	LEU	3.0
1	B	51	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	359	PHE	2.9
1	A	33	PRO	2.9
1	A	238	VAL	2.9
1	B	75	ALA	2.9
1	B	383	PHE	2.8
1	B	286	SER	2.8
1	B	30	LYS	2.8
1	B	143	VAL	2.7
1	B	129	GLY	2.7
1	B	147	VAL	2.7
1	B	297	ALA	2.7
1	B	171	ALA	2.6
1	B	128	LEU	2.6
1	B	96	TYR	2.6
1	B	136	TRP	2.6
1	B	80	PHE	2.5
1	B	179	GLY	2.5
1	A	69	ILE	2.5
1	B	58	VAL	2.5
1	B	163	THR	2.5
1	B	266	PRO	2.4
1	B	6	VAL	2.4
1	B	347	VAL	2.4
1	B	9	GLU	2.4
1	B	170	LEU	2.3
1	A	290	LYS	2.3
1	B	348	TRP	2.3
1	B	207	VAL	2.3
1	B	221	TRP	2.3
1	B	241	THR	2.3
1	B	242	PRO	2.2
1	B	175	ALA	2.2
1	B	150	GLY	2.2
1	B	177	GLY	2.2
1	B	185	TYR	2.2
1	B	237	ASP	2.2
1	B	172	PHE	2.1
1	B	263	PHE	2.1
1	A	54	LEU	2.1
1	B	132	VAL	2.1
1	B	209	ASP	2.1
1	B	293	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	106	VAL	2.1
1	B	218	GLN	2.0
1	B	183	ASN	2.0
1	B	53	VAL	2.0
1	B	154	PHE	2.0
1	B	274	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CL	A	401	1/1	0.95	0.18	63,63,63,63	0

6.5 Other polymers [i](#)

There are no such residues in this entry.