



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 18, 2024 – 02:09 PM EDT

PDB ID : 4HG3
Title : Structural insights into yeast Nit2: wild-type yeast Nit2 in complex with alpha-ketoglutarate
Authors : Liu, H.; Qiu, X.; Zhang, M.; Gao, Y.; Niu, L.; Teng, M.
Deposited on : 2012-10-06
Resolution : 1.93 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.93 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4310 (1.96-1.92)
Clashscore	141614	1023 (1.94-1.94)
Ramachandran outliers	138981	1007 (1.94-1.94)
Sidechain outliers	138945	1007 (1.94-1.94)
RSRZ outliers	127900	4250 (1.96-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	341	
1	B	341	
1	C	341	
1	D	341	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	AKG	A	401	-	X	-	-

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 10264 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable hydrolase NIT2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	304	2393	1523	417	441	12	0	2	0
1	B	303	2391	1520	418	442	11	0	1	0
1	C	303	2380	1510	415	445	10	0	1	0
1	D	292	2317	1473	403	431	10	0	1	0

There are 136 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-33	MET	-	expression tag	UNP P47016
A	-32	GLY	-	expression tag	UNP P47016
A	-31	SER	-	expression tag	UNP P47016
A	-30	SER	-	expression tag	UNP P47016
A	-29	HIS	-	expression tag	UNP P47016
A	-28	HIS	-	expression tag	UNP P47016
A	-27	HIS	-	expression tag	UNP P47016
A	-26	HIS	-	expression tag	UNP P47016
A	-25	HIS	-	expression tag	UNP P47016
A	-24	HIS	-	expression tag	UNP P47016
A	-23	SER	-	expression tag	UNP P47016
A	-22	SER	-	expression tag	UNP P47016
A	-21	GLY	-	expression tag	UNP P47016
A	-20	LEU	-	expression tag	UNP P47016
A	-19	VAL	-	expression tag	UNP P47016
A	-18	PRO	-	expression tag	UNP P47016
A	-17	ARG	-	expression tag	UNP P47016
A	-16	GLY	-	expression tag	UNP P47016
A	-15	SER	-	expression tag	UNP P47016
A	-14	HIS	-	expression tag	UNP P47016
A	-13	MET	-	expression tag	UNP P47016

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	ALA	-	expression tag	UNP P47016
A	-11	SER	-	expression tag	UNP P47016
A	-10	MET	-	expression tag	UNP P47016
A	-9	THR	-	expression tag	UNP P47016
A	-8	GLY	-	expression tag	UNP P47016
A	-7	GLY	-	expression tag	UNP P47016
A	-6	GLN	-	expression tag	UNP P47016
A	-5	GLN	-	expression tag	UNP P47016
A	-4	MET	-	expression tag	UNP P47016
A	-3	GLY	-	expression tag	UNP P47016
A	-2	ARG	-	expression tag	UNP P47016
A	-1	GLY	-	expression tag	UNP P47016
A	0	SER	-	expression tag	UNP P47016
B	-33	MET	-	expression tag	UNP P47016
B	-32	GLY	-	expression tag	UNP P47016
B	-31	SER	-	expression tag	UNP P47016
B	-30	SER	-	expression tag	UNP P47016
B	-29	HIS	-	expression tag	UNP P47016
B	-28	HIS	-	expression tag	UNP P47016
B	-27	HIS	-	expression tag	UNP P47016
B	-26	HIS	-	expression tag	UNP P47016
B	-25	HIS	-	expression tag	UNP P47016
B	-24	HIS	-	expression tag	UNP P47016
B	-23	SER	-	expression tag	UNP P47016
B	-22	SER	-	expression tag	UNP P47016
B	-21	GLY	-	expression tag	UNP P47016
B	-20	LEU	-	expression tag	UNP P47016
B	-19	VAL	-	expression tag	UNP P47016
B	-18	PRO	-	expression tag	UNP P47016
B	-17	ARG	-	expression tag	UNP P47016
B	-16	GLY	-	expression tag	UNP P47016
B	-15	SER	-	expression tag	UNP P47016
B	-14	HIS	-	expression tag	UNP P47016
B	-13	MET	-	expression tag	UNP P47016
B	-12	ALA	-	expression tag	UNP P47016
B	-11	SER	-	expression tag	UNP P47016
B	-10	MET	-	expression tag	UNP P47016
B	-9	THR	-	expression tag	UNP P47016
B	-8	GLY	-	expression tag	UNP P47016
B	-7	GLY	-	expression tag	UNP P47016
B	-6	GLN	-	expression tag	UNP P47016
B	-5	GLN	-	expression tag	UNP P47016

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	MET	-	expression tag	UNP P47016
B	-3	GLY	-	expression tag	UNP P47016
B	-2	ARG	-	expression tag	UNP P47016
B	-1	GLY	-	expression tag	UNP P47016
B	0	SER	-	expression tag	UNP P47016
C	-33	MET	-	expression tag	UNP P47016
C	-32	GLY	-	expression tag	UNP P47016
C	-31	SER	-	expression tag	UNP P47016
C	-30	SER	-	expression tag	UNP P47016
C	-29	HIS	-	expression tag	UNP P47016
C	-28	HIS	-	expression tag	UNP P47016
C	-27	HIS	-	expression tag	UNP P47016
C	-26	HIS	-	expression tag	UNP P47016
C	-25	HIS	-	expression tag	UNP P47016
C	-24	HIS	-	expression tag	UNP P47016
C	-23	SER	-	expression tag	UNP P47016
C	-22	SER	-	expression tag	UNP P47016
C	-21	GLY	-	expression tag	UNP P47016
C	-20	LEU	-	expression tag	UNP P47016
C	-19	VAL	-	expression tag	UNP P47016
C	-18	PRO	-	expression tag	UNP P47016
C	-17	ARG	-	expression tag	UNP P47016
C	-16	GLY	-	expression tag	UNP P47016
C	-15	SER	-	expression tag	UNP P47016
C	-14	HIS	-	expression tag	UNP P47016
C	-13	MET	-	expression tag	UNP P47016
C	-12	ALA	-	expression tag	UNP P47016
C	-11	SER	-	expression tag	UNP P47016
C	-10	MET	-	expression tag	UNP P47016
C	-9	THR	-	expression tag	UNP P47016
C	-8	GLY	-	expression tag	UNP P47016
C	-7	GLY	-	expression tag	UNP P47016
C	-6	GLN	-	expression tag	UNP P47016
C	-5	GLN	-	expression tag	UNP P47016
C	-4	MET	-	expression tag	UNP P47016
C	-3	GLY	-	expression tag	UNP P47016
C	-2	ARG	-	expression tag	UNP P47016
C	-1	GLY	-	expression tag	UNP P47016
C	0	SER	-	expression tag	UNP P47016
D	-33	MET	-	expression tag	UNP P47016
D	-32	GLY	-	expression tag	UNP P47016
D	-31	SER	-	expression tag	UNP P47016

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-30	SER	-	expression tag	UNP P47016
D	-29	HIS	-	expression tag	UNP P47016
D	-28	HIS	-	expression tag	UNP P47016
D	-27	HIS	-	expression tag	UNP P47016
D	-26	HIS	-	expression tag	UNP P47016
D	-25	HIS	-	expression tag	UNP P47016
D	-24	HIS	-	expression tag	UNP P47016
D	-23	SER	-	expression tag	UNP P47016
D	-22	SER	-	expression tag	UNP P47016
D	-21	GLY	-	expression tag	UNP P47016
D	-20	LEU	-	expression tag	UNP P47016
D	-19	VAL	-	expression tag	UNP P47016
D	-18	PRO	-	expression tag	UNP P47016
D	-17	ARG	-	expression tag	UNP P47016
D	-16	GLY	-	expression tag	UNP P47016
D	-15	SER	-	expression tag	UNP P47016
D	-14	HIS	-	expression tag	UNP P47016
D	-13	MET	-	expression tag	UNP P47016
D	-12	ALA	-	expression tag	UNP P47016
D	-11	SER	-	expression tag	UNP P47016
D	-10	MET	-	expression tag	UNP P47016
D	-9	THR	-	expression tag	UNP P47016
D	-8	GLY	-	expression tag	UNP P47016
D	-7	GLY	-	expression tag	UNP P47016
D	-6	GLN	-	expression tag	UNP P47016
D	-5	GLN	-	expression tag	UNP P47016
D	-4	MET	-	expression tag	UNP P47016
D	-3	GLY	-	expression tag	UNP P47016
D	-2	ARG	-	expression tag	UNP P47016
D	-1	GLY	-	expression tag	UNP P47016
D	0	SER	-	expression tag	UNP P47016

- Molecule 2 is 2-OXOGLUTARIC ACID (three-letter code: AKG) (formula: C₅H₆O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			9	5	4		
2	B	1	Total	C	O	0	0
			9	5	4		
2	C	1	Total	C	O	0	0
			9	5	4		
2	D	1	Total	C	O	0	0
			9	5	4		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	D	1	Total C O 6 3 3	0	0
3	D	1	Total C O 6 3 3	0	0

- Molecule 4 is CACODYLATE ION (three-letter code: CAC) (formula: C₂H₆AsO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	As	C	O		
4	A	1	5	1	2	2	0	0
4	A	1	5	1	2	2	0	0
4	B	1	5	1	2	2	0	0
4	B	1	5	1	2	2	0	0
4	C	1	5	1	2	2	0	0
4	C	1	5	1	2	2	0	0
4	D	1	5	1	2	2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	176	Total 176	O 176	0	0
5	B	163	Total 163	O 163	0	0
5	C	166	Total 166	O 166	0	0
5	D	111	Total 111	O 111	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable hydrolase NIT2




- Molecule 1: Probable hydrolase NIT2




- Molecule 1: Probable hydrolase NIT2



- Molecule 1: Probable hydrolase NIT2





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	65.21Å 125.65Å 77.96Å 90.00° 95.30° 90.00°	Depositor
Resolution (Å)	48.84 – 1.93 48.24 – 1.93	Depositor EDS
% Data completeness (in resolution range)	99.3 (48.84-1.93) 99.3 (48.24-1.93)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.48 (at 1.94Å)	Xtrriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.197 , 0.227 0.196 , 0.226	Depositor DCC
R_{free} test set	4631 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	14.2	Xtrriage
Anisotropy	0.048	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 50.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10264	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CAC, AKG, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	1/2449 (0.0%)	0.54	0/3315
1	B	0.41	1/2445 (0.0%)	0.59	2/3312 (0.1%)
1	C	0.40	0/2433	0.56	0/3299
1	D	0.46	1/2368 (0.0%)	0.55	1/3208 (0.0%)
All	All	0.42	3/9695 (0.0%)	0.56	3/13134 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	169	CYS	C-N	5.75	1.47	1.34
1	A	169	CYS	C-N	5.63	1.47	1.34
1	D	169	CYS	CA-CB	-5.30	1.42	1.53

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	169	CYS	O-C-N	-9.54	107.44	122.70
1	B	169	CYS	C-N-CA	5.49	135.41	121.70
1	D	169	CYS	C-N-CA	5.33	135.02	121.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	168	ILE	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2393	0	2395	12	0
1	B	2391	0	2387	16	0
1	C	2380	0	2354	16	0
1	D	2317	0	2315	16	0
2	A	9	0	4	0	0
2	B	9	0	4	0	0
2	C	9	0	4	0	0
2	D	9	0	4	0	0
3	A	42	0	56	1	0
3	B	30	0	40	4	0
3	C	12	0	16	0	0
3	D	12	0	16	0	0
4	A	10	0	0	0	0
4	B	10	0	0	0	0
4	C	10	0	0	0	0
4	D	5	0	0	0	0
5	A	176	0	0	0	0
5	B	163	0	0	0	0
5	C	166	0	0	0	0
5	D	111	0	0	0	0
All	All	10264	0	9595	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:234:GLU:O	1:D:237:LYS:HB2	1.75	0.86
1:A:151:LYS:O	3:B:406:GOL:H31	1.82	0.80
1:D:181:LEU:HD23	1:D:184:MET:CE	2.15	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:182:ARG:HH12	1:D:216:GLN:HE21	1.36	0.73
1:B:182:ARG:HH12	1:B:216:GLN:HE21	1.39	0.70
1:C:182:ARG:HH12	1:C:216:GLN:HE21	1.39	0.69
1:A:182:ARG:HH12	1:A:216:GLN:HE21	1.39	0.68
1:D:181:LEU:HA	1:D:184:MET:CE	2.25	0.67
1:C:31:SER:O	1:C:35:GLN:HG2	1.97	0.65
1:D:181:LEU:HD23	1:D:184:MET:HE1	1.78	0.64
1:C:53:ASN:ND2	1:C:56:HIS:H	1.98	0.61
1:C:53:ASN:HB2	1:C:54:PRO:HD2	1.83	0.60
1:B:53:ASN:ND2	1:B:56:HIS:H	1.99	0.60
1:B:197:ILE:O	1:B:201:GLU:HG2	2.04	0.58
1:D:53:ASN:HB2	1:D:54:PRO:HD2	1.85	0.57
1:A:53:ASN:ND2	1:A:56:HIS:H	2.03	0.56
1:C:53:ASN:HB2	1:C:54:PRO:CD	2.37	0.55
1:D:181:LEU:HA	1:D:184:MET:HE3	1.88	0.55
1:D:181:LEU:HA	1:D:184:MET:HE2	1.89	0.53
1:D:181:LEU:HD23	1:D:184:MET:HE3	1.90	0.52
1:D:142:LYS:HD3	1:D:145:LYS:HG3	1.91	0.52
1:B:53:ASN:HB2	1:B:54:PRO:CD	2.40	0.52
1:C:12:GLN:NE2	1:C:256:SER:H	2.08	0.52
1:A:12:GLN:NE2	1:A:256:SER:H	2.08	0.52
1:C:12:GLN:HE22	1:C:256:SER:H	1.57	0.52
1:D:12:GLN:NE2	1:D:256:SER:H	2.08	0.51
1:B:12:GLN:NE2	1:B:256:SER:H	2.09	0.51
1:B:12:GLN:HE22	1:B:256:SER:H	1.59	0.50
1:A:12:GLN:HE22	1:A:256:SER:H	1.60	0.50
1:C:111:VAL:HG11	1:C:124[B]:GLU:HG3	1.93	0.49
1:A:126:GLN:HE22	1:A:148:GLN:HE21	1.59	0.49
1:C:53:ASN:HD22	1:C:56:HIS:H	1.59	0.48
1:A:151:LYS:O	3:B:406:GOL:C3	2.58	0.48
1:D:12:GLN:HE22	1:D:256:SER:H	1.60	0.48
1:B:197:ILE:HD11	1:B:251:GLU:HG2	1.94	0.48
1:C:270:ASP:HB3	1:C:273:THR:CG2	2.44	0.48
1:A:63:LYS:HE3	3:A:408:GOL:H32	1.96	0.47
1:B:36:LYS:HD3	1:B:280:LEU:HD11	1.96	0.46
1:C:53:ASN:HD22	1:C:53:ASN:C	2.18	0.46
1:A:69:ARG:HA	1:A:72:GLN:HE21	1.80	0.46
1:D:204:TRP:CZ2	1:D:221[A]:MET:HB3	2.50	0.46
1:B:242:SER:O	1:B:246:LYS:HG3	2.16	0.46
1:C:204:TRP:CZ2	1:C:221:MET:HB3	2.51	0.45
1:C:69:ARG:HA	1:C:72:GLN:HE21	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:197:ILE:O	1:A:201:GLU:HG2	2.16	0.45
1:B:53:ASN:HB2	1:B:54:PRO:HD2	1.98	0.44
1:A:236:GLU:HG2	1:A:241[A]:MET:HE1	2.00	0.44
1:D:53:ASN:HB2	1:D:54:PRO:CD	2.48	0.43
1:B:53:ASN:C	1:B:53:ASN:HD22	2.22	0.43
1:D:204:TRP:CZ2	1:D:221[B]:MET:HB3	2.52	0.43
1:D:53:ASN:HD22	1:D:55:LEU:H	1.65	0.42
1:B:204:TRP:CZ2	1:B:221[B]:MET:HB3	2.55	0.42
1:C:112:LEU:HD23	1:C:166:SER:HB3	2.01	0.42
1:B:173:ARG:O	1:B:175:PRO:HD3	2.19	0.41
1:B:185:GLY:O	3:B:404:GOL:H31	2.19	0.41
1:B:204:TRP:CZ2	1:B:221[A]:MET:HB3	2.55	0.41
1:C:167:ALA:O	1:C:192:PRO:HD2	2.21	0.41
1:C:225:VAL:HG23	1:C:254:GLY:HA3	2.01	0.41
1:A:241[A]:MET:HB3	1:A:241[A]:MET:HE2	1.94	0.41
1:B:59:TYR:OH	3:B:406:GOL:H32	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	304/341 (89%)	300 (99%)	4 (1%)	0	100	100
1	B	302/341 (89%)	298 (99%)	4 (1%)	0	100	100
1	C	302/341 (89%)	295 (98%)	6 (2%)	1 (0%)	41	32
1	D	289/341 (85%)	285 (99%)	4 (1%)	0	100	100
All	All	1197/1364 (88%)	1178 (98%)	18 (2%)	1 (0%)	51	43

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	170	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/300 (88%)	258 (98%)	5 (2%)	57	45
1	B	262/300 (87%)	257 (98%)	5 (2%)	57	45
1	C	257/300 (86%)	252 (98%)	5 (2%)	57	45
1	D	253/300 (84%)	250 (99%)	3 (1%)	71	64
All	All	1035/1200 (86%)	1017 (98%)	18 (2%)	60	49

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	GLN
1	A	53	ASN
1	A	102	LEU
1	A	195	PHE
1	A	285	ARG
1	B	5	LEU
1	B	53	ASN
1	B	102	LEU
1	B	244	LEU
1	B	285	ARG
1	C	53	ASN
1	C	170	TYR
1	C	195	PHE
1	C	273	THR
1	C	290	GLU
1	D	58	ARG
1	D	102	LEU
1	D	195	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (40) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	52	GLN
1	A	53	ASN
1	A	72	GLN
1	A	123	GLN
1	A	148	GLN
1	A	216	GLN
1	A	268	HIS
1	A	293	ASN
1	B	12	GLN
1	B	52	GLN
1	B	53	ASN
1	B	72	GLN
1	B	117	HIS
1	B	123	GLN
1	B	148	GLN
1	B	216	GLN
1	B	238	GLN
1	B	268	HIS
1	B	293	ASN
1	C	12	GLN
1	C	35	GLN
1	C	52	GLN
1	C	53	ASN
1	C	72	GLN
1	C	99	GLN
1	C	123	GLN
1	C	148	GLN
1	C	216	GLN
1	C	268	HIS
1	C	293	ASN
1	D	12	GLN
1	D	52	GLN
1	D	53	ASN
1	D	72	GLN
1	D	123	GLN
1	D	148	GLN
1	D	216	GLN
1	D	268	HIS
1	D	293	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CAC	C	404	-	2,4,4	0.78	0	2,6,6	0.05	0
3	GOL	B	403	-	5,5,5	0.33	0	5,5,5	0.52	0
4	CAC	A	409	-	2,4,4	0.75	0	2,6,6	0.09	0
3	GOL	A	402	-	5,5,5	0.38	0	5,5,5	0.33	0
2	AKG	D	401	1	7,8,9	2.15	4 (57%)	9,9,11	2.91	4 (44%)
4	CAC	A	410	-	2,4,4	0.72	0	2,6,6	0.29	0
3	GOL	A	406	-	5,5,5	0.39	0	5,5,5	0.35	0
2	AKG	C	401	1	7,8,9	1.77	2 (28%)	9,9,11	3.66	3 (33%)
3	GOL	B	406	-	5,5,5	0.43	0	5,5,5	0.42	0
4	CAC	D	404	-	2,4,4	0.74	0	2,6,6	0.13	0
3	GOL	D	402	-	5,5,5	0.41	0	5,5,5	0.29	0
3	GOL	A	408	-	5,5,5	0.42	0	5,5,5	0.28	0
4	CAC	B	407	-	2,4,4	0.76	0	2,6,6	0.01	0
3	GOL	C	403	-	5,5,5	0.37	0	5,5,5	0.39	0
4	CAC	B	408	-	2,4,4	0.73	0	2,6,6	0.09	0
3	GOL	B	402	-	5,5,5	0.37	0	5,5,5	0.30	0
3	GOL	B	405	-	5,5,5	0.35	0	5,5,5	0.37	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	A	407	-	5,5,5	0.41	0	5,5,5	0.32	0
3	GOL	A	405	-	5,5,5	0.42	0	5,5,5	0.48	0
3	GOL	A	403	-	5,5,5	0.38	0	5,5,5	0.38	0
3	GOL	B	404	-	5,5,5	0.32	0	5,5,5	0.34	0
3	GOL	D	403	-	5,5,5	0.37	0	5,5,5	0.31	0
3	GOL	A	404	-	5,5,5	0.31	0	5,5,5	0.37	0
2	AKG	A	401	1	8,8,9	2.53	5 (62%)	9,9,11	2.63	4 (44%)
3	GOL	C	402	-	5,5,5	0.37	0	5,5,5	0.40	0
4	CAC	C	405	-	2,4,4	0.68	0	2,6,6	0.21	0
2	AKG	B	401	1	7,8,9	2.47	4 (57%)	9,9,11	3.94	3 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	403	-	-	4/4/4/4	-
3	GOL	A	402	-	-	0/4/4/4	-
2	AKG	D	401	1	-	0/8/8/9	-
3	GOL	A	406	-	-	2/4/4/4	-
2	AKG	C	401	1	-	2/8/8/9	-
3	GOL	B	406	-	-	4/4/4/4	-
3	GOL	D	402	-	-	0/4/4/4	-
3	GOL	A	408	-	-	2/4/4/4	-
3	GOL	C	403	-	-	0/4/4/4	-
3	GOL	B	402	-	-	0/4/4/4	-
3	GOL	B	405	-	-	4/4/4/4	-
3	GOL	A	407	-	-	2/4/4/4	-
3	GOL	A	405	-	-	4/4/4/4	-
3	GOL	A	403	-	-	2/4/4/4	-
3	GOL	B	404	-	-	2/4/4/4	-
3	GOL	D	403	-	-	0/4/4/4	-
3	GOL	A	404	-	-	0/4/4/4	-
2	AKG	A	401	1	-	1/8/8/9	-
3	GOL	C	402	-	-	2/4/4/4	-
2	AKG	B	401	1	-	1/8/8/9	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	AKG	O4-C5	-4.42	1.19	1.42
2	B	401	AKG	O5-C2	-3.67	1.15	1.23
2	B	401	AKG	O2-C1	-3.19	1.21	1.30
2	D	401	AKG	O2-C1	-3.08	1.22	1.30
2	C	401	AKG	O2-C1	-3.03	1.22	1.30
2	A	401	AKG	O5-C2	-3.01	1.17	1.23
2	B	401	AKG	C3-C2	-2.84	1.47	1.51
2	A	401	AKG	C2-C1	-2.77	1.49	1.53
2	D	401	AKG	O5-C2	-2.72	1.17	1.23
2	A	401	AKG	O2-C1	-2.72	1.23	1.30
2	C	401	AKG	O5-C2	-2.68	1.17	1.23
2	B	401	AKG	C2-C1	-2.61	1.49	1.53
2	D	401	AKG	C2-C1	-2.58	1.49	1.53
2	A	401	AKG	C3-C2	-2.39	1.48	1.51
2	D	401	AKG	C3-C4	-2.16	1.46	1.53

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	AKG	C4-C3-C2	10.42	125.24	112.67
2	C	401	AKG	C4-C3-C2	9.64	124.30	112.67
2	D	401	AKG	C4-C3-C2	6.88	120.97	112.67
2	A	401	AKG	O1-C1-C2	-5.93	114.43	121.81
2	B	401	AKG	O1-C1-C2	-4.39	116.35	121.81
2	A	401	AKG	C4-C3-C2	3.59	120.58	113.58
2	D	401	AKG	O2-C1-C2	3.35	122.87	113.59
2	C	401	AKG	O1-C1-C2	-3.26	117.76	121.81
2	C	401	AKG	O2-C1-C2	3.03	122.00	113.59
2	D	401	AKG	O2-C1-O1	-3.01	116.74	123.90
2	A	401	AKG	O5-C2-C1	2.82	123.69	119.67
2	D	401	AKG	O5-C2-C1	2.36	123.04	119.67
2	A	401	AKG	O2-C1-C2	2.12	119.47	113.59
2	B	401	AKG	O2-C1-C2	2.08	119.36	113.59

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401	AKG	C3-C4-C5-O3
2	C	401	AKG	C3-C4-C5-O3
3	A	403	GOL	C1-C2-C3-O3
3	A	403	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	403	GOL	O1-C1-C2-C3
3	B	404	GOL	O2-C2-C3-O3
3	B	405	GOL	C1-C2-C3-O3
3	B	406	GOL	O1-C1-C2-O2
3	B	406	GOL	O1-C1-C2-C3
3	B	406	GOL	C1-C2-C3-O3
3	A	405	GOL	O2-C2-C3-O3
3	A	405	GOL	O1-C1-C2-C3
3	A	405	GOL	C1-C2-C3-O3
3	A	406	GOL	C1-C2-C3-O3
3	A	407	GOL	C1-C2-C3-O3
3	A	408	GOL	C1-C2-C3-O3
3	B	403	GOL	C1-C2-C3-O3
3	B	404	GOL	C1-C2-C3-O3
3	B	405	GOL	O1-C1-C2-C3
3	C	402	GOL	C1-C2-C3-O3
3	B	403	GOL	O1-C1-C2-O2
3	B	403	GOL	O2-C2-C3-O3
3	B	405	GOL	O2-C2-C3-O3
3	B	406	GOL	O2-C2-C3-O3
3	A	407	GOL	O2-C2-C3-O3
3	B	405	GOL	O1-C1-C2-O2
2	C	401	AKG	C2-C3-C4-C5
3	A	408	GOL	O2-C2-C3-O3
2	A	401	AKG	C3-C4-C5-O4
3	A	405	GOL	O1-C1-C2-O2
3	A	406	GOL	O2-C2-C3-O3
3	C	402	GOL	O2-C2-C3-O3

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	406	GOL	3	0
3	A	408	GOL	1	0
3	B	404	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	304/341 (89%)	0.03	8 (2%) 56 63	4, 9, 20, 30	0
1	B	303/341 (88%)	0.07	7 (2%) 60 67	6, 10, 22, 30	0
1	C	303/341 (88%)	0.06	9 (2%) 50 57	6, 11, 24, 35	0
1	D	292/341 (85%)	0.34	16 (5%) 25 31	8, 18, 28, 47	0
All	All	1202/1364 (88%)	0.12	40 (3%) 46 54	4, 12, 25, 47	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	5	LEU	5.9
1	D	274	VAL	5.1
1	B	274	VAL	4.0
1	B	137	ASN	3.9
1	D	55	LEU	3.6
1	D	285	ARG	3.6
1	D	5	LEU	3.6
1	B	136	PRO	3.3
1	D	272	SER	3.1
1	A	307	HIS	3.1
1	D	4	LYS	3.0
1	C	5	LEU	3.0
1	D	83	SER	2.9
1	C	240	HIS	2.8
1	A	136	PRO	2.8
1	A	137	ASN	2.8
1	D	234	GLU	2.8
1	A	274	VAL	2.7
1	C	140	ILE	2.6
1	A	248	SER	2.6
1	C	137	ASN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	248	SER	2.6
1	D	249	ARG	2.6
1	C	106	ASP	2.5
1	A	249	ARG	2.5
1	D	98	GLU	2.4
1	A	243	ALA	2.4
1	D	137	ASN	2.4
1	C	237	LYS	2.3
1	D	235	TRP	2.2
1	C	136	PRO	2.2
1	B	307	HIS	2.1
1	D	99	GLN	2.1
1	D	233	PRO	2.1
1	C	98	GLU	2.1
1	C	285	ARG	2.1
1	A	5	LEU	2.1
1	D	273	THR	2.1
1	D	289	GLN	2.1
1	B	244	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	A	406	6/6	0.76	0.18	43,43,43,43	0
3	GOL	B	404	6/6	0.78	0.20	30,31,31,33	0
3	GOL	A	408	6/6	0.79	0.27	23,27,27,28	0
3	GOL	A	405	6/6	0.80	0.23	34,35,36,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	GOL	A	403	6/6	0.82	0.19	26,28,28,29	0
3	GOL	B	403	6/6	0.83	0.25	41,42,42,42	0
3	GOL	B	402	6/6	0.84	0.14	29,30,31,31	0
4	CAC	C	404	5/5	0.85	0.28	48,48,48,48	5
4	CAC	B	407	5/5	0.86	0.37	54,54,54,54	5
3	GOL	B	406	6/6	0.86	0.25	15,19,19,21	0
3	GOL	D	402	6/6	0.87	0.20	18,21,22,23	0
3	GOL	B	405	6/6	0.89	0.20	21,24,25,26	0
3	GOL	C	403	6/6	0.90	0.13	17,18,18,18	0
2	AKG	C	401	9/10	0.91	0.12	11,12,13,14	0
2	AKG	A	401	9/10	0.91	0.12	10,11,13,13	0
4	CAC	A	409	5/5	0.92	0.21	48,48,48,49	5
2	AKG	D	401	9/10	0.92	0.12	14,15,16,16	0
3	GOL	A	407	6/6	0.92	0.16	22,24,24,25	0
3	GOL	D	403	6/6	0.93	0.15	19,20,21,21	0
3	GOL	C	402	6/6	0.93	0.12	16,17,17,18	0
4	CAC	C	405	5/5	0.93	0.19	32,32,32,32	5
3	GOL	A	402	6/6	0.94	0.12	8,10,10,11	0
3	GOL	A	404	6/6	0.97	0.12	9,11,11,12	0
2	AKG	B	401	9/10	0.97	0.09	8,10,11,12	0
4	CAC	A	410	5/5	0.99	0.12	23,23,24,24	0
4	CAC	B	408	5/5	0.99	0.10	18,18,18,18	5
4	CAC	D	404	5/5	0.99	0.10	19,19,20,20	5

6.5 Other polymers [i](#)

There are no such residues in this entry.