



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 13, 2024 – 01:18 AM EDT

PDB ID : 1HHU  
Title : Balhimycin in complex with D-Ala-D-Ala  
Authors : Lehmann, C.; Bunkoczi, G.; Sheldrick, G.M.; Vertessy, L.  
Deposited on : 2000-12-28  
Resolution : 0.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 0.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1132 (1.04-0.76)
Ramachandran outliers	138981	1055 (1.04-0.76)
Sidechain outliers	138945	1056 (1.04-0.76)
RSRZ outliers	127900	1028 (1.04-0.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	7	
1	B	7	
1	C	7	
1	D	7	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	CIT	A	1018[B]	-	X	-	-
6	MPD	B	1016	X	-	-	-

## 2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 1062 atoms, of which 366 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BALHIMYCIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	Cl	H	N				O
1	A	7	Total 129	C 53	Cl 2	H 49	N 8	O 17	0	0	0
1	B	7	Total 129	C 53	Cl 2	H 49	N 8	O 17	0	0	0
1	C	7	Total 129	C 53	Cl 2	H 49	N 8	O 17	0	0	0
1	D	7	Total 129	C 53	Cl 2	H 49	N 8	O 17	0	0	0

- Molecule 2 is beta-D-glucopyranose (three-letter code: BGC) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
2	A	1	Total 22	C 6	H 11	O 5	0	0
2	B	1	Total 22	C 6	H 11	O 5	0	0

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	H	O	0	0
			22	6	11	5		
2	D	1	Total	C	H	O	0	0
			22	6	11	5		

- Molecule 3 is (2R,4S,6S)-4-azanyl-4,6-dimethyl-oxane-2,5,5-triol (three-letter code: DVC) (formula: C<sub>7</sub>H<sub>15</sub>NO<sub>4</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	0	0
			23	7	12	1	3		
3	B	1	Total	C	H	N	O	0	0
			23	7	12	1	3		
3	C	1	Total	C	H	N	O	0	0
			23	7	12	1	3		
3	D	1	Total	C	H	N	O	0	0
			23	7	12	1	3		

- Molecule 4 is D-ALANINE (three-letter code: DAL) (formula: C<sub>3</sub>H<sub>7</sub>NO<sub>2</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	N	O		
4	A	1	Total	C	H	N	O	0	0
			9	3	4	1	1		
4	A	1	Total	C	H	N	O	0	0
			11	3	5	1	2		
4	B	1	Total	C	H	N	O	0	0
			9	3	4	1	1		
4	B	1	Total	C	H	N	O	0	0
			11	3	5	1	2		
4	C	1	Total	C	H	N	O	0	0
			9	3	4	1	1		
4	C	1	Total	C	H	N	O	0	0
			11	3	5	1	2		
4	D	1	Total	C	H	N	O	0	0
			9	3	4	1	1		
4	D	1	Total	C	H	N	O	0	0
			11	3	5	1	2		

- Molecule 5 is CITRIC ACID (three-letter code: CIT) (formula: C<sub>6</sub>H<sub>8</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
5	A	1	36	12	10	14	0	1
5	A	1	36	12	10	14	0	1
5	A	1	23	8	7	8	0	1
5	A	1	35	12	10	13	0	1
5	B	1	18	6	5	7	0	0

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula:  $C_6H_{14}O_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 5 4 1	0	0
6	B	1	Total C O 8 6 2	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	48	Total O 48 48	0	0
7	B	34	Total O 34 34	0	0
7	C	22	Total O 22 22	0	0
7	D	21	Total O 21 21	0	0



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: BALHIMYCIN

Chain A:  57% 43%




- Molecule 1: BALHIMYCIN

Chain B:  43% 57%



- Molecule 1: BALHIMYCIN

Chain C:  43% 57%



- Molecule 1: BALHIMYCIN

Chain D:  57% 43%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	22.70Å 27.99Å 44.49Å 90.00° 93.18° 90.00°	Depositor
Resolution (Å)	27.99 – 0.89 23.68 – 0.89	Depositor EDS
% Data completeness (in resolution range)	99.4 (27.99-0.89) 99.0 (23.68-0.89)	Depositor EDS
$R_{merge}$	0.02	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	6.42 (at 0.89Å)	Xtrriage
Refinement program	SHELXL-97	Depositor
R, $R_{free}$	0.084 , 0.100 0.092 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	3.9	Xtrriage
Anisotropy	0.146	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.44 , 105.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.99	EDS
Total number of atoms	1062	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	7.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 58.46 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.0370e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DAL, 3FG, MLU, OMY, DVC, GHP, MPD, OMZ, CIT, BGC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	0/7	0.76	0/8
1	B	0.49	0/7	0.84	0/8
1	C	0.36	0/7	0.72	0/8
1	D	0.59	0/7	0.78	0/8
All	All	0.47	0/28	0.78	0/32

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	80	49	45	0	0
1	B	80	49	43	0	0
1	C	80	49	45	0	0
1	D	80	49	45	0	0
2	A	11	11	10	0	0
2	B	11	11	10	0	0
2	C	11	11	10	0	0
2	D	11	11	10	0	0
3	A	11	12	13	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	11	12	13	0	0
3	C	11	12	13	0	0
3	D	11	12	13	0	0
4	A	11	9	11	0	0
4	B	11	9	11	0	0
4	C	11	9	11	0	0
4	D	11	9	11	0	0
5	A	93	37	33	3	0
5	B	13	5	5	1	0
6	A	5	0	7	0	0
6	B	8	0	10	0	0
7	A	48	0	0	0	0
7	B	34	0	0	0	0
7	C	22	0	0	0	0
7	D	21	0	0	0	0
All	All	696	366	369	4	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (4) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:1015[B]:CIT:O2	5:A:1017[B]:CIT:O4	1.65	1.12
5:A:1015[B]:CIT:C1	5:A:1017[B]:CIT:O4	2.50	0.56
5:A:1015[B]:CIT:O3	5:A:1015[B]:CIT:H22	2.18	0.43
5:B:1015:CIT:O2	5:B:1015:CIT:C6	2.67	0.42

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1/7 (14%)	0	1 (100%)	0	100	100
1	B	1/7 (14%)	1 (100%)	0	0	100	100
1	C	1/7 (14%)	0	1 (100%)	0	100	100
1	D	1/7 (14%)	1 (100%)	0	0	100	100
All	All	4/28 (14%)	2 (50%)	2 (50%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1/1 (100%)	1 (100%)	0	100	100
1	B	1/1 (100%)	1 (100%)	0	100	100
1	C	1/1 (100%)	1 (100%)	0	100	100
1	D	1/1 (100%)	1 (100%)	0	100	100
All	All	4/4 (100%)	4 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

24 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	GHP	C	4	1,2	10,11,12	0.98	0	11,14,16	1.07	0
1	GHP	B	4	1,2	10,11,12	0.73	0	11,14,16	1.02	0
1	MLU	A	1	1	7,8,9	1.08	0	6,9,11	1.16	1 (16%)
1	OMY	B	6	3,1	12,14,15	1.03	1 (8%)	17,19,21	1.26	2 (11%)
1	MLU	B	1	1	7,8,9	1.43	1 (14%)	6,9,11	3.12	4 (66%)
1	GHP	A	4	1,2	10,11,12	0.92	0	11,14,16	0.90	0
1	OMY	A	6	3,1	12,14,15	0.77	0	17,19,21	1.05	1 (5%)
1	3FG	D	7	1	12,13,13	1.04	0	14,18,18	0.96	0
1	3FG	B	7	1	12,13,13	1.05	2 (16%)	14,18,18	1.03	1 (7%)
1	3FG	C	7	1	12,13,13	0.88	0	14,18,18	0.89	0
1	GHP	C	5	1	10,11,12	0.88	0	11,14,16	1.06	1 (9%)
1	OMZ	B	2	1	12,14,15	0.86	0	17,19,21	1.11	2 (11%)
1	OMY	C	6	3,1	12,14,15	0.90	1 (8%)	17,19,21	1.32	3 (17%)
1	OMY	D	6	3,1	12,14,15	0.83	0	17,19,21	1.09	1 (5%)
1	GHP	B	5	1	10,11,12	0.91	0	11,14,16	1.11	0
1	OMZ	D	2	1	12,14,15	0.89	1 (8%)	17,19,21	1.27	3 (17%)
1	OMZ	C	2	1	12,14,15	1.10	2 (16%)	17,19,21	1.14	3 (17%)
1	GHP	A	5	1	10,11,12	0.92	0	11,14,16	1.02	0
1	GHP	D	5	1	10,11,12	0.82	0	11,14,16	1.01	0
1	MLU	D	1	1	7,8,9	0.80	0	6,9,11	1.53	2 (33%)
1	MLU	C	1	1	7,8,9	0.78	0	6,9,11	1.04	1 (16%)
1	OMZ	A	2	1	12,14,15	0.80	0	17,19,21	0.98	1 (5%)
1	GHP	D	4	1,2	10,11,12	0.68	0	11,14,16	0.98	0
1	3FG	A	7	1	12,13,13	0.82	0	14,18,18	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	GHP	C	4	1,2	-	2/4/6/8	0/1/1/1
1	GHP	B	4	1,2	-	2/4/6/8	0/1/1/1
1	MLU	A	1	1	-	0/5/8/10	-

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMY	B	6	3,1	-	1/9/10/12	0/1/1/1
1	MLU	B	1	1	-	0/5/8/10	-
1	GHP	A	4	1,2	-	3/4/6/8	0/1/1/1
1	OMY	A	6	3,1	-	1/9/10/12	0/1/1/1
1	3FG	D	7	1	-	2/8/8/8	0/1/1/1
1	3FG	B	7	1	-	2/8/8/8	0/1/1/1
1	3FG	C	7	1	-	2/8/8/8	0/1/1/1
1	GHP	C	5	1	-	0/4/6/8	0/1/1/1
1	OMZ	B	2	1	-	0/9/10/12	0/1/1/1
1	OMY	C	6	3,1	-	1/9/10/12	0/1/1/1
1	OMY	D	6	3,1	-	1/9/10/12	0/1/1/1
1	GHP	B	5	1	-	0/4/6/8	0/1/1/1
1	OMZ	D	2	1	-	0/9/10/12	0/1/1/1
1	OMZ	C	2	1	-	0/9/10/12	0/1/1/1
1	GHP	A	5	1	-	0/4/6/8	0/1/1/1
1	GHP	D	5	1	-	0/4/6/8	0/1/1/1
1	MLU	D	1	1	-	0/5/8/10	-
1	MLU	C	1	1	-	0/5/8/10	-
1	OMZ	A	2	1	-	0/9/10/12	0/1/1/1
1	GHP	D	4	1,2	-	2/4/6/8	0/1/1/1
1	3FG	A	7	1	-	1/8/8/8	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1	MLU	CD1-CG	-2.90	1.35	1.51
1	B	6	OMY	OCZ-CZ	2.56	1.41	1.36
1	C	6	OMY	OCZ-CZ	2.44	1.41	1.36
1	D	2	OMZ	OH-CZ	2.32	1.41	1.36
1	C	2	OMZ	CZ-CE1	-2.20	1.37	1.39
1	C	2	OMZ	OH-CZ	2.17	1.40	1.36
1	B	7	3FG	CG1-CB	2.14	1.42	1.39
1	B	7	3FG	CZ-CD2	-2.08	1.36	1.39

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1	MLU	CD2-CG-CD1	-4.40	90.23	110.51
1	B	1	MLU	CG-CB-CA	4.26	125.97	115.34
1	B	1	MLU	CD1-CG-CB	3.90	125.44	111.11
1	C	6	OMY	CG-CB-CA	-3.24	107.15	111.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	6	OMY	CG-CB-CA	-3.14	107.28	111.49
1	B	6	OMY	CG-CB-CA	-2.91	107.59	111.49
1	D	1	MLU	O-C-CA	-2.88	117.23	124.78
1	D	2	OMZ	O-C-CA	-2.79	117.46	124.78
1	A	2	OMZ	O-C-CA	-2.78	117.50	124.78
1	B	2	OMZ	O-C-CA	-2.77	117.51	124.78
1	D	6	OMY	CG-CB-CA	-2.68	107.90	111.49
1	C	2	OMZ	O-C-CA	-2.60	117.95	124.78
1	C	6	OMY	CD1-CE1-CZ	-2.59	119.41	120.91
1	B	7	3FG	CD1-CG1-CB	-2.52	117.95	120.11
1	D	2	OMZ	CE2-CZ-CE1	2.49	120.97	118.55
1	A	1	MLU	O-C-CA	-2.49	118.26	124.78
1	B	1	MLU	O-C-CA	-2.31	118.71	124.78
1	C	6	OMY	CE2-CZ-CE1	2.28	120.76	118.55
1	D	2	OMZ	CD1-CE1-CZ	-2.23	119.62	120.91
1	C	2	OMZ	CD2-CE2-CZ	-2.22	118.22	120.50
1	D	1	MLU	CD1-CG-CB	2.18	119.14	111.11
1	C	2	OMZ	CE2-CZ-CE1	2.18	120.67	118.55
1	C	5	GHP	C6-C5-C4	-2.15	117.52	119.88
1	B	2	OMZ	CE2-CZ-CE1	2.15	120.64	118.55
1	C	1	MLU	O-C-CA	-2.10	119.29	124.78
1	B	6	OMY	CE2-CZ-CE1	2.04	120.53	118.55

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	6	OMY	O-C-CA-CB
1	B	6	OMY	O-C-CA-CB
1	C	6	OMY	O-C-CA-CB
1	D	6	OMY	O-C-CA-CB
1	B	7	3FG	C-CA-CB-CG2
1	C	7	3FG	C-CA-CB-CG2
1	D	7	3FG	C-CA-CB-CG2
1	A	7	3FG	C-CA-CB-CG2
1	B	7	3FG	C-CA-CB-CG1
1	D	7	3FG	C-CA-CB-CG1
1	B	4	GHP	C2-C1-CA-C
1	D	4	GHP	C2-C1-CA-C
1	C	7	3FG	C-CA-CB-CG1
1	A	4	GHP	C2-C1-CA-C
1	A	4	GHP	C6-C1-CA-C

Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	B	4	GHP	C6-C1-CA-C
1	C	4	GHP	C2-C1-CA-C
1	C	4	GHP	C6-C1-CA-C
1	D	4	GHP	C6-C1-CA-C
1	A	4	GHP	C6-C1-CA-N

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BGC	A	8	1	11,11,12	0.61	0	15,15,17	0.66	0
4	DAL	A	12	4	5,5,5	0.86	0	6,6,6	0.70	0
2	BGC	D	8	1	11,11,12	0.97	1 (9%)	15,15,17	0.97	0
2	BGC	B	8	1	11,11,12	0.99	2 (18%)	15,15,17	0.93	0
5	CIT	A	1015[B]	-	12,12,12	1.58	3 (25%)	17,17,17	2.90	10 (58%)
6	MPD	B	1016	-	7,7,7	1.53	2 (28%)	9,10,10	4.06	3 (33%)
2	BGC	C	8	1	11,11,12	0.60	0	15,15,17	0.68	0
5	CIT	A	1017[A]	-	12,11,12	9.53	4 (33%)	17,15,17	6.67	7 (41%)
4	DAL	B	12	4	5,5,5	1.08	0	6,6,6	0.66	0
5	CIT	A	1016[A]	-	12,12,12	1.79	2 (16%)	17,17,17	2.70	8 (47%)
5	CIT	A	1018[A]	-	12,12,12	1.18	1 (8%)	17,17,17	1.89	6 (35%)
3	DVC	A	9	1	8,11,12	1.14	0	10,18,20	1.57	2 (20%)
4	DAL	D	11	4	3,4,5	0.67	0	2,4,6	1.29	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	DAL	C	12	4	5,5,5	0.92	0	6,6,6	0.73	0
6	MPD	A	1019	-	4,4,7	1.00	0	6,6,10	3.31	3 (50%)
5	CIT	A	1017[B]	-	12,12,12	1.48	3 (25%)	17,17,17	2.20	5 (29%)
5	CIT	A	1016[B]	-	12,12,12	1.92	3 (25%)	17,17,17	3.28	8 (47%)
4	DAL	D	12	4	5,5,5	0.92	0	6,6,6	0.70	0
5	CIT	A	1018[B]	-	11,11,12	3.61	5 (45%)	14,15,17	9.70	13 (92%)
4	DAL	A	11	4	3,4,5	1.02	0	2,4,6	1.18	0
3	DVC	B	9	1	8,11,12	0.92	0	10,18,20	1.52	1 (10%)
4	DAL	B	11	4	3,4,5	0.82	0	2,4,6	1.27	0
5	CIT	B	1015	-	12,12,12	2.78	3 (25%)	17,17,17	3.06	8 (47%)
5	CIT	A	1015[A]	-	12,12,12	1.64	2 (16%)	17,17,17	3.19	9 (52%)
3	DVC	D	9	1	8,11,12	0.73	0	10,18,20	1.50	1 (10%)
3	DVC	C	9	1	8,11,12	1.11	1 (12%)	10,18,20	1.56	1 (10%)
4	DAL	C	11	4	3,4,5	1.01	0	2,4,6	1.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	A	8	1	-	0/2/19/22	0/1/1/1
4	DAL	A	12	4	-	0/4/4/4	-
2	BGC	D	8	1	-	0/2/19/22	0/1/1/1
2	BGC	B	8	1	-	0/2/19/22	0/1/1/1
6	MPD	B	1016	-	1/1/2/2	2/5/5/5	-
5	CIT	A	1015[B]	-	-	2/16/16/16	-
2	BGC	C	8	1	-	0/2/19/22	0/1/1/1
5	CIT	A	1017[A]	-	-	1/16/15/16	-
4	DAL	B	12	4	-	0/4/4/4	-
5	CIT	A	1016[A]	-	-	0/16/16/16	-
5	CIT	A	1018[A]	-	-	1/16/16/16	-
3	DVC	A	9	1	-	-	0/1/1/1
4	DAL	D	11	4	-	0/0/2/4	-
4	DAL	C	12	4	-	0/4/4/4	-
5	CIT	A	1017[B]	-	-	0/16/16/16	-
5	CIT	A	1016[B]	-	-	2/16/16/16	-
4	DAL	D	12	4	-	0/4/4/4	-
5	CIT	A	1018[B]	-	-	7/15/15/16	-
4	DAL	A	11	4	-	0/0/2/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DVC	B	9	1	-	-	0/1/1/1
4	DAL	B	11	4	-	0/0/2/4	-
5	CIT	B	1015	-	-	2/16/16/16	-
5	CIT	A	1015[A]	-	-	3/16/16/16	-
3	DVC	D	9	1	-	-	0/1/1/1
3	DVC	C	9	1	-	-	0/1/1/1
4	DAL	C	11	4	-	0/0/2/4	-

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1017[A]	CIT	O4-C5	32.09	2.38	1.30
5	A	1018[B]	CIT	C3-C6	-7.90	1.45	1.53
5	A	1018[B]	CIT	C4-C3	7.18	1.62	1.53
5	A	1017[A]	CIT	C4-C3	6.54	1.62	1.53
5	B	1015	CIT	O4-C5	-6.53	1.08	1.30
5	B	1015	CIT	O2-C1	-5.64	1.11	1.30
5	A	1016[A]	CIT	O4-C5	-4.38	1.16	1.30
5	A	1016[B]	CIT	O4-C5	-3.79	1.18	1.30
5	A	1015[A]	CIT	O2-C1	-3.54	1.18	1.30
5	A	1016[B]	CIT	C2-C3	3.30	1.57	1.53
5	A	1015[B]	CIT	O2-C1	-3.26	1.19	1.30
5	A	1018[B]	CIT	C2-C3	-3.23	1.51	1.54
5	A	1016[B]	CIT	O5-C6	2.97	1.31	1.22
5	B	1015	CIT	C3-C6	-2.89	1.50	1.53
6	B	1016	MPD	O4-C4	-2.83	1.30	1.43
2	D	8	BGC	O5-C1	-2.73	1.39	1.43
5	A	1015[B]	CIT	C4-C5	2.70	1.59	1.50
5	A	1015[A]	CIT	C3-C6	2.70	1.56	1.53
5	A	1017[A]	CIT	O5-C6	2.60	1.30	1.22
5	A	1017[B]	CIT	O5-C6	2.60	1.30	1.22
5	A	1016[A]	CIT	O5-C6	2.55	1.30	1.22
6	B	1016	MPD	C3-C2	-2.44	1.47	1.53
5	A	1018[A]	CIT	O4-C5	-2.38	1.22	1.30
5	A	1017[B]	CIT	O4-C5	-2.34	1.22	1.30
5	A	1017[A]	CIT	O6-C6	-2.30	1.21	1.30
5	A	1017[B]	CIT	O6-C6	-2.30	1.21	1.30
2	B	8	BGC	O5-C1	-2.30	1.40	1.43
2	B	8	BGC	O5-C5	2.15	1.47	1.43
5	A	1018[B]	CIT	C2-C1	2.09	1.55	1.49
3	C	9	DVC	C4-C5	2.03	1.55	1.53
5	A	1015[B]	CIT	O1-C1	2.02	1.28	1.22

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1018[B]	CIT	O4-C5	-2.00	1.24	1.30

All (85) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1017[A]	CIT	O4-C5-O3	-24.33	62.66	123.30
5	A	1018[B]	CIT	O5-C6-C3	-22.82	89.93	122.25
5	A	1018[B]	CIT	C2-C3-C6	-20.00	67.19	110.05
5	A	1018[B]	CIT	O7-C3-C4	11.20	135.60	109.40
6	B	1016	MPD	C5-C4-C3	-9.73	65.81	111.69
5	A	1018[B]	CIT	O6-C6-C3	8.57	127.94	113.05
5	B	1015	CIT	O5-C6-C3	-8.33	110.46	122.25
5	A	1016[B]	CIT	O4-C5-O3	-7.54	104.51	123.30
5	A	1016[B]	CIT	O5-C6-C3	-7.39	111.79	122.25
6	A	1019	MPD	O2-C2-C3	6.80	125.99	107.90
5	A	1017[A]	CIT	O7-C3-C4	6.75	125.19	109.40
5	A	1018[B]	CIT	O3-C5-C4	-6.49	103.97	122.94
5	A	1015[A]	CIT	O6-C6-C3	-6.40	101.92	113.05
6	B	1016	MPD	O4-C4-C3	6.26	136.63	111.36
5	A	1018[B]	CIT	O4-C5-C4	6.24	134.41	114.35
5	A	1015[A]	CIT	O5-C6-C3	5.81	130.48	122.25
5	A	1016[A]	CIT	O2-C1-O1	-5.81	108.82	123.30
5	A	1018[B]	CIT	O6-C6-O5	5.76	142.13	123.82
5	A	1015[A]	CIT	O7-C3-C6	-5.65	100.93	108.86
5	A	1017[A]	CIT	O4-C5-C4	-5.62	96.31	114.35
5	A	1016[B]	CIT	O4-C5-C4	5.52	132.08	114.35
5	A	1015[A]	CIT	C2-C3-C6	5.40	121.72	110.11
5	A	1018[B]	CIT	C3-C4-C5	-5.37	100.81	113.81
5	A	1018[B]	CIT	O1-C1-C2	5.37	142.80	126.78
5	A	1015[B]	CIT	O7-C3-C6	-5.21	101.54	108.86
5	A	1017[A]	CIT	O5-C6-C3	-5.03	115.13	122.25
5	A	1017[B]	CIT	O5-C6-C3	-5.03	115.13	122.25
5	B	1015	CIT	O4-C5-C4	4.86	129.96	114.35
5	A	1015[B]	CIT	O5-C6-C3	4.46	128.57	122.25
5	A	1017[A]	CIT	C3-C4-C5	4.29	124.20	113.81
5	A	1016[A]	CIT	O5-C6-C3	-4.29	116.19	122.25
3	C	9	DVC	C1-O5-C5	4.02	115.96	111.57
5	A	1015[B]	CIT	O6-C6-C3	-3.88	106.31	113.05
5	A	1015[B]	CIT	C3-C4-C5	-3.84	104.53	113.81
5	A	1016[A]	CIT	O3-C5-C4	-3.76	111.95	122.94
5	B	1015	CIT	O3-C5-C4	-3.76	111.95	122.94
6	A	1019	MPD	C3-C2-CM	-3.72	100.62	110.93

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1015[B]	CIT	C2-C3-C6	3.71	118.08	110.11
3	A	9	DVC	C1-O5-C5	3.71	115.62	111.57
5	A	1017[A]	CIT	C4-C3-C2	-3.70	99.49	109.16
5	A	1015[B]	CIT	O1-C1-C2	-3.67	112.21	122.94
5	A	1015[B]	CIT	O3-C5-C4	3.62	133.52	122.94
5	B	1015	CIT	O1-C1-C2	-3.59	112.46	122.94
3	B	9	DVC	C1-O5-C5	3.53	115.43	111.57
5	A	1016[A]	CIT	O6-C6-C3	3.51	119.14	113.05
5	A	1016[B]	CIT	O2-C1-O1	3.50	132.03	123.30
5	A	1018[A]	CIT	C3-C4-C5	3.50	122.28	113.81
5	A	1016[A]	CIT	O1-C1-C2	3.39	132.86	122.94
5	A	1018[A]	CIT	O7-C3-C6	-3.38	104.12	108.86
5	A	1018[A]	CIT	C2-C3-C6	3.37	117.35	110.11
5	A	1016[A]	CIT	C3-C2-C1	-3.37	105.66	113.81
5	A	1017[B]	CIT	O3-C5-C4	-3.36	113.12	122.94
5	A	1017[A]	CIT	O6-C6-C3	3.02	118.29	113.05
5	A	1017[B]	CIT	O6-C6-C3	3.02	118.29	113.05
5	B	1015	CIT	O6-C6-C3	2.97	118.20	113.05
3	D	9	DVC	C1-O5-C5	2.97	114.81	111.57
5	A	1017[B]	CIT	O7-C3-C4	-2.89	102.64	109.40
5	A	1015[B]	CIT	O4-C5-C4	-2.84	105.22	114.35
5	A	1018[B]	CIT	C4-C3-C2	-2.82	101.71	109.32
5	A	1016[A]	CIT	C2-C3-C6	2.80	116.13	110.11
5	A	1015[A]	CIT	C4-C3-C6	-2.67	104.37	110.11
5	A	1015[A]	CIT	C3-C4-C5	-2.66	107.37	113.81
5	A	1016[A]	CIT	O4-C5-C4	2.53	122.49	114.35
5	A	1018[B]	CIT	O7-C3-C6	2.53	112.42	108.86
5	B	1015	CIT	O4-C5-O3	-2.52	117.02	123.30
5	A	1015[B]	CIT	O2-C1-C2	2.51	122.40	114.35
5	A	1016[B]	CIT	O1-C1-C2	-2.45	115.80	122.94
5	A	1018[A]	CIT	O3-C5-C4	-2.44	115.82	122.94
5	A	1018[B]	CIT	C4-C3-C6	-2.43	104.89	110.11
5	B	1015	CIT	O2-C1-C2	2.35	121.89	114.35
5	A	1017[B]	CIT	C4-C3-C2	2.34	115.26	109.16
6	B	1016	MPD	O2-C2-C3	2.26	118.28	109.80
5	A	1015[B]	CIT	C4-C3-C6	-2.24	105.29	110.11
5	A	1018[B]	CIT	O7-C3-C2	2.20	114.19	109.21
5	A	1015[A]	CIT	O2-C1-C2	2.19	121.40	114.35
3	A	9	DVC	C2-C3-C4	2.17	109.28	107.09
5	A	1016[B]	CIT	O7-C3-C6	2.14	111.87	108.86
5	A	1018[A]	CIT	O4-C5-C4	2.13	121.19	114.35
5	B	1015	CIT	C4-C3-C6	2.12	114.66	110.11

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1016[B]	CIT	O6-C6-O5	2.09	130.47	123.82
6	A	1019	MPD	CM-C2-C1	-2.08	105.16	110.93
5	A	1016[B]	CIT	O6-C6-C3	2.08	116.66	113.05
5	A	1018[A]	CIT	O1-C1-C2	-2.08	116.87	122.94
5	A	1015[A]	CIT	O1-C1-C2	-2.08	116.88	122.94
5	A	1015[A]	CIT	O4-C5-C4	-2.00	107.91	114.35

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	B	1016	MPD	C4

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1018[B]	CIT	C1-C2-C3-O7
5	A	1018[B]	CIT	C1-C2-C3-C4
5	A	1018[B]	CIT	C1-C2-C3-C6
5	A	1018[B]	CIT	C4-C3-C6-O5
5	A	1018[B]	CIT	C4-C3-C6-O6
6	B	1016	MPD	C2-C3-C4-O4
5	A	1018[B]	CIT	C6-C3-C4-C5
5	A	1015[B]	CIT	O1-C1-C2-C3
5	A	1015[A]	CIT	O1-C1-C2-C3
5	A	1018[A]	CIT	C6-C3-C4-C5
5	A	1016[B]	CIT	C3-C4-C5-O4
5	A	1015[B]	CIT	O2-C1-C2-C3
5	A	1016[B]	CIT	C3-C4-C5-O3
5	B	1015	CIT	O1-C1-C2-C3
5	A	1015[A]	CIT	O2-C1-C2-C3
5	A	1015[A]	CIT	C6-C3-C4-C5
5	B	1015	CIT	O2-C1-C2-C3
5	A	1018[B]	CIT	O1-C1-C2-C3
6	B	1016	MPD	C2-C3-C4-C5
5	A	1017[A]	CIT	C3-C4-C5-O4

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1015[B]	CIT	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1017[B]	CIT	2	0
5	B	1015	CIT	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1/7 (14%)	-0.51	0 100 100	4, 4, 4, 4	0
1	B	1/7 (14%)	-0.92	0 100 100	5, 5, 5, 5	0
1	C	1/7 (14%)	-0.83	0 100 100	4, 4, 4, 4	0
1	D	1/7 (14%)	-0.76	0 100 100	4, 4, 4, 4	0
All	All	4/28 (14%)	-0.75	0 100 100	4, 4, 4, 5	0

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	MLU	B	1	9/10	0.96	0.11	5,21,62,62	0
1	MLU	A	1	9/10	0.97	0.09	4,12,28,28	0
1	OMY	B	6	14/15	0.99	0.05	2,2,3,5	0
1	OMY	D	6	14/15	0.99	0.05	2,2,3,5	0
1	MLU	C	1	9/10	0.99	0.05	5,10,27,27	0
1	MLU	D	1	9/10	0.99	0.05	5,9,19,19	0
1	3FG	D	7	13/13	0.99	0.04	2,3,10,15	0
1	OMY	A	6	14/15	1.00	0.04	2,2,3,4	0
1	OMZ	A	2	14/15	1.00	0.04	2,3,4,5	0
1	OMZ	B	2	14/15	1.00	0.04	3,3,4,7	0
1	OMZ	C	2	14/15	1.00	0.04	2,3,4,6	0
1	OMZ	D	2	14/15	1.00	0.04	3,3,4,7	0
1	GHP	A	4	11/12	1.00	0.04	2,2,3,3	0
1	GHP	B	4	11/12	1.00	0.04	2,2,3,3	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	GHP	C	4	11/12	1.00	0.04	2,2,3,3	0
1	GHP	D	4	11/12	1.00	0.05	2,2,3,3	0
1	GHP	A	5	11/12	1.00	0.04	2,2,3,4	0
1	GHP	B	5	11/12	1.00	0.04	2,2,3,4	0
1	GHP	C	5	11/12	1.00	0.05	2,2,3,4	0
1	GHP	D	5	11/12	1.00	0.04	2,2,3,4	0
1	3FG	A	7	13/13	1.00	0.04	2,3,4,7	0
1	3FG	B	7	13/13	1.00	0.04	2,3,5,8	0
1	3FG	C	7	13/13	1.00	0.04	2,4,9,13	0
1	OMY	C	6	14/15	1.00	0.04	2,2,3,4	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	MPD	B	1016	8/8	0.85	0.28	3,5,11,13	7
6	MPD	A	1019	5/8	0.93	0.31	5,5,8,12	5
5	CIT	B	1015	13/13	0.93	0.15	3,6,17,17	18
5	CIT	A	1018[B]	12/13	0.97	0.16	7,12,21,32	17
5	CIT	A	1018[A]	13/13	0.97	0.16	4,6,12,13	18
5	CIT	A	1017[B]	13/13	0.98	0.12	4,6,11,14	6
5	CIT	A	1017[A]	12/13	0.98	0.12	5,7,11,14	5
4	DAL	D	11	5/6	0.99	0.05	3,4,6,6	0
5	CIT	A	1015[A]	13/13	0.99	0.06	2,4,7,9	18
5	CIT	A	1015[B]	13/13	0.99	0.06	3,4,8,10	18
5	CIT	A	1016[A]	13/13	0.99	0.09	3,5,8,11	18
5	CIT	A	1016[B]	13/13	0.99	0.09	4,7,12,17	18
2	BGC	B	8	11/12	0.99	0.04	3,6,9,11	0
2	BGC	D	8	11/12	0.99	0.04	3,6,9,12	0
3	DVC	A	9	11/12	0.99	0.04	3,4,9,9	0
3	DVC	B	9	11/12	0.99	0.04	2,4,7,7	0
3	DVC	C	9	11/12	0.99	0.04	3,4,9,9	0
3	DVC	D	9	11/12	0.99	0.04	2,4,7,7	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	DAL	C	11	5/6	0.99	0.05	4,4,7,7	0
4	DAL	B	12	6/6	1.00	0.04	3,4,6,6	0
2	BGC	C	8	11/12	1.00	0.04	3,4,6,7	0
4	DAL	C	12	6/6	1.00	0.04	3,4,8,8	0
2	BGC	A	8	11/12	1.00	0.04	2,4,6,7	0
4	DAL	D	12	6/6	1.00	0.04	3,3,7,7	0
4	DAL	A	11	5/6	1.00	0.03	3,5,8,8	0
4	DAL	A	12	6/6	1.00	0.04	3,3,6,6	0
4	DAL	B	11	5/6	1.00	0.04	4,5,9,9	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.