



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2018 – 06:06 am GMT

PDB ID : 4HII
Title : Anti-Streptococcus pneumoniae 23F Fab 023.102 with bound rhamnose-galactose
Authors : Bryson, S.; Risnes, L.; Damgupta, S.; Thomson, C.A.; Schrader, J.W.; Pai, E.F.
Deposited on : 2012-10-11
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.3 (157068), CSD as539be (2018)
Xtrriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	4477 (2.30-2.30)
Clashscore	122126	5072 (2.30-2.30)
Ramachandran outliers	120053	5022 (2.30-2.30)
Sidechain outliers	120020	5021 (2.30-2.30)
RSRZ outliers	108989	4374 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	 5% (poor fit), 69% (0-1 outliers), 23% (2 outliers), 5% (3+ outliers), 2% (not modelled)
1	C	219	 4% (poor fit), 73% (0-1 outliers), 16% (2 outliers), 5% (3+ outliers), 2% (not modelled)
2	B	231	 3% (poor fit), 66% (0-1 outliers), 19% (2 outliers), 12% (3+ outliers), 0% (not modelled)
2	D	231	 3% (poor fit), 61% (0-1 outliers), 23% (2 outliers), 12% (3+ outliers), 0% (not modelled)

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6448 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Fab 023.102 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	212	Total 1635	C 1021	N 283	O 327	S 4	0	0	0
1	C	205	Total 1586	C 994	N 274	O 314	S 4	0	0	0

- Molecule 2 is a protein called Fab 023.102 heavy chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	203	Total 1536	C 972	N 261	O 297	S 6	0	0	0
2	D	203	Total 1536	C 972	N 261	O 297	S 6	0	0	0

- Molecule 3 is BETA-D-GALACTOSE (three-letter code: GAL) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 12 6 6	0	0
3	C	1	Total C O 12 6 6	0	0

- Molecule 4 is ALPHA-L-RHAMNOSE (three-letter code: RAM) (formula: C₆H₁₂O₅).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 10 6 4	0	0
4	C	1	Total C O 10 6 4	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	26	Total O 26 26	0	0
5	B	15	Total O 15 15	0	0
5	C	42	Total O 42 42	0	0
5	D	28	Total O 28 28	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab 023.102 light chain



- Molecule 1: Fab 023.102 light chain




- Molecule 2: Fab 023.102 heavy chain



- Molecule 2: Fab 023.102 heavy chain





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	144.40Å 66.90Å 119.10Å 90.00° 111.90° 90.00°	Depositor
Resolution (Å)	17.00 – 2.30 16.92 – 2.20	Depositor EDS
% Data completeness (in resolution range)	92.7 (17.00-2.30) 86.1 (16.92-2.20)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.83 (at 2.21Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.243 , 0.256 0.233 , 0.249	Depositor DCC
R_{free} test set	4366 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	44.6	Xtrriage
Anisotropy	0.216	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 32.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6448	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.43 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.6921e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: RAM, GAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/1672	0.75	2/2274 (0.1%)
1	C	0.32	0/1621	0.72	2/2201 (0.1%)
2	B	0.32	0/1571	0.72	1/2136 (0.0%)
2	D	0.31	0/1571	0.72	1/2136 (0.0%)
All	All	0.32	0/6435	0.73	6/8747 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	108	ARG	NE-CZ-NH1	-5.76	117.42	120.30
1	A	108	ARG	NE-CZ-NH1	-5.66	117.47	120.30
2	D	178	LEU	CA-CB-CG	5.53	128.01	115.30
2	B	178	LEU	CA-CB-CG	5.12	127.08	115.30
1	C	13	LEU	CA-CB-CG	5.06	126.94	115.30
1	A	182	SER	N-CA-C	-5.02	97.45	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1635	0	1584	36	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1586	0	1537	30	0
2	B	1536	0	1499	30	0
2	D	1536	0	1499	40	0
3	A	12	0	11	0	0
3	C	12	0	11	0	0
4	A	10	0	10	0	0
4	C	10	0	10	0	0
5	A	26	0	0	3	0
5	B	15	0	0	0	0
5	C	42	0	0	2	0
5	D	28	0	0	3	0
All	All	6448	0	6161	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:13:GLN:HG3	5:D:324:HOH:O	1.61	0.99
1:C:6:GLN:HG2	1:C:23:CYS:SG	2.02	0.98
1:A:6:GLN:HG2	1:A:23:CYS:SG	2.04	0.97
1:A:142:ARG:HD3	5:A:414:HOH:O	1.65	0.96
1:C:190:LYS:HE2	1:C:210:ASN:HD22	1.36	0.89
2:D:84:ALA:O	2:D:87:THR:HG23	1.73	0.89
1:C:190:LYS:HE2	1:C:210:ASN:ND2	1.98	0.79
2:D:123:PRO:HD3	2:D:209:LYS:HE2	1.65	0.79
1:A:100:GLN:H	1:A:100:GLN:NE2	1.82	0.77
2:D:154:TRP:CH2	2:D:196:CYS:SG	2.78	0.77
2:D:193:THR:HG22	5:D:301:HOH:O	1.85	0.76
1:A:6:GLN:H	1:A:100:GLN:HE22	1.36	0.70
1:C:100:GLN:NE2	1:C:100:GLN:H	1.89	0.69
2:B:84:ALA:O	2:B:87:THR:HG23	1.94	0.68
1:C:6:GLN:CG	1:C:23:CYS:SG	2.80	0.66
1:C:4:LEU:HD12	1:C:25:ALA:HA	1.78	0.63
2:B:20:LEU:HD13	2:B:82:MET:HE2	1.80	0.63
1:C:11:LEU:HG	1:C:13:LEU:HD22	1.80	0.63
2:B:119:PRO:HB3	2:B:145:TYR:HB3	1.80	0.62
1:A:162:SER:OG	2:B:167:PRO:HD2	2.00	0.62
2:B:12:VAL:HG13	2:B:16:ARG:HB2	1.80	0.62
2:B:201:LYS:HB2	2:B:202:PRO:HD3	1.83	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:PRO:HB3	1:A:139:PHE:HB3	1.82	0.61
1:A:160:GLN:HE22	2:B:171:GLN:HA	1.66	0.60
2:B:29:PHE:CD2	2:B:76:ASN:HA	2.37	0.60
1:C:11:LEU:HG	1:C:13:LEU:CD2	2.32	0.60
1:C:142:ARG:O	1:C:142:ARG:NE	2.34	0.59
2:D:66:ARG:NH2	2:D:86:ASP:OD2	2.36	0.59
2:B:20:LEU:HD13	2:B:82:MET:CE	2.33	0.59
1:A:75:ILE:HG21	1:A:78:LEU:HD23	1.84	0.58
1:C:105:GLU:HG2	1:C:106:ILE:N	2.18	0.57
1:C:21:LEU:N	1:C:21:LEU:HD23	2.20	0.57
2:D:192:GLN:HG3	2:D:193:THR:N	2.20	0.57
1:A:31:ASN:HD22	1:A:92:ASP:HA	1.70	0.57
2:B:196:CYS:SG	2:B:209:LYS:HB3	2.45	0.56
1:A:126:LYS:HG2	1:A:126:LYS:O	2.05	0.56
1:A:146:VAL:HG13	1:A:194:CYS:SG	2.45	0.56
1:A:182:SER:OG	1:A:185:ASP:HB2	2.07	0.54
1:C:94:TRP:HA	1:C:95:PRO:C	2.26	0.54
2:D:55:ARG:HH11	2:D:55:ARG:HG3	1.71	0.54
1:A:21:LEU:N	1:A:21:LEU:HD23	2.22	0.54
2:D:154:TRP:CZ2	2:D:196:CYS:SG	3.01	0.54
2:D:12:VAL:HG13	2:D:16:ARG:HB2	1.90	0.53
1:A:183:LYS:O	1:A:187:GLU:HG2	2.08	0.53
1:C:137:ASN:OD1	1:C:138:ASN:ND2	2.41	0.53
1:A:191:VAL:HG22	1:A:210:ASN:OD1	2.09	0.53
1:A:29:VAL:HG22	1:A:68:GLY:O	2.08	0.53
1:C:113:PRO:HB3	1:C:139:PHE:HB3	1.90	0.53
2:D:119:PRO:HB3	2:D:145:TYR:HB3	1.91	0.53
2:D:200:HIS:NE2	2:D:202:PRO:HG2	2.23	0.52
2:B:178:LEU:HD12	2:B:178:LEU:C	2.30	0.52
2:D:201:LYS:HG2	5:D:319:HOH:O	2.09	0.52
2:D:38:ARG:HG2	2:D:48:VAL:CG2	2.39	0.52
2:D:51:VAL:HG22	2:D:54:GLY:HA2	1.91	0.52
1:A:94:TRP:HA	1:A:95:PRO:C	2.30	0.51
1:A:100:GLN:H	1:A:100:GLN:HE21	1.55	0.51
2:B:27:PHE:CE2	2:B:94:LYS:HD2	2.45	0.51
2:D:72:ASP:OD1	2:D:74:SER:HB2	2.09	0.51
1:A:21:LEU:HB2	5:A:404:HOH:O	2.09	0.51
2:D:1:LEU:HD13	2:D:2:ILE:HG13	1.91	0.51
1:C:202:ARG:HH11	1:C:202:ARG:HG2	1.75	0.51
2:B:50:VAL:HG22	2:B:51:VAL:N	2.26	0.51
1:C:143:GLU:CD	1:C:143:GLU:H	2.14	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:200:HIS:CE1	2:D:202:PRO:HG2	2.46	0.51
2:B:87:THR:HB	2:B:110:THR:HA	1.93	0.50
2:B:87:THR:HA	2:B:109:VAL:O	2.12	0.50
1:C:90:GLN:HG2	1:C:97:THR:OG1	2.12	0.50
1:C:12:SER:O	1:C:13:LEU:HD13	2.12	0.49
2:D:34:MET:HB3	2:D:78:LEU:HD22	1.95	0.49
2:B:52(A):SER:HA	2:B:71:ARG:NH1	2.28	0.48
2:B:27:PHE:CD2	2:B:94:LYS:HE3	2.49	0.48
1:C:119:PRO:HB3	1:C:209:PHE:CE1	2.49	0.47
2:B:140:CYS:SG	2:B:154:TRP:CH2	3.08	0.47
2:B:12:VAL:CG1	2:B:16:ARG:HB2	2.45	0.47
2:D:13:GLN:HE21	2:D:113:SER:HA	1.79	0.47
2:D:55:ARG:NH1	2:D:55:ARG:HG3	2.29	0.47
2:B:24:ALA:HB1	2:B:27:PHE:CE1	2.50	0.46
1:C:138:ASN:HD21	2:D:164:HIS:HE1	1.63	0.46
2:B:55:ARG:HG3	2:B:55:ARG:NH1	2.31	0.46
2:B:36:TRP:HD1	2:B:69:ILE:HD12	1.80	0.46
1:A:11:LEU:HG	1:A:13:LEU:HD21	1.98	0.46
1:C:184:ALA:O	1:C:188:LYS:HG3	2.16	0.46
2:D:6:GLU:HA	2:D:21:SER:O	2.16	0.45
1:A:14:SER:OG	1:A:107:LYS:HD2	2.16	0.45
1:C:167:ASP:HB3	1:C:170:ASP:OD1	2.17	0.45
2:D:29:PHE:CD2	2:D:76:ASN:HA	2.51	0.45
2:D:87:THR:HB	2:D:110:THR:HA	1.98	0.45
2:D:41:PRO:O	2:D:43:LYS:HD3	2.16	0.45
1:A:190:LYS:HE2	1:A:190:LYS:HB3	1.67	0.45
2:D:19:ARG:O	2:D:19:ARG:HG3	2.17	0.45
1:A:108:ARG:HG3	1:A:140:TYR:CD2	2.53	0.45
2:D:159:LEU:HD21	2:D:182:VAL:HG21	1.99	0.45
1:A:126:LYS:HB2	1:A:126:LYS:NZ	2.31	0.44
2:D:87:THR:HA	2:D:109:VAL:O	2.17	0.44
1:A:105:GLU:HG2	1:A:166:GLN:OE1	2.17	0.44
1:A:37:GLN:HB2	1:A:47:LEU:HD11	2.00	0.44
2:B:66:ARG:NH2	2:B:86:ASP:OD2	2.48	0.44
2:D:50:VAL:HG22	2:D:51:VAL:N	2.33	0.43
1:A:175:LEU:HD23	1:A:175:LEU:C	2.39	0.43
1:A:11:LEU:HG	1:A:13:LEU:CD2	2.48	0.43
1:C:147:GLN:HG3	1:C:154:LEU:HD21	2.00	0.43
1:C:199:GLN:NE2	5:C:410:HOH:O	2.50	0.43
2:D:12:VAL:O	2:D:111:VAL:HA	2.18	0.43
2:B:6:GLU:HG2	2:B:92:CYS:SG	2.59	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:32:TYR:N	5:C:416:HOH:O	2.52	0.43
1:A:105:GLU:HG2	1:A:106:ILE:N	2.33	0.43
1:C:202:ARG:HH11	1:C:202:ARG:CG	2.32	0.43
2:D:178:LEU:HD12	2:D:178:LEU:C	2.40	0.42
2:D:201:LYS:HG2	2:D:201:LYS:H	1.51	0.42
2:B:195:THR:HA	2:B:209:LYS:O	2.19	0.42
1:A:143:GLU:H	1:A:143:GLU:CD	2.23	0.42
1:A:24:ARG:NH1	1:A:70:ASP:OD1	2.50	0.42
1:C:13:LEU:C	1:C:107:LYS:HB2	2.39	0.42
1:A:186:TYR:CZ	1:A:211:ARG:HG3	2.55	0.42
1:C:50:GLY:O	1:C:51:ALA:HB3	2.20	0.42
1:A:154:LEU:HD13	1:A:154:LEU:C	2.40	0.41
2:D:6:GLU:OE1	2:D:104:GLY:HA3	2.20	0.41
2:D:139:GLY:HA2	2:D:154:TRP:CH2	2.55	0.41
1:A:123:GLU:HB2	5:A:406:HOH:O	2.21	0.41
1:C:162:SER:OG	2:D:167:PRO:HD2	2.20	0.41
2:B:55:ARG:HG3	2:B:55:ARG:HH11	1.85	0.41
2:D:201:LYS:O	2:D:203:SER:N	2.53	0.41
1:A:193:ALA:HB2	1:A:208:SER:HB3	2.01	0.41
2:D:24:ALA:HB1	2:D:27:PHE:CE1	2.56	0.41
1:C:119:PRO:HB3	1:C:209:PHE:CZ	2.55	0.41
2:B:20:LEU:HG	2:B:107:THR:HG21	2.02	0.41
2:B:66:ARG:NH2	2:B:83:ARG:HG2	2.36	0.41
2:D:6:GLU:HG2	2:D:92:CYS:SG	2.61	0.40
1:A:50:GLY:O	1:A:51:ALA:HB3	2.21	0.40
2:B:50:VAL:CG2	2:B:51:VAL:N	2.84	0.40
2:B:84:ALA:O	2:B:87:THR:CG2	2.67	0.40
2:D:80:LEU:HD12	2:D:80:LEU:HA	1.88	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	210/219 (96%)	201 (96%)	9 (4%)	0	100	100
1	C	199/219 (91%)	194 (98%)	5 (2%)	0	100	100
2	B	197/231 (85%)	188 (95%)	9 (5%)	0	100	100
2	D	197/231 (85%)	192 (98%)	5 (2%)	0	100	100
All	All	803/900 (89%)	775 (96%)	28 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/184 (99%)	162 (89%)	20 (11%)	7	7
1	C	175/184 (95%)	157 (90%)	18 (10%)	8	9
2	B	170/196 (87%)	153 (90%)	17 (10%)	8	10
2	D	170/196 (87%)	149 (88%)	21 (12%)	5	5
All	All	697/760 (92%)	621 (89%)	76 (11%)	7	8

All (76) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	4	LEU
1	A	13	LEU
1	A	21	LEU
1	A	23	CYS
1	A	26	SER
1	A	30	THR
1	A	45	ARG
1	A	67	SER
1	A	100	GLN
1	A	107	LYS
1	A	127	SER
1	A	142	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	145	LYS
1	A	152	ASN
1	A	169	LYS
1	A	185	ASP
1	A	190	LYS
1	A	206	THR
1	A	211	ARG
2	B	1	LEU
2	B	12	VAL
2	B	13	GLN
2	B	43	LYS
2	B	56	THR
2	B	68	THR
2	B	87	THR
2	B	108	LEU
2	B	115	SER
2	B	119	PRO
2	B	141	LEU
2	B	147	PRO
2	B	149	PRO
2	B	160	THR
2	B	178	LEU
2	B	184	VAL
2	B	196	CYS
1	C	4	LEU
1	C	13	LEU
1	C	21	LEU
1	C	23	CYS
1	C	33	LEU
1	C	70	ASP
1	C	90	GLN
1	C	100	GLN
1	C	107	LYS
1	C	114	SER
1	C	129	THR
1	C	137	ASN
1	C	142	ARG
1	C	145	LYS
1	C	154	LEU
1	C	169	LYS
1	C	202	ARG
1	C	206	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	1	LEU
2	D	3	ASN
2	D	12	VAL
2	D	13	GLN
2	D	19	ARG
2	D	20	LEU
2	D	43	LYS
2	D	55	ARG
2	D	56	THR
2	D	68	THR
2	D	74	SER
2	D	87	THR
2	D	108	LEU
2	D	141	LEU
2	D	149	PRO
2	D	161	SER
2	D	169	VAL
2	D	178	LEU
2	D	184	VAL
2	D	192	GLN
2	D	201	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	ASN
1	A	42	GLN
1	A	93	ASN
1	A	100	GLN
1	A	124	GLN
1	A	138	ASN
1	A	160	GLN
1	A	199	GLN
2	B	13	GLN
2	B	76	ASN
1	C	42	GLN
1	C	93	ASN
1	C	100	GLN
1	C	124	GLN
1	C	138	ASN
1	C	160	GLN
1	C	199	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	210	ASN
2	D	3	ASN
2	D	13	GLN
2	D	76	ASN
2	D	204	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GAL	A	301	4	12,12,12	0.46	0	17,17,17	1.99	6 (35%)
4	RAM	A	302	3	9,10,11	0.36	0	13,14,16	0.97	0
3	GAL	C	301	4	12,12,12	0.45	0	17,17,17	0.74	0
4	RAM	C	302	3	9,10,11	0.45	0	13,14,16	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GAL	A	301	4	-	0/2/22/22	0/1/1/1
4	RAM	A	302	3	-	0/0/17/20	0/1/1/1
3	GAL	C	301	4	-	0/2/22/22	0/1/1/1
4	RAM	C	302	3	-	0/0/17/20	0/1/1/1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	GAL	C1-O5-C5	-4.34	105.34	113.69
3	A	301	GAL	O5-C5-C4	-3.07	104.04	109.69
3	A	301	GAL	C3-C4-C5	-2.53	105.72	110.24
3	A	301	GAL	C1-C2-C3	2.28	114.91	110.36
3	A	301	GAL	C6-C5-C4	2.66	119.27	112.99
3	A	301	GAL	O5-C5-C6	2.89	113.69	106.43

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	212/219 (96%)	0.19	10 (4%) 31 39	33, 52, 74, 88	0
1	C	205/219 (93%)	0.13	9 (4%) 34 41	32, 48, 65, 74	0
2	B	203/231 (87%)	0.18	8 (3%) 39 46	34, 50, 71, 79	0
2	D	203/231 (87%)	0.11	6 (2%) 50 57	31, 47, 61, 73	0
All	All	823/900 (91%)	0.15	33 (4%) 38 45	31, 49, 70, 88	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	2	GLY	6.3
2	D	185	PRO	4.8
2	D	196	CYS	4.8
2	B	185	PRO	4.5
1	C	68	GLY	3.9
1	C	3	GLN	3.7
1	A	2	GLY	3.5
1	A	32	TYR	3.2
1	A	26	SER	3.0
1	A	66	GLY	2.8
1	C	32	TYR	2.7
1	C	56	THR	2.6
1	A	67	SER	2.6
2	B	55	ARG	2.6
1	A	30	THR	2.5
2	D	1	LEU	2.5
2	B	74	SER	2.4
1	A	57	GLY	2.4
2	B	135	THR	2.4
2	D	31	ARG	2.3
2	B	100(A)	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	31	ARG	2.3
2	D	135	THR	2.3
1	A	34	ALA	2.3
2	B	102	TYR	2.2
1	A	3	GLN	2.2
2	B	192	GLN	2.2
1	C	34	ALA	2.1
2	D	140	CYS	2.1
1	C	69	THR	2.1
1	A	24	ARG	2.1
1	C	35	TRP	2.1
1	C	57	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GAL	C	301	12/12	0.60	0.34	68,72,76,78	0
3	GAL	A	301	12/12	0.71	0.33	87,91,94,94	0
4	RAM	C	302	10/11	0.90	0.14	59,61,63,65	0
4	RAM	A	302	10/11	0.92	0.15	82,82,83,84	0

6.5 Other polymers [i](#)

There are no such residues in this entry.