



wwPDB EM Validation Summary Report ⓘ

Nov 3, 2024 – 04:00 am GMT

PDB ID : 6HIV
EMDB ID : EMD-0229
Title : Cryo-EM structure of the Trypanosoma brucei mitochondrial ribosome - This entry contains the complete mitoribosome
Authors : Ramrath, D.J.F.; Niemann, M.; Leibundgut, M.; Bieri, P.; Prange, C.; Horn, E.K.; Leitner, A.; Boehringer, D.; Schneider, A.; Ban, N.
Deposited on : 2018-08-31
Resolution : 7.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 7.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	DA	1788	11% (Poor fit) 81% (0 outliers), 6% (1 outlier), 13% (2+ outliers) 5% (Not modelled)
2	DD	812	20% (Poor fit) 92% (0 outliers), 5% (1 outlier) 3% (2+ outliers), 2% (Not modelled)
3	DI	407	9% (Poor fit) 90% (0 outliers), 6% (1 outlier) 3% (2+ outliers), 2% (Not modelled)
4	DL	307	45% (Poor fit) 87% (0 outliers), 8% (1 outlier) 5% (2+ outliers), 2% (Not modelled)
5	DM	294	12% (Poor fit) 94% (0 outliers), 6% (1 outlier) 2% (2+ outliers), 2% (Not modelled)
6	DN	293	15% (Poor fit) 82% (0 outliers), 5% (1 outlier), 12% (2+ outliers) 2% (Not modelled)
7	DO	282	10% (Poor fit) 74% (0 outliers), 5% (1 outlier), 21% (2+ outliers) 2% (Not modelled)
8	DP	274	12% (Poor fit) 72% (0 outliers), 5% (1 outlier), 24% (2+ outliers) 2% (Not modelled)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	DQ	268	13% 92% • •
10	DR	270	11% 86% 7% 7%
11	DS	261	17% 87% 5% 9%
12	DU	228	21% 86% 8% 7%
13	DZ	94	27% 84% • 13%
14	Da	64	86% 80% 6% 14%
15	DB	1181	19% 85% 9% 6%
16	DC	1165	18% 84% 10% 6%
17	DE	746	11% 72% 8% 21%
18	DF	666	19% 80% 9% 11%
19	DG	631	14% 79% 11% 10%
20	DH	581	29% 87% 10% •
21	DJ	396	19% 71% 8% 20%
22	DK	324	16% 73% 5% 21%
23	DT	247	26% 86% 11% •
24	DV	183	26% 77% 11% 13%
25	DW	179	30% 83% 7% 10%
26	DX	169	17% 75% 9% 17%
27	DY	163	22% 83% 12% 6%
28	CC	74	59% 85% 15%
29	CE	435	28% 86% 9% •
30	CF	160	37% 95% • •
31	CH	282	29% 88% 9% •
32	CI	443	31% 88% 8% •
33	CJ	817	24% 88% 10% •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	CK	326	50% 82% 8% 10%
35	CL	87	100% 90% 10%
36	CN	166	30% 83% 12% 5%
37	CO	429	31% 78% 6% 16%
38	CP	188	15% 89% 7%
39	CQ	307	34% 55% 7% 38%
40	CR	320	45% 93% 5%
41	CS	244	24% 53% 5% 42%
42	CU	193	70% 90% 5% 5%
43	CZ	360	42% 39% 58%
44	Ca	602	28% 90% 8%
45	Cb	324	19% 73% 5% 22%
46	Cd	440	23% 61% 5% 34%
47	Cg	498	18% 88% 9%
48	Ci	181	35% 79% 12% 9%
49	Cj	257	11% 82% 6% 12%
50	Ck	874	19% 73% 7% 20%
51	Cm	215	75% 79% 12% 9%
52	Cn	250	44% 42% 56%
53	Cp	187	29% 87% 6% 6%
54	Cq	263	16% 89% 6%
55	Cr	439	10% 53% 5% 41%
56	Cv	1211	23% 82% 6% 13%
57	CA	621	63% 50% 49%
58	UO	5	80% 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	UP	7	100%
59	UW	7	71% 100%
60	UQ	32	100%
61	UR	8	100%
61	UV	8	25% 100%
61	UX	8	25% 100%
62	US	54	100%
63	UT	44	98% 100%
64	A0	185	21% 74% 8% 18%
65	A1	241	36% 78% 11% 10%
66	A2	471	9% 86% 9% 5%
67	A3	218	17% 64% 5% 31%
68	A4	183	37% 85% 7% 8%
69	A5	80	16% 62% 6% 31%
70	A6	114	39% 55% 8% 37%
71	A8	181	45% 68% 10% 22%
72	A9	184	22% 24% 71%
73	AE	473	25% 56% 5% 38%
74	AF	459	23% 90% 7%
75	AI	263	21% 73% 8% 19%
76	AJ	177	33% 66% 6% 29%
77	AK	342	27% 83% 12% 6%
78	AN	202	41% 83% 6% 11%
79	AP	374	33% 83% 11% 6%
80	AQ	167	29% 72% 25%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
81	AR	301	21% 70% 5% 25%
82	AT	144	14% 22% 76%
83	AU	213	25% 74% 8% 18%
84	AV	188	28% 87% 9%
85	AW	278	29% 88% 11%
86	AX	246	15% 65% 32%
87	AY	378	21% 81% 8% 10%
88	Ab	507	20% 83% 6% 11%
89	Ad	289	21% 80% 9% 11%
90	Ae	197	14% 54% 5% 41%
91	Af	189	20% 60% 7% 33%
92	Ag	260	26% 93% 7%
93	Aj	296	14% 91% 6%
94	Al	218	33% 88% 8%
95	Ao	259	28% 64% 7% 29%
96	Ap	309	35% 77% 8% 16%
97	At	154	32% 79% 10% 10%
98	Av	242	22% 79% 9% 12%
99	AB	56	82% 100%
100	AC	28	79% 100%
100	AD	28	96% 100%
101	AG	27	100%
102	AA	1179	11% 25% 25% 50%
103	BA	831	24% 75% 7% 18%
104	BB	541	16% 66% 6% 28%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
105	BC	523	
106	BD	547	
107	BE	449	
108	BF	426	
109	BG	378	
110	BH	349	
111	BI	343	
112	BJ	333	
113	BK	386	
114	BL	312	
115	BM	283	
116	BN	302	
117	BO	262	
118	BP	266	
119	BQ	231	
120	BR	205	
121	BS	160	
122	BT	191	
123	BU	185	
124	BV	190	
125	BW	188	
126	BX	190	
127	BY	172	
128	BZ	190	
129	Ba	139	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
130	Bb	162	12% 51% 10% 39%
131	Bc	146	29% 58% 38%
132	Bd	144	17% 88% 9%
133	Be	113	51% 83% 6% 11%
134	Bf	113	14% 41% 56%
135	Bg	105	28% 71% 7% 22%
136	Bh	92	72% 84% 14%
137	UA	46	30% 100%
138	UB	40	30% 100%
139	UC	12	92% 100%
139	UH	12	25% 100%
140	UD	177	63% 99%
141	UE	22	82% 100%
142	UF	24	54% 100%
142	UG	24	63% 100%
142	UN	24	92% 96%
143	UI	17	71% 100%
144	UK	10	10% 100%
145	UL	15	53% 100%
146	UM	6	100%
147	UU	11	64% 91% 9%

2 Entry composition i

There are 156 unique types of molecules in this entry. The entry contains 311240 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ms48.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	DA	1557	12482	7881	2226	2337	38	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DA	894	HIS	ASN	conflict	UNP Q57UJ2
DA	1181	THR	ILE	conflict	UNP Q57UJ2
DA	1333	ALA	VAL	conflict	UNP Q57UJ2
DA	1700	ARG	HIS	conflict	UNP Q57UJ2
DA	1761	LYS	ARG	conflict	UNP Q57UJ2

- Molecule 2 is a protein called ms51.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	DD	791	6523	4127	1184	1171	41	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DD	371	PRO	SER	conflict	UNP Q385L8
DD	599	ALA	VAL	conflict	UNP Q385L8

- Molecule 3 is a protein called ms56.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	DI	390	3182	2020	554	594	14	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DI	92	GLU	GLY	conflict	UNP Q587C2
DI	116	ASP	GLU	conflict	UNP Q587C2

- Molecule 4 is a protein called ms59.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	DL	283	2287	1451	423	401	12	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DL	274	THR	ALA	conflict	UNP Q38BS2

- Molecule 5 is a protein called ms60.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	DM	294	2430	1533	459	426	12	0	0

- Molecule 6 is a protein called ms61.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	DN	257	2091	1331	379	371	10	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DN	51	GLY	SER	conflict	UNP Q38D60

- Molecule 7 is a protein called ms62.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	DO	222	1804	1127	327	340	10	0	0

- Molecule 8 is a protein called ms63.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	DP	207	1760	1132	312	307	9	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DP	3	HIS	ARG	conflict	UNP Q38F25

- Molecule 9 is a protein called ms64.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	DQ	256	2061	1293	389	370	9	0	0

- Molecule 10 is a protein called ms65.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	DR	251	2025	1304	369	342	10	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DR	128	PRO	SER	conflict	UNP C9ZPP1

- Molecule 11 is a protein called ms66.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	DS	238	1904	1185	356	348	15	0	0

- Molecule 12 is a protein called ms68.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	DU	213	1754	1103	310	335	6	0	0

- Molecule 13 is a protein called ms73.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	DZ	82	697	457	113	123	4	0	0

- Molecule 14 is a protein called ms74.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	Da	55	501	315	109	74	3	0	0

- Molecule 15 is a protein called ms49.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	DB	1111	9148	5691	1717	1711	29	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DB	359	ILE	THR	conflict	UNP C9ZJE4

- Molecule 16 is a protein called ms50.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	DC	1095	8748	5519	1544	1654	31	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DC	373	GLY	GLU	conflict	UNP C9ZSK8
DC	671	ARG	CYS	conflict	UNP C9ZSK8
DC	696	VAL	ALA	conflict	UNP C9ZSK8

- Molecule 17 is a protein called mS52.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	DE	590	4831	3075	874	863	19	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DE	378	UNK	LYS	conflict	UNP Q386Q7
DE	384	UNK	THR	conflict	UNP Q386Q7
DE	?	-	SER	deletion	UNP Q386Q7

- Molecule 18 is a protein called ms53.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	DF	590	4747	2979	896	847	25	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DF	18	THR	ALA	conflict	UNP Q38ET1
DF	258	ASP	ASN	conflict	UNP Q38ET1
DF	372	ASN	ASP	conflict	UNP Q38ET1
DF	406	ASN	SER	conflict	UNP Q38ET1
DF	510	ASP	GLY	conflict	UNP Q38ET1
DF	577	ALA	VAL	conflict	UNP Q38ET1
DF	636	UNK	GLY	conflict	UNP Q38ET1
DF	638	LYS	ARG	conflict	UNP Q38ET1

- Molecule 19 is a protein called ms54.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	DG	566	4575	2875	835	834	31	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DG	428	ASN	SER	conflict	UNP Q57ZP8
DG	429	GLY	SER	conflict	UNP Q57ZP8

- Molecule 20 is a protein called ms55.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	DH	564	4578	2872	850	834	22	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DH	191	HIS	GLN	conflict	UNP Q580V1
DH	194	PRO	ARG	conflict	UNP Q580V1
DH	488	GLY	SER	conflict	UNP Q580V1

- Molecule 21 is a protein called ms57.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	DJ	315	2572	1646	452	460	14	0	0

- Molecule 22 is a protein called ms58.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	DK	255	2007	1260	365	377	5	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DK	61	SER	PRO	conflict	UNP Q38BP1
DK	257	GLY	SER	conflict	UNP Q38BP1

- Molecule 23 is a protein called ms67.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	DT	239	2058	1321	364	362	11	0	0

- Molecule 24 is a protein called ms69.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	DV	160	1346	855	252	235	4	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
DV	163	ALA	THR	conflict	UNP Q57UZ6

- Molecule 25 is a protein called ms70.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	DW	161	1359	866	260	228	5	0	0

- Molecule 26 is a protein called ms71.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	DX	141	1196	762	226	201	7	0	0

- Molecule 27 is a protein called ms72.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	DY	154	1293	827	245	216	5	0	0

- Molecule 28 is a protein called uS3m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	CC	74	646	451	96	98	1	0	0

There are 38 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CC	4	MET	-	initiating methionine	UNP E0A3K1
CC	5	PHE	-	expression tag	UNP E0A3K1
CC	6	LEU	-	expression tag	UNP E0A3K1
CC	7	ILE	-	expression tag	UNP E0A3K1
CC	8	HIS	-	expression tag	UNP E0A3K1
CC	9	PHE	-	expression tag	UNP E0A3K1
CC	10	VAL	-	expression tag	UNP E0A3K1
CC	11	HIS	-	expression tag	UNP E0A3K1
CC	12	TYR	-	expression tag	UNP E0A3K1
CC	13	LYS	-	expression tag	UNP E0A3K1
CC	14	THR	-	expression tag	UNP E0A3K1
CC	15	ILE	-	expression tag	UNP E0A3K1
CC	16	LEU	-	expression tag	UNP E0A3K1
CC	17	GLN	-	expression tag	UNP E0A3K1
CC	18	LYS	-	expression tag	UNP E0A3K1
CC	20	THR	LYS	conflict	UNP E0A3K1
CC	21	PHE	ILE	conflict	UNP E0A3K1
CC	24	LYS	ILE	conflict	UNP E0A3K1
CC	25	HIS	PHE	conflict	UNP E0A3K1
CC	26	ILE	ASN	conflict	UNP E0A3K1
CC	27	PHE	LEU	conflict	UNP E0A3K1
CC	28	LEU	TYR	conflict	UNP E0A3K1
CC	29	SER	CYS	conflict	UNP E0A3K1
CC	32	LYS	ASN	conflict	UNP E0A3K1
CC	36	LEU	ILE	conflict	UNP E0A3K1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
CC	37	PHE	TYR	conflict	UNP E0A3K1
CC	40	ILE	LEU	conflict	UNP E0A3K1
CC	41	SER	ASN	conflict	UNP E0A3K1
CC	45	ILE	LEU	conflict	UNP E0A3K1
CC	50	ILE	LEU	conflict	UNP E0A3K1
CC	57	ILE	VAL	conflict	UNP E0A3K1
CC	62	PHE	LEU	conflict	UNP E0A3K1
CC	65	ILE	LEU	conflict	UNP E0A3K1
CC	68	PHE	LEU	conflict	UNP E0A3K1
CC	74	LEU	-	expression tag	UNP E0A3K1
CC	75	ILE	-	expression tag	UNP E0A3K1
CC	76	SER	-	expression tag	UNP E0A3K1
CC	77	THR	-	expression tag	UNP E0A3K1

- Molecule 29 is a protein called uS55m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	CE	417	3399	2151	632	600	16	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CE	341	ARG	LYS	conflict	UNP Q38AX6

- Molecule 30 is a protein called bS6m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	CF	159	1292	821	228	237	6	0	0

- Molecule 31 is a protein called uS8m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	CH	273	2228	1387	432	398	11	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CH	74	ASN	SER	conflict	UNP Q388R7

- Molecule 32 is a protein called uS9m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	CI	424	3386	2136	611	622	17	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CI	370	ALA	VAL	conflict	UNP Q57W62

- Molecule 33 is a protein called uS10m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	CJ	800	6516	4119	1151	1216	30	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CJ	311	LEU	TYR	conflict	UNP Q57Z45
CJ	484	HIS	ARG	conflict	UNP Q57Z45
CJ	488	SER	ASN	conflict	UNP Q57Z45
CJ	594	GLU	VAL	conflict	UNP Q57Z45
CJ	629	ARG	LYS	conflict	UNP Q57Z45

- Molecule 34 is a protein called uS11m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	CK	293	2418	1506	458	437	17	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CK	3	ARG	GLN	conflict	UNP Q389T7
CK	138	UNK	ILE	conflict	UNP Q389T7

- Molecule 35 is a protein called uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	CL	87	733	503	113	107	10	0	0

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CL	54	LEU	-	expression tag	UNP A0A0E3J9R6
CL	55	PHE	-	expression tag	UNP A0A0E3J9R6
CL	56	PHE	-	expression tag	UNP A0A0E3J9R6
CL	57	LEU	-	expression tag	UNP A0A0E3J9R6
CL	58	ARG	-	expression tag	UNP A0A0E3J9R6
CL	103	MET	LEU	conflict	UNP A0A0E3J9R6
CL	?	-	VAL	deletion	UNP A0A0E3J9R6
CL	112	ILE	PHE	conflict	UNP A0A0E3J9R6
CL	115	VAL	HIS	conflict	UNP A0A0E3J9R6
CL	116	MET	LEU	conflict	UNP A0A0E3J9R6
CL	132	VAL	ILE	conflict	UNP A0A0E3J9R6
CL	138	ILE	MET	conflict	UNP A0A0E3J9R6
CL	139	VAL	-	expression tag	UNP A0A0E3J9R6
CL	140	SER	-	expression tag	UNP A0A0E3J9R6

- Molecule 36 is a protein called uS14m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	CN	157	1322	843	251	220	8	0	0

- Molecule 37 is a protein called uS15m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	CO	361	3003	1907	560	520	16	0	0

- Molecule 38 is a protein called bS16m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	CP	180	1489	956	274	250	9	0	0

- Molecule 39 is a protein called uS17m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	CQ	190	1584	1015	302	259	8	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CQ	138	ALA	VAL	conflict	UNP Q38DP8

- Molecule 40 is a protein called bS18m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	CR	314	2567	1623	471	465	8	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CR	8	ILE	VAL	conflict	UNP Q38AS2

- Molecule 41 is a protein called uS19m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	CS	142	1175	761	210	198	6	0	0

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CS	-71	MET	-	initiating methionine	UNP Q584T8
CS	-70	ALA	-	expression tag	UNP Q584T8
CS	-69	PHE	-	expression tag	UNP Q584T8
CS	-68	ARG	-	expression tag	UNP Q584T8
CS	-67	ASN	-	expression tag	UNP Q584T8
CS	-66	THR	-	expression tag	UNP Q584T8
CS	-65	PHE	-	expression tag	UNP Q584T8
CS	-64	THR	-	expression tag	UNP Q584T8
CS	-63	THR	-	expression tag	UNP Q584T8
CS	-62	PRO	-	expression tag	UNP Q584T8
CS	-61	GLY	-	expression tag	UNP Q584T8
CS	-60	LYS	-	expression tag	UNP Q584T8
CS	-59	PHE	-	expression tag	UNP Q584T8
CS	-58	SER	-	expression tag	UNP Q584T8
CS	-57	THR	-	expression tag	UNP Q584T8
CS	-56	VAL	-	expression tag	UNP Q584T8
CS	-55	SER	-	expression tag	UNP Q584T8
CS	-54	LYS	-	expression tag	UNP Q584T8
CS	-53	ASN	-	expression tag	UNP Q584T8
CS	-52	ILE	-	expression tag	UNP Q584T8
CS	-51	VAL	-	expression tag	UNP Q584T8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
CS	-50	LEU	-	expression tag	UNP Q584T8
CS	-49	LEU	-	expression tag	UNP Q584T8
CS	-48	LEU	-	expression tag	UNP Q584T8
CS	-47	ILE	-	expression tag	UNP Q584T8
CS	-46	TRP	-	expression tag	UNP Q584T8
CS	-45	ARG	-	expression tag	UNP Q584T8
CS	-44	VAL	-	expression tag	UNP Q584T8
CS	-43	LYS	-	expression tag	UNP Q584T8
CS	-42	VAL	-	expression tag	UNP Q584T8
CS	-41	PHE	-	expression tag	UNP Q584T8
CS	-40	LEU	-	expression tag	UNP Q584T8
CS	-39	ARG	-	expression tag	UNP Q584T8
CS	-38	ALA	-	expression tag	UNP Q584T8
CS	-37	GLU	-	expression tag	UNP Q584T8
CS	-36	GLY	-	expression tag	UNP Q584T8
CS	-35	PHE	-	expression tag	UNP Q584T8
CS	-34	ALA	-	expression tag	UNP Q584T8
CS	-33	HIS	-	expression tag	UNP Q584T8
CS	-32	SER	-	expression tag	UNP Q584T8
CS	-31	LEU	-	expression tag	UNP Q584T8
CS	-30	VAL	-	expression tag	UNP Q584T8
CS	-29	MET	-	expression tag	UNP Q584T8
CS	-28	LEU	-	expression tag	UNP Q584T8
CS	-27	PRO	-	expression tag	UNP Q584T8
CS	-26	VAL	-	expression tag	UNP Q584T8
CS	-25	SER	-	expression tag	UNP Q584T8
CS	-24	LEU	-	expression tag	UNP Q584T8
CS	-23	TYR	-	expression tag	UNP Q584T8
CS	-22	SER	-	expression tag	UNP Q584T8
CS	-21	LYS	-	expression tag	UNP Q584T8
CS	-20	ILE	-	expression tag	UNP Q584T8
CS	-19	LEU	-	expression tag	UNP Q584T8
CS	-18	LEU	-	expression tag	UNP Q584T8
CS	-17	CYS	-	expression tag	UNP Q584T8
CS	-16	ASP	-	expression tag	UNP Q584T8
CS	-15	VAL	-	expression tag	UNP Q584T8
CS	-14	LYS	-	expression tag	UNP Q584T8
CS	-13	LYS	-	expression tag	UNP Q584T8
CS	-12	LYS	-	expression tag	UNP Q584T8
CS	-11	ILE	-	expression tag	UNP Q584T8
CS	-10	VAL	-	expression tag	UNP Q584T8
CS	-9	TYR	-	expression tag	UNP Q584T8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
CS	-8	PHE	-	expression tag	UNP Q584T8
CS	-7	HIS	-	expression tag	UNP Q584T8
CS	-6	CYS	-	expression tag	UNP Q584T8
CS	-5	CYS	-	expression tag	UNP Q584T8
CS	-4	THR	-	expression tag	UNP Q584T8
CS	-3	ARG	-	expression tag	UNP Q584T8
CS	-2	LYS	-	expression tag	UNP Q584T8
CS	-1	LYS	-	expression tag	UNP Q584T8
CS	0	SER	-	expression tag	UNP Q584T8

- Molecule 42 is a protein called bS12m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	CU	184	1538	965	307	254	12	0	0

- Molecule 43 is a protein called mt-IF-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	CZ	151	1212	759	231	215	7	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CZ	30	THR	ILE	conflict	UNP C9ZRZ4

- Molecule 44 is a protein called mS22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	Ca	592	5004	3201	898	882	23	0	0

- Molecule 45 is a protein called mS23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	Cb	252	2056	1300	368	380	8	0	0

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Cb	244	SER	ASN	conflict	UNP Q57VB2
Cb	?	-	GLU	deletion	UNP Q57VB2
Cb	312	CYS	-	expression tag	UNP Q57VB2
Cb	313	SER	-	expression tag	UNP Q57VB2
Cb	314	ARG	-	expression tag	UNP Q57VB2
Cb	315	ASP	-	expression tag	UNP Q57VB2
Cb	316	GLY	-	expression tag	UNP Q57VB2
Cb	317	PHE	-	expression tag	UNP Q57VB2
Cb	318	ALA	-	expression tag	UNP Q57VB2
Cb	319	LEU	-	expression tag	UNP Q57VB2
Cb	320	MET	-	expression tag	UNP Q57VB2
Cb	321	LYS	-	expression tag	UNP Q57VB2
Cb	322	ALA	-	expression tag	UNP Q57VB2
Cb	323	ASN	-	expression tag	UNP Q57VB2
Cb	324	LYS	-	expression tag	UNP Q57VB2

- Molecule 46 is a protein called mS26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	Cd	291	2389	1491	442	446	10	0	0

- Molecule 47 is a protein called mS29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	Cg	482	3904	2499	684	701	20	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Cg	181	VAL	ALA	conflict	UNP Q585C2
Cg	498	ARG	-	expression tag	UNP Q585C2

- Molecule 48 is a protein called mS33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	Ci	165	1348	848	247	244	9	0	0

- Molecule 49 is a protein called mS34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	Cj	226	1792	1138	310	340	4	0	0

- Molecule 50 is a protein called mS35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	Ck	703	5596	3503	1017	1050	26	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Ck	107	SER	LEU	conflict	UNP Q387C7
Ck	144	PHE	LEU	conflict	UNP Q387C7
Ck	253	TYR	PHE	conflict	UNP Q387C7
Ck	339	GLU	VAL	conflict	UNP Q387C7
Ck	871	GLY	GLU	conflict	UNP Q387C7

- Molecule 51 is a protein called mS37.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	Cm	196	1577	975	304	289	9	0	0

- Molecule 52 is a protein called mS38.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	Cn	110	912	585	181	143	3	0	0

- Molecule 53 is a protein called ms34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	Cp	175	1483	937	268	273	5	0	0

- Molecule 54 is a protein called ms42.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	Cq	252	2005	1285	342	369	9	0	0

- Molecule 55 is a protein called mS43.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	Cr	257	1999	1261	368	356	14	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Cr	351	LYS	GLU	conflict	UNP Q585I1

- Molecule 56 is a protein called mS47.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	Cv	1059	8557	5387	1535	1596	39	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Cv	16	CYS	PRO	conflict	UNP Q383R4
Cv	718	THR	ALA	conflict	UNP Q383R4
Cv	1179	GLU	GLY	conflict	UNP Q383R4

- Molecule 57 is a RNA chain called 9s rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
57	CA	621	13122	5906	2227	4368	621	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CA	298	U	C	conflict	GB 343546
CA	473	U	G	conflict	GB 343546
CA	614	U	-	expression tag	GB 343546
CA	615	U	-	expression tag	GB 343546
CA	616	U	-	expression tag	GB 343546
CA	617	U	-	expression tag	GB 343546
CA	618	U	-	expression tag	GB 343546
CA	619	U	-	expression tag	GB 343546
CA	620	U	-	expression tag	GB 343546
CA	621	U	-	expression tag	GB 343546

- Molecule 58 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
58	UO	5	30	20	5	5	0	0

- Molecule 59 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
59	UP	7	42	28	7	7	0	0
59	UW	7	42	28	7	7	0	0

- Molecule 60 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
60	UQ	32	192	128	32	32	0	0

- Molecule 61 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
61	UR	8	48	32	8	8	0	0
61	UV	8	48	32	8	8	0	0
61	UX	8	48	32	8	8	0	0

- Molecule 62 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
62	US	54	324	216	54	54	0	0

- Molecule 63 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
63	UT	44	264	176	44	44	0	0

- Molecule 64 is a protein called bL27m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	A0	151	1269	801	236	227	5	0	0

- Molecule 65 is a protein called bL28m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	A1	217	1788	1138	324	317	9	0	0

- Molecule 66 is a protein called uL29m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	A2	449	3638	2324	631	670	13	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A2	238	GLY	ALA	conflict	UNP Q38EM7

- Molecule 67 is a protein called uL30m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	A3	150	1215	776	234	199	6	0	0

- Molecule 68 is a protein called bL31m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	A4	168	1387	880	262	240	5	0	0

- Molecule 69 is a protein called bL32m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	A5	55	483	311	90	76	6	0	0

- Molecule 70 is a protein called bL33m.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	A6	72	Total	C	N	O	S	0	0
			568	361	102	101	4		

- Molecule 71 is a protein called bL35m.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	A8	142	Total	C	N	O	S	0	0
			1203	753	243	198	9		

- Molecule 72 is a protein called bL36m.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	A9	53	Total	C	N	O	S	0	0
			459	288	85	78	8		

- Molecule 73 is a protein called uL3m.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	AE	293	Total	C	N	O	S	0	0
			2390	1543	395	440	12		

- Molecule 74 is a protein called uL4m.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	AF	442	Total	C	N	O	S	0	0
			3597	2294	624	654	25		

- Molecule 75 is a protein called bL9m.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	AI	212	Total	C	N	O	S	0	0
			1790	1153	316	312	9		

- Molecule 76 is a protein called uL10m.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	AJ	126	Total	C	N	O	S	0	0
			965	606	191	165	3		

- Molecule 77 is a protein called uL11m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
77	AK	323	2676	1703	485	469	19	0	0

- Molecule 78 is a protein called 50S ribosomal protein L13, putative.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
78	AN	179	1508	973	275	251	9	0	0

- Molecule 79 is a protein called uL15m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
79	AP	352	2904	1846	538	507	13	0	0

- Molecule 80 is a protein called 50S ribosomal protein L16, putative.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
80	AQ	125	1020	658	183	175	4	0	0

- Molecule 81 is a protein called 50S ribosomal protein L17, putative.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
81	AR	227	1912	1211	356	332	13	0	0

- Molecule 82 is a protein called bL19m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
82	AT	35	287	180	61	45	1	0	0

- Molecule 83 is a protein called bL20m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
83	AU	175	1423	895	280	243	5	0	0

- Molecule 84 is a protein called bL21m.

Mol	Chain	Residues	Atoms					AltConf	Trace
84	AV	181	Total	C	N	O	S	0	0
			1424	909	257	252	6		

- Molecule 85 is a protein called uL22m.

Mol	Chain	Residues	Atoms					AltConf	Trace
85	AW	276	Total	C	N	O	S	0	0
			2235	1416	415	391	13		

- Molecule 86 is a protein called uL23m.

Mol	Chain	Residues	Atoms					AltConf	Trace
86	AX	168	Total	C	N	O	S	0	0
			1416	913	253	245	5		

- Molecule 87 is a protein called uL24m.

Mol	Chain	Residues	Atoms					AltConf	Trace
87	AY	340	Total	C	N	O	S	0	0
			2712	1689	493	517	13		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AY	345	GLU	VAL	conflict	UNP C9ZK52

- Molecule 88 is a protein called mL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
88	Ab	453	Total	C	N	O	S	0	0
			3545	2252	621	657	15		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Ab	290	SER	PHE	conflict	UNP Q381T7
Ab	299	GLU	LYS	conflict	UNP Q381T7
Ab	471	ASN	ILE	conflict	UNP Q381T7

- Molecule 89 is a protein called mL40.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
89	Ad	257	2122	1319	386	405	12	0	0

- Molecule 90 is a protein called mL41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
90	Ae	116	927	594	170	158	5	0	0

- Molecule 91 is a protein called mL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
91	Af	126	1013	630	196	183	4	0	0

- Molecule 92 is a protein called mL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
92	Ag	259	2193	1368	422	392	11	0	0

- Molecule 93 is a protein called mL46.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
93	Aj	279	2246	1408	414	416	8	0	0

- Molecule 94 is a protein called mL49.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
94	Al	209	1618	1051	281	279	7	0	0

- Molecule 95 is a protein called mL52.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
95	Ao	183	1475	936	272	264	3	0	0

- Molecule 96 is a protein called mL53.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
96	Ap	261	2143	1391	372	368	12	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Ap	2	LEU	SER	conflict	UNP Q57YA9

- Molecule 97 is a protein called mL63.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
97	At	138	1100	690	210	196	4	0	0

- Molecule 98 is a protein called mL68.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
98	Av	213	1792	1138	333	308	13	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Av	164	ARG	GLN	conflict	UNP Q383B7

- Molecule 99 is a protein called bL12m.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
99	AB	56	280	168	56	56	0	0

- Molecule 100 is a protein called bL12m.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
100	AC	28	140	84	28	28	0	0
100	AD	28	140	84	28	28	0	0

- Molecule 101 is a protein called bL12m.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
101	AG	27	135	81	27	27	0	0

- Molecule 102 is a RNA chain called 12S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
102	AA	591	12491	5628	2125	4147	591	0	0

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AA	448	A	U	conflict	GB 343546
AA	454	U	G	conflict	GB 343546
AA	455	U	G	conflict	GB 343546
AA	622	A	U	conflict	GB 343546
AA	636	A	G	conflict	GB 343546
AA	702	G	A	conflict	GB 343546
AA	706	C	U	conflict	GB 343546
AA	743	C	G	conflict	GB 343546
AA	752	G	A	conflict	GB 343546
AA	757	U	A	conflict	GB 343546
AA	760	U	G	conflict	GB 343546
AA	762	U	G	conflict	GB 343546
AA	789	G	C	conflict	GB 343546
AA	793	G	U	conflict	GB 343546
AA	877	A	UNK	conflict	GB 343546

- Molecule 103 is a protein called mL67.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
103	BA	679	5384	3422	948	981	33	0	0

- Molecule 104 is a protein called mL68.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
104	BB	389	3050	1883	535	619	13	0	0

There are 77 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BB	264	SER	ALA	conflict	UNP Q38CI0
BB	265	SER	PRO	conflict	UNP Q38CI0
BB	267	SER	HIS	conflict	UNP Q38CI0
BB	268	SER	GLY	conflict	UNP Q38CI0
BB	269	SER	ALA	conflict	UNP Q38CI0
BB	270	SER	LEU	conflict	UNP Q38CI0
BB	271	SER	THR	conflict	UNP Q38CI0
BB	272	SER	LEU	conflict	UNP Q38CI0
BB	273	SER	ASP	conflict	UNP Q38CI0
BB	274	SER	ASP	conflict	UNP Q38CI0
BB	275	SER	VAL	conflict	UNP Q38CI0
BB	276	SER	PRO	conflict	UNP Q38CI0
BB	277	SER	HIS	conflict	UNP Q38CI0
BB	278	SER	GLN	conflict	UNP Q38CI0
BB	279	SER	GLU	conflict	UNP Q38CI0
BB	280	SER	ALA	conflict	UNP Q38CI0
BB	281	SER	VAL	conflict	UNP Q38CI0
BB	282	SER	ARG	conflict	UNP Q38CI0
BB	283	SER	LEU	conflict	UNP Q38CI0
BB	284	SER	TYR	conflict	UNP Q38CI0
BB	285	SER	ARG	conflict	UNP Q38CI0
BB	286	SER	ASP	conflict	UNP Q38CI0
BB	287	SER	LEU	conflict	UNP Q38CI0
BB	288	SER	MET	conflict	UNP Q38CI0
BB	289	SER	GLU	conflict	UNP Q38CI0
BB	290	SER	LYS	conflict	UNP Q38CI0
BB	291	SER	ALA	conflict	UNP Q38CI0
BB	292	SER	ASP	conflict	UNP Q38CI0
BB	293	SER	MET	conflict	UNP Q38CI0
BB	294	SER	PRO	conflict	UNP Q38CI0
BB	295	SER	VAL	conflict	UNP Q38CI0
BB	296	SER	MET	conflict	UNP Q38CI0
BB	297	SER	LEU	conflict	UNP Q38CI0
BB	298	SER	GLY	conflict	UNP Q38CI0
BB	299	SER	ASN	conflict	UNP Q38CI0
BB	300	SER	GLY	conflict	UNP Q38CI0
BB	301	SER	ALA	conflict	UNP Q38CI0
BB	302	SER	GLU	conflict	UNP Q38CI0
BB	303	SER	ILE	conflict	UNP Q38CI0
BB	304	SER	PRO	conflict	UNP Q38CI0
BB	305	SER	PRO	conflict	UNP Q38CI0
BB	306	SER	MET	conflict	UNP Q38CI0
BB	307	SER	ASP	conflict	UNP Q38CI0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
BB	308	SER	LEU	conflict	UNP Q38CI0
BB	309	SER	ARG	conflict	UNP Q38CI0
BB	310	SER	ALA	conflict	UNP Q38CI0
BB	311	SER	LEU	conflict	UNP Q38CI0
BB	312	SER	PHE	conflict	UNP Q38CI0
BB	313	SER	HIS	conflict	UNP Q38CI0
BB	314	SER	LEU	conflict	UNP Q38CI0
BB	316	SER	ALA	conflict	UNP Q38CI0
BB	317	SER	ASN	conflict	UNP Q38CI0
BB	318	SER	PRO	conflict	UNP Q38CI0
BB	319	SER	GLU	conflict	UNP Q38CI0
BB	320	SER	ARG	conflict	UNP Q38CI0
BB	321	SER	MET	conflict	UNP Q38CI0
BB	322	SER	LYS	conflict	UNP Q38CI0
BB	323	SER	ALA	conflict	UNP Q38CI0
BB	324	SER	ALA	conflict	UNP Q38CI0
BB	326	SER	GLU	conflict	UNP Q38CI0
BB	327	SER	LEU	conflict	UNP Q38CI0
BB	330	SER	TRP	conflict	UNP Q38CI0
BB	331	SER	ARG	conflict	UNP Q38CI0
BB	332	SER	GLU	conflict	UNP Q38CI0
BB	333	SER	VAL	conflict	UNP Q38CI0
BB	334	SER	ARG	conflict	UNP Q38CI0
BB	335	SER	GLY	conflict	UNP Q38CI0
BB	336	SER	MET	conflict	UNP Q38CI0
BB	337	SER	LEU	conflict	UNP Q38CI0
BB	338	SER	ALA	conflict	UNP Q38CI0
BB	339	SER	PRO	conflict	UNP Q38CI0
BB	340	SER	VAL	conflict	UNP Q38CI0
BB	341	SER	GLN	conflict	UNP Q38CI0
BB	342	SER	GLU	conflict	UNP Q38CI0
BB	343	SER	VAL	conflict	UNP Q38CI0
BB	361	ALA	VAL	conflict	UNP Q38CI0
BB	403	THR	ARG	conflict	UNP Q38CI0

- Molecule 105 is a protein called mL69.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
105	BC	478	3821	2451	670	680	20	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BC	29	PRO	SER	conflict	UNP Q584V5
BC	42	GLY	SER	conflict	UNP Q584V5

- Molecule 106 is a protein called mL70.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
106	BD	417	2063	1229	417	417	0	0

There are 56 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BD	47	CYS	LEU	conflict	UNP C9ZR91
BD	49	CYS	LEU	conflict	UNP C9ZR91
BD	50	LEU	SER	conflict	UNP C9ZR91
BD	51	TRP	LEU	conflict	UNP C9ZR91
BD	52	SER	VAL	conflict	UNP C9ZR91
BD	53	ILE	HIS	conflict	UNP C9ZR91
BD	55	LEU	PRO	conflict	UNP C9ZR91
BD	56	SER	GLN	conflict	UNP C9ZR91
BD	57	PHE	LEU	conflict	UNP C9ZR91
BD	58	ARG	PRO	conflict	UNP C9ZR91
BD	59	CYS	VAL	conflict	UNP C9ZR91
BD	60	PHE	LEU	conflict	UNP C9ZR91
BD	61	CYS	LEU	conflict	UNP C9ZR91
BD	63	ARG	SER	conflict	UNP C9ZR91
BD	64	SER	PHE	conflict	UNP C9ZR91
BD	65	TYR	LEU	conflict	UNP C9ZR91
BD	66	ALA	CYS	conflict	UNP C9ZR91
BD	67	ILE	ASP	conflict	UNP C9ZR91
BD	68	MET	HIS	conflict	UNP C9ZR91
BD	69	LEU	ALA	conflict	UNP C9ZR91
BD	?	-	THR	deletion	UNP C9ZR91
BD	?	-	THR	deletion	UNP C9ZR91
BD	?	-	PHE	deletion	UNP C9ZR91
BD	?	-	PHE	deletion	UNP C9ZR91
BD	?	-	SER	deletion	UNP C9ZR91
BD	?	-	ASP	deletion	UNP C9ZR91
BD	?	-	ASN	deletion	UNP C9ZR91
BD	?	-	SER	deletion	UNP C9ZR91
BD	71	LEU	ASP	conflict	UNP C9ZR91
BD	73	SER	HIS	conflict	UNP C9ZR91
BD	76	THR	PHE	conflict	UNP C9ZR91

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
BD	80	SER	ALA	conflict	UNP C9ZR91
BD	81	ILE	ASN	conflict	UNP C9ZR91
BD	82	PHE	TYR	conflict	UNP C9ZR91
BD	83	LEU	TYR	conflict	UNP C9ZR91
BD	84	SER	LEU	conflict	UNP C9ZR91
BD	86	LYS	-	insertion	UNP C9ZR91
BD	87	LEU	-	insertion	UNP C9ZR91
BD	88	PRO	-	insertion	UNP C9ZR91
BD	89	ILE	-	insertion	UNP C9ZR91
BD	90	THR	-	insertion	UNP C9ZR91
BD	93	LEU	SER	conflict	UNP C9ZR91
BD	95	SER	-	insertion	UNP C9ZR91
BD	96	PRO	PHE	conflict	UNP C9ZR91
BD	99	VAL	CYS	conflict	UNP C9ZR91
BD	100	PHE	VAL	conflict	UNP C9ZR91
BD	101	VAL	CYS	conflict	UNP C9ZR91
BD	102	PHE	LEU	conflict	UNP C9ZR91
BD	103	VAL	ARG	conflict	UNP C9ZR91
BD	104	PHE	TYR	conflict	UNP C9ZR91
BD	105	ALA	SER	conflict	UNP C9ZR91
BD	106	ILE	LEU	conflict	UNP C9ZR91
BD	107	ARG	LEU	conflict	UNP C9ZR91
BD	108	TYR	TRP	conflict	UNP C9ZR91
BD	109	CYS	VAL	conflict	UNP C9ZR91
BD	110	GLY	THR	conflict	UNP C9ZR91

- Molecule 107 is a protein called mL71.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
107	BE	392	3105	1970	540	582	13	0	0

- Molecule 108 is a protein called mL72.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
108	BF	345	2838	1797	517	511	13	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BF	296	ILE	THR	conflict	UNP C9ZR63

- Molecule 109 is a protein called mL73.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
109	BG	319	2503	1578	449	459	17	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BG	185	PHE	LEU	conflict	UNP Q57Y49

- Molecule 110 is a protein called mL74.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
110	BH	211	1729	1110	301	315	3	0	0

- Molecule 111 is a protein called mL75.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
111	BI	319	2609	1664	473	456	16	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BI	227	ASN	ASP	conflict	UNP Q38CK0
BI	319	ARG	GLN	conflict	UNP Q38CK0
BI	343	ALA	-	expression tag	UNP Q38CK0

- Molecule 112 is a protein called mL76.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
112	BJ	166	1339	832	262	239	6	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BJ	329	GLU	ALA	conflict	UNP Q383M2

- Molecule 113 is a protein called mL77.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
113	BK	258	1998	1239	383	368	8	0	0

There are 45 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BK	234	SER	GLU	conflict	UNP C9ZQR6
BK	235	SER	GLY	conflict	UNP C9ZQR6
BK	236	SER	ASP	conflict	UNP C9ZQR6
BK	237	SER	ASP	conflict	UNP C9ZQR6
BK	238	SER	GLY	conflict	UNP C9ZQR6
BK	240	SER	PRO	conflict	UNP C9ZQR6
BK	241	SER	ALA	conflict	UNP C9ZQR6
BK	242	SER	GLY	conflict	UNP C9ZQR6
BK	243	SER	ARG	conflict	UNP C9ZQR6
BK	244	SER	GLU	conflict	UNP C9ZQR6
BK	245	SER	GLU	conflict	UNP C9ZQR6
BK	247	SER	ILE	conflict	UNP C9ZQR6
BK	248	SER	ARG	conflict	UNP C9ZQR6
BK	249	SER	ARG	conflict	UNP C9ZQR6
BK	250	SER	VAL	conflict	UNP C9ZQR6
BK	251	SER	ALA	conflict	UNP C9ZQR6
BK	252	SER	ALA	conflict	UNP C9ZQR6
BK	253	SER	ALA	conflict	UNP C9ZQR6
BK	254	SER	ALA	conflict	UNP C9ZQR6
BK	255	SER	ALA	conflict	UNP C9ZQR6
BK	256	SER	GLU	conflict	UNP C9ZQR6
BK	257	SER	ARG	conflict	UNP C9ZQR6
BK	258	SER	PHE	conflict	UNP C9ZQR6
BK	259	SER	ALA	conflict	UNP C9ZQR6
BK	260	SER	GLU	conflict	UNP C9ZQR6
BK	261	SER	LYS	conflict	UNP C9ZQR6
BK	262	SER	VAL	conflict	UNP C9ZQR6
BK	263	SER	ARG	conflict	UNP C9ZQR6
BK	264	SER	ARG	conflict	UNP C9ZQR6
BK	265	SER	GLN	conflict	UNP C9ZQR6
BK	266	SER	TYR	conflict	UNP C9ZQR6
BK	267	SER	GLY	conflict	UNP C9ZQR6
BK	268	SER	PRO	conflict	UNP C9ZQR6
BK	269	SER	GLY	conflict	UNP C9ZQR6
BK	270	SER	MET	conflict	UNP C9ZQR6
BK	271	SER	LEU	conflict	UNP C9ZQR6
BK	272	SER	ARG	conflict	UNP C9ZQR6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
BK	273	SER	HIS	conflict	UNP C9ZQR6
BK	274	SER	ALA	conflict	UNP C9ZQR6
BK	275	SER	ARG	conflict	UNP C9ZQR6
BK	276	SER	VAL	conflict	UNP C9ZQR6
BK	277	SER	TYR	conflict	UNP C9ZQR6
BK	278	SER	THR	conflict	UNP C9ZQR6
BK	280	SER	LEU	conflict	UNP C9ZQR6
BK	348	VAL	LEU	conflict	UNP C9ZQR6

- Molecule 114 is a protein called mL78.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
114	BL	234	1887	1158	370	349	10	0	0

- Molecule 115 is a protein called mL79.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
115	BM	245	2015	1280	370	356	9	0	0

- Molecule 116 is a protein called mL80.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
116	BN	214	1746	1079	320	342	5	0	0

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BN	145	SER	ALA	conflict	UNP Q585A3
BN	146	SER	HIS	conflict	UNP Q585A3
BN	148	SER	GLY	conflict	UNP Q585A3
BN	149	SER	LEU	conflict	UNP Q585A3
BN	150	SER	ARG	conflict	UNP Q585A3
BN	151	SER	GLY	conflict	UNP Q585A3
BN	152	SER	ALA	conflict	UNP Q585A3
BN	153	SER	ALA	conflict	UNP Q585A3
BN	154	SER	ALA	conflict	UNP Q585A3
BN	155	SER	THR	conflict	UNP Q585A3
BN	156	SER	GLU	conflict	UNP Q585A3
BN	157	SER	THR	conflict	UNP Q585A3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
BN	159	SER	THR	conflict	UNP Q585A3
BN	160	SER	TYR	conflict	UNP Q585A3
BN	161	SER	ALA	conflict	UNP Q585A3
BN	162	SER	GLU	conflict	UNP Q585A3
BN	163	SER	LYS	conflict	UNP Q585A3
BN	164	SER	PHE	conflict	UNP Q585A3
BN	165	SER	ARG	conflict	UNP Q585A3
BN	166	SER	GLU	conflict	UNP Q585A3
BN	167	SER	MET	conflict	UNP Q585A3
BN	168	SER	ASN	conflict	UNP Q585A3
BN	169	SER	VAL	conflict	UNP Q585A3
BN	170	SER	GLU	conflict	UNP Q585A3
BN	171	SER	ALA	conflict	UNP Q585A3
BN	172	SER	LYS	conflict	UNP Q585A3
BN	173	SER	GLU	conflict	UNP Q585A3
BN	174	SER	ALA	conflict	UNP Q585A3

- Molecule 117 is a protein called mL81.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
117	BO	147	1146	719	202	213	12	0	0

- Molecule 118 is a protein called mL82.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
118	BP	202	1550	973	292	276	9	0	0

- Molecule 119 is a protein called mL83.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
119	BQ	216	1675	1061	291	315	8	0	0

- Molecule 120 is a protein called mL84.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
120	BR	195	1650	1059	298	284	9	0	0

- Molecule 121 is a protein called mL85.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
121	BS	97	784	493	141	144	6	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BS	45	ILE	VAL	conflict	UNP Q38FG8

- Molecule 122 is a protein called mL86.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
122	BT	168	1389	853	270	260	6	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BT	70	ARG	GLN	conflict	UNP C9ZPU8

- Molecule 123 is a protein called mL87.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
123	BU	82	694	436	139	115	4	0	0

- Molecule 124 is a protein called mL88.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
124	BV	155	1307	832	233	236	6	0	0

- Molecule 125 is a protein called mL89.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
125	BW	187	1557	987	298	264	8	0	0

- Molecule 126 is a protein called mL90.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
126	BX	107	867	552	160	147	8	0	0

- Molecule 127 is a protein called mS91.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
127	BY	102	877	549	171	154	3	0	0

- Molecule 128 is a protein called mL92.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
128	BZ	190	1390	878	242	263	7	0	0

- Molecule 129 is a protein called mL93.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
129	Ba	139	1224	785	223	209	7	0	0

- Molecule 130 is a protein called mL94.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
130	Bb	99	770	482	144	143	1	0	0

- Molecule 131 is a protein called mL95.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
131	Bc	90	781	495	148	138	0	0

- Molecule 132 is a protein called mL96.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
132	Bd	140	1113	689	209	204	11	0	0

- Molecule 133 is a protein called mL97.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
133	Be	101	822	517	152	144	9	0	0

- Molecule 134 is a protein called mL98.

Mol	Chain	Residues	Atoms				AltConf	Trace
134	Bf	50	Total	C	N	O	0	0
			434	279	80	75		

- Molecule 135 is a protein called mL99.

Mol	Chain	Residues	Atoms					AltConf	Trace
135	Bg	82	Total	C	N	O	S	0	0
			656	412	126	116	2		

- Molecule 136 is a protein called mL100.

Mol	Chain	Residues	Atoms					AltConf	Trace
136	Bh	91	Total	C	N	O	S	0	0
			730	466	129	125	10		

- Molecule 137 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
137	UA	46	Total	C	N	O	0	0
			276	184	46	46		

- Molecule 138 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
138	UB	40	Total	C	N	O	0	0
			240	160	40	40		

- Molecule 139 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
139	UC	12	Total	C	N	O	0	0
			72	48	12	12		
139	UH	12	Total	C	N	O	0	0
			72	48	12	12		

- Molecule 140 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
140	UD	177	Total	C	N	O	0	0
			1062	708	177	177		

- Molecule 141 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
141	UE	22	Total	C	N	O	0	0
			132	88	22	22		

- Molecule 142 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
142	UF	24	Total	C	N	O	0	0
			144	96	24	24		
142	UG	24	Total	C	N	O	0	0
			144	96	24	24		
142	UN	24	Total	C	N	O	0	0
			144	96	24	24		

- Molecule 143 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
143	UI	17	Total	C	N	O	0	0
			102	68	17	17		

- Molecule 144 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
144	UK	10	Total	C	N	O	0	0
			60	40	10	10		

- Molecule 145 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
145	UL	15	Total	C	N	O	0	0
			90	60	15	15		

- Molecule 146 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
146	UM	6	Total	C	N	O	0	0
			36	24	6	6		


- Molecule 147 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
147	UU	11	Total	C	N	O	0	0
			66	44	11	11		

- Molecule 148 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
148	DA	1	Total	Zn	0
			1	1	
148	DS	2	Total	Zn	0
			2	2	
148	Cr	1	Total	Zn	0
			1	1	
148	A5	1	Total	Zn	0
			1	1	
148	A9	1	Total	Zn	0
			1	1	
148	BX	2	Total	Zn	0
			2	2	
148	Be	1	Total	Zn	0
			1	1	
148	Bh	1	Total	Zn	0
			1	1	

- Molecule 149 is SPERMIDINE (three-letter code: SPD) (formula: C₇H₁₉N₃).




Mol	Chain	Residues	Atoms			AltConf
149	DL	1	Total	C	N	0
			10	7	3	
149	CA	1	Total	C	N	0
			10	7	3	
149	CA	1	Total	C	N	0
			10	7	3	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
			Total	C	N	
149	CA	1	10	7	3	0

- Molecule 150 is URIDINE 5'-TRIPHOSPHATE (three-letter code: UTP) (formula: $C_9H_{15}N_2O_{15}P_3$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
150	DJ	1	29	9	2	15	3	0

- Molecule 151 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
151	CO	1	1	1	0
151	CQ	1	1	1	0
151	Ca	1	1	1	0
151	Cg	1	1	1	0
151	Cv	1	1	1	0
151	CA	34	34	34	0
151	AA	7	7	7	0

- Molecule 152 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
152	Cg	1	32	10	5	14	3	0

- Molecule 153 is SPERMINE (three-letter code: SPM) (formula: $C_{10}H_{26}N_4$).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	N	
153	CA	1	14	10	4	0

- Molecule 154 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
154	Av	1	44	21	7	14	2	0

- Molecule 155 is SERINE (three-letter code: SER) (formula: $C_3H_7NO_3$).



Mol	Chain	Residues	Atoms		AltConf
			Total	O	
155	UB	1	1	1	0


- Molecule 156 is water.


Mol	Chain	Residues	Atoms		AltConf
156	Cg	3	Total 3	O 3	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ms48

Chain DA: 








• Molecule 2: ms51




• Molecule 3: ms56




• Molecule 4: ms59









• Molecule 5: ms60



• Molecule 6: ms61






• Molecule 7: ms62





PRO
ALA
GLY
ALA
HIS

• Molecule 8: ms63






LEU
GLU
ALA
LEU
ALA
ALA
LEU
GLU
ARG
GLY
GLY
LYS




• Molecule 9: ms64





• Molecule 10: ms65





• Molecule 11: ms66





• Molecule 12: ms68





• Molecule 13: ms73




• Molecule 14: ms74






• Molecule 15: ms49







• Molecule 16: ms50








• Molecule 17: mS52





• Molecule 18: ms53








• Molecule 19: ms54





• Molecule 20: ms55








• Molecule 21: ms57




• Molecule 22: ms58





• Molecule 23: ms67









• Molecule 24: ms69





• Molecule 25: ms70




• Molecule 26: ms71





• Molecule 27: ms72










• Molecule 28: uS3m




• Molecule 29: uS55m




• Molecule 30: bS6m





• Molecule 31: uS8m








• Molecule 32: uS9m





• Molecule 33: uS10m









• Molecule 34: uS11m




• Molecule 35: uS12





• Molecule 36: uS14m








• Molecule 37: uS15m



• Molecule 38: bS16m




• Molecule 39: uS17m




ASP	GLN	ASN	PRO	GLN	ARG	ASN	ARG	GLY	LEU	LEU	ASP	THR	PHE	THR	VAL	VAL	ASP	ASP	ASP	ASP	ASN	ASN	MET	ILE	ALA	ALA	PRO	PRO	ASN	ALA	ALA	ALA	LEU	LEU	ASP	ASP	SER	SER	SER	PRO	PRO	LEU	LEU	ASP	ASP	GLY	TYR	THR	THR	GLU	GLU	VAL	VAL	GLN	GLN	ASP	ASP	ASP	TRP
MET	ASN	LEU	LEU	THR	THR	THR	ASN	GLY	GLY	S7	I8	Y9	A10	H11	Q15	F16	A17	W23	L30	T31	K32	Q33	D34	S35	H39	T40	E41	P42	Q43	E44	K45	P46	A47	Y48	R49	G50	R51	K52	Q53	G54	R55	E56	G57	W58	L59	F60	Q63	V64	Q65	L66	H69	R70	E74	I77	T78				


● Molecule 40: bS18m




● Molecule 41: uS19m





● Molecule 42: bS12m









• Molecule 48: mS33




• Molecule 49: mS34





• Molecule 50: mS35








• Molecule 53: ms34




• Molecule 54: ms42




• Molecule 55: mS43




• Molecule 56: mS47







- Molecule 57: 9s rRNA





• Molecule 58: UNK





• Molecule 59: UNK




There are no outlier residues recorded for this chain.

• Molecule 59: UNK



• Molecule 60: UNK




• Molecule 61: UNK




There are no outlier residues recorded for this chain.


• Molecule 61: UNK




• Molecule 61: UNK





• Molecule 62: UNK




• Molecule 63: UNK




• Molecule 64: bL27m




• Molecule 65: bL28m




• Molecule 66: uL29m




• Molecule 67: uL30m




• Molecule 68: bL31m











• Molecule 69: bL32m






• Molecule 70: bL33m




• Molecule 71: bL35m




• Molecule 72: bL36m









• Molecule 76: uL10m




• Molecule 77: uL11m








• Molecule 78: 50S ribosomal protein L13, putative










• Molecule 79: uL15m




• Molecule 80: 50S ribosomal protein L16, putative




• Molecule 81: 50S ribosomal protein L17, putative









● Molecule 82: bL19m




● Molecule 83: bL20m




● Molecule 84: bL21m




● Molecule 85: uL22m









- Molecule 86: uL23m




- Molecule 87: uL24m





- Molecule 88: mL38







• Molecule 89: mL40




• Molecule 90: mL41




• Molecule 91: mL42








• Molecule 92: mL43



• Molecule 93: mL46




• Molecule 94: mL49





• Molecule 95: mL52









• Molecule 96: mL53




• Molecule 97: mL63





• Molecule 98: mL68








• Molecule 99: bL12m




• Molecule 100: bL12m






• Molecule 100: bL12m




• Molecule 101: bL12m



• Molecule 102: 12S rRNA







• Molecule 103: mL67



GLU GLU THR THR LEU ASP TYR LEU LEU LEU VAL GLU ASN PHE GLY ARG ARG LYS MET TRP SER LEU ASN GLY LYS SER VAL PHE ASP PHE SER LEU HIS ARG

GLY LYS MET TRP SER LEU ASN GLY LYS SER VAL PHE ASP PHE SER LEU HIS ARG

• Molecule 105: mL69





• Molecule 106: mL70





ARG VAL ASP ASP PHE LYS GLN VAL VAL PRO PRO GLN LEU LYS ALA ALA ASP ASP GLN VAL VAL ASP ASP PRO PRO LEU GLN ASP ASP GLY GLU GLU GLU ASP THR VAL ARG ARG THR VAL ALA ALA



• Molecule 107: mL71




• Molecule 108: mL72







• Molecule 109: mL73












- Molecule 110: mL74




- Molecule 111: mL75





- Molecule 112: mL76







• Molecule 113: mL77





• Molecule 114: mL78







• Molecule 115: mL79



• Molecule 116: mL80




• Molecule 117: mL81





THR
ASP
GLU
CYS
ALA
GLU
ARG
VAL
THR
GLN
ARG
TRP
ALA
GLU
ARG
CYS
GLU



• Molecule 118: mL82




• Molecule 119: mL83




• Molecule 120: mL84





• Molecule 121: mL85











• Molecule 122: mL86



• Molecule 123: mL87




• Molecule 124: mL88




• Molecule 125: mL89




• Molecule 126: mL90




• Molecule 127: mS91




• Molecule 128: mL92




• Molecule 129: mL93




• Molecule 130: mL94





• Molecule 131: mL95





• Molecule 132: mL96




• Molecule 133: mL97





• Molecule 134: mL98









• Molecule 135: mL99




• Molecule 136: mL100




• Molecule 137: UNK



• Molecule 138: UNK




• Molecule 139: UNK





• Molecule 139: UNK








• Molecule 140: UNK




• Molecule 141: UNK




• Molecule 142: UNK





• Molecule 142: UNK



• Molecule 142: UNK




• Molecule 143: UNK



- Molecule 144: UNK




- Molecule 145: UNK



- Molecule 146: UNK



- Molecule 147: UNK



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	7141	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.183	Depositor
Minimum map value	-0.090	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.054	Depositor
Map size (Å)	556.0, 556.0, 556.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.39, 1.39, 1.39	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, UTP, SPD, MG, ZN, NAD, SPM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	DA	0.38	1/12780 (0.0%)	0.55	3/17297 (0.0%)
2	DD	0.38	0/6710	0.56	1/9087 (0.0%)
3	DI	0.37	0/3248	0.57	2/4401 (0.0%)
4	DL	0.43	0/2346	0.59	0/3164
5	DM	0.39	0/2488	0.55	0/3362
6	DN	0.40	0/2148	0.59	0/2916
7	DO	0.38	0/1840	0.56	0/2482
8	DP	0.52	1/1813 (0.1%)	0.56	0/2457
9	DQ	0.37	0/2111	0.56	0/2863
10	DR	0.36	0/2090	0.56	0/2849
11	DS	0.36	0/1950	0.52	0/2633
12	DU	0.37	0/1799	0.54	0/2438
13	DZ	0.38	0/725	0.55	0/984
14	Da	0.40	0/520	0.54	0/694
15	DB	0.44	0/9369	0.62	0/12692
16	DC	0.41	0/8952	0.57	0/12145
17	DE	0.41	0/4955	0.59	0/6708
18	DF	0.43	0/4856	0.62	2/6581 (0.0%)
19	DG	0.40	0/4674	0.58	0/6333
20	DH	0.46	0/4684	0.62	2/6347 (0.0%)
21	DJ	0.46	0/2649	0.65	0/3598
22	DK	0.45	0/2045	0.59	0/2759
23	DT	0.50	0/2133	0.66	0/2889
24	DV	0.47	0/1382	0.66	1/1871 (0.1%)
25	DW	0.41	0/1407	0.55	0/1916
26	DX	0.45	0/1231	0.66	1/1654 (0.1%)
27	DY	0.50	0/1334	0.63	0/1810
28	CC	0.50	0/666	0.72	0/900
29	CE	0.41	0/3484	0.56	0/4708
30	CF	0.38	0/1319	0.54	0/1783
31	CH	0.42	0/2276	0.55	0/3071
32	CI	0.42	0/3453	0.59	1/4655 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	CJ	0.52	1/6705 (0.0%)	0.65	0/9124
34	CK	0.38	0/2472	0.57	1/3315 (0.0%)
35	CL	0.42	0/759	0.55	0/1026
36	CN	0.50	0/1361	0.67	0/1840
37	CO	0.38	0/3085	0.54	0/4165
38	CP	0.42	0/1533	0.57	0/2074
39	CQ	0.46	0/1631	0.59	0/2203
40	CR	0.39	0/2640	0.55	0/3572
41	CS	0.45	0/1209	0.64	0/1626
42	CU	0.38	0/1576	0.52	0/2115
43	CZ	0.39	0/1237	0.54	1/1659 (0.1%)
44	Ca	0.40	0/5159	0.55	3/6980 (0.0%)
45	Cb	0.40	0/2105	0.54	0/2842
46	Cd	0.40	0/2446	0.51	0/3299
47	Cg	0.46	0/4025	0.63	0/5467
48	Ci	0.49	0/1388	0.73	1/1878 (0.1%)
49	Cj	0.35	0/1842	0.55	0/2511
50	Ck	0.42	0/5696	0.61	2/7705 (0.0%)
51	Cm	0.42	0/1616	0.60	1/2175 (0.0%)
52	Cn	0.41	0/934	0.57	0/1248
53	Cp	0.36	0/1528	0.51	0/2072
54	Cq	0.40	0/2066	0.54	0/2815
55	Cr	0.36	0/2038	0.56	3/2759 (0.1%)
56	Cv	0.37	0/8780	0.55	0/11901
57	CA	0.54	1/14680 (0.0%)	1.00	27/22831 (0.1%)
64	A0	0.34	0/1297	0.52	0/1750
65	A1	0.39	0/1828	0.60	2/2466 (0.1%)
66	A2	0.36	0/3740	0.56	0/5094
67	A3	0.41	0/1241	0.58	0/1674
68	A4	0.33	0/1423	0.55	1/1924 (0.1%)
69	A5	0.38	0/498	0.54	0/663
70	A6	0.36	0/578	0.52	0/774
71	A8	0.41	0/1230	0.62	0/1645
72	A9	0.36	0/474	0.52	0/639
73	AE	0.41	0/2469	0.57	2/3364 (0.1%)
74	AF	0.41	0/3706	0.58	0/5029
75	AI	0.36	0/1850	0.59	0/2515
76	AJ	0.33	0/986	0.52	1/1339 (0.1%)
77	AK	0.33	0/2745	0.55	0/3705
78	AN	0.42	0/1561	0.55	0/2123
79	AP	0.39	0/2993	0.60	1/4060 (0.0%)
80	AQ	0.35	0/1046	0.51	0/1415
81	AR	0.39	0/1969	0.58	0/2656

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
82	AT	0.35	0/292	0.51	0/390
83	AU	0.38	0/1456	0.54	0/1971
84	AV	0.41	0/1453	0.59	0/1970
85	AW	0.40	0/2291	0.58	0/3097
86	AX	0.37	0/1462	0.55	0/1986
87	AY	0.35	0/2763	0.55	1/3739 (0.0%)
88	Ab	0.36	0/3651	0.55	0/4988
89	Ad	0.33	0/2171	0.50	0/2930
90	Ae	0.36	0/960	0.58	0/1304
91	Af	0.35	0/1037	0.57	1/1406 (0.1%)
92	Ag	0.37	0/2253	0.55	0/3046
93	Aj	0.30	0/2306	0.50	0/3136
94	Al	0.40	0/1665	0.58	1/2270 (0.0%)
95	Ao	0.37	0/1523	0.55	0/2070
96	Ap	0.34	0/2213	0.55	0/3007
97	At	0.36	0/1128	0.54	0/1532
98	Av	0.37	0/1839	0.53	0/2478
99	AB	0.30	0/279	0.42	0/389
100	AC	0.30	0/139	0.31	0/193
100	AD	0.38	0/139	0.29	0/193
101	AG	0.35	0/134	0.30	0/186
102	AA	0.46	0/13972	0.93	20/21705 (0.1%)
103	BA	0.36	0/5501	0.57	1/7463 (0.0%)
104	BB	0.33	0/3122	0.51	0/4222
105	BC	0.39	0/3919	0.60	1/5318 (0.0%)
106	BD	0.34	0/2062	0.66	18/2872 (0.6%)
107	BE	0.36	0/3184	0.56	2/4308 (0.0%)
108	BF	0.40	0/2900	0.58	1/3909 (0.0%)
109	BG	0.31	0/2561	0.53	0/3469
110	BH	0.34	0/1778	0.51	0/2423
111	BI	0.36	0/2685	0.57	0/3633
112	BJ	0.31	0/1366	0.53	0/1846
113	BK	0.33	0/2040	0.50	0/2757
114	BL	0.36	0/1924	0.56	1/2596 (0.0%)
115	BM	0.35	0/2082	0.59	0/2830
116	BN	0.33	0/1787	0.51	0/2415
117	BO	0.32	0/1160	0.51	0/1565
118	BP	0.34	0/1593	0.59	1/2166 (0.0%)
119	BQ	0.40	0/1716	0.62	0/2324
120	BR	0.38	0/1693	0.63	0/2284
121	BS	0.32	0/801	0.52	0/1090
122	BT	0.36	0/1417	0.58	0/1907
123	BU	0.33	0/711	0.50	0/955

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
124	BV	0.33	0/1340	0.49	0/1802
125	BW	0.42	0/1604	0.57	0/2167
126	BX	0.29	0/897	0.52	0/1215
127	BY	0.31	0/908	0.51	0/1231
128	BZ	0.34	0/1416	0.53	0/1919
129	Ba	0.45	1/1267 (0.1%)	0.58	0/1711
130	Bb	0.33	0/785	0.60	0/1063
131	Bc	0.36	0/805	0.50	0/1091
132	Bd	0.33	0/1133	0.53	0/1528
133	Be	0.33	0/844	0.55	0/1139
134	Bf	0.38	0/450	0.64	0/609
135	Bg	0.34	0/671	0.56	0/905
136	Bh	0.33	0/752	0.55	0/1015
All	All	0.41	5/317582 (0.0%)	0.62	107/435817 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	DA	0	1
2	DD	0	2
4	DL	0	2
6	DN	0	2
7	DO	0	2
10	DR	0	1
15	DB	0	2
16	DC	0	2
19	DG	0	2
21	DJ	0	1
23	DT	0	1
26	DX	0	1
31	CH	0	1
33	CJ	0	1
44	Ca	0	1
47	Cg	0	1
48	Ci	0	1
49	Cj	0	1
50	Ck	0	1
56	Cv	0	2
66	A2	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
67	A3	0	1
71	A8	0	2
73	AE	0	1
74	AF	0	3
81	AR	0	3
83	AU	0	1
84	AV	0	1
85	AW	0	1
87	AY	0	2
88	Ab	0	1
98	Av	0	1
104	BB	0	1
105	BC	0	1
107	BE	0	2
108	BF	0	1
109	BG	0	1
110	BH	0	1
113	BK	0	2
115	BM	0	2
116	BN	0	3
117	BO	0	1
118	BP	0	2
120	BR	0	2
130	Bb	0	2
134	Bf	0	2
136	Bh	0	2
140	UD	0	1
142	UN	0	1
147	UU	0	1
All	All	0	75

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
33	CJ	424	HIS	CG-CD2	-8.17	1.21	1.35
1	DA	323	HIS	CG-CD2	6.74	1.47	1.35
57	CA	310	A	N9-C4	5.67	1.41	1.37
129	Ba	108	CYS	CB-SG	-5.53	1.72	1.81
8	DP	210	GLU	CD-OE2	5.46	1.31	1.25

The worst 5 of 107 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
105	BC	302	GLY	N-CA-C	-8.48	91.90	113.10
34	CK	283	GLY	N-CA-C	7.77	132.53	113.10
57	CA	451	U	C2-N1-C1'	7.44	126.63	117.70
102	AA	1112	U	N3-C2-O2	-7.42	117.01	122.20
102	AA	516	U	C2-N1-C1'	7.37	126.54	117.70

There are no chirality outliers.

5 of 75 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	DA	166	TYR	Peptide
2	DD	248	ASP	Peptide
2	DD	255	VAL	Peptide
4	DL	269	MET	Peptide
4	DL	270	THR	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	DA	1551/1788 (87%)	1498 (97%)	50 (3%)	3 (0%)	44	78
2	DD	787/812 (97%)	747 (95%)	38 (5%)	2 (0%)	37	73
3	DI	388/407 (95%)	366 (94%)	21 (5%)	1 (0%)	37	73
4	DL	279/307 (91%)	263 (94%)	16 (6%)	0	100	100
5	DM	292/294 (99%)	283 (97%)	9 (3%)	0	100	100
6	DN	253/293 (86%)	242 (96%)	11 (4%)	0	100	100
7	DO	220/282 (78%)	213 (97%)	6 (3%)	1 (0%)	25	64

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	DP	205/274 (75%)	195 (95%)	9 (4%)	1 (0%)	25	64
9	DQ	254/268 (95%)	246 (97%)	6 (2%)	2 (1%)	16	55
10	DR	247/270 (92%)	239 (97%)	8 (3%)	0	100	100
11	DS	234/261 (90%)	227 (97%)	7 (3%)	0	100	100
12	DU	211/228 (92%)	202 (96%)	7 (3%)	2 (1%)	14	52
13	DZ	80/94 (85%)	75 (94%)	5 (6%)	0	100	100
14	Da	53/64 (83%)	52 (98%)	1 (2%)	0	100	100
15	DB	1109/1181 (94%)	1078 (97%)	29 (3%)	2 (0%)	44	78
16	DC	1087/1165 (93%)	1052 (97%)	34 (3%)	1 (0%)	48	83
17	DE	576/746 (77%)	564 (98%)	11 (2%)	1 (0%)	44	78
18	DF	586/666 (88%)	569 (97%)	16 (3%)	1 (0%)	44	78
19	DG	558/631 (88%)	543 (97%)	14 (2%)	1 (0%)	44	78
20	DH	560/581 (96%)	540 (96%)	20 (4%)	0	100	100
21	DJ	313/396 (79%)	304 (97%)	8 (3%)	1 (0%)	37	73
22	DK	249/324 (77%)	240 (96%)	9 (4%)	0	100	100
23	DT	237/247 (96%)	233 (98%)	4 (2%)	0	100	100
24	DV	158/183 (86%)	151 (96%)	6 (4%)	1 (1%)	22	60
25	DW	159/179 (89%)	153 (96%)	6 (4%)	0	100	100
26	DX	139/169 (82%)	133 (96%)	6 (4%)	0	100	100
27	DY	152/163 (93%)	148 (97%)	4 (3%)	0	100	100
28	CC	72/74 (97%)	68 (94%)	4 (6%)	0	100	100
29	CE	413/435 (95%)	395 (96%)	18 (4%)	0	100	100
30	CF	157/160 (98%)	152 (97%)	5 (3%)	0	100	100
31	CH	271/282 (96%)	265 (98%)	5 (2%)	1 (0%)	30	68
32	CI	418/443 (94%)	406 (97%)	12 (3%)	0	100	100
33	CJ	796/817 (97%)	765 (96%)	30 (4%)	1 (0%)	48	83
34	CK	287/326 (88%)	272 (95%)	15 (5%)	0	100	100
35	CL	85/87 (98%)	80 (94%)	5 (6%)	0	100	100
36	CN	155/166 (93%)	150 (97%)	5 (3%)	0	100	100
37	CO	359/429 (84%)	343 (96%)	14 (4%)	2 (1%)	22	60
38	CP	178/188 (95%)	171 (96%)	7 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
39	CQ	188/307 (61%)	182 (97%)	6 (3%)	0	100	100
40	CR	312/320 (98%)	301 (96%)	11 (4%)	0	100	100
41	CS	140/244 (57%)	135 (96%)	5 (4%)	0	100	100
42	CU	182/193 (94%)	177 (97%)	4 (2%)	1 (0%)	25	64
43	CZ	149/360 (41%)	142 (95%)	6 (4%)	1 (1%)	19	57
44	Ca	590/602 (98%)	556 (94%)	29 (5%)	5 (1%)	16	55
45	Cb	248/324 (76%)	242 (98%)	6 (2%)	0	100	100
46	Cd	289/440 (66%)	281 (97%)	6 (2%)	2 (1%)	19	57
47	Cg	480/498 (96%)	461 (96%)	19 (4%)	0	100	100
48	Ci	163/181 (90%)	155 (95%)	8 (5%)	0	100	100
49	Cj	224/257 (87%)	216 (96%)	7 (3%)	1 (0%)	30	68
50	Ck	699/874 (80%)	671 (96%)	26 (4%)	2 (0%)	37	73
51	Cm	194/215 (90%)	184 (95%)	10 (5%)	0	100	100
52	Cn	108/250 (43%)	103 (95%)	5 (5%)	0	100	100
53	Cp	173/187 (92%)	169 (98%)	4 (2%)	0	100	100
54	Cq	250/263 (95%)	243 (97%)	7 (3%)	0	100	100
55	Cr	253/439 (58%)	243 (96%)	9 (4%)	1 (0%)	30	68
56	Cv	1051/1211 (87%)	1011 (96%)	40 (4%)	0	100	100
64	A0	147/185 (80%)	142 (97%)	4 (3%)	1 (1%)	19	57
65	A1	215/241 (89%)	209 (97%)	6 (3%)	0	100	100
66	A2	445/471 (94%)	433 (97%)	9 (2%)	3 (1%)	19	57
67	A3	148/218 (68%)	145 (98%)	3 (2%)	0	100	100
68	A4	166/183 (91%)	156 (94%)	10 (6%)	0	100	100
69	A5	53/80 (66%)	51 (96%)	2 (4%)	0	100	100
70	A6	70/114 (61%)	70 (100%)	0	0	100	100
71	A8	139/181 (77%)	128 (92%)	11 (8%)	0	100	100
72	A9	51/184 (28%)	48 (94%)	3 (6%)	0	100	100
73	AE	289/473 (61%)	278 (96%)	11 (4%)	0	100	100
74	AF	440/459 (96%)	417 (95%)	22 (5%)	1 (0%)	44	78
75	AI	210/263 (80%)	199 (95%)	11 (5%)	0	100	100
76	AJ	124/177 (70%)	117 (94%)	7 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
77	AK	319/342 (93%)	307 (96%)	11 (3%)	1 (0%)	37	73
78	AN	177/202 (88%)	172 (97%)	5 (3%)	0	100	100
79	AP	348/374 (93%)	332 (95%)	14 (4%)	2 (1%)	22	60
80	AQ	121/167 (72%)	118 (98%)	3 (2%)	0	100	100
81	AR	225/301 (75%)	212 (94%)	12 (5%)	1 (0%)	30	68
82	AT	33/144 (23%)	32 (97%)	1 (3%)	0	100	100
83	AU	171/213 (80%)	168 (98%)	3 (2%)	0	100	100
84	AV	178/188 (95%)	174 (98%)	4 (2%)	0	100	100
85	AW	274/278 (99%)	267 (97%)	6 (2%)	1 (0%)	30	68
86	AX	166/246 (68%)	163 (98%)	3 (2%)	0	100	100
87	AY	338/378 (89%)	326 (96%)	8 (2%)	4 (1%)	11	44
88	Ab	449/507 (89%)	425 (95%)	24 (5%)	0	100	100
89	Ad	255/289 (88%)	251 (98%)	4 (2%)	0	100	100
90	Ae	114/197 (58%)	109 (96%)	5 (4%)	0	100	100
91	Af	124/189 (66%)	119 (96%)	5 (4%)	0	100	100
92	Ag	257/260 (99%)	249 (97%)	8 (3%)	0	100	100
93	Aj	277/296 (94%)	260 (94%)	17 (6%)	0	100	100
94	Al	207/218 (95%)	196 (95%)	11 (5%)	0	100	100
95	Ao	179/259 (69%)	170 (95%)	9 (5%)	0	100	100
96	Ap	259/309 (84%)	248 (96%)	11 (4%)	0	100	100
97	At	136/154 (88%)	129 (95%)	6 (4%)	1 (1%)	19	57
98	Av	211/242 (87%)	203 (96%)	6 (3%)	2 (1%)	14	52
99	AB	54/56 (96%)	48 (89%)	6 (11%)	0	100	100
100	AC	26/28 (93%)	26 (100%)	0	0	100	100
100	AD	26/28 (93%)	25 (96%)	1 (4%)	0	100	100
101	AG	25/27 (93%)	25 (100%)	0	0	100	100
103	BA	675/831 (81%)	654 (97%)	21 (3%)	0	100	100
104	BB	387/541 (72%)	369 (95%)	17 (4%)	1 (0%)	37	73
105	BC	476/523 (91%)	451 (95%)	23 (5%)	2 (0%)	30	68
106	BD	415/547 (76%)	385 (93%)	22 (5%)	8 (2%)	6	32
107	BE	386/449 (86%)	362 (94%)	22 (6%)	2 (0%)	25	64

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
108	BF	341/426 (80%)	330 (97%)	10 (3%)	1 (0%)	37	73
109	BG	317/378 (84%)	292 (92%)	25 (8%)	0	100	100
110	BH	209/349 (60%)	203 (97%)	6 (3%)	0	100	100
111	BI	317/343 (92%)	302 (95%)	14 (4%)	1 (0%)	37	73
112	BJ	164/333 (49%)	157 (96%)	7 (4%)	0	100	100
113	BK	252/386 (65%)	241 (96%)	11 (4%)	0	100	100
114	BL	226/312 (72%)	221 (98%)	5 (2%)	0	100	100
115	BM	243/283 (86%)	227 (93%)	15 (6%)	1 (0%)	30	68
116	BN	212/302 (70%)	203 (96%)	9 (4%)	0	100	100
117	BO	143/262 (55%)	135 (94%)	7 (5%)	1 (1%)	19	57
118	BP	200/266 (75%)	190 (95%)	8 (4%)	2 (1%)	13	49
119	BQ	214/231 (93%)	201 (94%)	13 (6%)	0	100	100
120	BR	193/205 (94%)	181 (94%)	11 (6%)	1 (0%)	25	64
121	BS	95/160 (59%)	92 (97%)	3 (3%)	0	100	100
122	BT	166/191 (87%)	160 (96%)	6 (4%)	0	100	100
123	BU	80/185 (43%)	79 (99%)	1 (1%)	0	100	100
124	BV	153/190 (80%)	145 (95%)	7 (5%)	1 (1%)	19	57
125	BW	185/188 (98%)	177 (96%)	8 (4%)	0	100	100
126	BX	103/190 (54%)	93 (90%)	9 (9%)	1 (1%)	13	49
127	BY	100/172 (58%)	91 (91%)	8 (8%)	1 (1%)	13	49
128	BZ	188/190 (99%)	180 (96%)	8 (4%)	0	100	100
129	Ba	137/139 (99%)	132 (96%)	5 (4%)	0	100	100
130	Bb	97/162 (60%)	90 (93%)	7 (7%)	0	100	100
131	Bc	88/146 (60%)	85 (97%)	3 (3%)	0	100	100
132	Bd	138/144 (96%)	133 (96%)	5 (4%)	0	100	100
133	Be	99/113 (88%)	99 (100%)	0	0	100	100
134	Bf	46/113 (41%)	42 (91%)	3 (6%)	1 (2%)	5	29
135	Bg	80/105 (76%)	71 (89%)	9 (11%)	0	100	100
136	Bh	89/92 (97%)	84 (94%)	4 (4%)	1 (1%)	12	47
All	All	34481/41413 (83%)	33099 (96%)	1303 (4%)	79 (0%)	45	78

5 of 79 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	DA	1188	GLU
21	DJ	36	GLN
43	CZ	296	PRO
44	Ca	32	PRO
44	Ca	33	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	DA	1322/1514 (87%)	1229 (93%)	93 (7%)	12	32
2	DD	694/711 (98%)	652 (94%)	42 (6%)	15	37
3	DI	350/365 (96%)	328 (94%)	22 (6%)	15	36
4	DL	241/263 (92%)	226 (94%)	15 (6%)	15	36
5	DM	252/252 (100%)	233 (92%)	19 (8%)	11	31
6	DN	229/256 (90%)	215 (94%)	14 (6%)	15	37
7	DO	186/229 (81%)	174 (94%)	12 (6%)	14	35
8	DP	187/239 (78%)	178 (95%)	9 (5%)	21	43
9	DQ	228/239 (95%)	220 (96%)	8 (4%)	31	51
10	DR	220/235 (94%)	200 (91%)	20 (9%)	7	24
11	DS	209/228 (92%)	197 (94%)	12 (6%)	17	38
12	DU	190/201 (94%)	174 (92%)	16 (8%)	9	27
13	DZ	72/84 (86%)	69 (96%)	3 (4%)	25	46
14	Da	50/59 (85%)	46 (92%)	4 (8%)	10	29
15	DB	976/1030 (95%)	875 (90%)	101 (10%)	6	20
16	DC	927/985 (94%)	808 (87%)	119 (13%)	3	14
17	DE	519/641 (81%)	464 (89%)	55 (11%)	5	19
18	DF	500/560 (89%)	443 (89%)	57 (11%)	4	16
19	DG	490/543 (90%)	426 (87%)	64 (13%)	3	14
20	DH	493/504 (98%)	434 (88%)	59 (12%)	4	16

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	DJ	275/347 (79%)	244 (89%)	31 (11%)	4	17
22	DK	209/261 (80%)	192 (92%)	17 (8%)	9	28
23	DT	220/228 (96%)	195 (89%)	25 (11%)	4	16
24	DV	145/165 (88%)	127 (88%)	18 (12%)	4	15
25	DW	148/163 (91%)	136 (92%)	12 (8%)	9	28
26	DX	124/149 (83%)	111 (90%)	13 (10%)	5	19
27	DY	137/146 (94%)	118 (86%)	19 (14%)	3	13
28	CC	73/73 (100%)	62 (85%)	11 (15%)	2	11
29	CE	358/372 (96%)	317 (88%)	41 (12%)	4	16
30	CF	136/144 (94%)	129 (95%)	7 (5%)	20	41
31	CH	237/246 (96%)	215 (91%)	22 (9%)	7	23
32	CI	357/371 (96%)	324 (91%)	33 (9%)	7	23
33	CJ	709/723 (98%)	628 (89%)	81 (11%)	4	16
34	CK	257/283 (91%)	233 (91%)	24 (9%)	7	23
35	CL	79/79 (100%)	70 (89%)	9 (11%)	4	16
36	CN	142/150 (95%)	122 (86%)	20 (14%)	3	12
37	CO	318/377 (84%)	293 (92%)	25 (8%)	10	29
38	CP	160/168 (95%)	147 (92%)	13 (8%)	9	28
39	CQ	171/270 (63%)	151 (88%)	20 (12%)	4	16
40	CR	275/279 (99%)	258 (94%)	17 (6%)	15	36
41	CS	126/220 (57%)	114 (90%)	12 (10%)	7	22
42	CU	160/169 (95%)	151 (94%)	9 (6%)	17	38
43	CZ	121/313 (39%)	111 (92%)	10 (8%)	9	27
44	Ca	516/543 (95%)	473 (92%)	43 (8%)	9	27
45	Cb	219/277 (79%)	203 (93%)	16 (7%)	11	31
46	Cd	240/381 (63%)	219 (91%)	21 (9%)	8	25
47	Cg	424/437 (97%)	380 (90%)	44 (10%)	5	19
48	Ci	144/160 (90%)	124 (86%)	20 (14%)	3	13
49	Cj	193/219 (88%)	179 (93%)	14 (7%)	11	31
50	Ck	608/747 (81%)	549 (90%)	59 (10%)	6	22
51	Cm	165/184 (90%)	140 (85%)	25 (15%)	2	11

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
52	Cn	95/210 (45%)	89 (94%)	6 (6%)	15	36
53	Cp	163/175 (93%)	151 (93%)	12 (7%)	11	31
54	Cq	210/221 (95%)	193 (92%)	17 (8%)	9	28
55	Cr	211/369 (57%)	190 (90%)	21 (10%)	6	20
56	Cv	912/1034 (88%)	844 (92%)	68 (8%)	11	31
64	A0	140/167 (84%)	126 (90%)	14 (10%)	6	20
65	A1	195/217 (90%)	168 (86%)	27 (14%)	3	13
66	A2	394/413 (95%)	353 (90%)	41 (10%)	5	19
67	A3	131/193 (68%)	121 (92%)	10 (8%)	11	30
68	A4	153/164 (93%)	142 (93%)	11 (7%)	12	32
69	A5	52/73 (71%)	47 (90%)	5 (10%)	7	22
70	A6	61/99 (62%)	52 (85%)	9 (15%)	2	12
71	A8	126/161 (78%)	108 (86%)	18 (14%)	2	12
72	A9	51/166 (31%)	43 (84%)	8 (16%)	2	11
73	AE	258/406 (64%)	233 (90%)	25 (10%)	6	22
74	AF	394/409 (96%)	367 (93%)	27 (7%)	13	33
75	AI	192/233 (82%)	171 (89%)	21 (11%)	5	18
76	AJ	90/151 (60%)	81 (90%)	9 (10%)	6	20
77	AK	287/301 (95%)	248 (86%)	39 (14%)	3	13
78	AN	160/182 (88%)	148 (92%)	12 (8%)	11	31
79	AP	310/330 (94%)	272 (88%)	38 (12%)	4	15
80	AQ	106/141 (75%)	102 (96%)	4 (4%)	28	49
81	AR	198/256 (77%)	187 (94%)	11 (6%)	17	38
82	AT	28/124 (23%)	25 (89%)	3 (11%)	5	19
83	AU	151/184 (82%)	134 (89%)	17 (11%)	4	17
84	AV	153/158 (97%)	136 (89%)	17 (11%)	5	17
85	AW	244/246 (99%)	215 (88%)	29 (12%)	4	16
86	AX	156/221 (71%)	148 (95%)	8 (5%)	20	41
87	AY	283/337 (84%)	257 (91%)	26 (9%)	7	23
88	Ab	373/451 (83%)	343 (92%)	30 (8%)	10	29
89	Ad	225/250 (90%)	200 (89%)	25 (11%)	5	17

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
90	Ae	100/172 (58%)	90 (90%)	10 (10%)	6	20
91	Af	111/162 (68%)	99 (89%)	12 (11%)	5	19
92	Ag	238/239 (100%)	221 (93%)	17 (7%)	12	32
93	Aj	237/260 (91%)	226 (95%)	11 (5%)	23	44
94	Al	170/186 (91%)	154 (91%)	16 (9%)	7	23
95	Ao	153/216 (71%)	135 (88%)	18 (12%)	4	16
96	Ap	227/267 (85%)	203 (89%)	24 (11%)	5	19
97	At	116/140 (83%)	101 (87%)	15 (13%)	3	14
98	Av	187/210 (89%)	169 (90%)	18 (10%)	7	22
103	BA	598/727 (82%)	542 (91%)	56 (9%)	7	23
104	BB	351/484 (72%)	318 (91%)	33 (9%)	7	23
105	BC	406/443 (92%)	359 (88%)	47 (12%)	4	16
107	BE	334/386 (86%)	309 (92%)	25 (8%)	11	31
108	BF	299/368 (81%)	269 (90%)	30 (10%)	6	20
109	BG	266/310 (86%)	241 (91%)	25 (9%)	7	23
110	BH	182/297 (61%)	160 (88%)	22 (12%)	4	15
111	BI	268/288 (93%)	245 (91%)	23 (9%)	8	26
112	BJ	136/298 (46%)	122 (90%)	14 (10%)	6	20
113	BK	196/344 (57%)	184 (94%)	12 (6%)	15	37
114	BL	201/262 (77%)	181 (90%)	20 (10%)	6	20
115	BM	209/240 (87%)	189 (90%)	20 (10%)	7	22
116	BN	197/273 (72%)	188 (95%)	9 (5%)	23	44
117	BO	129/225 (57%)	118 (92%)	11 (8%)	8	27
118	BP	162/219 (74%)	145 (90%)	17 (10%)	5	19
119	BQ	182/195 (93%)	166 (91%)	16 (9%)	8	25
120	BR	171/181 (94%)	151 (88%)	20 (12%)	4	16
121	BS	85/142 (60%)	77 (91%)	8 (9%)	7	23
122	BT	147/163 (90%)	133 (90%)	14 (10%)	7	22
123	BU	71/168 (42%)	64 (90%)	7 (10%)	6	21
124	BV	138/163 (85%)	130 (94%)	8 (6%)	17	38
125	BW	163/164 (99%)	149 (91%)	14 (9%)	8	26

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
126	BX	92/170 (54%)	81 (88%)	11 (12%)	4 16
127	BY	89/151 (59%)	81 (91%)	8 (9%)	8 24
128	BZ	143/160 (89%)	136 (95%)	7 (5%)	21 42
129	Ba	131/131 (100%)	115 (88%)	16 (12%)	4 15
130	Bb	84/135 (62%)	69 (82%)	15 (18%)	1 8
131	Bc	82/134 (61%)	76 (93%)	6 (7%)	11 31
132	Bd	117/120 (98%)	104 (89%)	13 (11%)	5 17
133	Be	89/99 (90%)	82 (92%)	7 (8%)	10 29
134	Bf	45/98 (46%)	43 (96%)	2 (4%)	24 45
135	Bg	65/87 (75%)	58 (89%)	7 (11%)	5 19
136	Bh	79/80 (99%)	67 (85%)	12 (15%)	2 11
All	All	29729/35381 (84%)	26950 (91%)	2779 (9%)	10 23

5 of 2779 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
77	AK	286	GLU
104	BB	188	LEU
79	AP	281	GLU
77	AK	261	ASP
89	Ad	261	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 652 such sidechains are listed below:

Mol	Chain	Res	Type
84	AV	206	ASN
108	BF	362	HIS
88	Ab	157	HIS
84	AV	168	HIS
96	Ap	253	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
102	AA	581/1179 (49%)	289 (49%)	17 (2%)
57	CA	620/621 (99%)	300 (48%)	8 (1%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
All	All	1201/1800 (66%)	589 (49%)	25 (2%)

5 of 589 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
57	CA	2	A
57	CA	3	A
57	CA	4	A
57	CA	5	U
57	CA	6	U

5 of 25 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
102	AA	387	A
102	AA	422	A
102	AA	1164	A
102	AA	418	G
102	AA	425	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 65 ligands modelled in this entry, 56 are monoatomic and 1 is modelled with single atom - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
152	GTP	Cg	501	151	26,34,34	1.26	3 (11%)	32,54,54	1.87	10 (31%)
150	UTP	DJ	401	-	22,30,30	1.84	6 (27%)	27,47,47	1.25	3 (11%)
153	SPM	CA	738	-	13,13,13	0.34	0	12,12,12	0.85	0
149	SPD	CA	735	-	9,9,9	0.40	0	8,8,8	0.58	0
154	NAD	Av	301	-	42,48,48	1.96	8 (19%)	50,73,73	1.83	9 (18%)
149	SPD	CA	737	-	9,9,9	0.35	0	8,8,8	0.68	0
149	SPD	DL	401	-	9,9,9	0.40	0	8,8,8	1.03	0
149	SPD	CA	736	-	9,9,9	0.49	0	8,8,8	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
152	GTP	Cg	501	151	-	5/18/38/38	0/3/3/3
150	UTP	DJ	401	-	-	8/20/38/38	0/2/2/2
153	SPM	CA	738	-	-	8/11/11/11	-
149	SPD	CA	735	-	-	5/7/7/7	-
154	NAD	Av	301	-	-	7/26/62/62	0/5/5/5
149	SPD	CA	737	-	-	3/7/7/7	-
149	SPD	DL	401	-	-	2/7/7/7	-
149	SPD	CA	736	-	-	5/7/7/7	-

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
154	Av	301	NAD	C3N-C7N	-7.58	1.39	1.50
154	Av	301	NAD	C2A-N3A	4.54	1.39	1.32
154	Av	301	NAD	C2N-N1N	4.07	1.39	1.35
150	DJ	401	UTP	C6-N1	4.06	1.40	1.35
152	Cg	501	GTP	C5-C6	-3.71	1.39	1.47

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
154	Av	301	NAD	N3A-C2A-N1A	-6.53	118.48	128.68
152	Cg	501	GTP	O2G-PG-O3B	4.60	120.05	104.64
154	Av	301	NAD	O4D-C1D-C2D	-4.50	100.35	106.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
154	Av	301	NAD	C3D-C2D-C1D	-4.31	94.49	100.98
152	Cg	501	GTP	C2-N1-C6	-4.24	117.29	125.10

There are no chirality outliers.



5 of 43 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
150	DJ	401	UTP	C5'-O5'-PA-O1A
150	DJ	401	UTP	C5'-O5'-PA-O2A
150	DJ	401	UTP	C5'-O5'-PA-O3A
150	DJ	401	UTP	O4'-C4'-C5'-O5'
150	DJ	401	UTP	O4'-C1'-N1-C6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
140	UD	3
77	AK	1
71	A8	1
84	AV	1

The worst 5 of 6 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	UD	90:UNK	C	136:UNK	N	14.38
1	UD	158:UNK	C	159:UNK	N	11.27
1	UD	68:UNK	C	69:UNK	N	10.02

Continued on next page...

Continued from previous page...

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	AK	250:LEU	C	251:THR	N	5.50
1	A8	40:PRO	C	41:LYS	N	5.26


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0229. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 192




Y Index: 231




Z Index: 174


6.3.2 Raw map



X Index: 192



Y Index: 230




Z Index: 173


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.054. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 2967 nm^3 ; this corresponds to an approximate mass of 2680 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.128 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.128 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	7.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	9.90	20.04	10.57

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 9.90 differs from the reported value 7.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-0229 and PDB model 6HIV. Per-residue inclusion information can be found in section 3 on page 50.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.054 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.054).

9.4 Atom inclusion [i](#)



At the recommended contour level, 65% of all backbone atoms, 57% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















































































The table lists the average atom inclusion at the recommended contour level (0.054) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5660	0.1160
A0	0.5420	0.1260
A1	0.4980	0.1090
A2	0.7340	0.1440
A3	0.5540	0.1270
A4	0.4820	0.1320
A5	0.5620	0.0700
A6	0.3140	0.1280
A8	0.3560	0.1060
A9	0.2450	0.0770
AA	0.6590	0.1450
AB	0.2040	0.0370
AC	0.2140	0.1210
AD	0.0640	0.0040
AE	0.5220	0.0880
AF	0.6060	0.1060
AG	0.0370	0.0440
AI	0.6170	0.1130
AJ	0.4960	0.0700
AK	0.6040	0.0940
AN	0.4240	0.0880
AP	0.5230	0.0920
AQ	0.4830	0.1010
AR	0.5570	0.1100
AT	0.3660	0.0830
AU	0.5740	0.1090
AV	0.5840	0.0980
AW	0.5430	0.1180
AX	0.5900	0.1150
AY	0.6000	0.1320
Ab	0.6640	0.1270
Ad	0.6080	0.1340
Ae	0.6080	0.1130
Af	0.5990	0.1290
Ag	0.5790	0.1100



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Aj	 0.7350	 0.1160
Al	 0.5230	 0.1230
Ao	 0.5200	 0.1080
Ap	 0.5030	 0.0730
At	 0.5650	 0.1310
Av	 0.5980	 0.1430
BA	 0.5790	 0.1110
BB	 0.6650	 0.1170
BC	 0.6660	 0.1150
BD	 0.5600	 0.1170
BE	 0.6100	 0.1310
BF	 0.6480	 0.1140
BG	 0.7310	 0.1240
BH	 0.6260	 0.1080
BI	 0.5810	 0.0910
BJ	 0.6030	 0.1280
BK	 0.3890	 0.1030
BL	 0.5740	 0.1290
BM	 0.6190	 0.1250
BN	 0.5290	 0.1070
BO	 0.5530	 0.1050
BP	 0.5210	 0.1280
BQ	 0.6600	 0.1280
BR	 0.5920	 0.1280
BS	 0.5660	 0.1060
BT	 0.7240	 0.1300
BU	 0.6410	 0.1230
BV	 0.5610	 0.0840
BW	 0.7220	 0.1420
BX	 0.2220	 0.0500
BY	 0.4920	 0.1180
BZ	 0.6760	 0.1050
Ba	 0.6570	 0.1170
Bb	 0.6710	 0.1280
Bc	 0.4770	 0.1130
Bd	 0.6380	 0.1270
Be	 0.4140	 0.1240
Bf	 0.5700	 0.0380
Bg	 0.5530	 0.1120
Bh	 0.2680	 0.0620
CA	 0.3200	 0.0570
CC	 0.3480	 0.0990









































































Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
CE	0.5330	0.1260
CF	0.5460	0.1060
CH	0.5320	0.1480
CI	0.5220	0.1190
CJ	0.5830	0.1300
CK	0.3840	0.0780
CL	0.0040	0.0000
CN	0.5190	0.1030
CO	0.4830	0.1020
CP	0.6340	0.1170
CQ	0.3600	0.0700
CR	0.4340	0.1130
CS	0.5010	0.0870
CU	0.2200	0.0410
CZ	0.0000	0.0060
Ca	0.5430	0.1220
Cb	0.5640	0.1400
Cd	0.5260	0.0810
Cg	0.6680	0.1090
Ci	0.5280	0.1080
Cj	0.7420	0.1290
Ck	0.6130	0.1340
Cm	0.1540	0.0260
Cn	0.0090	-0.0110
Cp	0.6070	0.1290
Cq	0.6400	0.1420
Cr	0.7050	0.1400
Cv	0.5840	0.1210
DA	0.6830	0.1390
DB	0.6110	0.1430
DC	0.6740	0.1160
DD	0.6320	0.1340
DE	0.6960	0.1280
DF	0.6430	0.1270
DG	0.6740	0.1300
DH	0.5390	0.1280
DI	0.7140	0.1380
DJ	0.6640	0.1200
DK	0.6240	0.1310
DL	0.3870	0.1200
DM	0.6530	0.1280
DN	0.6360	0.1350

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
DO	 0.7250	 0.1350
DP	 0.7300	 0.1320
DQ	 0.6990	 0.1410
DR	 0.7140	 0.1300
DS	 0.7080	 0.1260
DT	 0.5890	 0.1170
DU	 0.5920	 0.1340
DV	 0.5520	 0.1030
DW	 0.5560	 0.1060
DX	 0.6310	 0.1080
DY	 0.6290	 0.1110
DZ	 0.5340	 0.1430
Da	 0.0130	 -0.0220
UA	 0.6300	 0.1420
UB	 0.6430	 0.1370
UC	 0.1810	 0.0290
UD	 0.3370	 0.1450
UE	 0.1510	 0.0250
UF	 0.4720	 0.1480
UG	 0.3680	 0.1280
UH	 0.5690	 0.2180
UI	 0.2160	 0.1470
UK	 0.7500	 0.2190
UL	 0.3670	 0.1000
UM	 0.0560	 0.0120
UN	 0.0760	 0.0010
UO	 0.2670	 0.1750
UP	 0.9050	 0.2410
UQ	 0.0000	 -0.0030
UR	 0.9790	 0.2030
US	 0.0000	 -0.0250
UT	 0.0230	 0.0160
UU	 0.2880	 0.0830
UV	 0.5420	 0.1600
UW	 0.2620	 0.0490
UX	 0.6670	 0.2630