

Full wwPDB X-ray Structure Validation Report (i)

Apr 19, 2023 – 08:04 PM EDT

PDB ID : 8HK0

Title : Crystal structure of Fic32-33 complex from Streptomyces ficellus NRRL 8067

Authors: Cheng, Y.; Qiao, H.; Liu, W.; Fang, P.

Deposited on : 2022-11-24

Resolution : 2.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS' : 2.32.2

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.32.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# ext{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	С	380	82%	9% •	9%
1	D	380	80%	10% •	10%
2	A	384	85%	12%	, •
2	В	384	82%	15%	



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 10762 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Dehydrogenase.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	С	346	Total	С	N	О	S	0	0	0
1		040	2428	1511	469	440	8		U	
1	D	343	Total	С	N	О	S	0	0	0
1	D	343	2411	1500	457	446	8	0	0	

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
С	375	HIS	-	expression tag	UNP A0A1W5T2G8
С	376	HIS	-	expression tag	UNP A0A1W5T2G8
С	377	HIS	-	expression tag	UNP A0A1W5T2G8
С	378	HIS	-	expression tag	UNP A0A1W5T2G8
С	379	HIS	-	expression tag	UNP A0A1W5T2G8
С	380	HIS	-	expression tag	UNP A0A1W5T2G8
D	375	HIS	_	expression tag	UNP A0A1W5T2G8
D	376	HIS	-	expression tag	UNP A0A1W5T2G8
D	377	HIS	_	expression tag	UNP A0A1W5T2G8
D	378	HIS	-	expression tag	UNP A0A1W5T2G8
D	379	HIS	-	expression tag	UNP A0A1W5T2G8
D	380	HIS	-	expression tag	UNP A0A1W5T2G8

• Molecule 2 is a protein called Acyl-CoA dehydrogenase.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
2	Λ	374	Total	С	N	О	S	0	0	0
	A	374	2802	1766	499	531	6	U	U	U
9	D	379	Total	С	N	О	S	0	0	0
2	Б	319	2774	1753	491	525	5	0	U	U


• Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
2	Λ	1	Total	С	N	О	Р	0	0	
3	A	1	53	27	9	15	2	U	0	
9	D	1	Total	С	N	О	Р	0	0	
3	Б	1	53	27	9	15	2	U	U	

 \bullet Molecule 4 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: $\mathrm{C_{10}H_{22}O_6}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 16 10 6	0	0

 \bullet Molecule 5 is water.




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	С	48	Total O 48 48	0	0
5	D	45	Total O 45 45	0	0
5	A	78	Total O 78 78	0	0
5	В	54	Total O 54 54	0	0




3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Dehydrogenase









4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 4 21 2	Depositor
Cell constants	137.08Å 137.08Å 148.06Å	Donogitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.44 - 2.29	Depositor
Resolution (A)	41.60 - 2.29	EDS
% Data completeness	100.0 (38.44-2.29)	Depositor
(in resolution range)	100.0 (41.60-2.29)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.65 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
D D.	0.183 , 0.226	Depositor
R, R_{free}	0.184 , 0.226	DCC
R_{free} test set	3268 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	47.3	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.32, 36.1	EDS
L-test for twinning ²	$ < L > = 0.48, < L^2> = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10762	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.64% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain		lengths	Bond angles		
MIOI			# Z > 5	RMSZ	# Z > 5	
1	С	0.47	0/2474	0.70	0/3381	
1	D	0.44	0/2457	0.68	0/3360	
2	A	0.44	0/2858	0.66	0/3895	
2	В	0.46	0/2830	0.66	0/3865	
All	All	0.45	0/10619	0.67	0/14501	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	С	2428	0	2445	22	0
1	D	2411	0	2405	26	0
2	A	2802	0	2762	28	0
2	В	2774	0	2685	50	0
3	A	53	0	31	2	0
3	В	53	0	31	8	0
4	A	16	0	22	1	0
5	A	78	0	0	0	0
5	В	54	0	0	1	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	$\mathbf{H}(\mathbf{added})$	Clashes	Symm-Clashes
5	С	48	0	0	1	0
5	D	45	0	0	4	0
All	All	10762	0	10381	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
0 D 40 E I DII IID44	2 D 224 I EU UD24	distance (Å)	overlap (Å)
2:B:187:LEU:HD11	2:B:236:LEU:HD21	1.38	1.04
2:B:152:ARG:HH11	2:B:152:ARG:HG3	1.26	0.98
2:B:10:GLN:HE21	2:B:10:GLN:HA	1.45	0.81
2:B:6:THR:HG22	2:B:8:GLU:H	1.44	0.80
2:B:10:GLN:HA	2:B:10:GLN:NE2	1.96	0.79
2:B:152:ARG:HH11	2:B:152:ARG:CG	2.02	0.70
2:A:207:ASP:OD1	2:A:353:ARG:NH2	2.20	0.69
1:D:254:ARG:HD2	5:D:435:HOH:O	1.92	0.69
1:D:30:HIS:ND1	5:D:401:HOH:O	2.24	0.69
2:B:10:GLN:HE22	2:B:13:ARG:HE	1.41	0.68
2:B:106:SER:H	2:B:109:GLN:HE21	1.41	0.68
2:B:29:VAL:O	2:B:33:THR:HG23	1.94	0.68
1:C:190:ASP:N	1:C:190:ASP:OD1	2.27	0.67
2:A:78:GLU:HG2	2:A:251:LEU:HD21	1.76	0.67
1:D:95:LEU:HD21	1:D:196:PRO:HG3	1.77	0.66
1:D:65:LEU:HD22	1:D:65:LEU:N	2.12	0.65
1:C:313:VAL:HG13	3:B:401:FAD:HM81	1.79	0.65
2:B:36:ASP:OD2	2:B:341:ARG:NH2	2.29	0.65
1:C:95:LEU:HD21	1:C:196:PRO:HG3	1.80	0.64
1:C:1:MET:HB3	2:A:4:GLY:H	1.62	0.64
2:B:17:ARG:HD2	2:B:79:GLU:OE1	1.97	0.64
2:B:371:ILE:O	2:B:374:THR:HB	1.98	0.63
2:A:198:THR:HB	2:A:214:ASP:HB2	1.81	0.63
1:D:1:MET:HE2	2:B:4:GLY:H	1.65	0.61
1:D:304:VAL:HG21	1:D:329:VAL:HG21	1.82	0.60
3:B:401:FAD:O2'	3:B:401:FAD:O4'	2.15	0.60
2:B:105:GLY:HA2	2:B:109:GLN:HE21	1.67	0.59
2:B:10:GLN:HE21	2:B:10:GLN:CA	2.15	0.59
1:C:313:VAL:HG22	3:B:401:FAD:O2P	2.01	0.59
2:B:245:THR:HA	2:B:297:VAL:HG21	1.83	0.58
2:B:106:SER:H	2:B:109:GLN:NE2	2.03	0.57
		<i>O</i>	ed on nert mage



 $Continued\ from\ previous\ page...$

Continued from previous		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)
1:D:234:ARG:NH1	2:B:377:ASP:OD1	2.37	0.57
2:A:42:MET:HG3	2:A:89:LEU:HD12	1.86	0.57
4:A:402:1PE:H132	4:A:402:1PE:H251	1.87	0.56
1:C:26:ARG:O	1:C:324:ARG:NH1	2.38	0.56
2:A:60:PRO:HA	2:A:67:ASP:OD1	2.07	0.55
2:B:152:ARG:HG3	2:B:152:ARG:NH1	2.08	0.55
2:B:36:ASP:CG	2:B:341:ARG:HH21	2.11	0.54
2:B:36:ASP:CG	2:B:341:ARG:NH2	2.61	0.54
2:A:127:LEU:HB3	2:A:157:LYS:HG3	1.91	0.53
1:C:246:ALA:HB1	1:C:303:VAL:HG22	1.91	0.53
1:C:14:GLY:O	1:C:18:THR:HG23	2.09	0.53
1:C:304:VAL:O	1:C:308:MET:HG2	2.09	0.53
1:D:355:ARG:HH22	2:B:273:HIS:CE1	2.26	0.53
1:D:2:ASP:OD1	1:D:4:THR:HG23	2.10	0.52
2:A:110:LYS:O	2:A:114:LEU:HB2	2.08	0.52
1:C:343:TRP:CE2	2:A:282:ARG:HG3	2.45	0.52
1:D:254:ARG:CD	5:D:435:HOH:O	2.53	0.52
1:D:7:PRO:O	1:D:11:GLN:HG3	2.10	0.52
1:D:65:LEU:N	1:D:65:LEU:CD2	2.73	0.52
1:D:291:VAL:O	1:D:295:THR:HG23	2.09	0.52
2:B:151:TYR:OH	2:B:229:ARG:NH1	2.43	0.52
2:B:378:SER:O	2:B:381:GLN:HG3	2.11	0.50
2:B:135:SER:N	3:B:401:FAD:H5'1	2.27	0.50
1:D:120:ARG:NH2	1:D:125:ASP:OD2	2.42	0.50
2:B:60:PRO:HA	2:B:67:ASP:OD1	2.11	0.50
1:C:330:ALA:HB2	2:B:352:TYR:CE2	2.47	0.49
2:A:2:ARG:HD2	2:A:4:GLY:O	2.12	0.49
2:A:334:ASP:OD1	2:A:337:GLN:N	2.41	0.49
2:B:36:ASP:OD1	2:B:341:ARG:NH2	2.41	0.49
2:A:349:ASP:OD2	2:A:353:ARG:NH1	2.44	0.49
1:D:330:ALA:HB2	2:A:352:TYR:CE2	2.47	0.49
1:D:344:ARG:NH1	2:B:274:ASP:O	2.46	0.49
2:A:21:ARG:HA	2:A:26:ARG:HD3	1.96	0.48
2:A:106:SER:O	2:A:110:LYS:HG3	2.13	0.48
3:A:401:FAD:C9	3:A:401:FAD:H2'	2.44	0.48
2:A:231:GLN:O	2:A:234:PRO:HD2	2.14	0.48
1:D:26:ARG:NH2	1:D:32:PRO:O	2.46	0.47
2:B:198:THR:HG23	5:B:523:HOH:O	2.14	0.47
2:B:254:GLU:HA	2:B:287:LEU:HD11	1.96	0.47
2:B:100:PHE:CE2	2:B:226:ILE:HD11	2.49	0.47
1:C:103:SER:OG	1:C:106:TRP:NE1	2.31	0.47



 $Continued\ from\ previous\ page...$

Continued from previ		Interatomic	Clash	
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)	
1:D:190:ASP:OD1	1:D:190:ASP:N	2.42	0.47	
2:B:233:TRP:HB3	2:B:234:PRO:HD3	1.98	0.46	
2:B:189:LEU:HA	2:B:189:LEU:HD12	1.69	0.46	
2:B:257:LEU:HD23	2:B:287:LEU:HD12	1.97	0.46	
2:A:249:TYR:CE2	2:A:315:LYS:HE2	2.50	0.46	
2:A:191:ASP:OD1	2:A:193:THR:OG1	2.22	0.45	
3:B:401:FAD:C9	3:B:401:FAD:H2'	2.47	0.45	
1:C:218:ILE:HG13	1:C:219:ALA:N	2.30	0.45	
1:D:1:MET:HA	2:B:4:GLY:O	2.16	0.45	
1:C:153:VAL:HG11	1:C:180:VAL:HG11	1.98	0.45	
3:B:401:FAD:H2'	3:B:401:FAD:H9	1.99	0.45	
3:A:401:FAD:H2'	3:A:401:FAD:H9	1.98	0.44	
2:B:154:THR:HA	2:B:215:LEU:O	2.18	0.44	
1:D:320:LEU:HD23	1:D:320:LEU:HA	1.72	0.44	
2:A:162:LYS:O	2:A:166:VAL:HG13	2.18	0.44	
2:B:6:THR:HG22	2:B:8:GLU:N	2.20	0.44	
2:B:101:LEU:HD21	2:B:189:LEU:HD22	1.98	0.44	
1:C:36:ASP:HA	5:C:437:HOH:O	2.17	0.44	
1:D:107:GLU:H	1:D:107:GLU:CD	2.22	0.44	
1:D:324:ARG:HD2	5:D:423:HOH:O	2.18	0.43	
1:D:136:ALA:HB2	1:D:171:GLN:HB3	2.00	0.43	
2:A:343:PRO:O	2:A:347:VAL:HG13	2.18	0.43	
2:B:100:PHE:CD1	2:B:239:ALA:HB2	2.53	0.43	
1:C:338:GLU:OE2	1:C:339:PRO:HD2	2.19	0.43	
2:A:249:TYR:HB2	2:A:318:SER:HB2	2.01	0.43	
2:A:43:ARG:NH1	2:A:165:PHE:O	2.51	0.43	
2:B:106:SER:N	2:B:109:GLN:HE21	2.13	0.43	
1:D:223:ALA:CB	1:D:234:ARG:HG3	2.49	0.43	
2:B:303:SER:OG	2:B:305:ARG:NH1	2.52	0.42	
1:C:218:ILE:HG12	1:C:322:LEU:HG	2.01	0.42	
2:B:142:THR:OG1	2:B:157:LYS:HE3	2.19	0.42	
2:A:142:THR:OG1	2:A:155:GLY:HA3	2.19	0.42	
2:A:95:GLN:O	2:A:243:GLU:HG2	2.19	0.42	
2:B:134:GLY:CA	3:B:401:FAD:H5'2	2.49	0.42	
1:C:343:TRP:NE1	2:A:282:ARG:HG3	2.35	0.42	
1:D:319:GLU:O	1:D:319:GLU:HG3	2.19	0.42	
2:A:32:ALA:HB1	2:A:42:MET:HB3	2.01	0.42	
2:B:101:LEU:HD11	2:B:189:LEU:HD21	2.01	0.42	
2:B:315:LYS:NZ	2:B:363:GLY:O	2.46	0.41	
2:A:290:ASP:OD2	2:A:318:SER:HB3	2.20	0.41	
1:C:298:GLU:OE2	2:A:282:ARG:NH1	2.53	0.41	



Continued	trom	mmoninonic	maaa
COHABABACA		DIEUIUU	DUIUE
0 0 1000100000			

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	${ m distance} ({ m \AA})$	overlap (Å)
2:B:157:LYS:HA	2:B:157:LYS:HD3	1.69	0.41
1:C:313:VAL:HG13	3:B:401:FAD:C8M	2.50	0.41
1:C:46:LEU:HD12	1:C:85:PRO:HG2	2.03	0.41
2:B:127:LEU:HB3	2:B:157:LYS:HG3	2.02	0.41
1:C:13:ARG:HD3	1:C:17:ARG:HH21	1.85	0.41
1:D:297:ALA:HB3	1:D:339:PRO:HG3	2.03	0.41
2:B:63:PHE:CZ	2:B:110:LYS:HB3	2.56	0.40
2:B:181:LYS:HG2	2:B:182:TYR:CE1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percei	ntiles
1	C	342/380~(90%)	337 (98%)	5 (2%)	0	100	100
1	D	339/380~(89%)	334 (98%)	5 (2%)	0	100	100
2	A	370/384~(96%)	364 (98%)	6 (2%)	0	100	100
2	В	375/384~(98%)	366 (98%)	9 (2%)	0	100	100
All	All	$1426/1528\ (93\%)$	1401 (98%)	25 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	С	220/244~(90%)	211 (96%)	9 (4%)	30	43
1	D	220/244 (90%)	210 (96%)	10 (4%)	27	39
2	A	$278/292\ (95\%)$	274 (99%)	4 (1%)	67	81
2	В	$265/292 \ (91\%)$	253 (96%)	12 (4%)	27	39
All	All	983/1072 (92%)	948 (96%)	35 (4%)	35	49

All (35) residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	С	27	SER
1	C C C	29	VAL
1	С	103	SER
1	С	110	PRO
1	С	141	LEU
1	С	151	LEU
1	С	168	CYS
1	С	218	ILE
1	С	313	VAL
1	D	26	ARG
1	D	29	VAL
1	D	36	ASP
1	D	137	ASP
1	D	163	THR
1	D	192	SER
1	D	230	ASP
1	D	266	SER
1	D	295	THR
1	D	352	ASP
2	A	141	ARG
2	A	167	ASP
2	A	175	THR
2	A	305	ARG
2	В	10	GLN
2	В	38	VAL
2	В	58	HIS
2	В	132	ASP
2	В	152	ARG
2	В	170	LEU
2	В	181	LYS
2	В	187	LEU
2	В	230	ASP
2	В	248	ASP



Continued from previous page...

Mol	Chain	Res	Type
2	В	374	THR
2	В	378	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	99	GLN
2	В	10	GLN
2	В	109	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Acl Tyme Chain Dec		Link	Bond lengths			Bond angles			
MIOI	Type	Chain	Res	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FAD	A	401	-	53,58,58	0.98	2 (3%)	68,89,89	0.75	1 (1%)
4	1PE	A	402	-	15,15,15	0.13	0	14,14,14	0.21	0
3	FAD	В	401	-	53,58,58	1.01	1 (1%)	68,89,89	0.79	3 (4%)



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	401	-	-	3/30/50/50	0/6/6/6
4	1PE	A	402	-	-	3/13/13/13	-
3	FAD	В	401	-	-	8/30/50/50	0/6/6/6

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}(\text{\AA})$
3	В	401	FAD	C2-N3	-2.54	1.33	1.39
3	A	401	FAD	C2-N3	-2.41	1.33	1.39
3	A	401	FAD	C8A-N7A	-2.03	1.31	1.34

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
3	В	401	FAD	C5A-C6A-N6A	2.60	124.30	120.35
3	A	401	FAD	C5A-C6A-N6A	2.25	123.78	120.35
3	В	401	FAD	O5'-P-O1P	2.01	116.91	109.07
3	В	401	FAD	C4-N3-C2	-2.00	121.95	125.64

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	В	401	FAD	C1'-C2'-C3'-O3'
3	В	401	FAD	C1'-C2'-C3'-C4'
3	В	401	FAD	C5'-O5'-P-O1P
3	В	401	FAD	C5'-O5'-P-O2P
4	A	402	1PE	OH6-C15-C25-OH5
3	В	401	FAD	O2'-C2'-C3'-C4'
3	В	401	FAD	O2'-C2'-C3'-O3'
4	A	402	1PE	OH5-C14-C24-OH4
4	A	402	1PE	C24-C14-OH5-C25
3	A	401	FAD	C1'-C2'-C3'-O3'
3	A	401	FAD	O2'-C2'-C3'-C4'
3	A	401	FAD	O2'-C2'-C3'-O3'
3	В	401	FAD	C5'-O5'-P-O3P
3	В	401	FAD	C2'-C1'-N10-C10




There are no ring outliers.

3 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	FAD	2	0
4	A	402	1PE	1	0
3	В	401	FAD	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\# \mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q<0.9
1	С	346/380 (91%)	-0.11	1 (0%) 94 96	32, 47, 73, 103	0
1	D	343/380 (90%)	0.07	6 (1%) 70 76	32, 49, 84, 119	0
2	A	374/384 (97%)	-0.04	0 100 100	32, 49, 75, 108	0
2	В	379/384 (98%)	0.07	8 (2%) 63 70	34, 52, 83, 115	0
All	All	1442/1528 (94%)	-0.00	15 (1%) 82 86	32, 49, 78, 119	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	59	SER	4.9
1	D	58	ALA	3.9
1	D	60	ALA	3.8
2	В	144	ALA	3.2
2	В	352	TYR	3.2
1	D	5	PRO	3.0
1	D	167	GLY	2.7
2	В	20	LEU	2.6
1	С	230	ASP	2.3
2	В	19	ALA	2.3
2	В	314	ALA	2.3
2	В	225	LEU	2.2
2	В	306	VAL	2.1
2	В	15	ASP	2.1
1	D	3	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)


There are no monosaccharides in this entry.

6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
4	1PE	A	402	16/16	0.70	0.19	76,83,89,90	0
3	FAD	A	401	53/53	0.95	0.10	39,46,65,68	0
3	FAD	В	401	53/53	0.96	0.10	40,48,57,60	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

