



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 23, 2024 – 12:29 PM JST

PDB ID : 8HKS
Title : Mutated human ADP-ribosyltransferase 2 (PARP2) catalytic domain bound to Pamiparib(BGB-290)
Authors : Wang, X.Y.; Zhou, J.; Xu, B.L.
Deposited on : 2022-11-28
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	353	 81% 17% ..
1	B	353	 85% 14% .
1	C	353	 82% 17% .
1	D	353	 80% 19% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 11510 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Poly [ADP-ribose] polymerase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	351	2787	1768	484	516	19	0	0	0
1	B	353	2802	1777	486	520	19	0	0	0
1	C	353	2802	1777	486	520	19	0	0	0
1	D	353	2802	1777	486	520	19	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	229	GLY	-	expression tag	UNP Q9UGN5
A	349	SER	THR	engineered mutation	UNP Q9UGN5
A	351	ARG	LEU	engineered mutation	UNP Q9UGN5
A	353	GLY	SER	engineered mutation	UNP Q9UGN5
A	354	LEU	PRO	engineered mutation	UNP Q9UGN5
B	229	GLY	-	expression tag	UNP Q9UGN5
B	349	SER	THR	engineered mutation	UNP Q9UGN5
B	351	ARG	LEU	engineered mutation	UNP Q9UGN5
B	353	GLY	SER	engineered mutation	UNP Q9UGN5
B	354	LEU	PRO	engineered mutation	UNP Q9UGN5
C	229	GLY	-	expression tag	UNP Q9UGN5
C	349	SER	THR	engineered mutation	UNP Q9UGN5
C	351	ARG	LEU	engineered mutation	UNP Q9UGN5
C	353	GLY	SER	engineered mutation	UNP Q9UGN5
C	354	LEU	PRO	engineered mutation	UNP Q9UGN5
D	229	GLY	-	expression tag	UNP Q9UGN5
D	349	SER	THR	engineered mutation	UNP Q9UGN5
D	351	ARG	LEU	engineered mutation	UNP Q9UGN5
D	353	GLY	SER	engineered mutation	UNP Q9UGN5
D	354	LEU	PRO	engineered mutation	UNP Q9UGN5


- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 6 3 3	0	0
2	A	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0

- Molecule 3 is (2R)-14-fluoro-2-methyl-6,9,10,19-tetrazapentacyclo[14.2.1.0^{2,6}.0^{8,18}.0

12,17]nonadeca-1(18),8,12(17),13,15-pentaen-11-one (three-letter code: DS9) (formula: $C_{16}H_{15}FN_4O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
3	A	1	Total	C	F	N	O	0	0
			22	16	1	4	1		
3	B	1	Total	C	F	N	O	0	0
			22	16	1	4	1		
3	C	1	Total	C	F	N	O	0	0
			22	16	1	4	1		
3	D	1	Total	C	F	N	O	0	0
			22	16	1	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	38	Total	O	0	1
			39	39		
4	B	46	Total	O	0	0
			46	46		
4	C	39	Total	O	0	0
			39	39		
4	D	33	Total	O	0	0
			33	33		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Poly [ADP-ribose] polymerase 2




- Molecule 1: Poly [ADP-ribose] polymerase 2




- Molecule 1: Poly [ADP-ribose] polymerase 2



- Molecule 1: Poly [ADP-ribose] polymerase 2





4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.01Å 86.33Å 103.62Å 90.00° 112.44° 90.00°	Depositor
Resolution (Å)	95.77 – 2.80 95.77 – 2.80	Depositor EDS
% Data completeness (in resolution range)	94.8 (95.77-2.80) 94.9 (95.77-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.36 (at 2.82Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.181 , 0.238 0.184 , 0.239	Depositor DCC
R_{free} test set	1561 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	30.5	Xtrriage
Anisotropy	0.049	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 52.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.011 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11510	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.34 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.2216e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, DS9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/2844	0.48	0/3834
1	B	0.26	0/2861	0.48	0/3860
1	C	0.26	0/2861	0.48	0/3860
1	D	0.28	0/2861	0.49	0/3860
All	All	0.26	0/11427	0.48	0/15414

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	316	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2787	0	2796	30	0
1	B	2802	0	2808	31	0
1	C	2802	0	2808	35	0
1	D	2802	0	2808	43	0
2	A	12	0	16	0	0
2	B	30	0	40	2	0
2	C	12	0	16	0	0
2	D	18	0	24	0	0
3	A	22	0	0	0	0
3	B	22	0	0	0	0
3	C	22	0	0	0	0
3	D	22	0	0	0	0
4	A	39	0	0	1	0
4	B	46	0	0	4	0
4	C	39	0	0	2	0
4	D	33	0	0	3	0
All	All	11510	0	11316	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:283:LYS:NZ	4:B:701:HOH:O	2.10	0.85
1:D:394:HIS:HD2	1:D:468:SER:HB2	1.44	0.81
1:D:374:HIS:HE1	4:D:703:HOH:O	1.64	0.79
1:B:351:ARG:HD3	1:B:354:LEU:HD23	1.65	0.78
1:D:545:GLY:HA2	1:D:548:ASN:HB3	1.68	0.74
1:A:366:HIS:O	1:A:409:LYS:NZ	2.23	0.72
1:C:486:LEU:HD21	1:C:569:MET:HG2	1.73	0.70
1:B:286:GLU:OE1	4:B:701:HOH:O	2.10	0.68
1:D:398:THR:HG22	1:D:578:ASN:HB2	1.76	0.67
1:C:351:ARG:HA	1:C:360:GLN:NE2	2.10	0.66
1:D:346:LEU:HD11	1:D:364:ASN:HB3	1.77	0.66
1:D:394:HIS:CD2	1:D:468:SER:HB2	2.31	0.65
1:B:555:ASN:HB2	2:B:604:GOL:H11	1.80	0.64
1:A:409:LYS:HB3	1:A:412:GLU:HG3	1.79	0.63
1:D:396:ASP:N	1:D:396:ASP:OD1	2.31	0.61
1:C:580:LEU:HD21	1:D:230:PRO:HD3	1.83	0.61
1:D:389:THR:HB	1:D:466:MET:HA	1.81	0.61
1:A:494:GLN:HG2	1:A:512:LYS:HG2	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:414:GLU:OE1	1:B:414:GLU:N	2.32	0.61
1:B:287:ASP:OD1	4:B:701:HOH:O	2.17	0.60
1:D:241:LEU:HD21	1:D:572:LEU:HD23	1.85	0.58
1:A:372:LEU:HD12	1:A:404:LEU:HG	1.85	0.58
1:B:277:ALA:HB1	1:B:308:ARG:HD3	1.85	0.58
1:C:350:GLU:O	1:C:360:GLN:NE2	2.38	0.57
1:C:396:ASP:HA	1:C:580:LEU:HD11	1.87	0.57
1:D:479:LEU:HD12	1:D:479:LEU:H	1.69	0.56
1:D:497:GLU:HB3	1:D:518:LEU:HD11	1.87	0.56
1:A:237:ARG:CZ	1:A:371:PRO:HB2	2.36	0.55
1:C:351:ARG:HA	1:C:360:GLN:HE22	1.70	0.55
1:A:548:ASN:H	1:A:553:THR:HG21	1.72	0.55
1:C:402:LEU:HD11	1:C:576:GLN:HB2	1.87	0.54
1:D:546:ILE:HG13	1:D:547:LEU:HG	1.88	0.54
1:D:374:HIS:CE1	4:D:703:HOH:O	2.48	0.54
1:B:391:ALA:HB1	1:B:556:TYR:CZ	2.43	0.54
1:B:402:LEU:HD11	1:B:576:GLN:HB2	1.90	0.54
1:B:472:ASN:HA	2:B:605:GOL:H32	1.91	0.53
1:B:500:GLU:HG2	1:B:548:ASN:ND2	2.22	0.53
1:D:298:LEU:HD21	1:D:322:ARG:HG2	1.91	0.52
1:B:372:LEU:HD12	1:B:404:LEU:HG	1.90	0.52
1:C:446:ALA:HB3	1:C:459:LYS:HD3	1.92	0.52
1:D:434:ASN:O	1:D:438:ILE:HG13	2.10	0.52
1:B:419:ASP:HB3	1:C:552:TYR:HE1	1.75	0.51
1:D:252:GLU:O	1:D:256:MET:HG3	2.10	0.51
1:D:248:VAL:O	1:D:252:GLU:HG3	2.11	0.51
1:D:393:THR:HB	1:D:556:TYR:OH	2.10	0.51
1:C:489:GLU:HG3	1:C:570:ARG:HG3	1.92	0.51
1:C:368:ALA:HB3	1:C:408:GLU:HB3	1.93	0.50
1:D:469:LYS:HD3	1:D:556:TYR:HD2	1.77	0.50
1:D:365:LEU:HD23	1:D:440:SER:HB3	1.94	0.50
1:C:389:THR:HB	1:C:466:MET:HA	1.94	0.50
1:D:247:ASN:O	1:D:251:MET:HG3	2.11	0.50
1:A:304:GLU:O	1:A:308:ARG:HD2	2.12	0.49
1:A:303:ASN:O	1:A:307:THR:OG1	2.26	0.49
1:D:543:ASP:O	1:D:546:ILE:HG12	2.12	0.49
1:D:303:ASN:O	1:D:307:THR:OG1	2.25	0.49
1:A:241:LEU:HD21	1:A:572:LEU:HD23	1.95	0.48
1:B:419:ASP:HB3	1:C:552:TYR:CE1	2.49	0.48
1:C:252:GLU:OE2	4:C:701:HOH:O	2.20	0.48
1:A:377:TYR:O	1:A:381:VAL:HG23	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:501:ALA:N	4:C:711:HOH:O	2.45	0.48
1:A:568:ARG:NH1	4:A:702:HOH:O	2.32	0.48
1:B:252:GLU:O	1:B:256:MET:HG3	2.14	0.48
1:C:496:ASN:HB2	1:C:512:LYS:HD2	1.96	0.48
1:A:283:LYS:HA	1:A:451:PRO:HB3	1.95	0.47
1:A:409:LYS:HE2	1:A:440:SER:O	2.14	0.47
1:C:581:GLN:HE22	1:D:352:GLN:HB2	1.80	0.47
1:D:402:LEU:HD11	1:D:576:GLN:HB2	1.97	0.47
1:D:446:ALA:HB3	1:D:459:LYS:HD3	1.95	0.47
1:D:478:ARG:HH21	1:D:581:GLN:HA	1.80	0.47
1:A:340:ILE:O	1:A:344:ILE:HD12	2.14	0.47
1:B:243:LYS:HD2	1:B:358:LEU:HD11	1.97	0.46
1:C:435:TRP:NE1	1:C:484:LEU:HB2	2.30	0.46
1:D:254:MET:O	1:D:258:MET:HG3	2.16	0.46
1:B:234:LEU:HD11	1:B:359:ASP:HA	1.97	0.46
1:C:247:ASN:O	1:C:251:MET:HG3	2.16	0.46
1:C:258:MET:HE2	1:C:333:LEU:HD12	1.97	0.46
1:B:348:LYS:HD2	1:B:349:SER:N	2.31	0.46
1:D:280:GLN:HG3	1:D:449:GLU:HB3	1.97	0.46
1:A:254:MET:SD	1:A:431:ARG:HB3	2.55	0.46
1:D:264:LYS:HD2	1:D:310:PRO:HB3	1.99	0.45
1:A:380:LYS:O	1:A:384:GLN:HG3	2.15	0.45
1:B:270:LEU:HD11	1:B:337:LEU:HD22	1.98	0.45
1:D:374:HIS:HA	1:D:379:PHE:CG	2.52	0.45
1:A:266:PRO:HD2	1:A:269:LYS:HG3	1.98	0.45
1:B:414:GLU:OE2	4:B:702:HOH:O	2.21	0.45
1:C:230:PRO:HG3	1:C:354:LEU:O	2.17	0.44
1:D:270:LEU:HD11	1:D:337:LEU:HD22	1.99	0.44
1:D:346:LEU:HA	1:D:346:LEU:HD12	1.70	0.44
1:C:270:LEU:HD21	1:C:337:LEU:HB3	1.99	0.44
1:C:516:LYS:HG2	1:C:518:LEU:HD12	1.99	0.44
1:A:391:ALA:HB1	1:A:556:TYR:CZ	2.52	0.44
1:B:570:ARG:HA	1:B:570:ARG:HD2	1.79	0.44
1:B:376:SER:O	1:B:380:LYS:HD3	2.17	0.44
1:C:425:LEU:HG	1:C:487:LEU:HD22	1.99	0.44
1:A:547:LEU:HD23	1:A:547:LEU:HA	1.91	0.44
1:B:528:PHE:CD1	1:B:537:PRO:HA	2.53	0.43
1:C:499:LEU:CD2	1:C:546:ILE:HG23	2.48	0.43
1:D:528:PHE:CD1	1:D:537:PRO:HA	2.54	0.43
1:A:280:GLN:HG3	1:A:449:GLU:HB3	2.01	0.43
1:C:344:ILE:HA	1:C:347:VAL:HG22	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:377:TYR:O	1:C:381:VAL:HG23	2.19	0.43
1:A:402:LEU:HD11	1:A:576:GLN:HB2	2.01	0.43
1:D:452:ILE:O	1:D:503:PRO:HB3	2.17	0.43
1:A:271:THR:HG23	1:A:274:GLN:HB3	2.00	0.42
1:D:321:ILE:HG23	1:D:326:GLU:HB3	2.01	0.42
1:D:263:LYS:NZ	4:D:712:HOH:O	2.46	0.42
1:C:445:ILE:HD12	1:C:564:PRO:HD3	2.02	0.42
1:A:316:ARG:NH2	1:D:440:SER:O	2.53	0.42
1:A:359:ASP:N	1:A:359:ASP:OD1	2.52	0.42
1:B:452:ILE:HD12	1:B:459:LYS:HG3	2.01	0.42
1:A:568:ARG:CZ	1:A:570:ARG:HD3	2.49	0.42
1:B:502:ASN:OD1	1:B:504:LYS:HE2	2.20	0.42
1:C:276:LYS:HD3	1:C:449:GLU:OE2	2.20	0.42
1:A:419:ASP:OD1	1:A:419:ASP:N	2.51	0.42
1:A:528:PHE:CD1	1:A:537:PRO:HA	2.55	0.42
1:B:469:LYS:NZ	1:B:558:GLU:HG3	2.35	0.42
1:C:237:ARG:HG2	1:C:403:ASP:OD2	2.19	0.41
1:B:525:SER:HA	1:B:528:PHE:CD2	2.55	0.41
1:A:266:PRO:HB2	1:A:269:LYS:HG2	2.03	0.41
1:B:354:LEU:H	1:B:354:LEU:HD22	1.85	0.41
1:C:479:LEU:H	1:C:479:LEU:HD12	1.86	0.41
1:B:350:GLU:O	1:B:352:GLN:N	2.43	0.41
1:C:254:MET:HE1	1:C:432:MET:HB3	2.03	0.41
1:C:456:MET:HE1	1:C:554:LEU:HD21	2.02	0.41
1:D:285:ILE:O	1:D:289:ILE:HG13	2.20	0.41
1:B:351:ARG:HB3	1:B:360:GLN:OE1	2.21	0.41
1:A:298:LEU:HD21	1:A:322:ARG:HD2	2.02	0.40
1:C:391:ALA:HB1	1:C:556:TYR:CZ	2.57	0.40
1:D:243:LYS:HB2	1:D:243:LYS:HE2	1.72	0.40
1:A:242:ILE:HG22	1:A:358:LEU:HD22	2.04	0.40
1:B:330:LYS:HD3	1:B:330:LYS:HA	1.84	0.40
1:D:499:LEU:HD22	1:D:551:GLY:O	2.21	0.40
1:C:348:LYS:HD2	1:C:348:LYS:HA	1.99	0.40
1:D:487:LEU:HD23	1:D:487:LEU:HA	1.98	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	347/353 (98%)	341 (98%)	6 (2%)	0	100	100
1	B	351/353 (99%)	342 (97%)	7 (2%)	2 (1%)	25	56
1	C	351/353 (99%)	341 (97%)	9 (3%)	1 (0%)	41	72
1	D	351/353 (99%)	343 (98%)	8 (2%)	0	100	100
All	All	1400/1412 (99%)	1367 (98%)	30 (2%)	3 (0%)	47	78

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	353	GLY
1	B	354	LEU
1	C	353	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	303/305 (99%)	285 (94%)	18 (6%)	19	49
1	B	305/305 (100%)	294 (96%)	11 (4%)	35	69
1	C	305/305 (100%)	298 (98%)	7 (2%)	50	82
1	D	305/305 (100%)	295 (97%)	10 (3%)	38	72
All	All	1218/1220 (100%)	1172 (96%)	46 (4%)	33	67

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	233	GLN
1	A	269	LYS
1	A	271	THR
1	A	322	ARG
1	A	327	LEU
1	A	348	LYS
1	A	359	ASP
1	A	403	ASP
1	A	410	ASP
1	A	422	ASN
1	A	430	SER
1	A	445	ILE
1	A	504	LYS
1	A	521	MET
1	A	524	SER
1	A	525	SER
1	A	542	SER
1	A	581	GLN
1	B	259	LYS
1	B	283	LYS
1	B	315	LEU
1	B	316	ARG
1	B	345	LYS
1	B	348	LYS
1	B	366	HIS
1	B	373	ASP
1	B	419	ASP
1	B	430	SER
1	B	568	ARG
1	C	232	SER
1	C	316	ARG
1	C	325	LYS
1	C	330	LYS
1	C	403	ASP
1	C	479	LEU
1	C	524	SER
1	D	243	LYS
1	D	269	LYS
1	D	300	GLU
1	D	316	ARG
1	D	396	ASP
1	D	413	LYS
1	D	469	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	521	MET
1	D	568	ARG
1	D	581	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	352	GLN
1	A	384	GLN
1	A	494	GLN
1	A	510	GLN
1	B	360	GLN
1	C	360	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	C	602	-	5,5,5	0.62	0	5,5,5	0.57	0
2	GOL	B	602	-	5,5,5	0.61	0	5,5,5	0.58	0
3	DS9	B	606	-	21,26,26	0.97	1 (4%)	22,42,42	1.03	2 (9%)
3	DS9	C	603	-	21,26,26	0.98	1 (4%)	22,42,42	1.08	3 (13%)
3	DS9	D	604	-	21,26,26	0.94	1 (4%)	22,42,42	1.34	3 (13%)
2	GOL	B	603	-	5,5,5	0.63	0	5,5,5	0.56	0
2	GOL	B	604	-	5,5,5	0.56	0	5,5,5	0.57	0
2	GOL	B	605	-	5,5,5	0.61	0	5,5,5	0.56	0
2	GOL	D	603	-	5,5,5	0.25	0	5,5,5	0.78	0
2	GOL	C	601	-	5,5,5	0.62	0	5,5,5	0.57	0
2	GOL	B	601	-	5,5,5	0.61	0	5,5,5	0.61	0
2	GOL	A	602	-	5,5,5	0.62	0	5,5,5	0.58	0
3	DS9	A	603	-	21,26,26	1.01	1 (4%)	22,42,42	1.07	2 (9%)
2	GOL	A	601	-	5,5,5	0.58	0	5,5,5	0.54	0
2	GOL	D	601	-	5,5,5	0.60	0	5,5,5	0.61	0
2	GOL	D	602	-	5,5,5	0.48	0	5,5,5	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	C	602	-	-	4/4/4/4	-
2	GOL	B	602	-	-	2/4/4/4	-
3	DS9	B	606	-	-	-	0/4/5/5
3	DS9	C	603	-	-	-	0/4/5/5
3	DS9	D	604	-	-	-	0/4/5/5
2	GOL	B	603	-	-	2/4/4/4	-
2	GOL	B	604	-	-	3/4/4/4	-
2	GOL	B	605	-	-	3/4/4/4	-
2	GOL	D	603	-	-	4/4/4/4	-
2	GOL	C	601	-	-	0/4/4/4	-
2	GOL	B	601	-	-	4/4/4/4	-
2	GOL	A	602	-	-	0/4/4/4	-
3	DS9	A	603	-	-	-	0/4/5/5
2	GOL	A	601	-	-	0/4/4/4	-
2	GOL	D	601	-	-	2/4/4/4	-
2	GOL	D	602	-	-	4/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	603	DS9	C14-C6	-2.55	1.44	1.48
3	C	603	DS9	C14-C6	-2.52	1.44	1.48
3	B	606	DS9	C14-C6	-2.51	1.44	1.48
3	D	604	DS9	C14-C6	-2.50	1.44	1.48

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	604	DS9	C3-C4-N	4.12	109.93	103.95
3	C	603	DS9	C8-C7-N2	2.30	123.10	120.17
3	D	604	DS9	C8-C7-N2	2.24	123.03	120.17
3	A	603	DS9	C8-C7-N2	2.23	123.02	120.17
3	B	606	DS9	C6-N1-N2	2.21	124.29	119.82
3	B	606	DS9	C8-C7-N2	2.19	122.96	120.17
3	A	603	DS9	C6-N1-N2	2.18	124.22	119.82
3	C	603	DS9	C6-N1-N2	2.16	124.19	119.82
3	D	604	DS9	C6-N1-N2	2.15	124.17	119.82
3	C	603	DS9	C10-C11-C12	-2.05	115.55	118.30

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	GOL	O1-C1-C2-C3
2	B	604	GOL	O1-C1-C2-C3
2	B	605	GOL	C1-C2-C3-O3
2	B	605	GOL	O2-C2-C3-O3
2	C	602	GOL	O1-C1-C2-C3
2	D	601	GOL	C1-C2-C3-O3
2	D	602	GOL	O1-C1-C2-O2
2	D	603	GOL	O1-C1-C2-C3
2	B	603	GOL	O2-C2-C3-O3
2	B	601	GOL	C1-C2-C3-O3
2	B	602	GOL	O1-C1-C2-C3
2	B	603	GOL	C1-C2-C3-O3
2	B	605	GOL	O1-C1-C2-C3
2	C	602	GOL	C1-C2-C3-O3
2	D	602	GOL	O1-C1-C2-C3
2	D	602	GOL	C1-C2-C3-O3
2	D	603	GOL	C1-C2-C3-O3
2	B	601	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	B	604	GOL	O1-C1-C2-O2
2	C	602	GOL	O1-C1-C2-O2
2	D	601	GOL	O2-C2-C3-O3
2	D	603	GOL	O1-C1-C2-O2
2	B	602	GOL	O1-C1-C2-O2
2	D	602	GOL	O2-C2-C3-O3
2	D	603	GOL	O2-C2-C3-O3
2	C	602	GOL	O2-C2-C3-O3
2	B	604	GOL	C1-C2-C3-O3
2	B	601	GOL	O2-C2-C3-O3



There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	604	GOL	1	0
2	B	605	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	351/353 (99%)	-0.37	3 (0%) 84 80	17, 29, 49, 78	0
1	B	353/353 (100%)	-0.42	2 (0%) 89 86	14, 25, 47, 78	0
1	C	353/353 (100%)	-0.29	4 (1%) 80 75	15, 30, 50, 79	0
1	D	353/353 (100%)	-0.30	5 (1%) 75 70	18, 34, 57, 90	0
All	All	1410/1412 (99%)	-0.34	14 (0%) 82 77	14, 30, 51, 90	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	354	LEU	6.7
1	C	229	GLY	4.8
1	A	545	GLY	3.7
1	A	552	TYR	3.6
1	D	549	PRO	3.6
1	D	581	GLN	3.3
1	C	351	ARG	2.9
1	B	352	GLN	2.7
1	D	395	SER	2.6
1	C	581	GLN	2.3
1	A	548	ASN	2.3
1	B	229	GLY	2.3
1	D	580	LEU	2.0
1	D	550	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	D	602	6/6	0.76	0.35	30,38,40,50	0
2	GOL	B	603	6/6	0.89	0.26	30,38,40,42	0
2	GOL	B	604	6/6	0.91	0.23	22,29,33,38	0
2	GOL	A	602	6/6	0.91	0.21	30,31,39,42	0
2	GOL	D	603	6/6	0.91	0.23	24,31,38,38	0
2	GOL	B	605	6/6	0.92	0.22	20,23,33,34	0
2	GOL	C	601	6/6	0.93	0.10	20,27,33,35	0
2	GOL	D	601	6/6	0.93	0.22	27,38,43,45	0
2	GOL	B	601	6/6	0.93	0.27	23,32,38,39	0
2	GOL	A	601	6/6	0.93	0.26	19,27,34,39	0
2	GOL	C	602	6/6	0.94	0.26	25,26,41,47	0
2	GOL	B	602	6/6	0.95	0.12	24,28,32,34	0
3	DS9	D	604	22/22	0.96	0.15	20,23,26,29	0
3	DS9	B	606	22/22	0.97	0.13	10,14,16,17	0
3	DS9	C	603	22/22	0.97	0.16	13,16,19,20	0
3	DS9	A	603	22/22	0.97	0.16	18,21,24,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DS9 D 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DS9 B 606:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around DS9 C 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.