



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 12, 2023 – 10:23 AM JST

PDB ID : 8HST
Title : The structure of rat beta-arrestin1
Authors : Yun, Y.; Yoon, H.J.; Choi, Y.; Lee, H.H.
Deposited on : 2022-12-20
Resolution : 2.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.34
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.34


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1332 (2.68-2.64)
Clashscore	141614	1374 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	414	 9% 62% 23% 13%
1	B	414	 8% 59% 25% 13%

2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 5904 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-arrestin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	361	2879	1841	495	540	3	0	0	0
1	B	361	2879	1841	495	540	3	0	0	0

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P29066
A	-18	GLY	-	expression tag	UNP P29066
A	-17	SER	-	expression tag	UNP P29066
A	-16	SER	-	expression tag	UNP P29066
A	-15	HIS	-	expression tag	UNP P29066
A	-14	HIS	-	expression tag	UNP P29066
A	-13	HIS	-	expression tag	UNP P29066
A	-12	HIS	-	expression tag	UNP P29066
A	-11	HIS	-	expression tag	UNP P29066
A	-10	HIS	-	expression tag	UNP P29066
A	-9	SER	-	expression tag	UNP P29066
A	-8	SER	-	expression tag	UNP P29066
A	-7	GLY	-	expression tag	UNP P29066
A	-6	LEU	-	expression tag	UNP P29066
A	-5	VAL	-	expression tag	UNP P29066
A	-4	PRO	-	expression tag	UNP P29066
A	-3	ARG	-	expression tag	UNP P29066
A	-2	GLY	-	expression tag	UNP P29066
A	-1	SER	-	expression tag	UNP P29066
A	0	HIS	-	expression tag	UNP P29066
A	59	VAL	CYS	engineered mutation	UNP P29066
A	125	SER	CYS	engineered mutation	UNP P29066
A	140	LEU	CYS	engineered mutation	UNP P29066
A	150	VAL	CYS	engineered mutation	UNP P29066
A	242	VAL	CYS	engineered mutation	UNP P29066

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	251	VAL	CYS	engineered mutation	UNP P29066
A	269	SER	CYS	engineered mutation	UNP P29066
B	-19	MET	-	initiating methionine	UNP P29066
B	-18	GLY	-	expression tag	UNP P29066
B	-17	SER	-	expression tag	UNP P29066
B	-16	SER	-	expression tag	UNP P29066
B	-15	HIS	-	expression tag	UNP P29066
B	-14	HIS	-	expression tag	UNP P29066
B	-13	HIS	-	expression tag	UNP P29066
B	-12	HIS	-	expression tag	UNP P29066
B	-11	HIS	-	expression tag	UNP P29066
B	-10	HIS	-	expression tag	UNP P29066
B	-9	SER	-	expression tag	UNP P29066
B	-8	SER	-	expression tag	UNP P29066
B	-7	GLY	-	expression tag	UNP P29066
B	-6	LEU	-	expression tag	UNP P29066
B	-5	VAL	-	expression tag	UNP P29066
B	-4	PRO	-	expression tag	UNP P29066
B	-3	ARG	-	expression tag	UNP P29066
B	-2	GLY	-	expression tag	UNP P29066
B	-1	SER	-	expression tag	UNP P29066
B	0	HIS	-	expression tag	UNP P29066
B	59	VAL	CYS	engineered mutation	UNP P29066
B	125	SER	CYS	engineered mutation	UNP P29066
B	140	LEU	CYS	engineered mutation	UNP P29066
B	150	VAL	CYS	engineered mutation	UNP P29066
B	242	VAL	CYS	engineered mutation	UNP P29066
B	251	VAL	CYS	engineered mutation	UNP P29066
B	269	SER	CYS	engineered mutation	UNP P29066


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	70	Total O 70 70	0	0
2	B	76	Total O 76 76	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-arrestin-1



- Molecule 1: Beta-arrestin-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	62.28Å 72.48Å 116.39Å 90.00° 98.78° 90.00°	Depositor
Resolution (Å)	38.62 – 2.66 38.62 – 2.66	Depositor EDS
% Data completeness (in resolution range)	99.7 (38.62-2.66) 99.8 (38.62-2.66)	Depositor EDS
R_{merge}	0.98	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	13.46 (at 2.65Å)	Xtrriage
Refinement program	PHENIX v1.19.2	Depositor
R, R_{free}	0.184 , 0.248 0.183 , 0.246	Depositor DCC
R_{free} test set	1455 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	26.6	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 66.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5904	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/2938	0.68	0/3982
1	B	0.51	3/2938 (0.1%)	0.69	2/3982 (0.1%)
All	All	0.48	3/5876 (0.1%)	0.68	2/7964 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	2
All	All	0	5

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	47	TYR	CB-CG	-6.55	1.41	1.51
1	B	47	TYR	CD1-CE1	-6.22	1.30	1.39
1	B	47	TYR	CD2-CE2	-6.12	1.30	1.39

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	47	TYR	CA-CB-CG	-9.34	95.66	113.40
1	B	47	TYR	CB-CG-CD1	-6.00	117.40	121.00

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	178	PRO	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	179	GLY	Peptide
1	A	50	GLU	Peptide
1	B	340	SER	Peptide
1	B	87	PHE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2879	0	2934	76	1
1	B	2879	0	2934	89	1
2	A	70	0	0	5	0
2	B	76	0	0	5	0
All	All	5904	0	5868	162	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:LYS:H	1:A:160:LYS:HD2	1.31	0.92
1:B:160:LYS:HG2	1:B:163:SER:HB2	1.55	0.88
1:B:188:ARG:HH11	1:B:188:ARG:HB2	1.37	0.87
1:A:183:THR:HG22	1:A:202:SER:HB3	1.61	0.82
1:A:190:PHE:H	1:A:193:SER:HB2	1.47	0.80
1:A:48:LEU:O	1:A:51:ARG:HG2	1.82	0.79
1:B:188:ARG:HD2	1:B:343:VAL:HG22	1.65	0.79
1:B:181:GLN:N	1:B:181:GLN:OE1	2.19	0.76
1:B:193:SER:O	1:B:195:LYS:N	2.19	0.75
1:A:51:ARG:CZ	1:A:51:ARG:HB3	2.15	0.74
1:B:70:VAL:HG12	1:B:72:GLY:H	1.53	0.72
1:A:230:LYS:NZ	1:A:257:GLU:OE1	2.20	0.72
1:B:193:SER:OG	1:B:194:ASP:N	2.22	0.71
1:B:277:PHE:O	1:B:281:ASN:ND2	2.23	0.71
1:B:188:ARG:HB2	1:B:188:ARG:NH1	2.05	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:53:VAL:HG22	1:B:150:VAL:HG22	1.73	0.69
1:B:294:LYS:HD2	1:B:294:LYS:H	1.57	0.69
1:B:140:LEU:HD13	1:B:317:ILE:HD11	1.76	0.68
1:B:130:GLN:O	1:B:132:GLY:N	2.27	0.67
1:B:52:ARG:HG2	1:B:88:PRO:HG3	1.78	0.65
1:A:97:LEU:HD13	1:A:101:GLN:HB3	1.79	0.65
1:A:51:ARG:O	1:A:51:ARG:NH1	2.30	0.65
1:B:46:GLU:HB3	1:B:47:TYR:CE2	2.32	0.64
1:A:134:GLU:N	1:A:134:GLU:OE1	2.31	0.64
1:A:95:LYS:HE3	1:A:116:THR:HG23	1.79	0.63
1:B:188:ARG:NH2	2:B:405:HOH:O	2.31	0.62
1:B:86:SER:O	1:B:88:PRO:HD2	2.00	0.62
1:A:134:GLU:HG3	1:A:285:ARG:HG3	1.82	0.62
1:B:95:LYS:HB2	1:B:96:PRO:HD2	1.81	0.62
1:A:190:PHE:N	1:A:193:SER:HB2	2.14	0.61
1:B:48:LEU:O	1:B:51:ARG:N	2.34	0.61
1:A:393:ARG:NH1	2:A:404:HOH:O	2.34	0.61
1:A:295:HIS:HB3	1:A:394:GLN:HB3	1.83	0.60
1:A:221:THR:HG23	1:A:267:THR:HG22	1.83	0.60
1:A:192:MET:HA	1:B:244:PHE:CZ	2.36	0.60
1:B:232:LYS:NZ	1:B:257:GLU:OE2	2.28	0.60
1:A:342:ASP:O	2:A:401:HOH:O	2.16	0.60
1:A:92:GLU:OE1	1:A:95:LYS:N	2.26	0.59
1:A:183:THR:CG2	1:A:202:SER:HB3	2.30	0.59
1:A:145:GLU:OE2	1:A:165:ARG:HD2	2.02	0.58
1:A:191:LEU:O	1:A:191:LEU:HG	2.04	0.58
1:B:45:PRO:HA	1:B:48:LEU:HD12	1.86	0.57
1:A:5:GLY:H	1:A:385:ASP:HB3	1.67	0.57
1:A:393:ARG:CZ	1:A:393:ARG:HA	2.34	0.57
1:B:13:SER:HB2	1:B:18:LEU:HB2	1.86	0.57
1:A:158:ILE:HD11	1:A:162:ASN:HB2	1.86	0.57
1:A:181:GLN:HG3	1:A:206:GLU:HG2	1.86	0.57
1:B:42:LEU:HD12	1:B:108:LEU:HB3	1.87	0.56
1:A:277:PHE:O	1:A:281:ASN:ND2	2.39	0.56
1:B:194:ASP:OD2	2:B:401:HOH:O	2.17	0.56
1:A:45:PRO:HA	1:A:48:LEU:HG	1.88	0.56
1:A:44:ASP:OD1	1:A:46:GLU:HG2	2.06	0.56
1:A:94:LYS:HG2	1:A:96:PRO:HD3	1.88	0.55
1:A:52:ARG:HB2	1:A:151:ALA:O	2.06	0.55
1:A:21:TYR:HB2	1:A:40:VAL:HG23	1.88	0.55
1:B:25:ARG:HG2	1:B:391:PHE:CE1	2.41	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:45:PRO:HA	1:B:48:LEU:CD1	2.37	0.55
1:B:72:GLY:O	1:B:73:LEU:HD23	2.07	0.55
1:A:393:ARG:HA	1:A:393:ARG:NE	2.24	0.53
1:A:193:SER:O	1:A:194:ASP:HB3	2.08	0.53
1:B:295:HIS:CD2	1:B:393:ARG:HB2	2.44	0.53
1:A:87:PHE:CD1	1:A:88:PRO:HA	2.44	0.52
1:B:183:THR:HG22	1:B:202:SER:HB3	1.92	0.52
1:A:190:PHE:H	1:A:193:SER:CB	2.20	0.52
1:B:107:LYS:HD2	1:B:386:ILE:HG21	1.91	0.52
1:A:134:GLU:HG3	1:A:285:ARG:CG	2.40	0.52
1:B:4:LYS:N	1:B:385:ASP:OD1	2.42	0.52
1:A:190:PHE:O	1:A:192:MET:N	2.43	0.52
1:A:181:GLN:HG3	1:A:206:GLU:OE1	2.11	0.51
1:A:190:PHE:HZ	1:A:343:VAL:HG21	1.76	0.50
1:B:190:PHE:HZ	1:B:197:LEU:HD23	1.76	0.50
1:B:144:TYR:OH	1:B:170:LYS:HE2	2.12	0.50
1:A:7:ARG:HD2	1:A:389:GLU:CD	2.31	0.50
1:B:21:TYR:CE2	1:B:388:PHE:HE2	2.30	0.50
1:B:94:LYS:HZ2	1:B:115:PHE:HA	1.76	0.50
1:A:185:GLU:OE1	1:A:198:HIS:NE2	2.44	0.50
1:B:296:GLU:OE2	1:B:394:GLN:NE2	2.40	0.50
1:A:186:THR:HG22	1:A:345:VAL:HG13	1.94	0.49
1:B:155:GLU:HG2	1:B:155:GLU:O	2.12	0.49
1:A:306:LEU:HD11	1:A:312:ARG:HG3	1.93	0.49
1:A:246:THR:HB	1:B:188:ARG:HG3	1.95	0.49
1:A:97:LEU:HB3	1:A:102:GLU:HG3	1.94	0.49
1:B:166:LEU:HD23	1:B:391:PHE:CG	2.47	0.49
1:B:120:PRO:HG2	1:B:123:LEU:HD11	1.95	0.49
1:A:306:LEU:HD23	1:A:306:LEU:HA	1.60	0.48
1:B:159:HIS:ND1	1:B:161:ARG:HG2	2.29	0.48
1:A:65:ARG:HH21	1:A:71:LEU:HD23	1.79	0.47
1:A:284:LYS:O	2:A:402:HOH:O	2.20	0.47
1:A:94:LYS:NZ	1:A:96:PRO:HG3	2.29	0.47
1:B:87:PHE:CD2	1:B:88:PRO:HD3	2.50	0.47
1:B:131:PRO:HA	1:B:286:GLY:H	1.78	0.47
1:B:6:THR:OG1	1:B:386:ILE:HD12	2.15	0.47
1:B:94:LYS:NZ	1:B:115:PHE:HA	2.30	0.47
1:A:39:GLY:HA3	1:A:115:PHE:CZ	2.50	0.46
1:B:6:THR:HG21	1:B:103:ARG:HH22	1.79	0.46
1:A:62:ARG:NH1	1:A:76:ARG:HE	2.14	0.46
1:A:94:LYS:HZ3	1:A:96:PRO:HG3	1.80	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:131:PRO:O	1:B:135:ASP:HB2	2.15	0.46
1:B:353:HIS:HD2	2:B:429:HOH:O	1.98	0.46
1:B:192:MET:SD	1:B:224:THR:HA	2.56	0.46
1:B:292:LYS:HB2	1:B:295:HIS:ND1	2.31	0.46
1:A:135:ASP:HB2	2:A:417:HOH:O	2.15	0.46
1:B:386:ILE:HG23	1:B:386:ILE:O	2.16	0.46
1:A:191:LEU:HA	1:A:192:MET:HA	1.67	0.46
1:B:85:GLN:NE2	1:B:88:PRO:HG2	2.31	0.46
1:B:193:SER:O	1:B:194:ASP:C	2.55	0.46
1:A:17:LYS:HG3	1:A:47:TYR:CE1	2.51	0.45
1:A:294:LYS:HB3	1:A:294:LYS:HE3	1.65	0.45
1:B:355:LYS:NZ	2:B:404:HOH:O	2.43	0.45
1:A:64:GLY:HA2	1:A:138:LYS:HD3	1.98	0.45
1:B:135:ASP:CG	1:B:285:ARG:HE	2.20	0.45
1:B:192:MET:HG3	1:B:195:LYS:O	2.17	0.45
1:B:329:VAL:HG12	1:B:330:SER:O	2.17	0.45
1:B:43:VAL:CG1	1:B:48:LEU:HD11	2.46	0.45
1:A:94:LYS:HB3	1:A:94:LYS:HE3	1.57	0.45
1:A:201:ALA:HA	1:A:217:ASN:O	2.17	0.45
1:B:125:SER:HA	1:B:170:LYS:HE3	1.97	0.45
1:B:154:LEU:HA	1:B:154:LEU:HD12	1.69	0.45
1:B:5:GLY:N	1:B:385:ASP:OD2	2.50	0.44
1:B:147:LYS:HG3	1:B:165:ARG:HG2	1.98	0.44
1:B:292:LYS:HB3	1:B:294:LYS:CD	2.48	0.44
1:A:54:TYR:CE1	1:A:85:GLN:HG3	2.53	0.44
1:B:385:ASP:OD1	1:B:385:ASP:N	2.50	0.44
1:A:147:LYS:HG3	1:A:165:ARG:HG2	1.99	0.44
1:B:131:PRO:HB2	1:B:135:ASP:HB3	1.99	0.44
1:B:192:MET:HE3	1:B:193:SER:HB3	2.00	0.44
1:A:193:SER:C	1:A:195:LYS:H	2.21	0.43
1:A:383:ASP:HB3	1:A:384:ASP:H	1.46	0.43
1:B:85:GLN:HE21	1:B:88:PRO:HG2	1.83	0.43
1:B:194:ASP:HB3	1:B:195:LYS:HG3	2.00	0.43
1:B:312:ARG:NH2	2:B:402:HOH:O	2.24	0.43
1:A:236:ARG:NH1	2:A:420:HOH:O	2.52	0.42
1:A:329:VAL:O	1:A:340:SER:HA	2.19	0.42
1:A:145:GLU:OE2	1:A:165:ARG:NH1	2.47	0.42
1:B:235:VAL:HG22	1:B:323:VAL:HG22	2.01	0.42
1:A:24:LYS:HD3	1:A:26:ASP:O	2.20	0.42
1:A:21:TYR:HB2	1:A:40:VAL:CG2	2.50	0.42
1:B:192:MET:HG2	1:B:224:THR:HG22	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:359:GLU:H	1:B:359:GLU:HG3	1.64	0.42
1:A:177:ARG:NH1	1:A:178:PRO:O	2.51	0.42
1:B:54:TYR:CE1	1:B:85:GLN:HB2	2.54	0.42
1:B:14:PRO:HG2	1:B:161:ARG:HA	2.02	0.42
1:B:278:LEU:O	1:B:282:ARG:NH1	2.51	0.41
1:B:236:ARG:NH1	1:B:236:ARG:HG2	2.35	0.41
1:B:389:GLU:HG3	1:B:390:ASP:N	2.36	0.41
1:A:160:LYS:H	1:A:160:LYS:CD	2.08	0.41
1:B:193:SER:C	1:B:195:LYS:H	2.24	0.41
1:B:122:ASN:OD1	1:B:307:ARG:HD3	2.21	0.41
1:B:195:LYS:HA	1:B:196:PRO:HD3	1.98	0.41
1:A:97:LEU:HD11	1:A:105:ILE:HD12	2.03	0.41
1:B:6:THR:HG21	1:B:103:ARG:NH2	2.36	0.41
1:A:96:PRO:O	1:A:97:LEU:C	2.59	0.41
1:A:232:LYS:HG2	1:A:257:GLU:HG2	2.02	0.41
1:B:44:ASP:C	1:B:46:GLU:H	2.24	0.40
1:B:67:ASP:OD1	1:B:67:ASP:N	2.52	0.40
1:A:191:LEU:HB3	1:B:245:ASN:CG	2.41	0.40
1:B:230:LYS:NZ	1:B:257:GLU:HB3	2.36	0.40
1:B:138:LYS:HD2	1:B:138:LYS:HA	1.96	0.40
1:B:355:LYS:H	1:B:355:LYS:HG3	1.65	0.40
1:A:92:GLU:HG2	1:A:95:LYS:HB2	2.04	0.40
1:B:40:VAL:HG11	1:B:112:ALA:HB1	2.04	0.40
1:A:145:GLU:CD	1:A:165:ARG:HD2	2.40	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:ARG:NH1	1:B:47:TYR:OH[1_656]	1.97	0.23

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	355/414 (86%)	325 (92%)	29 (8%)	1 (0%)	41	56
1	B	355/414 (86%)	325 (92%)	27 (8%)	3 (1%)	19	29
All	All	710/828 (86%)	650 (92%)	56 (8%)	4 (1%)	25	37

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	87	PHE
1	B	194	ASP
1	A	191	LEU
1	B	49	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	322/368 (88%)	295 (92%)	27 (8%)	11	16
1	B	322/368 (88%)	303 (94%)	19 (6%)	19	30
All	All	644/736 (88%)	598 (93%)	46 (7%)	14	22

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	THR
1	A	49	LYS
1	A	66	GLU
1	A	67	ASP
1	A	86	SER
1	A	97	LEU
1	A	106	LYS
1	A	107	LYS
1	A	135	ASP
1	A	143	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	157	LYS
1	A	163	SER
1	A	177	ARG
1	A	191	LEU
1	A	192	MET
1	A	193	SER
1	A	205	LYS
1	A	234	SER
1	A	277	PHE
1	A	282	ARG
1	A	306	LEU
1	A	307	ARG
1	A	330	SER
1	A	341	SER
1	A	357	LYS
1	A	385	ASP
1	A	393	ARG
1	B	4	LYS
1	B	94	LYS
1	B	95	LYS
1	B	130	GLN
1	B	134	GLU
1	B	158	ILE
1	B	189	GLN
1	B	190	PHE
1	B	236	ARG
1	B	255	MET
1	B	269	SER
1	B	274	LEU
1	B	277	PHE
1	B	345	VAL
1	B	357	LYS
1	B	359	GLU
1	B	383	ASP
1	B	386	ILE
1	B	393	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	353	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	361/414 (87%)	0.21	39 (10%) 5 4	6, 30, 79, 105	0
1	B	361/414 (87%)	0.25	34 (9%) 8 6	6, 29, 83, 105	0
All	All	722/828 (87%)	0.23	73 (10%) 7 4	6, 30, 82, 105	0

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	358	GLU	6.3
1	B	339	ALA	6.1
1	B	132	GLY	6.0
1	A	5	GLY	5.5
1	B	4	LYS	5.5
1	A	383	ASP	5.2
1	A	93	ASP	4.9
1	B	91	PRO	4.7
1	A	178	PRO	4.6
1	B	137	GLY	4.5
1	B	340	SER	4.5
1	B	359	GLU	4.4
1	A	359	GLU	4.3
1	A	385	ASP	4.3
1	A	4	LYS	4.2
1	A	358	GLU	4.1
1	B	155	GLU	4.1
1	B	5	GLY	4.1
1	A	339	ALA	3.9
1	B	357	LYS	3.8
1	A	132	GLY	3.8
1	B	394	GLN	3.8
1	B	384	ASP	3.8
1	B	135	ASP	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	70	VAL	3.7
1	A	192	MET	3.5
1	B	153	ASN	3.5
1	A	384	ASP	3.5
1	B	50	GLU	3.4
1	A	94	LYS	3.2
1	A	386	ILE	3.2
1	A	91	PRO	3.2
1	B	383	ASP	3.1
1	B	194	ASP	3.0
1	A	159	HIS	3.0
1	A	190	PHE	3.0
1	B	134	GLU	2.9
1	A	68	LEU	2.9
1	B	136	THR	2.9
1	A	90	ALA	2.9
1	A	357	LYS	2.9
1	B	93	ASP	2.9
1	A	180	PRO	2.8
1	A	157	LYS	2.8
1	B	47	TYR	2.7
1	B	154	LEU	2.7
1	A	280	ASN	2.7
1	A	133	PRO	2.7
1	B	280	ASN	2.7
1	A	331	ARG	2.6
1	A	191	LEU	2.6
1	A	387	VAL	2.6
1	A	152	GLU	2.6
1	B	87	PHE	2.5
1	B	133	PRO	2.5
1	A	99	ARG	2.5
1	B	385	ASP	2.5
1	A	69	ASP	2.5
1	B	386	ILE	2.5
1	A	340	SER	2.4
1	A	49	LYS	2.4
1	A	51	ARG	2.4
1	A	137	GLY	2.3
1	B	341	SER	2.2
1	A	96	PRO	2.2
1	A	97	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	90	ALA	2.2
1	B	388	PHE	2.2
1	A	48	LEU	2.1
1	B	387	VAL	2.1
1	B	73	LEU	2.1
1	B	131	PRO	2.0
1	A	179	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.