



Full wwPDB NMR Structure Validation Report i

Aug 20, 2023 – 12:34 AM JST

PDB ID : 8HTA
BMRB ID : 36532
Title : Solution Structure of the C65A/C167A Mutant of Human Lipocalin-type Prostaglandin D Synthase
Authors : Miyamoto, Y.; Inui, T.
Deposited on : 2022-12-20

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:


MolProbitiy : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
SOLUTION NMR


The overall completeness of chemical shifts assignment is 81%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$



2 Ensemble composition and analysis i

This entry contains 10 models. Model 9 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:29-A:108, A:114-A:136, A:142-A:186 (148)	0.96	9

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters. No single-model clusters were found.

Cluster number	Models
1	3, 5, 8, 9
2	1, 4, 7, 10
3	2, 6

3 Entry composition [\(i\)](#)

There is only 1 type of molecule in this entry. The entry contains 2606 atoms, of which 1284 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Prostaglandin-H2 D-isomerase.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	170	2606	831	1284	225	260	6	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	21	GLY	-	expression tag	UNP P41222
A	22	SER	-	expression tag	UNP P41222
A	65	ALA	CYS	engineered mutation	UNP P41222
A	167	ALA	CYS	engineered mutation	UNP P41222

4 Residue-property plots [\(i\)](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Prostaglandin-H₂ D-isomerase




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: Prostaglandin-H₂ D-isomerase



4.2.2 Score per residue for model 2


- Molecule 1: Prostaglandin-H₂ D-isomerase






4.2.3 Score per residue for model 3

- Molecule 1: Prostaglandin-H2 D-isomerase




4.2.4 Score per residue for model 4

- Molecule 1: Prostaglandin-H2 D-isomerase




4.2.5 Score per residue for model 5

- Molecule 1: Prostaglandin-H2 D-isomerase




4.2.6 Score per residue for model 6

- Molecule 1: Prostaglandin-H2 D-isomerase




4.2.7 Score per residue for model 7

- Molecule 1: Prostaglandin-H2 D-isomerase



4.2.8 Score per residue for model 8


- Molecule 1: Prostaglandin-H2 D-isomerase



4.2.9 Score per residue for model 9 (medoid)

- Molecule 1: Prostaglandin-H₂ D-isomerase





4.2.10 Score per residue for model 10

- Molecule 1: Prostaglandin-H2 D-isomerase

Chain A:



521
522
123
24
25
126
027



39 03 96 01



Q190

5 Refinement protocol and experimental data overview i

The models were refined using the following method: *simulated annealing*.

Of the 5000 calculated structures, 10 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	structure calculation	1.2

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section [7](#) of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	1808
Number of shifts mapped to atoms	1808
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	81%

6 Model quality [\(i\)](#)

6.1 Standard geometry [\(i\)](#)

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1162	1139	1139	40±5
All	All	11620	11390	11390	399

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:69:VAL:HG22	1:A:79:LEU:HD12	0.96	1.36	1	6
1:A:69:VAL:HG22	1:A:79:LEU:HD23	0.94	1.39	7	2
1:A:69:VAL:HG13	1:A:77:LEU:HD21	0.92	1.42	4	2
1:A:79:LEU:HD13	1:A:96:LEU:HD13	0.88	1.44	5	2
1:A:64:MET:CB	1:A:84:LEU:HD12	0.80	2.07	6	1
1:A:48:LEU:HD12	1:A:180:LEU:HD11	0.80	1.53	3	2
1:A:69:VAL:CG1	1:A:77:LEU:HD23	0.78	2.08	2	1
1:A:128:TYR:CE2	1:A:159:LEU:HD22	0.77	2.15	5	2
1:A:46:ALA:HB3	1:A:148:LEU:O	0.76	1.80	10	6
1:A:48:LEU:HD21	1:A:147:THR:HG23	0.76	1.58	7	3
1:A:167:ALA:HB1	1:A:177:ILE:HD11	0.76	1.57	7	3
1:A:79:LEU:CD1	1:A:96:LEU:HD13	0.76	2.11	5	2
1:A:80:THR:HG23	1:A:93:THR:HG23	0.74	1.57	1	2
1:A:45:SER:HB2	1:A:65:ALA:HB3	0.74	1.59	8	9

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:76:GLY:O	1:A:77:LEU:HD12	0.72	1.82	2	3
1:A:64:MET:HB3	1:A:84:LEU:HD23	0.71	1.59	10	2
1:A:47:GLY:O	1:A:48:LEU:HD12	0.71	1.85	4	3
1:A:39:PHE:CE2	1:A:120:VAL:HG21	0.71	2.20	6	4
1:A:80:THR:HG23	1:A:93:THR:CG2	0.71	2.15	1	2
1:A:64:MET:HB3	1:A:84:LEU:HD12	0.71	1.63	6	1
1:A:45:SER:CB	1:A:65:ALA:HB3	0.70	2.17	3	7
1:A:50:SER:OG	1:A:55:LEU:HD21	0.69	1.86	7	1
1:A:69:VAL:HG22	1:A:79:LEU:CD1	0.69	2.17	2	3
1:A:84:LEU:HD22	1:A:185:LYS:HB3	0.69	1.65	9	1
1:A:167:ALA:CB	1:A:177:ILE:HD11	0.69	2.18	5	1
1:A:118:VAL:HG13	1:A:132:TYR:O	0.69	1.88	7	2
1:A:70:ALA:O	1:A:77:LEU:HD23	0.68	1.88	6	1
1:A:108:ARG:CG	1:A:115:THR:HG22	0.68	2.18	7	3
1:A:156:ARG:CB	1:A:159:LEU:HD12	0.67	2.19	3	2
1:A:30:VAL:HG22	1:A:119:SER:CB	0.67	2.18	8	7
1:A:43:TRP:CH2	1:A:129:ALA:HB2	0.67	2.23	10	2
1:A:70:ALA:HB3	1:A:78:ASN:OD1	0.66	1.90	4	2
1:A:69:VAL:HG22	1:A:79:LEU:CD2	0.66	2.19	7	1
1:A:62:LEU:HD23	1:A:180:LEU:HD23	0.65	1.68	8	1
1:A:71:PRO:HA	1:A:77:LEU:HD23	0.65	1.68	9	2
1:A:76:GLY:C	1:A:77:LEU:HD12	0.64	2.13	10	1
1:A:80:THR:CG2	1:A:93:THR:HG23	0.63	2.23	1	3
1:A:48:LEU:CD1	1:A:147:THR:HG23	0.62	2.25	2	1
1:A:96:LEU:HD12	1:A:96:LEU:O	0.61	1.95	10	1
1:A:63:SER:HB3	1:A:84:LEU:HD23	0.61	1.72	9	1
1:A:148:LEU:HD13	1:A:163:PHE:CE2	0.61	2.31	3	1
1:A:48:LEU:HD13	1:A:180:LEU:CD1	0.61	2.25	9	1
1:A:84:LEU:HD22	1:A:185:LYS:CB	0.61	2.25	9	1
1:A:108:ARG:HG2	1:A:115:THR:HG22	0.60	1.71	7	3
1:A:84:LEU:HD13	1:A:89:CYS:SG	0.60	2.36	9	1
1:A:30:VAL:HG22	1:A:119:SER:HB3	0.60	1.73	5	6
1:A:94:MET:O	1:A:96:LEU:HD12	0.60	1.96	7	1
1:A:37:ASP:HA	1:A:40:LEU:HD23	0.59	1.74	2	8
1:A:37:ASP:O	1:A:40:LEU:HD23	0.59	1.98	5	2
1:A:48:LEU:HD12	1:A:180:LEU:CD1	0.59	2.27	3	1
1:A:122:GLU:CB	1:A:130:LEU:HD12	0.59	2.28	5	2
1:A:62:LEU:HD12	1:A:62:LEU:O	0.58	1.98	9	1
1:A:42:ARG:CG	1:A:68:VAL:HG22	0.58	2.27	7	3
1:A:42:ARG:HG3	1:A:68:VAL:HG13	0.58	1.75	6	2
1:A:69:VAL:HG22	1:A:79:LEU:HG	0.58	1.75	3	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:64:MET:CB	1:A:84:LEU:HD23	0.58	2.28	10	2
1:A:48:LEU:HD12	1:A:147:THR:HG23	0.57	1.76	2	1
1:A:64:MET:CE	1:A:82:THR:HG21	0.57	2.28	4	1
1:A:174:GLU:HA	1:A:177:ILE:HD12	0.57	1.76	6	2
1:A:156:ARG:CG	1:A:159:LEU:HD12	0.57	2.29	7	1
1:A:156:ARG:HB3	1:A:159:LEU:HD12	0.57	1.76	4	2
1:A:46:ALA:HB2	1:A:150:SER:HB2	0.57	1.76	1	2
1:A:39:PHE:CZ	1:A:120:VAL:HG21	0.57	2.35	6	1
1:A:120:VAL:CG1	1:A:123:THR:HG22	0.56	2.30	3	3
1:A:129:ALA:HB3	1:A:149:TYR:HB2	0.56	1.76	2	2
1:A:64:MET:HB2	1:A:84:LEU:HD13	0.56	1.76	4	1
1:A:69:VAL:HG11	1:A:77:LEU:HD23	0.56	1.78	2	1
1:A:167:ALA:HB3	1:A:177:ILE:HD11	0.55	1.76	4	1
1:A:40:LEU:HD12	1:A:41:GLY:N	0.55	2.16	2	10
1:A:127:GLN:HB2	1:A:152:THR:HG23	0.55	1.77	5	1
1:A:30:VAL:HG11	1:A:104:SER:OG	0.55	2.01	6	1
1:A:69:VAL:CG2	1:A:79:LEU:HD12	0.55	2.23	1	2
1:A:72:ALA:HB3	1:A:76:GLY:C	0.55	2.22	10	7
1:A:95:LEU:HD23	1:A:95:LEU:O	0.55	2.01	1	1
1:A:42:ARG:HG2	1:A:68:VAL:HG22	0.55	1.79	6	3
1:A:69:VAL:CG1	1:A:77:LEU:HD21	0.55	2.32	1	1
1:A:45:SER:OG	1:A:180:LEU:HD13	0.55	2.02	8	1
1:A:124:ASP:O	1:A:127:GLN:N	0.55	2.38	10	1
1:A:148:LEU:HD22	1:A:163:PHE:CE1	0.54	2.37	3	1
1:A:64:MET:HB2	1:A:84:LEU:HD12	0.54	1.76	6	1
1:A:79:LEU:HD12	1:A:79:LEU:N	0.54	2.18	7	1
1:A:156:ARG:HG2	1:A:159:LEU:HD12	0.54	1.79	7	1
1:A:47:GLY:HA2	1:A:180:LEU:HD12	0.54	1.79	10	1
1:A:84:LEU:HD11	1:A:186:CYS:HB2	0.53	1.79	6	1
1:A:62:LEU:HD22	1:A:180:LEU:HA	0.53	1.79	10	1
1:A:84:LEU:HD23	1:A:85:ARG:N	0.53	2.19	1	2
1:A:63:SER:OG	1:A:84:LEU:HD23	0.53	2.04	8	1
1:A:30:VAL:HG22	1:A:119:SER:OG	0.52	2.03	3	5
1:A:148:LEU:HD22	1:A:163:PHE:CG	0.52	2.39	9	2
1:A:154:THR:O	1:A:154:THR:HG23	0.52	2.04	3	2
1:A:29:SER:O	1:A:121:VAL:HG22	0.52	2.05	2	4
1:A:45:SER:OG	1:A:65:ALA:HB3	0.52	2.04	10	2
1:A:48:LEU:CD1	1:A:180:LEU:HD11	0.52	2.35	10	2
1:A:48:LEU:HD23	1:A:146:ALA:O	0.52	2.04	7	1
1:A:156:ARG:HB2	1:A:159:LEU:HD12	0.51	1.83	3	1
1:A:62:LEU:HD22	1:A:181:PRO:HD2	0.51	1.82	7	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:84:LEU:HD12	1:A:88:GLN:O	0.51	2.05	9	1
1:A:122:GLU:HB3	1:A:130:LEU:HD12	0.50	1.81	5	2
1:A:29:SER:CA	1:A:121:VAL:HG22	0.50	2.37	4	2
1:A:55:LEU:HD11	1:A:178:VAL:CG2	0.50	2.36	8	1
1:A:30:VAL:HG12	1:A:31:GLN:H	0.50	1.66	3	8
1:A:55:LEU:CD1	1:A:178:VAL:HG21	0.50	2.37	3	2
1:A:39:PHE:CE1	1:A:120:VAL:HG21	0.50	2.42	1	2
1:A:127:GLN:HG2	1:A:152:THR:HG23	0.50	1.84	6	1
1:A:74:ASP:OD1	1:A:95:LEU:HD21	0.50	2.06	1	1
1:A:96:LEU:HD12	1:A:105:TYR:CG	0.50	2.42	8	1
1:A:147:THR:HG21	1:A:149:TYR:CZ	0.49	2.42	9	1
1:A:84:LEU:HD13	1:A:185:LYS:CB	0.49	2.37	6	2
1:A:84:LEU:HD12	1:A:89:CYS:HB3	0.49	1.83	4	1
1:A:55:LEU:HD12	1:A:178:VAL:HG21	0.49	1.84	1	1
1:A:167:ALA:HB1	1:A:177:ILE:CD1	0.49	2.34	7	2
1:A:55:LEU:HD11	1:A:178:VAL:HG21	0.49	1.84	3	1
1:A:30:VAL:HG13	1:A:120:VAL:H	0.49	1.68	10	1
1:A:49:ALA:HB3	1:A:146:ALA:H	0.48	1.67	4	1
1:A:84:LEU:HD13	1:A:88:GLN:O	0.48	2.08	10	1
1:A:64:MET:CB	1:A:84:LEU:HD13	0.48	2.39	4	1
1:A:48:LEU:HD13	1:A:180:LEU:HD11	0.48	1.84	9	1
1:A:31:GLN:N	1:A:120:VAL:O	0.48	2.46	10	4
1:A:84:LEU:HD13	1:A:185:LYS:HB2	0.48	1.85	6	2
1:A:69:VAL:HG13	1:A:79:LEU:HD11	0.48	1.83	6	1
1:A:74:ASP:OD2	1:A:95:LEU:HD11	0.48	2.08	2	1
1:A:74:ASP:OD2	1:A:95:LEU:HD21	0.48	2.09	2	1
1:A:59:LYS:O	1:A:62:LEU:HD23	0.48	2.09	5	4
1:A:130:LEU:HD21	1:A:148:LEU:HD13	0.48	1.85	5	1
1:A:48:LEU:HD11	1:A:147:THR:CG2	0.47	2.39	4	1
1:A:127:GLN:CB	1:A:152:THR:HG23	0.47	2.39	5	1
1:A:79:LEU:C	1:A:79:LEU:HD23	0.47	2.29	2	6
1:A:96:LEU:HD22	1:A:105:TYR:CD1	0.47	2.45	7	1
1:A:67:SER:HB3	1:A:79:LEU:HD11	0.47	1.85	1	1
1:A:72:ALA:HB2	1:A:78:ASN:OD1	0.46	2.10	8	1
1:A:70:ALA:C	1:A:77:LEU:HD23	0.46	2.31	6	1
1:A:69:VAL:CG1	1:A:77:LEU:HD22	0.46	2.40	6	2
1:A:123:THR:HG21	1:A:129:ALA:HB1	0.46	1.88	6	1
1:A:120:VAL:HG12	1:A:123:THR:HG22	0.46	1.86	3	2
1:A:29:SER:CB	1:A:132:TYR:CG	0.46	2.99	4	1
1:A:147:THR:HG21	1:A:149:TYR:CE1	0.46	2.45	9	1
1:A:131:LEU:CD1	1:A:149:TYR:CD2	0.46	2.99	1	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:77:LEU:HD11	1:A:105:TYR:CZ	0.45	2.46	9	1
1:A:39:PHE:CE2	1:A:120:VAL:CG1	0.45	3.00	1	1
1:A:40:LEU:HD12	1:A:41:GLY:H	0.45	1.70	2	10
1:A:128:TYR:HE2	1:A:159:LEU:HD22	0.45	1.71	3	1
1:A:39:PHE:CE2	1:A:120:VAL:CG2	0.45	3.00	7	1
1:A:66:LYS:O	1:A:82:THR:N	0.45	2.50	2	9
1:A:55:LEU:HG	1:A:178:VAL:HG21	0.45	1.87	9	1
1:A:31:GLN:NE2	1:A:34:PHE:CD2	0.45	2.85	8	1
1:A:147:THR:CG2	1:A:149:TYR:CZ	0.45	2.99	9	1
1:A:131:LEU:CD1	1:A:149:TYR:CD1	0.45	3.00	8	2
1:A:77:LEU:CD1	1:A:105:TYR:CZ	0.45	3.00	9	2
1:A:129:ALA:O	1:A:148:LEU:HD12	0.45	2.11	8	1
1:A:43:TRP:CH2	1:A:129:ALA:CB	0.45	3.00	9	1
1:A:96:LEU:HD13	1:A:105:TYR:CB	0.45	2.41	9	1
1:A:29:SER:CB	1:A:132:TYR:CD2	0.45	3.00	5	1
1:A:131:LEU:CD1	1:A:149:TYR:CE1	0.45	3.00	8	2
1:A:49:ALA:HB1	1:A:176:THR:O	0.44	2.12	3	1
1:A:77:LEU:HD13	1:A:105:TYR:CE2	0.44	2.46	2	1
1:A:96:LEU:HD12	1:A:105:TYR:CB	0.44	2.42	4	1
1:A:120:VAL:HG11	1:A:123:THR:CG2	0.44	2.42	6	1
1:A:128:TYR:CD2	1:A:128:TYR:N	0.44	2.82	6	1
1:A:39:PHE:CE1	1:A:120:VAL:CG2	0.44	3.00	1	1
1:A:103:GLY:O	1:A:120:VAL:HG23	0.44	2.13	10	1
1:A:47:GLY:C	1:A:48:LEU:HD12	0.44	2.33	8	1
1:A:55:LEU:HD11	1:A:178:VAL:HG23	0.44	1.90	8	1
1:A:108:ARG:HB3	1:A:115:THR:HG22	0.44	1.89	5	1
1:A:77:LEU:HD12	1:A:105:TYR:CZ	0.44	2.48	6	1
1:A:96:LEU:HD12	1:A:105:TYR:HB3	0.43	1.90	4	1
1:A:84:LEU:HD12	1:A:88:GLN:C	0.43	2.34	9	1
1:A:96:LEU:HD13	1:A:105:TYR:HB3	0.43	1.90	10	1
1:A:59:LYS:O	1:A:62:LEU:HD12	0.43	2.13	10	2
1:A:48:LEU:HD11	1:A:147:THR:HG22	0.43	1.89	4	1
1:A:44:PHE:CE2	1:A:66:LYS:CE	0.43	3.01	2	1
1:A:178:VAL:HG12	1:A:179:PHE:N	0.43	2.29	7	4
1:A:59:LYS:CG	1:A:178:VAL:HG23	0.43	2.44	4	1
1:A:31:GLN:O	1:A:32:PRO:O	0.42	2.37	10	4
1:A:131:LEU:CD1	1:A:149:TYR:CE2	0.42	3.01	4	1
1:A:39:PHE:CE2	1:A:120:VAL:HG11	0.42	2.49	1	1
1:A:48:LEU:HD13	1:A:180:LEU:HD12	0.42	1.92	9	1
1:A:124:ASP:N	1:A:128:TYR:O	0.42	2.51	7	3
1:A:178:VAL:HG22	1:A:179:PHE:N	0.42	2.29	4	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:39:PHE:HE2	1:A:129:ALA:HB1	0.42	1.74	5	1
1:A:116:TYR:CD2	1:A:135:GLY:CA	0.42	3.02	5	1
1:A:148:LEU:HD22	1:A:163:PHE:CD2	0.42	2.49	8	1
1:A:116:TYR:CE1	1:A:135:GLY:N	0.42	2.88	9	1
1:A:67:SER:HB2	1:A:79:LEU:HD21	0.42	1.92	10	1
1:A:74:ASP:CG	1:A:95:LEU:HD21	0.42	2.35	1	1
1:A:79:LEU:HD12	1:A:79:LEU:H	0.42	1.73	5	1
1:A:69:VAL:CG1	1:A:77:LEU:HD11	0.42	2.45	4	1
1:A:124:ASP:O	1:A:126:ASP:N	0.42	2.53	5	1
1:A:30:VAL:HG12	1:A:31:GLN:OE1	0.42	2.14	6	1
1:A:29:SER:HB3	1:A:121:VAL:HG22	0.42	1.91	7	2
1:A:120:VAL:HG13	1:A:130:LEU:O	0.41	2.15	5	1
1:A:62:LEU:CD2	1:A:180:LEU:HD23	0.41	2.42	8	1
1:A:62:LEU:HD21	1:A:179:PHE:O	0.41	2.16	4	1
1:A:77:LEU:HD22	1:A:105:TYR:CE2	0.41	2.51	10	1
1:A:174:GLU:HA	1:A:177:ILE:HD13	0.41	1.91	7	1
1:A:116:TYR:CZ	1:A:135:GLY:CA	0.41	3.04	9	1
1:A:44:PHE:CD2	1:A:44:PHE:N	0.41	2.88	6	1
1:A:131:LEU:HD21	1:A:147:THR:HG21	0.41	1.92	9	1
1:A:52:SER:HB3	1:A:55:LEU:HD23	0.41	1.93	1	1
1:A:43:TRP:CZ3	1:A:149:TYR:O	0.41	2.74	7	3
1:A:142:ASP:O	1:A:143:PHE:CG	0.41	2.73	6	1
1:A:120:VAL:HG22	1:A:131:LEU:CD2	0.41	2.45	2	1
1:A:43:TRP:CE3	1:A:149:TYR:HB3	0.41	2.51	4	3
1:A:38:LYS:O	1:A:125:TYR:CD2	0.41	2.74	5	2
1:A:42:ARG:HA	1:A:68:VAL:HG22	0.41	1.92	10	1
1:A:84:LEU:HD21	1:A:186:CYS:HB2	0.41	1.92	10	1
1:A:83:PHE:CE1	1:A:90:GLU:O	0.41	2.74	6	1
1:A:64:MET:HE2	1:A:186:CYS:HB2	0.41	1.93	9	1
1:A:69:VAL:HG22	1:A:79:LEU:CG	0.40	2.44	3	1
1:A:48:LEU:HD23	1:A:49:ALA:H	0.40	1.76	6	1
1:A:29:SER:C	1:A:121:VAL:HG22	0.40	2.37	2	1
1:A:131:LEU:HD11	1:A:149:TYR:CD2	0.40	2.51	1	1
1:A:84:LEU:CD1	1:A:185:LYS:CB	0.40	2.99	2	1
1:A:128:TYR:CE1	1:A:159:LEU:HD21	0.40	2.51	7	1
1:A:59:LYS:CE	1:A:178:VAL:HG13	0.40	2.47	5	1
1:A:108:ARG:NE	1:A:115:THR:CG2	0.40	2.85	6	1
1:A:49:ALA:HB3	1:A:146:ALA:HB3	0.40	1.91	9	1
1:A:84:LEU:HD11	1:A:89:CYS:HB2	0.40	1.93	10	1

6.3 Torsion angles (i)

6.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	148/170 (87%)	130±2 (88±1%)	14±1 (9±1%)	4±1 (3±1%)	8 42
All	All	1480/1700 (87%)	1298 (88%)	140 (9%)	42 (3%)	8 42

All 10 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	32	PRO	9
1	A	34	PHE	8
1	A	29	SER	7
1	A	125	TYR	7
1	A	127	GLN	3
1	A	40	LEU	2
1	A	33	ASN	2
1	A	142	ASP	2
1	A	62	LEU	1
1	A	114	SER	1

6.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	126/142 (89%)	97±3 (77±3%)	29±3 (23±3%)	3 28
All	All	1260/1420 (89%)	966 (77%)	294 (23%)	3 28

All 86 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	40	LEU	10
1	A	80	THR	10
1	A	45	SER	9
1	A	73	THR	8
1	A	82	THR	8
1	A	123	THR	8
1	A	151	ARG	8
1	A	31	GLN	7
1	A	34	PHE	7
1	A	63	SER	7
1	A	147	THR	7
1	A	85	ARG	6
1	A	154	THR	6
1	A	133	SER	6
1	A	48	LEU	5
1	A	50	SER	5
1	A	64	MET	5
1	A	93	THR	5
1	A	186	CYS	5
1	A	84	LEU	5
1	A	115	THR	5
1	A	52	SER	4
1	A	58	LYS	4
1	A	101	SER	4
1	A	81	SER	4
1	A	91	THR	4
1	A	116	TYR	4
1	A	142	ASP	4
1	A	162	LYS	4
1	A	166	PHE	4
1	A	174	GLU	4
1	A	95	LEU	4
1	A	29	SER	3
1	A	36	GLN	3
1	A	88	GLN	3
1	A	104	SER	3
1	A	156	ARG	3
1	A	168	LYS	3
1	A	185	LYS	3
1	A	57	GLU	3
1	A	86	LYS	3
1	A	102	LEU	3
1	A	127	GLN	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	128	TYR	3
1	A	132	TYR	3
1	A	134	GLN	3
1	A	53	SER	3
1	A	55	LEU	3
1	A	67	SER	3
1	A	145	MET	3
1	A	56	ARG	3
1	A	66	LYS	2
1	A	94	MET	2
1	A	144	ARG	2
1	A	160	LYS	2
1	A	173	THR	2
1	A	150	SER	2
1	A	35	GLN	2
1	A	114	SER	2
1	A	130	LEU	2
1	A	96	LEU	2
1	A	184	ASP	2
1	A	124	ASP	2
1	A	30	VAL	2
1	A	44	PHE	2
1	A	92	ARG	2
1	A	33	ASN	2
1	A	38	LYS	1
1	A	87	ASN	1
1	A	153	GLN	1
1	A	90	GLU	1
1	A	108	ARG	1
1	A	119	SER	1
1	A	83	PHE	1
1	A	136	SER	1
1	A	158	GLU	1
1	A	54	TRP	1
1	A	79	LEU	1
1	A	117	SER	1
1	A	77	LEU	1
1	A	172	PHE	1
1	A	179	PHE	1
1	A	131	LEU	1
1	A	152	THR	1
1	A	180	LEU	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	182	GLN	1

6.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

6.7 Other polymers [\(i\)](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

7 Chemical shift validation (i)

The completeness of assignment taking into account all chemical shift lists is 81% for the well-defined parts and 81% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *deposit-ym-3.chemicalshift*

7.1.1 Bookkeeping (i)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1808
Number of shifts mapped to atoms	1808
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	2

7.1.2 Chemical shift referencing (i)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	167	0.01 ± 0.09	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	155	0.14 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}'$	142	0.14 ± 0.09	None needed (< 0.5 ppm)
^{15}N	151	-0.46 ± 0.36	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments (i)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 81%, i.e. 1604 atoms were assigned a chemical shift out of a possible 1978. 0 out of 22 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	694/738 (94%)	288/299 (96%)	273/296 (92%)	133/143 (93%)
Sidechain	832/1063 (78%)	539/690 (78%)	279/326 (86%)	14/47 (30%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	78/177 (44%)	41/85 (48%)	35/90 (39%)	2/2 (100%)
Overall	1604/1978 (81%)	868/1074 (81%)	587/712 (82%)	149/192 (78%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 81%, i.e. 1808 atoms were assigned a chemical shift out of a possible 2233. 0 out of 23 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	790/846 (93%)	330/344 (96%)	309/340 (91%)	151/162 (93%)
Sidechain	924/1190 (78%)	597/772 (77%)	311/368 (85%)	16/50 (32%)
Aromatic	94/197 (48%)	49/95 (52%)	42/97 (43%)	3/5 (60%)
Overall	1808/2233 (81%)	976/1211 (81%)	662/805 (82%)	170/217 (78%)

7.1.4 Statistically unusual chemical shifts [\(i\)](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	119	SER	HB3	1.86	2.49 – 5.20	-7.3
1	A	151	ARG	HD2	1.76	1.97 – 4.26	-5.9

7.1.5 Random Coil Index (RCI) plots [\(i\)](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:

