



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2018 – 12:21 pm GMT

PDB ID : 3HUN  
Title : Crystal structure of Penicillin binding protein 4 from Staphylococcus aureus COL in complex with Ampicillin  
Authors : Navratna, V.; Gopal, B.  
Deposited on : 2009-06-15  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	7193 (2.00-2.00)
Clashscore	122126	8267 (2.00-2.00)
Ramachandran outliers	120053	8166 (2.00-2.00)
Sidechain outliers	120020	8165 (2.00-2.00)
RSRZ outliers	108989	7011 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	453	
1	B	453	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ZZ7	A	501	-	-	X	-
2	ZZ7	B	501	-	-	X	X

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5998 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Penicillin-binding protein 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	359	2826	1784	476	554	12	30	0	0
1	B	359	2826	1784	476	554	12	27	0	0

There are 46 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	EXPRESSION TAG	UNP Q5HI26
A	-20	GLY	-	EXPRESSION TAG	UNP Q5HI26
A	-19	SER	-	EXPRESSION TAG	UNP Q5HI26
A	-18	SER	-	EXPRESSION TAG	UNP Q5HI26
A	-17	HIS	-	EXPRESSION TAG	UNP Q5HI26
A	-16	HIS	-	EXPRESSION TAG	UNP Q5HI26
A	-15	HIS	-	EXPRESSION TAG	UNP Q5HI26
A	-14	HIS	-	EXPRESSION TAG	UNP Q5HI26
A	-13	HIS	-	EXPRESSION TAG	UNP Q5HI26
A	-12	HIS	-	EXPRESSION TAG	UNP Q5HI26
A	-11	SER	-	EXPRESSION TAG	UNP Q5HI26
A	-10	SER	-	EXPRESSION TAG	UNP Q5HI26
A	-9	GLY	-	EXPRESSION TAG	UNP Q5HI26
A	-8	LEU	-	EXPRESSION TAG	UNP Q5HI26
A	-7	VAL	-	EXPRESSION TAG	UNP Q5HI26
A	-6	PRO	-	EXPRESSION TAG	UNP Q5HI26
A	-5	ARG	-	EXPRESSION TAG	UNP Q5HI26
A	-4	GLY	-	EXPRESSION TAG	UNP Q5HI26
A	-3	SER	-	EXPRESSION TAG	UNP Q5HI26
A	-2	HIS	-	EXPRESSION TAG	UNP Q5HI26
A	-1	MET	-	EXPRESSION TAG	UNP Q5HI26
A	0	ALA	-	EXPRESSION TAG	UNP Q5HI26
A	189	SER	THR	ENGINEERED	UNP Q5HI26
B	-21	MET	-	EXPRESSION TAG	UNP Q5HI26
B	-20	GLY	-	EXPRESSION TAG	UNP Q5HI26

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	SER	-	EXPRESSION TAG	UNP Q5HI26
B	-18	SER	-	EXPRESSION TAG	UNP Q5HI26
B	-17	HIS	-	EXPRESSION TAG	UNP Q5HI26
B	-16	HIS	-	EXPRESSION TAG	UNP Q5HI26
B	-15	HIS	-	EXPRESSION TAG	UNP Q5HI26
B	-14	HIS	-	EXPRESSION TAG	UNP Q5HI26
B	-13	HIS	-	EXPRESSION TAG	UNP Q5HI26
B	-12	HIS	-	EXPRESSION TAG	UNP Q5HI26
B	-11	SER	-	EXPRESSION TAG	UNP Q5HI26
B	-10	SER	-	EXPRESSION TAG	UNP Q5HI26
B	-9	GLY	-	EXPRESSION TAG	UNP Q5HI26
B	-8	LEU	-	EXPRESSION TAG	UNP Q5HI26
B	-7	VAL	-	EXPRESSION TAG	UNP Q5HI26
B	-6	PRO	-	EXPRESSION TAG	UNP Q5HI26
B	-5	ARG	-	EXPRESSION TAG	UNP Q5HI26
B	-4	GLY	-	EXPRESSION TAG	UNP Q5HI26
B	-3	SER	-	EXPRESSION TAG	UNP Q5HI26
B	-2	HIS	-	EXPRESSION TAG	UNP Q5HI26
B	-1	MET	-	EXPRESSION TAG	UNP Q5HI26
B	0	ALA	-	EXPRESSION TAG	UNP Q5HI26
B	189	SER	THR	ENGINEERED	UNP Q5HI26

- Molecule 2 is (2R,4S)-2-[(R)-{[(2R)-2-amino-2-phenylacetyl]amino}(carboxy)methyl]-5,5-dimethyl-1,3-thiazolidine-4-carboxylic acid (three-letter code: ZZ7) (formula: C<sub>16</sub>H<sub>21</sub>N<sub>3</sub>O<sub>5</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			24	16	3	4	1		
2	B	1	Total	C	N	O	S	0	0
			24	16	3	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	148	Total	O	0	0
			148	148		
3	B	150	Total	O	0	0
			150	150		



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.81Å 98.48Å 99.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.53 – 2.00 33.53 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (33.53-2.00) 99.9 (33.53-2.00)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.20 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.5.0066	Depositor
R, $R_{free}$	0.204 , 0.251 0.204 , 0.245	Depositor DCC
$R_{free}$ test set	3079 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.7	Xtrriage
Anisotropy	0.010	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 31.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.078 for -h,l,k	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5998	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZZ7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.98	3/2881 (0.1%)	0.89	2/3903 (0.1%)
1	B	1.00	1/2881 (0.0%)	0.92	1/3903 (0.0%)
All	All	0.99	4/5762 (0.1%)	0.90	3/7806 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	116	SER	CB-OG	-5.87	1.34	1.42
1	A	183	GLU	CG-CD	-5.54	1.43	1.51
1	B	235	ALA	CA-CB	5.03	1.63	1.52
1	A	63	TYR	CD1-CE1	5.03	1.46	1.39

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	323	LYS	CD-CE-NZ	-5.80	98.36	111.70
1	B	300	ARG	NE-CZ-NH2	-5.19	117.71	120.30
1	A	241	PHE	CB-CA-C	5.05	120.49	110.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2826	0	2810	66	0
1	B	2826	0	2810	52	0
2	A	24	0	19	36	0
2	B	24	0	19	15	0
3	A	148	0	0	7	0
3	B	150	0	0	5	0
All	All	5998	0	5658	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:SER:N	2:A:501:ZZ7:H8	1.53	1.23
2:A:501:ZZ7:H11	2:A:501:ZZ7:C15	1.75	1.17
2:B:501:ZZ7:H7	2:B:501:ZZ7:N3	1.62	1.14
2:A:501:ZZ7:H163	2:A:501:ZZ7:C15	1.79	1.11
1:A:116:SER:OG	2:A:501:ZZ7:H4	1.52	1.10
2:A:501:ZZ7:C11	2:A:501:ZZ7:C15	2.30	1.10
1:B:261:GLY:HA2	2:B:501:ZZ7:H10	1.36	1.07
1:A:241:PHE:CE1	2:A:501:ZZ7:H162	1.89	1.07
2:A:501:ZZ7:H163	2:A:501:ZZ7:O4	1.56	1.04
1:A:262:SER:H	2:A:501:ZZ7:H8	0.99	1.04
1:A:262:SER:H	2:A:501:ZZ7:C8	1.71	1.02
2:B:501:ZZ7:H3	2:B:501:ZZ7:C7	1.71	1.02
2:A:501:ZZ7:H12C	2:A:501:ZZ7:O1	1.66	0.96
2:B:501:ZZ7:H7	2:B:501:ZZ7:H3	0.78	0.93
1:B:357:GLU:O	1:B:358:ASP:OD2	1.89	0.91
1:A:232:THR:H	1:B:228:GLN:HE22	1.20	0.89
1:A:241:PHE:CZ	2:A:501:ZZ7:H162	2.08	0.88
1:A:228:GLN:HE22	1:B:232:THR:H	1.21	0.86
2:A:501:ZZ7:H7	3:A:451:HOH:O	1.76	0.84
1:B:261:GLY:CA	2:B:501:ZZ7:H10	2.10	0.81
2:A:501:ZZ7:C1	2:A:501:ZZ7:O1	2.29	0.80
2:A:501:ZZ7:C16	2:A:501:ZZ7:O4	2.30	0.80
1:A:241:PHE:CE1	2:A:501:ZZ7:C16	2.66	0.79
1:A:54:ASN:HD21	1:A:283:GLN:HE21	1.33	0.77
1:A:241:PHE:CD1	2:A:501:ZZ7:H162	2.19	0.77
1:A:261:GLY:C	2:A:501:ZZ7:H8	2.05	0.76
1:B:297:GLU:OE1	2:B:501:ZZ7:H13C	1.87	0.75
1:A:262:SER:N	2:A:501:ZZ7:C8	2.39	0.74

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:54:ASN:HD21	1:B:283:GLN:HE21	1.35	0.73
1:A:383:GLN:OE1	1:A:383:GLN:C	2.28	0.71
1:B:216:ILE:CG2	3:B:570:HOH:O	2.39	0.70
1:B:357:GLU:C	1:B:358:ASP:OD2	2.30	0.70
1:A:261:GLY:HA2	2:A:501:ZZ7:H8	1.72	0.70
1:A:116:SER:CB	2:A:501:ZZ7:H4	2.21	0.69
1:B:117:ASN:C	1:B:138:ASN:HD21	1.96	0.69
1:A:261:GLY:CA	2:A:501:ZZ7:H8	2.21	0.69
1:A:241:PHE:CE1	2:A:501:ZZ7:H10	2.29	0.68
1:A:28:ASP:N	1:A:28:ASP:OD2	2.26	0.68
1:B:149:LYS:HG3	1:B:155:THR:HG22	1.76	0.68
1:B:325:GLU:OE2	1:B:332:LYS:HD2	1.94	0.68
2:A:501:ZZ7:H11	2:A:501:ZZ7:O4	1.93	0.67
1:A:36:ASN:HD22	1:A:41:ALA:HA	1.59	0.67
1:A:261:GLY:HA2	2:A:501:ZZ7:C8	2.25	0.66
1:A:36:ASN:ND2	1:A:41:ALA:HA	2.10	0.66
2:A:501:ZZ7:C15	2:A:501:ZZ7:C5	2.73	0.66
1:A:269:ASN:ND2	1:A:287:GLY:H	1.93	0.65
1:A:216:ILE:HG23	3:A:471:HOH:O	1.97	0.65
2:A:501:ZZ7:C15	2:A:501:ZZ7:C4	2.75	0.65
1:A:334:TYR:HD1	1:A:382:HIS:CD2	2.17	0.63
2:A:501:ZZ7:H163	2:A:501:ZZ7:C11	2.29	0.62
1:A:26:ASN:HD21	1:A:66:ASN:H	1.48	0.61
1:A:36:ASN:HD21	1:A:42:GLY:H	1.47	0.61
1:B:325:GLU:CG	1:B:332:LYS:HD2	2.31	0.61
1:A:241:PHE:HE1	2:A:501:ZZ7:H10	1.66	0.60
1:A:161:LEU:HD12	3:A:553:HOH:O	2.02	0.59
1:B:297:GLU:CD	2:B:501:ZZ7:H13C	2.22	0.59
1:B:26:ASN:ND2	1:B:66:ASN:H	2.01	0.58
1:A:116:SER:HB3	1:A:139:SER:O	2.03	0.58
1:A:87:GLU:HG2	1:A:91:LYS:HE2	1.84	0.58
1:B:243:PHE:HB2	1:B:250:MET:HE3	1.85	0.58
1:A:325:GLU:HA	1:A:333:TYR:O	2.03	0.58
1:B:26:ASN:HD21	1:B:66:ASN:H	1.51	0.58
1:A:269:ASN:HD22	1:A:287:GLY:H	1.51	0.57
1:B:35:ALA:HA	1:B:306:ALA:CB	2.35	0.57
1:A:328:ILE:HD12	1:A:333:TYR:CD1	2.40	0.56
1:B:216:ILE:HG23	3:B:528:HOH:O	2.05	0.56
1:B:337:ASN:ND2	3:B:478:HOH:O	2.34	0.56
1:B:325:GLU:CD	1:B:332:LYS:HD2	2.27	0.55
1:A:310:ARG:HG2	3:A:478:HOH:O	2.05	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:PHE:CD1	2:A:501:ZZ7:C16	2.88	0.55
1:A:334:TYR:HB2	1:A:382:HIS:CD2	2.41	0.54
1:A:232:THR:H	1:B:228:GLN:NE2	1.98	0.54
1:A:26:ASN:ND2	1:A:66:ASN:H	2.05	0.53
1:B:362:HIS:HB3	1:B:378:THR:HG22	1.90	0.53
1:A:216:ILE:HD12	3:A:471:HOH:O	2.08	0.53
2:A:501:ZZ7:H11	2:A:501:ZZ7:H163	1.91	0.52
1:B:269:ASN:HD22	1:B:287:GLY:H	1.56	0.51
1:B:97:ASP:HB2	3:B:534:HOH:O	2.10	0.51
1:B:243:PHE:CB	1:B:250:MET:CE	2.89	0.51
1:A:323:LYS:HG2	1:A:337:ASN:CA	2.41	0.51
1:A:269:ASN:HD22	1:A:286:MET:HA	1.75	0.50
1:B:269:ASN:HD22	1:B:286:MET:HA	1.77	0.50
1:B:325:GLU:HG3	1:B:332:LYS:HD2	1.94	0.50
1:B:243:PHE:HB3	1:B:250:MET:HE2	1.92	0.50
1:B:297:GLU:OE1	2:B:501:ZZ7:C1	2.59	0.49
1:A:36:ASN:ND2	1:A:42:GLY:H	2.10	0.49
1:B:160:ASP:OD1	1:B:194:LYS:HE2	2.11	0.49
1:A:383:GLN:OE1	1:A:383:GLN:O	2.30	0.49
1:A:269:ASN:ND2	1:A:286:MET:HA	2.28	0.48
1:A:310:ARG:NH1	1:A:314:GLN:NE2	2.61	0.48
1:A:178:ASN:HB2	1:A:179:PRO:CD	2.44	0.48
1:A:296:GLY:HA2	1:A:299:GLN:OE1	2.14	0.48
1:A:116:SER:OG	2:A:501:ZZ7:C4	2.43	0.47
1:A:241:PHE:CE2	2:A:501:ZZ7:H162	2.48	0.47
2:A:501:ZZ7:C15	2:A:501:ZZ7:H4	2.42	0.47
1:A:113:PRO:C	1:A:114:GLU:HG2	2.35	0.47
1:A:250:MET:SD	1:A:298:LYS:HG3	2.55	0.47
1:A:228:GLN:NE2	1:B:232:THR:H	2.01	0.47
2:A:501:ZZ7:C10	2:A:501:ZZ7:C16	2.93	0.47
1:B:269:ASN:ND2	1:B:287:GLY:H	2.14	0.46
1:B:178:ASN:HB2	1:B:179:PRO:CD	2.45	0.46
1:A:328:ILE:O	1:A:329:ASN:HB2	2.16	0.46
1:B:139:SER:HB2	2:B:501:ZZ7:H4	1.97	0.46
1:B:250:MET:SD	1:B:298:LYS:HG3	2.56	0.46
2:B:501:ZZ7:O1	2:B:501:ZZ7:H12C	2.15	0.46
1:A:116:SER:CB	2:A:501:ZZ7:C4	2.93	0.46
1:B:243:PHE:CB	1:B:250:MET:HE2	2.46	0.45
1:B:357:GLU:O	1:B:358:ASP:C	2.53	0.45
1:B:233:THR:OG1	1:B:234:HIS:HD2	1.99	0.45
1:B:243:PHE:CB	1:B:250:MET:HE3	2.46	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:362:HIS:HB3	1:A:378:THR:HG22	1.99	0.45
2:B:501:ZZ7:O1	2:B:501:ZZ7:H13	2.18	0.44
1:B:372:LYS:C	1:B:372:LYS:HD3	2.38	0.44
1:B:241:PHE:HB2	2:B:501:ZZ7:O2	2.18	0.44
1:A:233:THR:OG1	1:A:234:HIS:HD2	2.01	0.44
1:A:382:HIS:O	1:A:383:GLN:C	2.56	0.43
1:A:102:MET:HG3	1:A:120:LEU:HB3	2.00	0.43
1:B:216:ILE:HA	1:B:216:ILE:HD13	1.71	0.43
1:A:197:ASP:CG	3:A:530:HOH:O	2.57	0.42
1:A:40:TYR:CE2	1:A:302:MET:HG2	2.54	0.42
1:A:216:ILE:HD12	1:A:216:ILE:HG23	1.85	0.42
1:B:310:ARG:O	1:B:314:GLN:HG3	2.20	0.41
1:A:243:PHE:CD1	1:A:249:LYS:HE2	2.55	0.41
1:B:216:ILE:HG22	3:B:570:HOH:O	2.10	0.41
1:B:243:PHE:HB2	1:B:250:MET:CE	2.50	0.41
1:B:261:GLY:HA2	2:B:501:ZZ7:C10	2.27	0.41
1:A:334:TYR:HB2	1:A:382:HIS:NE2	2.36	0.41
1:B:75:SER:HB2	2:B:501:ZZ7:H11	2.01	0.41
1:B:171:MET:HE2	1:B:207:ASP:HB3	2.03	0.41
2:A:501:ZZ7:O4	3:A:514:HOH:O	2.22	0.41
1:B:241:PHE:CB	2:B:501:ZZ7:O2	2.68	0.40
1:B:204:THR:C	1:B:286:MET:HE2	2.42	0.40
1:B:270:HIS:CD2	1:B:270:HIS:C	2.94	0.40
1:A:125:VAL:O	1:A:234:HIS:CE1	2.75	0.40
1:A:323:LYS:HG2	1:A:337:ASN:HA	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	357/453 (79%)	345 (97%)	12 (3%)	0	<a href="#">100</a> <a href="#">100</a>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	357/453 (79%)	345 (97%)	12 (3%)	0	100	100
All	All	714/906 (79%)	690 (97%)	24 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	312/393 (79%)	302 (97%)	10 (3%)	42	41
1	B	312/393 (79%)	302 (97%)	10 (3%)	42	41
All	All	624/786 (79%)	604 (97%)	20 (3%)	42	41

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	THR
1	A	114	GLU
1	A	116	SER
1	A	183	GLU
1	A	208	TYR
1	A	270	HIS
1	A	279	PHE
1	A	327	ARG
1	A	372	LYS
1	A	383	GLN
1	B	25	THR
1	B	95	SER
1	B	97	ASP
1	B	208	TYR
1	B	253	PRO
1	B	270	HIS
1	B	286	MET
1	B	327	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	358	ASP
1	B	372	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	36	ASN
1	A	37	GLN
1	A	54	ASN
1	A	104	ASN
1	A	138	ASN
1	A	228	GLN
1	A	234	HIS
1	A	269	ASN
1	A	314	GLN
1	B	26	ASN
1	B	36	ASN
1	B	37	GLN
1	B	54	ASN
1	B	138	ASN
1	B	228	GLN
1	B	234	HIS
1	B	269	ASN
1	B	362	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	ZZ7	A	501	-	17,25,26	2.96	9 (52%)	20,36,38	2.73	9 (45%)
2	ZZ7	B	501	-	17,25,26	2.89	9 (52%)	20,36,38	2.19	7 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ZZ7	A	501	-	-	0/12/37/39	0/2/2/2
2	ZZ7	B	501	-	-	0/12/37/39	0/2/2/2

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	ZZ7	C11-C5	-6.63	1.28	1.39
2	B	501	ZZ7	C5-C4	-5.45	1.45	1.52
2	A	501	ZZ7	C6-S1	-4.98	1.75	1.85
2	B	501	ZZ7	C10-C11	-4.60	1.29	1.38
2	A	501	ZZ7	C8-C7	-3.99	1.31	1.38
2	A	501	ZZ7	C10-C11	-3.89	1.31	1.38
2	A	501	ZZ7	C10-C9	-3.77	1.29	1.38
2	A	501	ZZ7	C5-C4	-3.20	1.48	1.52
2	B	501	ZZ7	C6-S1	-3.00	1.79	1.85
2	B	501	ZZ7	C12-N3	-2.88	1.43	1.46
2	B	501	ZZ7	C8-C7	-2.71	1.33	1.38
2	B	501	ZZ7	C7-C5	-2.63	1.34	1.39
2	B	501	ZZ7	C3-N1	-2.25	1.29	1.34
2	A	501	ZZ7	C9-C8	-2.07	1.33	1.38
2	B	501	ZZ7	C9-C8	-2.03	1.33	1.38
2	A	501	ZZ7	C14-N1	3.49	1.51	1.46

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	ZZ7	C12-N3	4.48	1.50	1.46
2	A	501	ZZ7	C4-C3	4.80	1.61	1.54

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	ZZ7	C5-C4-N2	-6.68	94.48	112.74
2	A	501	ZZ7	C16-C6-S1	-3.90	102.69	109.20
2	B	501	ZZ7	C5-C4-N2	-3.89	102.12	112.74
2	B	501	ZZ7	O4-C15-C14	-3.59	116.34	125.12
2	B	501	ZZ7	C5-C4-C3	-3.42	103.40	111.75
2	A	501	ZZ7	C10-C11-C5	-3.07	116.73	120.64
2	A	501	ZZ7	O4-C15-C14	-2.84	118.17	125.12
2	A	501	ZZ7	C8-C7-C5	-2.50	117.47	120.64
2	B	501	ZZ7	C9-C8-C7	-2.31	117.03	120.20
2	B	501	ZZ7	O3-C3-N1	-2.15	118.91	122.91
2	A	501	ZZ7	C11-C5-C7	2.13	120.97	118.30
2	B	501	ZZ7	C11-C5-C7	2.56	121.50	118.30
2	A	501	ZZ7	C6-S1-C13	3.46	101.40	93.99
2	A	501	ZZ7	C13-C14-N1	4.04	119.18	109.83
2	A	501	ZZ7	C4-C3-N1	4.28	120.13	114.83
2	B	501	ZZ7	C4-C3-N1	5.16	121.22	114.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 51 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	ZZ7	36	0
2	B	501	ZZ7	15	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	359/453 (79%)	-0.66	2 (0%) 89 88	19, 28, 47, 56	10 (2%)
1	B	359/453 (79%)	-0.72	1 (0%) 93 93	19, 27, 43, 53	8 (2%)
All	All	718/906 (79%)	-0.69	3 (0%) 92 92	19, 27, 44, 56	18 (2%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	383	GLN	2.4
1	B	383	GLN	2.1
1	A	28	ASP	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	ZZ7	B	501	24/25	0.53	0.41	8,43,50,52	24
2	ZZ7	A	501	24/25	0.74	0.32	3,31,46,49	24

## 6.5 Other polymers [i](#)

There are no such residues in this entry.