



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 13, 2024 – 09:43 pm GMT

PDB ID : 6HUQ
Title : Yeast 20S proteasome with human beta2c (S171G) in complex with 20
Authors : Huber, E.M.; Groll, M.
Deposited on : 2018-10-09
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	 92%
1	O	250	 93%
2	B	258	 87% 7% 5%
2	P	258	 87% 7% 5%
3	C	254	 87% 6% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	4% 88% 6% • 6%
4	D	260	85% 5% 10%
4	R	260	% 84% 5% • 10%
5	E	234	92% 7% •
5	S	234	2% 90% 9% •
6	F	288	% 80% 5% 16%
6	T	288	% 80% • 16%
7	G	252	88% 8% •
7	U	252	% 88% 7% •
8	H	234	88% 5% • 6%
8	V	234	2% 86% 6% 6%
9	I	205	93% 5% •
9	W	205	94% • •
10	J	198	% 92% 6% • •
10	X	198	% 91% 7% • •
11	K	212	84% 15% •
11	Y	212	86% 13% •
12	L	222	% 91% 8% •
12	Z	222	90% 9% •
13	M	246	2% 87% • 9%
13	a	246	2% 88% • 9%
14	N	196	95% 5% •
14	b	196	98% •

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 49385 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	240	Total	C	N	O	S	0	0	0
			1842	1171	305	362	4			
1	O	240	Total	C	N	O	S	0	0	0
			1842	1171	305	362	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	219	Total	C	N	O	S	0	0	0
			1648	1038	282	316	12			
8	V	219	Total	C	N	O	S	0	0	0
			1648	1038	282	316	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	171	GLY	SER	engineered mutation	UNP Q99436
V	171	GLY	SER	engineered mutation	UNP Q99436

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	224	Total	C	N	O	S	0	0	0
			1753	1108	300	338	7			
13	a	224	Total	C	N	O	S	0	0	0
			1753	1108	300	338	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	I	1	Total Mg 1 1	0	0
15	K	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	V	1	Total Mg 1 1	0	0
15	W	1	Total Mg 1 1	0	0
15	Y	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0

- Molecule 17 is {N}-(2 {S})-1-[(2 {S})-1-[(2 {S})-1-[4-(aminomethyl)phenyl]-4-methylsulfonyl-butan-2-yl]amino]-3-methoxy-1-oxidanylidene-propan-2-yl]amino]-4-methyl-1-oxidanylidene-pentan-2-yl]-2-methyl-1,3-thiazole-5-carboxamide (three-letter code: GT5) (formula: C₂₇H₄₁N₅O₆S₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
17	H	1	Total	C	N	O	S	0	0
			40	27	5	6	2		
17	K	1	Total	C	N	O	S	0	0
			40	27	5	6	2		
17	V	1	Total	C	N	O	S	0	0
			40	27	5	6	2		
17	Y	1	Total	C	N	O	S	0	0
			40	27	5	6	2		

- Molecule 18 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	N	1	Total	O	S	0	0
			5	4	1		
18	b	1	Total	O	S	0	0
			5	4	1		

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	A	7	Total	O	0	0
			7	7		
19	B	13	Total	O	0	0
			13	13		
19	C	6	Total	O	0	0
			6	6		
19	D	10	Total	O	0	0
			10	10		
19	E	6	Total	O	0	0
			6	6		
19	F	5	Total	O	0	0
			5	5		
19	G	10	Total	O	0	0
			10	10		
19	H	9	Total	O	0	0
			9	9		
19	I	6	Total	O	0	0
			6	6		
19	J	9	Total	O	0	0
			9	9		
19	K	11	Total	O	0	0
			11	11		
19	L	12	Total	O	0	0
			12	12		
19	M	17	Total	O	0	0
			17	17		
19	N	13	Total	O	0	0
			13	13		
19	O	8	Total	O	0	0
			8	8		
19	P	9	Total	O	0	0
			9	9		
19	Q	10	Total	O	0	0
			10	10		
19	R	3	Total	O	0	0
			3	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	S	6	Total O 6 6	0	0
19	T	10	Total O 10 10	0	0
19	U	16	Total O 16 16	0	0
19	V	9	Total O 9 9	0	0
19	W	10	Total O 10 10	0	0
19	X	12	Total O 12 12	0	0
19	Y	9	Total O 9 9	0	0
19	Z	6	Total O 6 6	0	0
19	a	17	Total O 17 17	0	0
19	b	10	Total O 10 10	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2



- Molecule 2: Proteasome subunit alpha type-3




- Molecule 2: Proteasome subunit alpha type-3





LYS



- Molecule 3: Proteasome subunit alpha type-4





• Molecule 3: Proteasome subunit alpha type-4




• Molecule 4: Proteasome subunit alpha type-5




• Molecule 4: Proteasome subunit alpha type-5





• Molecule 5: Proteasome subunit alpha type-6





• Molecule 5: Proteasome subunit alpha type-6




• Molecule 6: Probable proteasome subunit alpha type-7




• Molecule 6: Probable proteasome subunit alpha type-7





- Molecule 7: Proteasome subunit alpha type-1




- Molecule 7: Proteasome subunit alpha type-1




- Molecule 8: Proteasome subunit beta type-7



- Molecule 8: Proteasome subunit beta type-7



- Molecule 9: Proteasome subunit beta type-3




- Molecule 9: Proteasome subunit beta type-3







- Molecule 10: Proteasome subunit beta type-4




- Molecule 10: Proteasome subunit beta type-4



- Molecule 11: Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6




- Molecule 12: Proteasome subunit beta type-6




- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	133.99Å 299.30Å 143.47Å 90.00° 112.24° 90.00°	Depositor
Resolution (Å)	15.00 – 3.00 15.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.3 (15.00-3.00) 99.1 (15.00-3.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.03 (at 3.01Å)	Xtrriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.178 , 0.207 0.187 , 0.211	Depositor DCC
R_{free} test set	10224 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	68.1	Xtrriage
Anisotropy	0.177	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 53.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	49385	wwPDB-VP
Average B, all atoms (Å ²)	79.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG, SO4, GT5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/1876	0.81	3/2535 (0.1%)
1	O	0.37	0/1876	0.82	4/2535 (0.2%)
2	B	0.38	0/1934	0.65	1/2618 (0.0%)
2	P	0.38	0/1934	0.64	0/2618
3	C	0.37	0/1910	0.64	0/2586
3	Q	0.37	0/1910	0.64	0/2586
4	D	0.36	0/1837	0.60	0/2475
4	R	0.37	0/1837	0.60	0/2475
5	E	0.36	0/1800	0.60	0/2433
5	S	0.36	0/1800	0.60	0/2433
6	F	0.36	0/1932	0.56	0/2609
6	T	0.35	0/1932	0.57	0/2609
7	G	0.38	0/1945	0.76	3/2634 (0.1%)
7	U	0.38	0/1945	0.82	3/2634 (0.1%)
8	H	0.35	0/1675	0.89	3/2267 (0.1%)
8	V	0.35	0/1675	0.87	3/2267 (0.1%)
9	I	0.36	0/1611	0.61	0/2174
9	W	0.36	0/1611	0.60	0/2174
10	J	0.36	0/1589	0.64	0/2142
10	X	0.36	0/1589	0.64	0/2142
11	K	0.36	0/1681	0.65	1/2274 (0.0%)
11	Y	0.36	0/1681	0.64	1/2274 (0.0%)
12	L	0.36	0/1795	0.61	0/2420
12	Z	0.37	0/1795	0.60	0/2420
13	M	0.38	0/1783	0.64	0/2420
13	a	0.37	0/1783	0.65	0/2420
14	N	0.35	0/1541	0.60	0/2087
14	b	0.35	0/1541	0.59	0/2087
All	All	0.36	0/49818	0.67	22/67348 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	O	0	1
7	U	0	1
8	V	0	1
All	All	0	4

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	U	68	ARG	NE-CZ-NH2	-22.89	108.86	120.30
1	A	4	ARG	NE-CZ-NH2	-20.61	110.00	120.30
1	O	4	ARG	NE-CZ-NH1	-20.41	110.10	120.30
8	V	143	ARG	NE-CZ-NH2	-19.82	110.39	120.30
8	H	143	ARG	NE-CZ-NH1	-19.24	110.68	120.30
7	G	68	ARG	NE-CZ-NH1	-17.36	111.62	120.30
8	H	143	ARG	NE-CZ-NH2	17.24	128.92	120.30
1	O	4	ARG	NE-CZ-NH2	15.65	128.12	120.30
7	G	68	ARG	NE-CZ-NH2	15.16	127.88	120.30
1	A	4	ARG	NE-CZ-NH1	14.45	127.53	120.30
8	V	143	ARG	NE-CZ-NH1	13.63	127.11	120.30
7	U	68	ARG	NE-CZ-NH1	12.04	126.32	120.30
7	U	68	ARG	CD-NE-CZ	11.98	140.38	123.60
1	O	4	ARG	CD-NE-CZ	10.26	137.96	123.60
1	A	4	ARG	CD-NE-CZ	9.88	137.43	123.60
8	V	143	ARG	CD-NE-CZ	9.86	137.40	123.60
8	H	143	ARG	CD-NE-CZ	8.47	135.45	123.60
7	G	68	ARG	CD-NE-CZ	7.41	133.97	123.60
2	B	51	VAL	CG1-CB-CG2	5.64	119.93	110.90
1	O	4	ARG	CG-CD-NE	5.62	123.61	111.80
11	K	4	LEU	CA-CB-CG	5.37	127.65	115.30
11	Y	4	LEU	CA-CB-CG	5.37	127.65	115.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	4	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	O	4	ARG	Sidechain
7	U	68	ARG	Sidechain
8	V	143	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1842	0	1855	4	0
1	O	1842	0	1855	3	0
2	B	1904	0	1904	9	0
2	P	1904	0	1904	7	0
3	C	1881	0	1895	7	0
3	Q	1881	0	1895	6	0
4	D	1813	0	1797	3	0
4	R	1813	0	1797	7	0
5	E	1773	0	1775	6	0
5	S	1773	0	1775	9	0
6	F	1892	0	1883	5	0
6	T	1892	0	1883	4	0
7	G	1907	0	1901	7	0
7	U	1907	0	1901	5	0
8	H	1648	0	1672	5	0
8	V	1648	0	1672	8	0
9	I	1581	0	1574	7	0
9	W	1581	0	1574	7	0
10	J	1561	0	1569	6	0
10	X	1561	0	1569	7	0
11	K	1644	0	1594	18	0
11	Y	1644	0	1594	15	0
12	L	1757	0	1711	11	0
12	Z	1757	0	1711	13	0
13	M	1753	0	1754	2	0
13	a	1753	0	1754	0	0
14	N	1512	0	1481	5	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	I	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
15	K	1	0	0	0	0
15	N	1	0	0	0	0
15	V	1	0	0	0	0
15	W	1	0	0	0	0
15	Y	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	H	40	0	0	0	0
17	K	40	0	0	1	0
17	V	40	0	0	3	0
17	Y	40	0	0	1	0
18	N	5	0	0	0	0
18	b	5	0	0	0	0
19	A	7	0	0	0	0
19	B	13	0	0	2	0
19	C	6	0	0	0	0
19	D	10	0	0	0	0
19	E	6	0	0	0	0
19	F	5	0	0	0	0
19	G	10	0	0	0	0
19	H	9	0	0	0	0
19	I	6	0	0	0	0
19	J	9	0	0	1	0
19	K	11	0	0	0	0
19	L	12	0	0	0	0
19	M	17	0	0	0	0
19	N	13	0	0	1	0
19	O	8	0	0	0	0
19	P	9	0	0	0	0
19	Q	10	0	0	0	0
19	R	3	0	0	0	0
19	S	6	0	0	0	0
19	T	10	0	0	0	0
19	U	16	0	0	1	0
19	V	9	0	0	0	0
19	W	10	0	0	0	0
19	X	12	0	0	1	0
19	Y	9	0	0	0	0
19	Z	6	0	0	0	0
19	a	17	0	0	0	0
19	b	10	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	49385	0	48730	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:S:92:ASN:HD21	12:Z:70:ASN:HD21	1.05	0.94
5:E:92:ASN:HD21	12:L:70:ASN:HD21	1.17	0.92
2:B:93:HIS:HB3	19:B:301:HOH:O	1.84	0.77
5:S:92:ASN:HD21	12:Z:70:ASN:ND2	1.81	0.77
5:S:92:ASN:ND2	12:Z:70:ASN:HD21	1.80	0.77
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.54	0.72
11:K:77:ALA:O	11:K:121:ARG:NH1	2.23	0.70
7:G:68:ARG:NH1	14:N:39:ASP:OD2	2.25	0.70
11:Y:77:ALA:O	11:Y:121:ARG:NH1	2.25	0.70
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.56	0.70
1:O:12:PHE:H	2:P:20:GLN:HE22	1.40	0.70
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.58	0.69
11:K:210:VAL:HA	9:W:37:ASN:OD1	1.98	0.64
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.61	0.64
12:L:31:THR:CG2	12:L:36:ASN:HD21	2.13	0.61
4:R:82:GLU:OE2	11:Y:69:ARG:NH1	2.34	0.61
2:B:12:PHE:H	3:C:17:GLN:HE22	1.49	0.60
12:Z:31:THR:CG2	12:Z:36:ASN:HD21	2.15	0.60
5:S:12:PHE:H	6:T:19:GLN:HE22	1.50	0.57
7:G:23:PHE:O	7:G:26:THR:HB	2.04	0.57
11:Y:130:GLY:O	11:Y:133:GLN:HG2	2.05	0.56
5:E:92:ASN:HD21	12:L:70:ASN:ND2	1.96	0.56
11:K:130:GLY:O	11:K:133:GLN:HG2	2.05	0.56
12:Z:42:LYS:HD2	12:Z:55:ASN:HD22	1.72	0.55
7:U:23:PHE:O	7:U:26:THR:HB	2.07	0.54
5:E:87:LEU:HD21	5:E:107:ALA:HB1	1.90	0.54
2:B:113:ARG:NE	19:B:301:HOH:O	2.35	0.54
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.89	0.54
11:Y:105:THR:OG1	11:Y:108:GLU:HG3	2.09	0.53
8:V:25:VAL:HG11	9:W:146:PHE:CD2	2.43	0.53
4:R:176:LEU:HD11	5:S:54:GLU:HB2	1.90	0.53
13:M:187:ARG:NH1	8:V:139:GLU:OE1	2.35	0.52
6:T:123:ASN:HD22	6:T:124:SER:N	2.08	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.91	0.52
6:F:123:ASN:HD22	6:F:124:SER:N	2.08	0.52
11:K:105:THR:OG1	11:K:108:GLU:HG3	2.09	0.52
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.92	0.51
7:U:99:TYR:O	8:V:78:THR:HB	2.11	0.51
10:X:174:MET:HB2	19:X:207:HOH:O	2.11	0.51
11:Y:145:LYS:HG3	11:Y:148:LEU:HD12	1.93	0.51
3:C:48:SER:HB2	3:C:207:ASN:HD21	1.76	0.51
9:W:36:SER:HB2	10:X:126:VAL:HG11	1.93	0.51
10:J:50:ALA:O	11:K:91:LYS:NZ	2.44	0.50
5:E:12:PHE:H	6:F:19:GLN:HE22	1.58	0.50
7:G:167:GLN:HE21	7:G:171:THR:HG23	1.76	0.50
12:L:42:LYS:HD2	12:L:55:ASN:HD22	1.77	0.50
17:V:301:GT5:C4	9:W:125:LEU:HD21	2.41	0.50
10:X:3:ILE:HG23	10:X:18:SER:HB3	1.93	0.50
10:J:139:TYR:CE1	11:Y:134:THR:HG22	2.47	0.49
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.42	0.49
11:K:145:LYS:HG3	11:K:148:LEU:HD12	1.94	0.49
10:J:3:ILE:HG23	10:J:18:SER:HB3	1.93	0.49
3:Q:48:SER:HB2	3:Q:207:ASN:HD21	1.77	0.48
1:A:1:MET:HG3	6:F:122:TYR:CE1	2.49	0.48
8:H:132:LEU:HD22	14:N:25:TYR:CE1	2.48	0.48
11:K:1:THR:HB	17:K:301:GT5:O30	2.14	0.48
8:V:1:THR:N	17:V:301:GT5:O30	2.45	0.48
11:K:51:ASP:HB3	11:K:97:MET:HE2	1.95	0.47
5:E:92:ASN:ND2	12:L:70:ASN:HD21	1.96	0.47
7:U:167:GLN:HE21	7:U:171:THR:HG23	1.79	0.47
7:G:99:TYR:O	8:H:78:THR:HB	2.14	0.47
4:D:88:ALA:HA	4:D:99:ILE:HG21	1.97	0.47
8:H:219:LEU:HD11	9:I:194:VAL:HG23	1.97	0.46
4:R:155:THR:HG23	5:S:59:GLN:HE22	1.80	0.46
4:R:88:ALA:HA	4:R:99:ILE:HG21	1.97	0.46
1:A:12:PHE:H	2:B:20:GLN:HE22	1.64	0.46
12:Z:3:ASN:HD22	12:Z:4:PRO:HD2	1.81	0.46
1:A:176:GLU:HG3	2:B:55:LEU:HD22	1.97	0.46
8:V:51:ASP:O	8:V:55:THR:OG1	2.28	0.46
11:K:142:SER:HB3	10:X:143:LEU:HD21	1.97	0.45
11:Y:1:THR:HB	17:Y:301:GT5:O30	2.16	0.45
6:T:191:GLN:HE22	6:T:194:LYS:HE2	1.82	0.45
9:W:37:ASN:HB3	9:W:182:TRP:CE3	2.52	0.45
11:K:176:ASN:ND2	11:K:190:ASN:HD22	2.13	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:U:153:TYR:HB2	19:U:414:HOH:O	2.17	0.45
11:Y:176:ASN:ND2	11:Y:190:ASN:HD22	2.15	0.45
8:V:184:ASP:HB3	8:V:186:LEU:CD1	2.48	0.44
8:H:120:ASP:HB3	8:H:122:LEU:HD22	1.99	0.44
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.53	0.44
9:I:37:ASN:HB3	9:I:182:TRP:CE3	2.52	0.44
8:H:184:ASP:HB3	8:H:186:LEU:CD1	2.48	0.44
11:Y:51:ASP:HB3	11:Y:97:MET:HE2	1.98	0.44
10:J:139:TYR:OH	10:X:25:ILE:O	2.35	0.44
3:C:99:GLU:CD	11:K:121:ARG:HH22	2.21	0.44
3:Q:203:THR:HG22	3:Q:204:GLY:H	1.83	0.43
3:C:203:THR:HG22	3:C:204:GLY:H	1.83	0.43
5:E:68:HIS:HE1	5:E:102:LEU:O	2.01	0.43
9:I:38:LYS:HG2	11:Y:211:ILE:HD11	2.00	0.43
6:F:191:GLN:HE22	6:F:194:LYS:HE2	1.83	0.43
3:Q:48:SER:HB2	3:Q:207:ASN:ND2	2.33	0.43
14:N:192:GLU:HB3	19:N:303:HOH:O	2.19	0.43
3:C:48:SER:HB2	3:C:207:ASN:ND2	2.33	0.43
12:L:8:ASN:HA	12:L:30:ILE:O	2.19	0.43
10:J:174:MET:HB2	19:J:203:HOH:O	2.19	0.43
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.19	0.43
11:K:37:ILE:HB	11:K:41:LEU:HB3	2.01	0.42
1:O:97:TYR:OH	9:W:77:GLU:OE2	2.30	0.42
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.54	0.42
11:K:139:VAL:HG23	10:X:142:SER:HB2	2.01	0.42
1:A:55:LEU:HD12	7:G:170:THR:HG23	2.01	0.42
12:L:220:LYS:HE3	12:L:222:ASP:OD1	2.20	0.42
12:L:3:ASN:HD22	12:L:4:PRO:HD2	1.83	0.42
3:Q:165:ASN:HB2	3:Q:200:VAL:HG11	2.01	0.42
3:C:9:PHE:H	4:D:15:GLN:HE22	1.66	0.42
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.84	0.42
11:K:38:ASN:OD1	11:K:40:PHE:N	2.47	0.42
6:T:123:ASN:HD22	6:T:123:ASN:C	2.22	0.42
2:B:95:GLN:HE22	9:I:71:ASN:HD22	1.66	0.42
6:F:123:ASN:HD22	6:F:123:ASN:C	2.23	0.42
9:I:37:ASN:OD1	11:Y:210:VAL:HA	2.20	0.42
5:S:68:HIS:HE1	5:S:102:LEU:O	2.03	0.42
11:Y:139:VAL:HG21	11:Y:163:ALA:CB	2.50	0.42
11:K:27:ALA:O	12:L:137:ARG:NH2	2.44	0.42
11:Y:50:ALA:CB	12:Z:128:VAL:HG23	2.50	0.42
11:K:12:ILE:HB	11:K:180:VAL:HB	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:P:139:TYR:CD1	2:P:224:VAL:HG21	2.56	0.41
4:R:9:PRO:HA	5:S:23:TYR:CG	2.55	0.41
2:P:52:THR:HG21	2:P:209:ARG:HG3	2.03	0.41
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	2.03	0.41
13:M:97:ALA:HA	13:M:130:VAL:HG21	2.03	0.41
7:G:106:ASP:HB3	7:G:146:TYR:CZ	2.56	0.41
2:P:47:ALA:HB1	2:P:64:LYS:HD2	2.03	0.41
11:Y:139:VAL:HG21	11:Y:163:ALA:HB2	2.03	0.41
12:Z:146:ILE:HG22	12:Z:150:LEU:HD22	2.03	0.41
2:B:217:LYS:O	2:B:219:ALA:N	2.53	0.41
7:G:73:VAL:HG12	7:G:133:THR:HB	2.02	0.41
8:V:53:ASP:OD1	17:V:301:GT5:N22	2.53	0.41
12:Z:13:LEU:HD11	12:Z:150:LEU:HD21	2.04	0.41
12:Z:220:LYS:HE3	12:Z:222:ASP:OD1	2.21	0.41
2:B:139:TYR:CD1	2:B:224:VAL:HG21	2.56	0.40
11:K:139:VAL:HG21	11:K:163:ALA:CB	2.51	0.40
11:Y:12:ILE:HB	11:Y:180:VAL:HB	2.03	0.40
9:I:141:ALA:HB2	9:I:177:ASP:HB2	2.03	0.40
14:N:176:VAL:HG12	14:N:178:LEU:HD13	2.02	0.40
2:P:217:LYS:O	2:P:219:ALA:N	2.54	0.40
9:I:94:LEU:HD11	9:I:106:PRO:HG2	2.04	0.40
11:K:197:PHE:CE2	9:W:203:GLN:HG3	2.56	0.40
4:R:32:ILE:HD12	4:R:192:VAL:HG23	2.02	0.40
2:B:52:THR:HG21	2:B:209:ARG:HG3	2.03	0.40
7:U:106:ASP:HB3	7:U:146:TYR:CZ	2.56	0.40
8:V:143:ARG:NH1	8:V:150:GLU:OE1	2.55	0.40
12:Z:28:ARG:HG2	12:Z:30:ILE:HG23	2.03	0.40
12:L:146:ILE:HG22	12:L:150:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	236/250 (94%)	226 (96%)	9 (4%)	1 (0%)	34	72
1	O	236/250 (94%)	226 (96%)	9 (4%)	1 (0%)	34	72
2	B	242/258 (94%)	235 (97%)	5 (2%)	2 (1%)	19	57
2	P	242/258 (94%)	236 (98%)	4 (2%)	2 (1%)	19	57
3	C	238/254 (94%)	236 (99%)	1 (0%)	1 (0%)	34	72
3	Q	238/254 (94%)	236 (99%)	1 (0%)	1 (0%)	34	72
4	D	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
5	E	229/234 (98%)	219 (96%)	10 (4%)	0	100	100
5	S	229/234 (98%)	220 (96%)	9 (4%)	0	100	100
6	F	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
6	T	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
7	G	239/252 (95%)	236 (99%)	3 (1%)	0	100	100
7	U	239/252 (95%)	236 (99%)	3 (1%)	0	100	100
8	H	217/234 (93%)	215 (99%)	2 (1%)	0	100	100
8	V	217/234 (93%)	215 (99%)	2 (1%)	0	100	100
9	I	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
9	W	202/205 (98%)	193 (96%)	9 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	3 (2%)	1 (0%)	29	68
10	X	193/198 (98%)	189 (98%)	3 (2%)	1 (0%)	29	68
11	K	210/212 (99%)	199 (95%)	9 (4%)	2 (1%)	15	53
11	Y	210/212 (99%)	199 (95%)	9 (4%)	2 (1%)	15	53
12	L	220/222 (99%)	211 (96%)	9 (4%)	0	100	100
12	Z	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
13	M	222/246 (90%)	211 (95%)	11 (5%)	0	100	100
13	a	222/246 (90%)	211 (95%)	11 (5%)	0	100	100
14	N	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
14	b	194/196 (99%)	190 (98%)	4 (2%)	0	100	100
All	All	6228/6618 (94%)	6058 (97%)	156 (2%)	14 (0%)	47	82

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	231	LYS
2	B	52	THR
2	B	218	GLY
1	O	231	LYS
2	P	52	THR
2	P	218	GLY
11	K	147	ASP
11	Y	147	ASP
11	Y	148	LEU
11	K	148	LEU
3	Q	183	PRO
3	C	183	PRO
10	J	9	VAL
10	X	9	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	201/209 (96%)	197 (98%)	4 (2%)	55	83
1	O	201/209 (96%)	197 (98%)	4 (2%)	55	83
2	B	203/216 (94%)	194 (96%)	9 (4%)	28	65
2	P	203/216 (94%)	194 (96%)	9 (4%)	28	65
3	C	212/226 (94%)	201 (95%)	11 (5%)	23	59
3	Q	212/226 (94%)	202 (95%)	10 (5%)	26	63
4	D	194/215 (90%)	185 (95%)	9 (5%)	27	64
4	R	194/215 (90%)	186 (96%)	8 (4%)	30	67
5	E	190/193 (98%)	180 (95%)	10 (5%)	22	58
5	S	190/193 (98%)	179 (94%)	11 (6%)	20	55
6	F	201/239 (84%)	192 (96%)	9 (4%)	27	64
6	T	201/239 (84%)	192 (96%)	9 (4%)	27	64
7	G	206/210 (98%)	197 (96%)	9 (4%)	28	65
7	U	206/210 (98%)	196 (95%)	10 (5%)	25	61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	H	179/194 (92%)	170 (95%)	9 (5%)	24	60
8	V	179/194 (92%)	171 (96%)	8 (4%)	27	64
9	I	172/173 (99%)	166 (96%)	6 (4%)	36	71
9	W	172/173 (99%)	166 (96%)	6 (4%)	36	71
10	J	173/175 (99%)	167 (96%)	6 (4%)	36	71
10	X	173/175 (99%)	167 (96%)	6 (4%)	36	71
11	K	169/169 (100%)	161 (95%)	8 (5%)	26	63
11	Y	169/169 (100%)	161 (95%)	8 (5%)	26	63
12	L	185/185 (100%)	177 (96%)	8 (4%)	29	66
12	Z	185/185 (100%)	177 (96%)	8 (4%)	29	66
13	M	192/208 (92%)	185 (96%)	7 (4%)	35	70
13	a	192/208 (92%)	185 (96%)	7 (4%)	35	70
14	N	162/162 (100%)	158 (98%)	4 (2%)	47	79
14	b	162/162 (100%)	159 (98%)	3 (2%)	57	84
All	All	5278/5548 (95%)	5062 (96%)	216 (4%)	30	67

All (216) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	THR
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	50	LYS
2	B	51	VAL
2	B	52	THR
2	B	55	LEU
2	B	102	ASN
2	B	119	GLN
2	B	186	ASP
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	48	SER
3	C	49	THR
3	C	51	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	240	GLU
4	D	40	LEU
4	D	99	ILE
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	116	GLN
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
5	E	208	ASP
5	E	231	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	171	GLU
6	F	172	LEU
6	F	181	GLU
6	F	201	GLU
6	F	214	TRP
6	F	240	GLN
7	G	13	GLU
7	G	83	ASN
7	G	115	LEU
7	G	117	GLN
7	G	122	ARG
7	G	125	MET
7	G	154	TYR
7	G	235	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	236	LEU
8	H	14	LEU
8	H	22	GLU
8	H	24	MET
8	H	54	MET
8	H	78	THR
8	H	98	LEU
8	H	122	LEU
8	H	143	ARG
8	H	201	ARG
9	I	37	ASN
9	I	123	PHE
9	I	151	SER
9	I	160	GLU
9	I	171	LEU
9	I	182	TRP
10	J	2	ASP
10	J	3	ILE
10	J	35	THR
10	J	78	GLN
10	J	90	LYS
10	J	99	GLN
11	K	4	LEU
11	K	9	GLN
11	K	18	SER
11	K	21	THR
11	K	35	ILE
11	K	73	ARG
11	K	100	MET
11	K	108	GLU
12	L	23	LEU
12	L	31	THR
12	L	49	ASN
12	L	108	HIS
12	L	130	SER
12	L	136	CYS
12	L	150	LEU
12	L	161	GLU
13	M	10	SER
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	M	161	ARG
13	M	179	ASN
13	M	187	ARG
14	N	9	LYS
14	N	83	LYS
14	N	104	ASP
14	N	107	LYS
1	O	2	THR
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	50	LYS
2	P	52	THR
2	P	55	LEU
2	P	102	ASN
2	P	113	ARG
2	P	119	GLN
2	P	186	ASP
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	48	SER
3	Q	49	THR
3	Q	51	LYS
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU
5	S	56	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	71	LEU
5	S	116	GLN
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
5	S	208	ASP
5	S	231	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	171	GLU
6	T	172	LEU
6	T	181	GLU
6	T	201	GLU
6	T	214	TRP
6	T	240	GLN
7	U	13	GLU
7	U	83	ASN
7	U	115	LEU
7	U	117	GLN
7	U	122	ARG
7	U	125	MET
7	U	154	TYR
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	14	LEU
8	V	22	GLU
8	V	24	MET
8	V	54	MET
8	V	78	THR
8	V	98	LEU
8	V	143	ARG
8	V	201	ARG
9	W	37	ASN
9	W	123	PHE
9	W	151	SER
9	W	160	GLU
9	W	171	LEU
9	W	182	TRP
10	X	2	ASP
10	X	3	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	X	35	THR
10	X	78	GLN
10	X	90	LYS
10	X	99	GLN
11	Y	4	LEU
11	Y	9	GLN
11	Y	18	SER
11	Y	21	THR
11	Y	35	ILE
11	Y	73	ARG
11	Y	100	MET
11	Y	108	GLU
12	Z	23	LEU
12	Z	31	THR
12	Z	49	ASN
12	Z	108	HIS
12	Z	130	SER
12	Z	136	CYS
12	Z	150	LEU
12	Z	161	GLU
13	a	10	SER
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	179	ASN
13	a	187	ARG
14	b	9	LYS
14	b	83	LYS
14	b	107	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (129) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
2	B	176	GLN
3	C	17	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	38	ASN
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	207	ASN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	146	GLN
4	D	210	GLN
4	D	225	ASN
5	E	59	GLN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
6	F	240	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
7	G	167	GLN
7	G	175	ASN
8	H	153	ASN
9	I	71	ASN
10	J	55	GLN
10	J	118	GLN
11	K	9	GLN
11	K	85	ASN
11	K	133	GLN
11	K	176	ASN
12	L	3	ASN
12	L	36	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	49	ASN
12	L	55	ASN
12	L	80	ASN
12	L	152	ASN
12	L	153	GLN
12	L	158	ASN
13	M	18	ASN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
2	P	155	ASN
2	P	176	GLN
3	Q	17	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	207	ASN
4	R	15	GLN
4	R	91	HIS
4	R	146	GLN
4	R	225	ASN
5	S	59	GLN
5	S	68	HIS
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	T	240	GLN
7	U	30	ASN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
7	U	167	GLN
7	U	175	ASN
8	V	153	ASN
9	W	71	ASN
10	X	55	GLN
10	X	78	GLN
10	X	86	GLN
10	X	146	HIS
11	Y	9	GLN
11	Y	85	ASN
11	Y	133	GLN
11	Y	176	ASN
11	Y	208	ASN
12	Z	3	ASN
12	Z	36	ASN
12	Z	49	ASN
12	Z	55	ASN
12	Z	70	ASN
12	Z	79	HIS
12	Z	80	ASN
12	Z	152	ASN
12	Z	153	GLN
12	Z	158	ASN
13	a	18	ASN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	161	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 10 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	GT5	V	301	8	38,41,41	1.67	8 (21%)	48,56,56	1.51	10 (20%)
18	SO4	b	201	-	4,4,4	0.31	0	6,6,6	0.13	0
17	GT5	K	301	11	38,41,41	1.60	7 (18%)	48,56,56	1.65	11 (22%)
18	SO4	N	202	-	4,4,4	0.30	0	6,6,6	0.06	0
17	GT5	Y	301	11	38,41,41	1.62	7 (18%)	48,56,56	1.69	12 (25%)
17	GT5	H	301	8	38,41,41	1.59	8 (21%)	48,56,56	1.43	5 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	GT5	K	301	11	-	2/39/43/43	0/2/2/2
17	GT5	H	301	8	-	4/39/43/43	0/2/2/2
17	GT5	Y	301	11	-	3/39/43/43	0/2/2/2
17	GT5	V	301	8	-	4/39/43/43	0/2/2/2

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	Y	301	GT5	C16-C17	-4.44	1.40	1.51
17	K	301	GT5	C16-C17	-4.30	1.41	1.51
17	V	301	GT5	C26-S27	4.20	1.84	1.78
17	K	301	GT5	O29-S27	4.12	1.53	1.44
17	Y	301	GT5	O29-S27	4.08	1.53	1.44
17	H	301	GT5	C16-C17	-3.98	1.41	1.51
17	V	301	GT5	C16-C17	-3.97	1.41	1.51
17	Y	301	GT5	O30-S27	3.95	1.53	1.44
17	H	301	GT5	O29-S27	3.85	1.52	1.44
17	V	301	GT5	O29-S27	3.80	1.52	1.44
17	K	301	GT5	O30-S27	3.72	1.52	1.44
17	V	301	GT5	O30-S27	3.51	1.52	1.44
17	K	301	GT5	C3-S5	-3.40	1.63	1.73
17	V	301	GT5	C3-S5	-3.33	1.63	1.73
17	H	301	GT5	O30-S27	3.32	1.51	1.44
17	H	301	GT5	C26-S27	3.25	1.82	1.78
17	H	301	GT5	C21-C20	-3.20	1.40	1.51
17	K	301	GT5	C26-S27	3.15	1.82	1.78
17	H	301	GT5	C3-S5	-2.99	1.64	1.73
17	Y	301	GT5	C25-C26	2.97	1.55	1.52
17	Y	301	GT5	C26-S27	2.96	1.82	1.78
17	V	301	GT5	C21-C20	-2.93	1.41	1.51
17	Y	301	GT5	C21-C20	-2.78	1.41	1.51
17	K	301	GT5	C21-C20	-2.73	1.41	1.51
17	V	301	GT5	C25-C26	2.66	1.55	1.52
17	H	301	GT5	C25-C26	2.65	1.55	1.52
17	Y	301	GT5	C3-S5	-2.56	1.65	1.73
17	K	301	GT5	C25-C26	2.36	1.55	1.52
17	V	301	GT5	C4-C3	2.25	1.53	1.49
17	H	301	GT5	C4-C3	2.24	1.53	1.49

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	Y	301	GT5	O30-S27-C26	4.66	111.61	108.34
17	K	301	GT5	O30-S27-C26	4.54	111.53	108.34
17	V	301	GT5	O30-S27-O29	-4.40	107.68	117.09
17	H	301	GT5	O30-S27-O29	-4.30	107.91	117.09
17	V	301	GT5	C32-C12-N11	-3.90	102.34	111.40
17	H	301	GT5	C32-C12-N11	-3.71	102.77	111.40
17	Y	301	GT5	O29-S27-C26	-3.70	105.75	108.34
17	Y	301	GT5	C40-C9-C10	-3.64	101.90	110.57
17	K	301	GT5	C40-C9-C10	-3.55	102.12	110.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	Y	301	GT5	O30-S27-O29	-3.34	109.96	117.09
17	K	301	GT5	O30-S27-O29	-3.28	110.08	117.09
17	K	301	GT5	C25-C15-N14	-3.21	106.03	110.54
17	K	301	GT5	C32-C12-C13	-3.20	102.81	110.32
17	Y	301	GT5	C32-C12-C13	-2.99	103.30	110.32
17	Y	301	GT5	C40-C9-N8	2.79	117.00	110.58
17	K	301	GT5	O30-S27-C28	-2.75	106.14	108.91
17	K	301	GT5	C40-C9-N8	2.73	116.86	110.58
17	V	301	GT5	O30-S27-C26	2.72	110.25	108.34
17	H	301	GT5	C28-S27-C26	2.54	114.99	105.21
17	V	301	GT5	C28-S27-C26	2.42	114.55	105.21
17	Y	301	GT5	C25-C15-N14	-2.42	107.14	110.54
17	Y	301	GT5	C6-C1-N2	2.35	113.82	109.09
17	H	301	GT5	O29-S27-C26	-2.23	106.78	108.34
17	Y	301	GT5	C9-C10-N11	-2.19	111.90	116.70
17	V	301	GT5	O29-S27-C26	-2.15	106.84	108.34
17	V	301	GT5	C12-C13-N14	-2.13	112.02	116.70
17	K	301	GT5	C4-C3-N2	2.12	127.45	121.87
17	K	301	GT5	C9-C10-N11	-2.12	112.06	116.70
17	Y	301	GT5	C28-S27-C26	2.10	113.31	105.21
17	K	301	GT5	C6-C1-N2	2.08	113.27	109.09
17	V	301	GT5	C4-C3-N2	2.07	127.32	121.87
17	H	301	GT5	C4-C3-N2	2.06	127.29	121.87
17	V	301	GT5	C16-C17-C18	-2.06	116.82	120.91
17	V	301	GT5	C10-C9-N8	-2.05	105.58	111.16
17	Y	301	GT5	C4-C3-S5	2.03	122.85	120.12
17	V	301	GT5	O29-S27-C28	-2.02	106.88	108.91
17	K	301	GT5	C16-C17-C18	-2.01	116.91	120.91
17	Y	301	GT5	O30-S27-C28	-2.00	106.89	108.91

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	H	301	GT5	C15-C16-C17-C24
17	V	301	GT5	C15-C16-C17-C24
17	H	301	GT5	C15-C16-C17-C18
17	V	301	GT5	C15-C16-C17-C18
17	K	301	GT5	C15-C16-C17-C18
17	Y	301	GT5	C15-C16-C17-C18
17	K	301	GT5	C15-C16-C17-C24
17	Y	301	GT5	C15-C16-C17-C24

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
17	Y	301	GT5	C15-C25-C26-S27
17	H	301	GT5	C19-C20-C21-N22
17	H	301	GT5	C23-C20-C21-N22
17	V	301	GT5	C19-C20-C21-N22
17	V	301	GT5	C23-C20-C21-N22


There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	V	301	GT5	3	0
17	K	301	GT5	1	0
17	Y	301	GT5	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	240/250 (96%)	-0.54	2 (0%) 86 65	52, 73, 116, 151	0
1	O	240/250 (96%)	-0.47	5 (2%) 63 34	57, 81, 129, 165	0
2	B	244/258 (94%)	-0.44	8 (3%) 46 20	52, 76, 127, 180	0
2	P	244/258 (94%)	-0.46	8 (3%) 46 20	56, 78, 130, 176	0
3	C	240/254 (94%)	-0.47	5 (2%) 63 34	53, 80, 139, 168	0
3	Q	240/254 (94%)	-0.25	9 (3%) 40 16	65, 97, 177, 199	0
4	D	235/260 (90%)	-0.58	1 (0%) 92 79	56, 79, 111, 156	0
4	R	235/260 (90%)	-0.48	3 (1%) 77 51	62, 88, 134, 169	0
5	E	231/234 (98%)	-0.52	1 (0%) 92 79	59, 82, 123, 164	0
5	S	231/234 (98%)	-0.36	5 (2%) 62 33	58, 93, 143, 188	0
6	F	243/288 (84%)	-0.61	2 (0%) 86 65	52, 75, 127, 161	0
6	T	243/288 (84%)	-0.57	2 (0%) 86 65	54, 86, 141, 176	0
7	G	241/252 (95%)	-0.67	0 100 100	51, 70, 111, 161	0
7	U	241/252 (95%)	-0.60	2 (0%) 86 65	58, 75, 110, 150	0
8	H	219/234 (93%)	-0.61	1 (0%) 91 75	48, 67, 121, 139	0
8	V	219/234 (93%)	-0.49	4 (1%) 68 40	50, 70, 126, 166	0
9	I	204/205 (99%)	-0.83	0 100 100	45, 63, 90, 119	0
9	W	204/205 (99%)	-0.81	1 (0%) 91 75	46, 63, 92, 117	0
10	J	195/198 (98%)	-0.68	1 (0%) 91 75	48, 67, 97, 142	0
10	X	195/198 (98%)	-0.66	2 (1%) 82 59	49, 69, 94, 157	0
11	K	212/212 (100%)	-0.73	0 100 100	50, 67, 96, 120	0
11	Y	212/212 (100%)	-0.67	1 (0%) 91 75	47, 71, 106, 134	0
12	L	222/222 (100%)	-0.67	2 (0%) 84 63	44, 66, 114, 142	0
12	Z	222/222 (100%)	-0.70	0 100 100	47, 68, 109, 147	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	224/246 (91%)	-0.67	4 (1%) 68 40	45, 67, 98, 136	0
13	a	224/246 (91%)	-0.62	4 (1%) 68 40	45, 66, 99, 141	0
14	N	196/196 (100%)	-0.75	0 100 100	45, 61, 96, 119	0
14	b	196/196 (100%)	-0.71	0 100 100	47, 63, 96, 124	0
All	All	6292/6618 (95%)	-0.59	73 (1%) 79 54	44, 73, 126, 199	0

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	221	ASP	6.3
3	Q	49	THR	5.6
2	B	220	ASN	5.4
13	a	224	ASP	5.0
5	S	202	ASP	4.9
1	O	230	ASP	4.8
2	B	218	GLY	4.8
2	P	221	ASP	4.6
2	P	220	ASN	4.5
1	O	249	ALA	4.2
3	Q	50	LEU	4.1
3	Q	239	GLN	4.1
2	P	219	ALA	4.0
2	B	51	VAL	3.8
13	M	216	ASN	3.8
2	P	218	GLY	3.5
6	T	181	GLU	3.5
13	a	216	ASN	3.4
3	Q	48	SER	3.4
8	V	196	GLY	3.3
13	M	47	ASP	3.3
1	A	1	MET	3.3
5	E	202	ASP	3.3
2	P	59	ASP	3.2
1	A	230	ASP	3.2
13	a	1	THR	3.1
13	M	1	THR	3.1
10	X	1	MET	3.1
3	Q	202	GLN	3.0
2	P	51	VAL	3.0
11	Y	147	ASP	2.9
10	X	194	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
8	H	196	GLY	2.9
3	C	202	GLN	2.8
3	C	49	THR	2.8
3	C	239	GLN	2.7
5	S	54	GLU	2.7
1	O	1	MET	2.7
3	Q	238	LYS	2.7
4	D	242	GLU	2.7
3	Q	236	GLN	2.7
6	F	205	GLU	2.6
5	S	52	ALA	2.6
6	T	244	ASN	2.6
7	U	222	ASP	2.5
3	Q	240	GLU	2.5
8	V	219	LEU	2.5
4	R	241	ALA	2.4
13	M	220	ASP	2.4
2	P	223	GLU	2.4
1	O	201	GLU	2.4
12	L	174	TYR	2.4
4	R	1	ASP	2.3
5	S	51	ASN	2.3
3	Q	47	ARG	2.3
13	a	220	ASP	2.3
3	C	206	LYS	2.2
10	J	1	MET	2.2
3	C	1	GLY	2.2
7	U	242	GLN	2.2
2	B	219	ALA	2.2
8	V	217	THR	2.2
1	O	231	LYS	2.1
5	S	227	GLU	2.1
9	W	1	SER	2.1
12	L	162	PRO	2.1
6	F	51	THR	2.1
2	B	223	GLU	2.1
2	B	59	ASP	2.0
4	R	230	GLU	2.0
8	V	218	PRO	2.0
2	B	240	LYS	2.0
2	P	225	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
16	CL	U	301	1/1	0.80	0.55	99,99,99,99	0
15	MG	W	301	1/1	0.84	0.56	90,90,90,90	0
16	CL	G	302	1/1	0.89	0.48	91,91,91,91	0
15	MG	Y	302	1/1	0.89	0.28	103,103,103,103	0
17	GT5	H	301	40/40	0.90	0.24	52,73,82,85	0
17	GT5	V	301	40/40	0.92	0.22	46,66,71,78	0
15	MG	K	302	1/1	0.93	0.17	92,92,92,92	0
17	GT5	Y	301	40/40	0.93	0.20	40,51,60,65	0
15	MG	Z	301	1/1	0.94	0.39	81,81,81,81	0
15	MG	N	201	1/1	0.95	0.15	53,53,53,53	0
17	GT5	K	301	40/40	0.95	0.16	41,51,59,62	0
18	SO4	b	201	5/5	0.95	0.17	47,56,61,68	5
18	SO4	N	202	5/5	0.96	0.15	50,59,66,71	5
15	MG	I	301	1/1	0.96	0.28	84,84,84,84	0
15	MG	V	302	1/1	0.97	0.20	88,88,88,88	0
15	MG	G	301	1/1	0.98	0.06	69,69,69,69	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GT5 H 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GT5 V 301:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GT5 Y 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.