



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 10, 2024 – 12:08 PM JST

PDB ID : 8HUZ  
Title : the structure of trans-editing factor ProX  
Authors : Chen, M.; Zhou, X.  
Deposited on : 2022-12-25  
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1149 (3.34-3.26)
Clashscore	141614	1205 (3.34-3.26)
Ramachandran outliers	138981	1183 (3.34-3.26)
Sidechain outliers	138945	1182 (3.34-3.26)
RSRZ outliers	127900	1115 (3.34-3.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	169	 2% 72% 22% 6%
1	B	169	 8% 73% 21% 5%
1	C	169	 14% 67% 25% 5%
1	D	169	 15% 70% 22% 6%
1	E	169	 14% 66% 28% 5%
1	F	169	 8% 72% 21% 6%

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 7227 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Prolyl-tRNA synthetase associated domain-containing protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	F	159	1210	771	210	224	5	0	0	0
1	A	159	1203	766	208	224	5	0	0	0
1	B	160	1210	772	211	222	5	0	0	0
1	C	160	1206	767	209	225	5	0	0	0
1	D	159	1196	760	207	224	5	0	0	0
1	E	160	1202	764	208	225	5	0	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Prolyl-tRNA synthetase associated domain-containing protein 1



- Molecule 1: Prolyl-tRNA synthetase associated domain-containing protein 1




- Molecule 1: Prolyl-tRNA synthetase associated domain-containing protein 1




- Molecule 1: Prolyl-tRNA synthetase associated domain-containing protein 1






● Molecule 1: Prolyl-tRNA synthetase associated domain-containing protein 1



● Molecule 1: Prolyl-tRNA synthetase associated domain-containing protein 1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	86.80Å 94.72Å 165.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.68 – 3.30 47.68 – 3.30	Depositor EDS
% Data completeness (in resolution range)	99.6 (47.68-3.30) 99.4 (47.68-3.30)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.78 (at 3.33Å)	Xtrriage
Refinement program	PHENIX v3.0	Depositor
R, $R_{free}$	0.286 , 0.337 0.286 , 0.338	Depositor DCC
$R_{free}$ test set	2006 reflections (9.53%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	117.5	Xtrriage
Anisotropy	0.380	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 85.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	7227	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	122.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.25	0/1224	0.53	1/1653 (0.1%)
1	B	0.25	0/1231	0.54	2/1662 (0.1%)
1	C	0.25	0/1226	0.52	1/1654 (0.1%)
1	D	0.25	0/1216	0.53	2/1643 (0.1%)
1	E	0.25	0/1223	0.50	1/1653 (0.1%)
1	F	0.25	0/1231	0.51	1/1660 (0.1%)
All	All	0.25	0/7351	0.52	8/9925 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	27	PRO	N-CA-CB	6.88	111.56	103.30
1	B	27	PRO	N-CA-CB	6.25	110.81	103.30
1	A	37	PRO	N-CA-CB	5.78	110.23	103.30
1	D	37	PRO	N-CA-CB	5.75	110.20	103.30
1	B	37	PRO	N-CA-CB	5.71	110.15	103.30
1	C	37	PRO	N-CA-CB	5.69	110.12	103.30
1	F	37	PRO	N-CA-CB	5.67	110.11	103.30
1	E	37	PRO	N-CA-CB	5.53	109.93	103.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1203	0	1156	27	0
1	B	1210	0	1161	26	0
1	C	1206	0	1150	25	0
1	D	1196	0	1131	24	0
1	E	1202	0	1140	31	0
1	F	1210	0	1170	26	0
All	All	7227	0	6908	156	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:56:LYS:O	1:B:56:LYS:HD3	1.46	1.14
1:B:56:LYS:O	1:B:56:LYS:CD	2.23	0.87
1:B:100:LYS:NZ	1:B:113:CYS:SG	2.51	0.83
1:A:62:LEU:HD21	1:A:107:THR:HB	1.66	0.78
1:C:62:LEU:HD21	1:C:107:THR:HB	1.65	0.78
1:E:61:TRP:HE1	1:E:87:LEU:HD11	1.52	0.75
1:E:49:ASN:ND2	1:E:105:CYS:O	2.24	0.70
1:A:49:ASN:HB2	1:A:105:CYS:HB3	1.73	0.70
1:F:62:LEU:HD21	1:F:107:THR:HB	1.74	0.69
1:D:10:LEU:HD11	1:D:109:LEU:HB3	1.74	0.68
1:D:62:LEU:HD21	1:D:107:THR:HB	1.75	0.68
1:F:71:ILE:HD11	1:F:76:LEU:HD22	1.76	0.66
1:D:26:HIS:H	1:D:143:ALA:HA	1.62	0.65
1:A:21:THR:HG22	1:A:147:LEU:HB3	1.78	0.64
1:B:10:LEU:HD11	1:B:109:LEU:HB3	1.77	0.64
1:A:49:ASN:ND2	1:A:105:CYS:O	2.31	0.64
1:C:60:TYR:O	1:C:118:VAL:HA	1.96	0.64
1:E:99:LEU:O	1:E:110:SER:OG	2.16	0.63
1:D:61:TRP:HE1	1:D:87:LEU:HD11	1.65	0.61
1:A:10:LEU:HD11	1:A:109:LEU:HB3	1.82	0.61
1:B:49:ASN:ND2	1:B:105:CYS:O	2.33	0.61
1:E:26:HIS:NE2	1:E:144:THR:OG1	2.27	0.60
1:E:78:LYS:HG3	1:E:83:GLY:HA3	1.83	0.60
1:A:99:LEU:O	1:A:110:SER:OG	2.20	0.60
1:E:49:ASN:HB3	1:E:107:THR:HG21	1.83	0.59
1:F:69:ARG:NH1	1:F:169:ASP:OD1	2.35	0.58
1:A:71:ILE:HD11	1:A:76:LEU:HD22	1.85	0.58
1:E:108:PRO:HB3	1:E:152:PHE:HE1	1.67	0.58

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:77:GLY:O	1:B:81:GLY:N	2.31	0.57
1:A:26:HIS:N	1:A:142:ALA:O	2.33	0.57
1:D:69:ARG:NE	1:D:123:ASP:OD2	2.38	0.56
1:C:45:ALA:HB3	1:C:134:VAL:HG12	1.88	0.56
1:A:91:ASP:N	1:A:91:ASP:OD1	2.38	0.56
1:C:99:LEU:O	1:C:110:SER:OG	2.24	0.55
1:A:121:VAL:HG22	1:A:164:ILE:HD11	1.88	0.55
1:B:49:ASN:HB2	1:B:105:CYS:HB3	1.88	0.55
1:C:54:ASP:HA	1:C:57:LYS:N	2.22	0.54
1:C:108:PRO:HB3	1:C:152:PHE:HE1	1.72	0.54
1:F:77:GLY:O	1:F:81:GLY:N	2.38	0.54
1:C:61:TRP:HE1	1:C:87:LEU:HD11	1.73	0.54
1:B:134:VAL:HG13	1:B:149:PRO:HG3	1.89	0.53
1:B:148:SER:OG	1:B:150:GLU:OE1	2.25	0.53
1:C:42:LEU:O	1:C:135:TYR:OH	2.23	0.53
1:B:26:HIS:H	1:B:143:ALA:HA	1.73	0.53
1:D:73:LEU:HD21	1:D:87:LEU:HB3	1.91	0.53
1:D:99:LEU:O	1:D:110:SER:OG	2.26	0.52
1:A:49:ASN:ND2	1:A:107:THR:OG1	2.43	0.51
1:C:30:PHE:H	1:D:29:VAL:HA	1.76	0.51
1:B:48:LYS:HE2	1:B:67:HIS:O	2.11	0.51
1:D:48:LYS:NZ	1:D:66:LEU:O	2.40	0.50
1:E:66:LEU:HB3	1:E:69:ARG:HG3	1.93	0.50
1:F:61:TRP:HZ2	1:F:87:LEU:HD11	1.77	0.50
1:F:121:VAL:HG22	1:F:164:ILE:HD11	1.94	0.49
1:E:62:LEU:HD11	1:E:107:THR:HG22	1.93	0.49
1:C:9:GLU:O	1:C:13:ARG:HG3	2.11	0.49
1:A:45:ALA:HB3	1:A:134:VAL:HG12	1.94	0.49
1:A:147:LEU:CD1	1:A:152:PHE:HB2	2.42	0.49
1:E:47:SER:HB2	1:E:126:PHE:HZ	1.78	0.49
1:F:147:LEU:CD1	1:F:152:PHE:HB2	2.43	0.49
1:E:10:LEU:HD11	1:E:109:LEU:HD22	1.94	0.48
1:F:49:ASN:HB2	1:F:105:CYS:HB3	1.94	0.48
1:B:88:ARG:NH2	1:B:89:PHE:O	2.46	0.48
1:D:49:ASN:ND2	1:D:107:THR:OG1	2.47	0.48
1:D:77:GLY:O	1:D:81:GLY:N	2.41	0.48
1:C:49:ASN:HB2	1:C:105:CYS:HB3	1.95	0.48
1:D:107:THR:OG1	1:D:108:PRO:HD3	2.13	0.48
1:E:125:ALA:HA	1:E:128:GLU:HG2	1.95	0.48
1:E:108:PRO:O	1:E:155:PHE:HE2	1.97	0.48
1:E:49:ASN:HB2	1:E:105:CYS:HB3	1.94	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:77:GLY:O	1:C:81:GLY:N	2.43	0.48
1:F:92:GLU:HG2	1:F:103:GLN:OE1	2.14	0.47
1:C:148:SER:OG	1:C:150:GLU:OE1	2.32	0.47
1:D:66:LEU:HB3	1:D:69:ARG:HG3	1.96	0.47
1:A:75:ASP:O	1:A:79:GLN:HG3	2.14	0.47
1:B:45:ALA:HB3	1:B:134:VAL:HG12	1.95	0.47
1:D:108:PRO:HB3	1:D:152:PHE:HE1	1.80	0.47
1:A:99:LEU:HD22	1:A:111:LEU:HA	1.97	0.47
1:C:107:THR:OG1	1:C:108:PRO:HD3	2.14	0.47
1:E:84:SER:OG	1:E:85:GLY:N	2.48	0.47
1:F:49:ASN:HB3	1:F:107:THR:HG21	1.97	0.47
1:D:148:SER:OG	1:D:150:GLU:OE1	2.33	0.46
1:E:46:HIS:HB2	1:E:67:HIS:HD2	1.81	0.46
1:A:9:GLU:O	1:A:13:ARG:HG3	2.16	0.46
1:F:25:GLU:HG2	1:C:27:PRO:HA	1.97	0.46
1:C:88:ARG:NH2	1:C:89:PHE:O	2.49	0.46
1:B:26:HIS:N	1:B:142:ALA:O	2.49	0.46
1:B:48:LYS:HG3	1:B:67:HIS:HA	1.98	0.46
1:C:69:ARG:NH1	1:C:169:ASP:OD1	2.49	0.45
1:F:62:LEU:HD11	1:F:107:THR:CG2	2.46	0.45
1:D:99:LEU:HD22	1:D:111:LEU:HA	1.97	0.45
1:D:121:VAL:HG22	1:D:164:ILE:HD11	1.98	0.45
1:B:108:PRO:HB3	1:B:152:PHE:HE1	1.82	0.45
1:C:63:VAL:HG22	1:C:121:VAL:HB	1.97	0.45
1:F:88:ARG:HG2	1:F:89:PHE:N	2.31	0.45
1:A:63:VAL:HG22	1:A:121:VAL:HB	1.99	0.45
1:E:69:ARG:NE	1:E:123:ASP:OD2	2.49	0.45
1:C:124:SER:O	1:C:128:GLU:HG2	2.17	0.45
1:E:47:SER:HB2	1:E:126:PHE:CZ	2.51	0.44
1:A:108:PRO:HB3	1:A:152:PHE:HE1	1.82	0.44
1:A:147:LEU:HD13	1:A:152:PHE:HB2	1.99	0.44
1:C:75:ASP:O	1:C:79:GLN:HG3	2.18	0.44
1:D:53:LYS:HG2	1:D:54:ASP:N	2.33	0.44
1:F:92:GLU:OE1	1:B:113:CYS:HA	2.17	0.44
1:F:48:LYS:HG2	1:F:66:LEU:O	2.18	0.44
1:C:84:SER:OG	1:C:85:GLY:N	2.50	0.44
1:D:123:ASP:HB3	1:D:126:PHE:CE2	2.53	0.44
1:E:148:SER:OG	1:E:150:GLU:OE1	2.36	0.44
1:A:76:LEU:O	1:A:80:LEU:HD23	2.17	0.44
1:B:62:LEU:HD21	1:B:107:THR:HB	1.99	0.44
1:E:14:LEU:HD13	1:E:21:THR:HG21	2.00	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:54:ASP:OD2	1:B:58:LYS:HD2	2.17	0.44
1:B:13:ARG:NH1	1:B:112:PHE:HB2	2.33	0.43
1:F:61:TRP:CZ2	1:F:87:LEU:HD11	2.53	0.43
1:B:123:ASP:OD1	1:B:124:SER:N	2.51	0.43
1:A:123:ASP:OD1	1:A:124:SER:N	2.51	0.43
1:C:21:THR:HG22	1:C:147:LEU:HB3	2.00	0.43
1:A:107:THR:OG1	1:A:108:PRO:HD3	2.17	0.43
1:E:22:GLU:OE1	1:E:133:LYS:NZ	2.44	0.43
1:E:102:GLY:C	1:E:104:GLY:H	2.22	0.43
1:E:134:VAL:O	1:E:146:GLY:HA2	2.19	0.43
1:D:10:LEU:HD12	1:D:139:MET:HG3	2.00	0.43
1:F:51:PHE:CD2	1:F:95:MET:HG3	2.53	0.43
1:E:53:LYS:HG2	1:E:54:ASP:N	2.34	0.43
1:E:61:TRP:HH2	1:E:80:LEU:HB3	1.84	0.43
1:F:49:ASN:ND2	1:F:64:THR:HG23	2.34	0.42
1:B:108:PRO:HB3	1:B:152:PHE:CE1	2.54	0.42
1:D:47:SER:HB2	1:D:126:PHE:CZ	2.53	0.42
1:C:26:HIS:N	1:C:142:ALA:O	2.53	0.42
1:E:134:VAL:HG13	1:E:149:PRO:HG3	2.01	0.42
1:A:80:LEU:HD12	1:A:164:ILE:HD12	2.00	0.42
1:B:115:ASP:OD1	1:B:116:GLY:N	2.52	0.42
1:F:132:GLU:HB3	1:F:133:LYS:HD2	2.00	0.42
1:F:147:LEU:HD13	1:F:152:PHE:HB2	2.00	0.42
1:A:23:VAL:HG22	1:A:145:MET:HG3	2.02	0.41
1:B:107:THR:OG1	1:B:108:PRO:HD3	2.19	0.41
1:C:134:VAL:HG13	1:C:149:PRO:HG3	2.01	0.41
1:F:60:TYR:O	1:F:118:VAL:HA	2.20	0.41
1:D:114:ASP:OD2	1:D:117:ASP:HB2	2.20	0.41
1:A:53:LYS:HB2	1:A:60:TYR:CD2	2.55	0.41
1:F:66:LEU:HD12	1:F:126:PHE:CE2	2.56	0.41
1:A:49:ASN:HD22	1:A:107:THR:H	1.68	0.41
1:F:107:THR:OG1	1:F:108:PRO:HD3	2.21	0.41
1:E:66:LEU:HD12	1:E:66:LEU:HA	1.97	0.41
1:E:62:LEU:HD22	1:E:99:LEU:HD11	2.01	0.41
1:E:107:THR:OG1	1:E:108:PRO:HD3	2.20	0.41
1:F:134:VAL:HG13	1:F:149:PRO:HG3	2.02	0.41
1:B:100:LYS:HE2	1:B:100:LYS:HB2	1.90	0.41
1:F:51:PHE:CE1	1:F:60:TYR:HB3	2.56	0.41
1:D:65:VAL:HA	1:D:123:ASP:HB2	2.03	0.41
1:A:53:LYS:HG2	1:A:54:ASP:N	2.35	0.40
1:C:7:ARG:NH2	1:C:11:GLU:OE2	2.54	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:114:ASP:O	1:D:161:HIS:NE2	2.54	0.40
1:E:115:ASP:OD1	1:E:116:GLY:N	2.54	0.40
1:F:100:LYS:HE2	1:F:100:LYS:HB2	1.94	0.40
1:B:9:GLU:O	1:B:13:ARG:HG3	2.22	0.40
1:E:100:LYS:HE2	1:E:139:MET:HE1	2.02	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	153/169 (90%)	142 (93%)	11 (7%)	0	100	100
1	B	156/169 (92%)	149 (96%)	6 (4%)	1 (1%)	25	57
1	C	152/169 (90%)	141 (93%)	11 (7%)	0	100	100
1	D	153/169 (90%)	145 (95%)	6 (4%)	2 (1%)	12	40
1	E	154/169 (91%)	145 (94%)	8 (5%)	1 (1%)	25	57
1	F	153/169 (90%)	146 (95%)	7 (5%)	0	100	100
All	All	921/1014 (91%)	868 (94%)	49 (5%)	4 (0%)	34	66

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	27	PRO
1	D	27	PRO
1	E	39	ILE
1	D	39	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	122/143 (85%)	120 (98%)	2 (2%)	62	79
1	B	120/143 (84%)	119 (99%)	1 (1%)	81	89
1	C	121/143 (85%)	118 (98%)	3 (2%)	47	72
1	D	119/143 (83%)	116 (98%)	3 (2%)	47	72
1	E	120/143 (84%)	117 (98%)	3 (2%)	47	72
1	F	123/143 (86%)	120 (98%)	3 (2%)	49	73
All	All	725/858 (84%)	710 (98%)	15 (2%)	53	75

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	51	PHE
1	F	61	TRP
1	F	112	PHE
1	A	61	TRP
1	A	112	PHE
1	B	59	ASN
1	C	61	TRP
1	C	89	PHE
1	C	147	LEU
1	D	61	TRP
1	D	78	LYS
1	D	103	GLN
1	E	7	ARG
1	E	61	TRP
1	E	152	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	F	49	ASN
1	A	49	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	49	ASN
1	D	49	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	159/169 (94%)	0.45	4 (2%) 57 54	77, 105, 152, 176	0
1	B	160/169 (94%)	0.66	14 (8%) 10 10	78, 120, 166, 187	0
1	C	160/169 (94%)	0.80	24 (15%) 2 2	90, 134, 168, 188	0
1	D	159/169 (94%)	0.83	26 (16%) 1 2	95, 137, 172, 191	0
1	E	160/169 (94%)	0.69	23 (14%) 2 2	87, 119, 146, 158	0
1	F	159/169 (94%)	0.67	13 (8%) 11 11	83, 114, 149, 160	0
All	All	957/1014 (94%)	0.68	104 (10%) 5 5	77, 122, 160, 191	0

All (104) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	87	LEU	6.7
1	E	83	GLY	6.4
1	E	84	SER	5.4
1	C	165	ILE	5.2
1	D	100	LYS	4.9
1	C	87	LEU	4.7
1	D	23	VAL	4.7
1	A	31	THR	4.6
1	C	166	LEU	4.2
1	D	145	MET	4.1
1	D	147	LEU	3.9
1	D	140	THR	3.7
1	C	119	LYS	3.7
1	D	113	CYS	3.6
1	D	109	LEU	3.6
1	E	87	LEU	3.6
1	D	22	GLU	3.6
1	B	70	GLN	3.6
1	D	152	PHE	3.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	86	ASN	3.5
1	E	109	LEU	3.5
1	B	26	HIS	3.4
1	F	87	LEU	3.4
1	B	162	ASP	3.3
1	E	24	VAL	3.3
1	E	97	GLU	3.3
1	F	60	TYR	3.3
1	F	27	PRO	3.3
1	E	96	LEU	3.2
1	D	139	MET	3.2
1	D	91	ASP	3.2
1	D	61	TRP	3.2
1	E	108	PRO	3.1
1	F	107	THR	3.1
1	C	58	LYS	3.1
1	C	107	THR	3.0
1	B	130	GLY	3.0
1	C	99	LEU	3.0
1	D	101	VAL	3.0
1	C	109	LEU	2.9
1	B	91	ASP	2.9
1	D	99	LEU	2.9
1	B	103	GLN	2.9
1	C	26	HIS	2.9
1	E	53	LYS	2.9
1	D	24	VAL	2.9
1	C	164	ILE	2.8
1	E	145	MET	2.8
1	C	51	PHE	2.8
1	E	139	MET	2.8
1	C	60	TYR	2.8
1	A	107	THR	2.8
1	F	84	SER	2.7
1	B	54	ASP	2.7
1	D	108	PRO	2.7
1	F	70	GLN	2.7
1	C	64	THR	2.7
1	F	61	TRP	2.6
1	B	74	ASN	2.6
1	E	61	TRP	2.6
1	E	23	VAL	2.6

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	110	SER	2.6
1	D	112	PHE	2.6
1	F	105	CYS	2.6
1	D	97	GLU	2.5
1	C	88	ARG	2.5
1	A	54	ASP	2.5
1	B	89	PHE	2.5
1	F	130	GLY	2.5
1	D	25	GLU	2.5
1	D	138	PRO	2.5
1	C	59	ASN	2.5
1	D	126	PHE	2.5
1	F	78	LYS	2.4
1	C	117	ASP	2.4
1	E	120	PHE	2.4
1	E	146	GLY	2.4
1	D	64	THR	2.4
1	E	100	LYS	2.4
1	E	102	GLY	2.3
1	E	73	LEU	2.3
1	F	113	CYS	2.3
1	C	89	PHE	2.3
1	D	87	LEU	2.3
1	F	69	ARG	2.3
1	C	71	ILE	2.3
1	E	22	GLU	2.2
1	D	70	GLN	2.2
1	B	51	PHE	2.2
1	B	121	VAL	2.1
1	E	67	HIS	2.1
1	B	47	SER	2.1
1	F	117	ASP	2.1
1	C	100	LYS	2.1
1	E	51	PHE	2.1
1	C	61	TRP	2.1
1	E	144	THR	2.1
1	C	54	ASP	2.1
1	E	85	GLY	2.1
1	C	108	PRO	2.1
1	D	50	LEU	2.1
1	B	109	LEU	2.0
1	A	86	ASN	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	127	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.