



Full wwPDB X-ray Structure Validation Report i

Nov 15, 2023 – 02:55 AM JST

PDB ID : 8I05
Title : Crystal structure of Escherichia coli glyoxylate carboligase double mutant
Authors : Kim, J.H.; Kim, J.S.
Deposited on : 2023-01-10
Resolution : 2.09 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	UQ0	A	706	-	-	-	X
5	UQ0	B	706	-	-	-	X
5	UQ0	C	706	-	-	-	X
5	UQ0	C	707	-	-	-	X
5	UQ0	D	706	-	-	-	X
5	UQ0	D	707	-	-	-	X

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 30124 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glyoxylate carboligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	594	Total	C 4540	N 2877	O 791	S 836	36	0	0
1	B	594	Total	C 4539	N 2877	O 790	S 836	36	0	0
1	C	594	Total	C 4540	N 2877	O 791	S 836	36	0	0
1	D	594	Total	C 4540	N 2877	O 791	S 836	36	0	0
1	E	594	Total	C 4540	N 2877	O 791	S 836	36	0	0
1	F	594	Total	C 4540	N 2877	O 791	S 836	36	0	0

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP P0AEP7
A	283	GLN	ASN	engineered mutation	UNP P0AEP7
A	484	MET	ARG	engineered mutation	UNP P0AEP7
B	0	GLY	-	expression tag	UNP P0AEP7
B	283	GLN	ASN	engineered mutation	UNP P0AEP7
B	484	MET	ARG	engineered mutation	UNP P0AEP7
C	0	GLY	-	expression tag	UNP P0AEP7
C	283	GLN	ASN	engineered mutation	UNP P0AEP7
C	484	MET	ARG	engineered mutation	UNP P0AEP7
D	0	GLY	-	expression tag	UNP P0AEP7
D	283	GLN	ASN	engineered mutation	UNP P0AEP7
D	484	MET	ARG	engineered mutation	UNP P0AEP7
E	0	GLY	-	expression tag	UNP P0AEP7
E	283	GLN	ASN	engineered mutation	UNP P0AEP7
E	484	MET	ARG	engineered mutation	UNP P0AEP7
F	0	GLY	-	expression tag	UNP P0AEP7
F	283	GLN	ASN	engineered mutation	UNP P0AEP7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	484	MET	ARG	engineered mutation	UNP P0AEP7

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	E	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	F	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is THIAMINE DIPHOSPHATE (three-letter code: TPP) (formula: C₁₂H₁₉N₄O₇P₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
3	B	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
3	C	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
3	D	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
3	E	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		
3	F	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Mg	0	0
			2	2		
4	B	2	Total	Mg	0	0
			2	2		
4	C	2	Total	Mg	0	0
			2	2		
4	D	2	Total	Mg	0	0
			2	2		
4	E	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	F	1	Total Mg 1 1	0	0

- Molecule 5 is 2,3-DIMETHOXY-5-METHYL-1,4-BENZOQUINONE (three-letter code: UQ0) (formula: C₉H₁₀O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 13 9 4	0	0
5	A	1	Total C O 13 9 4	0	0
5	B	1	Total C O 13 9 4	0	0
5	B	1	Total C O 13 9 4	0	0
5	C	1	Total C O 13 9 4	0	0
5	C	1	Total C O 13 9 4	0	0
5	C	1	Total C O 13 9 4	0	0
5	D	1	Total C O 13 9 4	0	0
5	D	1	Total C O 13 9 4	0	0
5	D	1	Total C O 13 9 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	E	1	Total C O 13 9 4	0	0
5	F	1	Total C O 13 9 4	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	433	Total O 433 433	0	0
6	B	455	Total O 455 455	0	0
6	C	358	Total O 358 358	0	0
6	D	351	Total O 351 351	0	0
6	E	313	Total O 313 313	0	0
6	F	335	Total O 335 335	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glyoxylate carboligase



- Molecule 1: Glyoxylate carboligase



- Molecule 1: Glyoxylate carboligase




- Molecule 1: Glyoxylate carboligase





- Molecule 1: Glyoxylate carboligase



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	189.17Å 189.17Å 246.51Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.81 – 2.09 49.81 – 2.09	Depositor EDS
% Data completeness (in resolution range)	96.6 (49.81-2.09) 96.6 (49.81-2.09)	Depositor EDS
R_{merge}	1.00	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.62 (at 2.08Å)	Xtriage
Refinement program	PHENIX v2.0	Depositor
R , R_{free}	0.209 , 0.250 0.209 , 0.248	Depositor DCC
R_{free} test set	9966 reflections (3.95%)	wwPDB-VP
Wilson B-factor (Å ²)	30.9	Xtriage
Anisotropy	0.231	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 33.5	EDS
L-test for twinning ²	$< L > = 0.56$, $< L^2 > = 0.41$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	30124	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 66.58 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.9123e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, FAD, UQ0, TPP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.44	0/4632	0.65	0/6286
1	B	0.44	0/4631	0.67	2/6285 (0.0%)
1	C	0.42	0/4632	0.63	0/6286
1	D	0.41	0/4632	0.62	0/6286
1	E	0.41	0/4632	0.63	0/6286
1	F	0.40	0/4632	0.61	1/6286 (0.0%)
All	All	0.42	0/27791	0.64	3/37715 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
All	All	0	3

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	542	MET	CG-SD-CE	-5.59	91.25	100.20
1	B	280	ARG	C-N-CA	-5.58	107.74	121.70
1	F	223	LEU	CA-CB-CG	-5.02	103.75	115.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	296	ARG	Sidechain
1	B	296	ARG	Sidechain
1	C	340	GLY	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4540	0	4546	28	0
1	B	4539	0	4541	39	0
1	C	4540	0	4546	41	0
1	D	4540	0	4546	46	0
1	E	4540	0	4546	51	0
1	F	4540	0	4546	34	0
2	A	53	0	31	2	0
2	B	53	0	31	3	0
2	C	53	0	31	4	0
2	D	53	0	31	2	0
2	E	53	0	31	4	0
2	F	53	0	31	4	0
3	A	26	0	16	0	0
3	B	26	0	16	1	0
3	C	26	0	16	0	0
3	D	26	0	16	0	0
3	E	26	0	16	0	0
3	F	26	0	16	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
5	A	26	0	0	1	1
5	B	26	0	0	0	0
5	C	39	0	0	1	0
5	D	39	0	0	2	0
5	E	13	0	0	0	0
5	F	13	0	0	0	0
6	A	433	0	0	3	2

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	455	0	0	9	0
6	C	358	0	0	5	0
6	D	351	0	0	5	0
6	E	313	0	0	4	0
6	F	335	0	0	9	0
All	All	30124	0	27553	238	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (238) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:237:THR:HG22	1:E:240:GLY:H	1.42	0.84
1:E:361:ARG:HD3	1:E:572:GLU:OE2	1.79	0.81
1:B:384:GLY:HA2	1:B:593:GLU:HG2	1.63	0.80
1:F:393:ILE:HA	1:F:397:GLN:HG2	1.67	0.76
1:B:557:ARG:NH2	6:B:804:HOH:O	2.18	0.76
1:D:462:PHE:O	1:D:464:ILE:HG13	1.88	0.73
1:D:106:ARG:HD3	1:D:165:ASP:OD2	1.89	0.72
1:E:108:ARG:NH2	6:E:803:HOH:O	2.23	0.72
1:B:170:GLU:OE1	6:B:801:HOH:O	2.08	0.70
1:C:17:GLU:HG2	1:C:147:PHE:CG	2.26	0.70
1:F:386:ASP:OD1	6:F:801:HOH:O	2.10	0.69
1:D:465:PRO:HB2	1:D:542:MET:HG3	1.74	0.69
1:B:380:ASN:O	6:B:802:HOH:O	2.11	0.69
1:F:543:ALA:O	6:F:802:HOH:O	2.12	0.68
1:A:199:MET:HE3	1:A:316:LEU:HD22	1.76	0.68
1:F:471:VAL:HB	1:F:555:LEU:HD11	1.77	0.66
1:E:237:THR:HG21	2:E:701:FAD:O2P	1.95	0.66
1:D:471:VAL:HB	1:D:555:LEU:HD11	1.76	0.66
1:B:471:VAL:HB	1:B:555:LEU:HD11	1.78	0.66
1:D:5:ARG:HD3	1:D:8:ASP:OD2	1.95	0.66
1:B:465:PRO:HB2	1:B:542:MET:HG3	1.77	0.66
1:F:439:ASN:ND2	6:F:801:HOH:O	2.27	0.66
1:B:467:ILE:HG13	1:B:542:MET:HE1	1.76	0.65
1:C:380:ASN:O	6:C:801:HOH:O	2.15	0.65
1:C:592:TYR:O	1:C:593:GLU:HB2	1.97	0.65
1:C:579:ASN:ND2	6:C:804:HOH:O	2.27	0.65
1:D:467:ILE:HG13	1:D:542:MET:HE1	1.78	0.64
1:D:385:ARG:H	1:D:593:GLU:HG3	1.62	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:106:ARG:HA	1:F:109:LEU:HD22	1.79	0.64
1:B:467:ILE:HG13	1:B:542:MET:CE	2.29	0.63
1:E:237:THR:HG22	1:E:240:GLY:N	2.13	0.63
1:E:579:ASN:ND2	6:E:805:HOH:O	2.30	0.63
1:F:393:ILE:CA	1:F:397:GLN:HG2	2.27	0.63
1:F:40:HIS:ND1	1:F:41:GLY:O	2.32	0.63
1:B:355:ARG:NH2	6:B:806:HOH:O	2.24	0.62
1:C:471:VAL:HB	1:C:555:LEU:HD11	1.81	0.62
1:F:355:ARG:NH2	6:F:806:HOH:O	2.33	0.62
1:D:557:ARG:NH2	6:D:805:HOH:O	2.33	0.61
1:E:108:ARG:NH1	1:E:113:ASP:OD1	2.31	0.61
1:A:380:ASN:O	6:A:801:HOH:O	2.16	0.60
1:C:17:GLU:HG2	1:C:147:PHE:CD2	2.34	0.60
1:E:260:ALA:O	1:E:361:ARG:NH2	2.34	0.60
1:E:237:THR:HG23	1:E:239:MET:H	1.65	0.60
1:E:200:LEU:HD11	1:E:232:VAL:HG21	1.83	0.60
1:C:246:ASP:HA	1:C:251:MET:HG2	1.84	0.60
1:B:366:ASP:OD1	6:B:803:HOH:O	2.17	0.59
1:C:114:PHE:CZ	2:E:701:FAD:HM82	2.37	0.59
1:E:383:PHE:O	6:E:801:HOH:O	2.15	0.59
1:E:230:THR:HG23	1:E:232:VAL:HG23	1.84	0.59
1:B:251:MET:HE3	1:B:251:MET:O	2.02	0.59
1:E:471:VAL:HB	1:E:555:LEU:HD11	1.85	0.59
1:A:385:ARG:HB3	1:A:593:GLU:HB3	1.83	0.59
1:B:5:ARG:HD3	1:B:8:ASP:OD2	2.03	0.58
1:E:395:LEU:HB3	1:E:561:ILE:HD13	1.85	0.57
2:C:701:FAD:HM82	1:E:114:PHE:CZ	2.39	0.57
1:D:201:ILE:HG23	1:D:343:PRO:HD3	1.85	0.57
1:B:344:CYS:SG	6:B:1216:HOH:O	2.58	0.57
1:D:467:ILE:HG13	1:D:542:MET:CE	2.34	0.57
1:C:292:TYR:O	1:C:296:ARG:NH1	2.37	0.57
1:A:471:VAL:HB	1:A:555:LEU:HD11	1.86	0.57
1:E:197:VAL:HG11	1:E:332:VAL:HG11	1.85	0.57
1:D:108:ARG:HH11	1:D:111:LYS:HG3	1.70	0.56
1:A:1:MET:HG2	1:A:174:ASP:HB2	1.88	0.56
1:B:3:LYS:NZ	6:B:807:HOH:O	2.27	0.55
1:D:114:PHE:CZ	2:F:701:FAD:HM82	2.42	0.55
1:E:206:PRO:HG2	1:E:232:VAL:HG22	1.89	0.55
1:D:447:PHE:CG	1:D:476:LEU:HD22	2.41	0.55
1:B:524:ARG:HD3	1:B:552:GLU:OE1	2.07	0.54
1:D:45:HIS:HD1	5:D:706:UQ0:CM5	2.21	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:106:ARG:HD2	1:A:166:VAL:HG23	1.90	0.53
1:F:309:GLY:HA2	1:F:312:LEU:O	2.08	0.53
1:D:524:ARG:HD3	1:D:552:GLU:OE1	2.09	0.53
1:E:371:LYS:HE3	1:E:556:GLU:OE2	2.08	0.53
1:D:27:GLY:HA2	1:F:479:ILE:HD12	1.91	0.52
1:B:251:MET:HE3	1:B:251:MET:C	2.30	0.52
1:B:192:GLN:HG3	1:B:318:ILE:HG12	1.92	0.52
1:E:275:PHE:HA	1:E:299:VAL:HG13	1.91	0.51
1:C:337:GLN:NE2	6:C:810:HOH:O	2.41	0.51
1:E:237:THR:HG21	2:E:701:FAD:P	2.51	0.51
1:C:193:ILE:HG23	1:C:329:LEU:HD23	1.92	0.51
1:A:195:LYS:HE3	1:A:199:MET:HE2	1.93	0.51
1:F:92:ALA:HB1	1:F:417:GLN:HG2	1.93	0.51
2:D:701:FAD:HM82	1:F:114:PHE:CZ	2.46	0.51
1:A:92:ALA:HB1	1:A:417:GLN:HG2	1.92	0.51
1:F:524:ARG:HD3	1:F:552:GLU:OE1	2.11	0.51
1:D:380:ASN:O	6:D:801:HOH:O	2.20	0.50
1:F:544:GLN:O	6:F:803:HOH:O	2.19	0.50
1:E:92:ALA:HB1	1:E:417:GLN:HG2	1.92	0.50
1:D:447:PHE:CD2	1:D:476:LEU:HD22	2.46	0.49
1:C:112:GLU:HG3	1:E:310:ARG:CZ	2.42	0.49
1:F:386:ASP:OD2	6:F:804:HOH:O	2.20	0.49
1:B:465:PRO:HB2	1:B:542:MET:CG	2.43	0.49
1:B:476:LEU:HB3	3:B:702:TPP:H61	1.94	0.49
1:D:466:TYR:C	1:D:542:MET:HE1	2.33	0.49
1:A:269:LEU:O	1:A:296:ARG:NH2	2.46	0.49
1:A:383:PHE:O	6:A:801:HOH:O	2.20	0.49
1:C:546:ARG:HD2	6:C:819:HOH:O	2.12	0.48
1:A:365:PHE:HE2	1:A:373:GLN:HG3	1.79	0.48
1:E:447:PHE:CG	1:E:476:LEU:HD22	2.48	0.48
1:C:349:VAL:O	1:C:353:GLN:HG3	2.13	0.48
1:E:389:TYR:HA	1:E:441:VAL:O	2.13	0.48
1:F:344:CYS:SG	1:F:346:LYS:HG2	2.54	0.48
1:A:106:ARG:HD2	1:A:166:VAL:CG2	2.44	0.48
1:C:133:VAL:HG22	1:C:142:VAL:HG11	1.96	0.48
1:E:101:THR:HG22	1:E:161:ASP:HA	1.94	0.48
1:E:572:GLU:HG2	1:E:576:ILE:HG23	1.95	0.48
1:F:151:ARG:HD3	6:F:805:HOH:O	2.13	0.48
1:B:309:GLY:HA2	1:B:312:LEU:O	2.13	0.48
1:B:92:ALA:HB1	1:B:417:GLN:HG2	1.94	0.48
1:C:16:LYS:NZ	6:C:817:HOH:O	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:352:CYS:HA	1:F:355:ARG:NH1	2.29	0.47
1:C:283:GLN:HG3	1:C:284:ARG:N	2.28	0.47
1:E:197:VAL:HG11	1:E:332:VAL:CG1	2.43	0.47
1:A:259:THR:OG1	2:A:701:FAD:C4X	2.62	0.47
1:B:447:PHE:CG	1:B:476:LEU:HD22	2.48	0.47
1:A:533:PRO:O	1:A:537:GLN:HG3	2.15	0.47
1:E:108:ARG:O	6:E:802:HOH:O	2.21	0.47
1:B:205:ARG:NH1	1:B:270:ALA:O	2.44	0.47
1:B:251:MET:HE1	6:B:839:HOH:O	2.15	0.47
1:C:393:ILE:HG13	2:C:701:FAD:HM71	1.97	0.47
1:C:223:LEU:HD22	1:C:243:CYS:SG	2.55	0.47
1:A:491:CYS:HA	5:A:706:UQ0:O1	2.15	0.46
1:C:45:HIS:HD1	5:C:706:UQ0:CM5	2.28	0.46
1:E:92:ALA:HB1	1:E:417:GLN:CG	2.45	0.46
1:A:389:TYR:HA	1:A:441:VAL:O	2.15	0.46
1:E:380:ASN:HD22	1:E:585:THR:HG21	1.79	0.46
1:A:447:PHE:CG	1:A:476:LEU:HD22	2.51	0.46
1:B:365:PHE:HE2	1:B:373:GLN:HG3	1.81	0.46
1:A:153:GLY:O	1:A:303:ILE:HD13	2.15	0.46
1:C:114:PHE:HZ	2:E:701:FAD:HM82	1.79	0.46
1:D:108:ARG:NH1	1:D:111:LYS:HG3	2.29	0.46
1:A:365:PHE:CE2	1:A:373:GLN:HG3	2.50	0.46
1:B:389:TYR:HA	1:B:441:VAL:O	2.16	0.46
1:E:342:LEU:HD12	1:E:342:LEU:HA	1.82	0.46
1:E:251:MET:HG3	1:E:251:MET:O	2.15	0.46
1:A:365:PHE:CD1	1:A:371:LYS:HD2	2.52	0.45
1:F:23:PHE:O	1:F:72:CYS:HA	2.16	0.45
1:D:389:TYR:HA	1:D:441:VAL:O	2.16	0.45
1:F:465:PRO:HB2	1:F:542:MET:HG2	1.98	0.45
1:C:346:LYS:HA	1:C:346:LYS:HD2	1.69	0.45
1:E:446:ASP:HA	1:E:470:LEU:HD21	1.98	0.45
1:D:0:GLY:N	1:D:176:ASP:OD2	2.49	0.45
1:B:44:ARG:NH1	6:B:809:HOH:O	2.37	0.45
1:D:344:CYS:SG	6:D:1086:HOH:O	2.61	0.45
1:C:103:GLN:HB2	1:C:161:ASP:OD1	2.16	0.45
1:E:572:GLU:HG2	1:E:576:ILE:CG2	2.46	0.45
1:A:392:THR:HG22	1:A:393:ILE:HG22	1.99	0.45
1:A:3:LYS:HG2	1:A:172:GLU:HG3	1.99	0.45
1:D:309:GLY:HA2	1:D:312:LEU:O	2.17	0.45
1:E:246:ASP:HA	1:E:251:MET:HG2	1.99	0.45
1:C:108:ARG:HA	1:C:111:LYS:HD3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:522:ALA:HA	1:E:550:VAL:O	2.17	0.44
1:B:136:ALA:HA	1:B:166:VAL:HG13	1.99	0.44
1:C:259:THR:OG1	2:C:701:FAD:C4X	2.65	0.44
1:D:393:ILE:HG13	2:D:701:FAD:HM71	1.98	0.44
1:E:226:PHE:O	1:E:230:THR:HB	2.17	0.44
1:D:513:LYS:NZ	6:D:816:HOH:O	2.50	0.44
1:C:199:MET:O	1:C:202:GLN:HG3	2.18	0.44
1:D:334:GLN:O	1:D:338:LYS:HG2	2.18	0.44
1:A:113:ASP:OD2	6:A:803:HOH:O	2.21	0.44
1:C:17:GLU:HG2	1:C:147:PHE:CD1	2.53	0.43
1:D:462:PHE:O	1:D:463:ASN:C	2.56	0.43
1:B:223:LEU:O	1:B:223:LEU:HG	2.15	0.43
1:B:259:THR:OG1	2:B:701:FAD:C4X	2.65	0.43
1:A:338:LYS:NZ	1:A:338:LYS:HB3	2.33	0.43
1:B:447:PHE:CD2	1:B:476:LEU:HD22	2.54	0.43
1:D:223:LEU:O	1:D:223:LEU:HG	2.15	0.43
1:D:269:LEU:O	1:D:296:ARG:NH2	2.52	0.43
1:D:38:ARG:HB2	1:F:490:TYR:CE2	2.54	0.43
1:B:269:LEU:O	1:B:296:ARG:NH2	2.51	0.43
1:B:392:THR:HG22	1:B:393:ILE:HG22	2.00	0.43
1:C:389:TYR:HA	1:C:441:VAL:O	2.18	0.43
1:E:198:GLU:O	1:E:202:GLN:HG2	2.19	0.43
1:C:40:HIS:ND1	1:C:41:GLY:O	2.52	0.43
1:D:114:PHE:CE1	2:F:701:FAD:HM82	2.53	0.43
2:B:701:FAD:H9	2:B:701:FAD:H1'1	1.87	0.42
5:D:707:UQ0:O1	6:D:802:HOH:O	2.22	0.42
1:C:209:VAL:HA	1:C:235:ILE:O	2.19	0.42
1:C:392:THR:HG23	1:C:415:CYS:SG	2.58	0.42
1:D:92:ALA:HB1	1:D:417:GLN:HG2	2.00	0.42
1:A:92:ALA:HB1	1:A:417:GLN:CG	2.48	0.42
1:D:251:MET:HB3	1:D:251:MET:HE3	1.57	0.42
1:F:136:ALA:HA	1:F:166:VAL:HG13	2.01	0.42
1:F:465:PRO:HB2	1:F:542:MET:CG	2.49	0.42
1:D:356:LYS:O	1:D:360:LEU:HD21	2.19	0.42
1:F:566:GLU:HB2	1:F:569:ASN:HB2	2.02	0.42
1:E:392:THR:HG23	1:E:415:CYS:SG	2.59	0.42
1:D:106:ARG:HD2	1:D:166:VAL:HG23	2.01	0.42
1:F:446:ASP:HA	1:F:470:LEU:HD11	2.02	0.42
1:C:181:LEU:HD11	1:D:305:PRO:HG2	2.02	0.42
1:C:447:PHE:CG	1:C:476:LEU:HD22	2.55	0.42
1:E:133:VAL:HG22	1:E:142:VAL:HG21	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:393:ILE:HG13	2:A:701:FAD:HM71	2.02	0.42
1:B:92:ALA:HB1	1:B:417:GLN:CG	2.50	0.42
2:C:701:FAD:HM82	1:E:114:PHE:HZ	1.84	0.42
1:B:365:PHE:CE2	1:B:373:GLN:HG3	2.54	0.41
1:C:136:ALA:HB2	1:C:169:ALA:HB3	2.02	0.41
1:A:136:ALA:HB2	1:A:169:ALA:HB3	2.02	0.41
1:B:285:HIS:HB2	2:B:701:FAD:O2	2.20	0.41
1:F:1:MET:H	1:F:174:ASP:HB2	1.85	0.41
1:C:16:LYS:HE3	1:C:175:PRO:O	2.20	0.41
1:D:209:VAL:HA	1:D:235:ILE:O	2.20	0.41
1:D:23:PHE:O	1:D:72:CYS:HA	2.20	0.41
1:D:566:GLU:HB2	1:D:569:ASN:HB2	2.01	0.41
1:E:564:GLY:HA3	1:E:570:VAL:HA	2.03	0.41
1:C:193:ILE:HG13	1:C:328:LEU:HB3	2.01	0.41
1:D:40:HIS:ND1	1:D:41:GLY:O	2.51	0.41
1:D:495:ALA:HB1	1:D:506:GLY:O	2.19	0.41
1:E:23:PHE:O	1:E:72:CYS:HA	2.21	0.41
1:C:143:LEU:HD23	1:C:143:LEU:HA	1.90	0.41
1:E:106:ARG:HD2	1:E:166:VAL:HG23	2.02	0.41
1:E:237:THR:HG23	1:E:239:MET:N	2.34	0.41
1:B:120:GLU:HG2	1:B:124:LYS:HZ1	1.86	0.41
1:C:138:LEU:O	1:C:142:VAL:HG12	2.21	0.41
1:C:205:ARG:HB3	1:C:348:TRP:CE3	2.56	0.41
1:A:109:LEU:HD23	1:A:109:LEU:HA	1.89	0.41
1:C:92:ALA:HB1	1:C:417:GLN:CG	2.51	0.41
1:D:257:LEU:HB3	1:D:564:GLY:O	2.21	0.41
1:E:132:THR:HA	1:E:161:ASP:HB3	2.02	0.41
1:E:136:ALA:HB2	1:E:169:ALA:HB3	2.03	0.41
1:E:309:GLY:HA2	1:E:312:LEU:O	2.20	0.41
1:F:108:ARG:HB3	1:F:113:ASP:OD2	2.21	0.41
1:F:222:LEU:HB3	1:F:326:LEU:HB3	2.02	0.41
2:F:701:FAD:H9	2:F:701:FAD:H1'1	1.89	0.41
1:B:109:LEU:HD23	1:B:109:LEU:HA	1.82	0.41
1:D:30:ILE:HG13	1:D:30:ILE:O	2.21	0.41
1:E:338:LYS:HB3	1:E:338:LYS:HE2	1.91	0.41
1:E:408:LYS:HB3	1:E:411:HIS:CD2	2.56	0.41
1:D:106:ARG:HD2	1:D:166:VAL:CG2	2.51	0.41
1:E:380:ASN:HD22	1:E:585:THR:CG2	2.34	0.41
1:F:381:LYS:NZ	6:F:824:HOH:O	2.53	0.40
1:C:368:VAL:HG22	1:C:528:PRO:HD3	2.02	0.40
1:F:109:LEU:HD12	1:F:109:LEU:HA	1.78	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:284:ARG:HD3	1:F:284:ARG:HA	1.81	0.40
1:B:466:TYR:C	1:B:542:MET:HE1	2.41	0.40
1:D:291:LYS:NZ	1:D:568:ASP:OD2	2.54	0.40
1:F:524:ARG:NH2	6:F:811:HOH:O	2.43	0.40
1:F:259:THR:OG1	2:F:701:FAD:C4X	2.70	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:706:UQ0:O1	6:A:834:HOH:O[8_554]	2.11	0.09
6:A:1156:HOH:O	6:A:1156:HOH:O[8_554]	2.17	0.03

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	592/594 (100%)	581 (98%)	11 (2%)	0	100 100
1	B	592/594 (100%)	581 (98%)	11 (2%)	0	100 100
1	C	592/594 (100%)	583 (98%)	9 (2%)	0	100 100
1	D	592/594 (100%)	580 (98%)	11 (2%)	1 (0%)	47 49
1	E	592/594 (100%)	582 (98%)	10 (2%)	0	100 100
1	F	592/594 (100%)	582 (98%)	10 (2%)	0	100 100
All	All	3552/3564 (100%)	3489 (98%)	62 (2%)	1 (0%)	100 100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	463	ASN

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	475/475 (100%)	464 (98%)	11 (2%)	50 55
1	B	474/475 (100%)	463 (98%)	11 (2%)	50 55
1	C	475/475 (100%)	458 (96%)	17 (4%)	35 36
1	D	475/475 (100%)	464 (98%)	11 (2%)	50 55
1	E	475/475 (100%)	455 (96%)	20 (4%)	30 30
1	F	475/475 (100%)	467 (98%)	8 (2%)	60 67
All	All	2849/2850 (100%)	2771 (97%)	78 (3%)	44 48

All (78) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	268	LEU
1	A	357	ARG
1	A	373	GLN
1	A	385	ARG
1	A	406	VAL
1	A	414	ASN
1	A	470	LEU
1	A	475	TYR
1	A	505	ASN
1	A	593	GLU
1	B	38	ARG
1	B	124	LYS
1	B	134	ARG
1	B	172	GLU
1	B	192	GLN
1	B	223	LEU
1	B	251	MET
1	B	268	LEU
1	B	283	GLN
1	B	475	TYR
1	B	476	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	3	LYS
1	C	113	ASP
1	C	124	LYS
1	C	142	VAL
1	C	223	LEU
1	C	251	MET
1	C	268	LEU
1	C	283	GLN
1	C	357	ARG
1	C	373	GLN
1	C	406	VAL
1	C	414	ASN
1	C	443	ILE
1	C	475	TYR
1	C	476	LEU
1	C	537	GLN
1	C	593	GLU
1	D	1	MET
1	D	113	ASP
1	D	172	GLU
1	D	223	LEU
1	D	268	LEU
1	D	297	LYS
1	D	321	ASP
1	D	346	LYS
1	D	475	TYR
1	D	487	ASP
1	D	557	ARG
1	E	1	MET
1	E	39	LYS
1	E	91	SER
1	E	106	ARG
1	E	113	ASP
1	E	230	THR
1	E	234	VAL
1	E	237	THR
1	E	247	ASP
1	E	251	MET
1	E	280	ARG
1	E	289	VAL
1	E	299	VAL
1	E	316	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	342	LEU
1	E	351	ASP
1	E	366	ASP
1	E	470	LEU
1	E	475	TYR
1	E	585	THR
1	F	3	LYS
1	F	73	LEU
1	F	109	LEU
1	F	170	GLU
1	F	172	GLU
1	F	223	LEU
1	F	268	LEU
1	F	475	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 34 ligands modelled in this entry, 10 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	UQ0	E	704	-	13,13,13	3.48	7 (53%)	16,18,18	1.37	4 (25%)
5	UQ0	C	705	-	13,13,13	3.35	6 (46%)	16,18,18	1.42	2 (12%)
2	FAD	B	701	-	53,58,58	0.63	1 (1%)	68,89,89	0.75	2 (2%)
5	UQ0	A	705	-	13,13,13	3.47	6 (46%)	16,18,18	1.10	1 (6%)
2	FAD	C	701	-	53,58,58	0.53	0	68,89,89	0.66	1 (1%)
3	TPP	A	702	4	22,27,27	0.52	0	29,40,40	0.87	2 (6%)
5	UQ0	D	706	-	13,13,13	3.43	6 (46%)	16,18,18	1.49	2 (12%)
5	UQ0	B	705	-	13,13,13	3.32	5 (38%)	16,18,18	1.47	2 (12%)
5	UQ0	D	705	-	13,13,13	3.39	8 (61%)	16,18,18	1.07	0
2	FAD	D	701	-	53,58,58	0.53	0	68,89,89	0.70	2 (2%)
2	FAD	F	701	-	53,58,58	0.52	0	68,89,89	0.65	1 (1%)
3	TPP	F	702	4	22,27,27	0.71	0	29,40,40	0.90	0
5	UQ0	A	706	-	13,13,13	3.54	7 (53%)	16,18,18	1.51	2 (12%)
2	FAD	A	701	-	53,58,58	0.62	1 (1%)	68,89,89	0.69	1 (1%)
3	TPP	D	702	4	22,27,27	0.56	0	29,40,40	0.83	1 (3%)
5	UQ0	C	706	-	13,13,13	3.47	7 (53%)	16,18,18	1.57	1 (6%)
5	UQ0	F	704	-	13,13,13	3.33	7 (53%)	16,18,18	1.01	1 (6%)
3	TPP	B	702	4	22,27,27	0.61	0	29,40,40	0.91	1 (3%)
3	TPP	C	702	4	22,27,27	0.58	0	29,40,40	0.76	0
5	UQ0	D	707	-	13,13,13	3.59	9 (69%)	16,18,18	1.40	1 (6%)
3	TPP	E	702	4	22,27,27	0.56	0	29,40,40	0.86	1 (3%)
5	UQ0	C	707	-	13,13,13	3.68	8 (61%)	16,18,18	1.83	1 (6%)
5	UQ0	B	706	-	13,13,13	3.61	8 (61%)	16,18,18	1.74	1 (6%)
2	FAD	E	701	-	53,58,58	0.72	2 (3%)	68,89,89	0.67	1 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	UQ0	E	704	-	-	0/4/24/24	0/1/1/1
5	UQ0	C	705	-	-	0/4/24/24	0/1/1/1
2	FAD	B	701	-	-	6/30/50/50	0/6/6/6
5	UQ0	A	705	-	-	0/4/24/24	0/1/1/1
2	FAD	C	701	-	-	5/30/50/50	0/6/6/6
3	TPP	A	702	4	-	2/16/17/17	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	UQ0	D	706	-	-	0/4/24/24	0/1/1/1
5	UQ0	B	705	-	-	0/4/24/24	0/1/1/1
5	UQ0	D	705	-	-	0/4/24/24	0/1/1/1
2	FAD	D	701	-	-	7/30/50/50	0/6/6/6
2	FAD	F	701	-	-	7/30/50/50	0/6/6/6
3	TPP	F	702	4	-	3/16/17/17	0/2/2/2
5	UQ0	A	706	-	-	0/4/24/24	0/1/1/1
2	FAD	A	701	-	-	4/30/50/50	0/6/6/6
3	TPP	D	702	4	-	4/16/17/17	0/2/2/2
5	UQ0	C	706	-	-	0/4/24/24	0/1/1/1
5	UQ0	F	704	-	-	0/4/24/24	0/1/1/1
3	TPP	B	702	4	-	3/16/17/17	0/2/2/2
3	TPP	C	702	4	-	2/16/17/17	0/2/2/2
5	UQ0	D	707	-	-	0/4/24/24	0/1/1/1
3	TPP	E	702	4	-	5/16/17/17	0/2/2/2
5	UQ0	C	707	-	-	1/4/24/24	0/1/1/1
5	UQ0	B	706	-	-	0/4/24/24	0/1/1/1
2	FAD	E	701	-	-	10/30/50/50	0/6/6/6

All (88) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	E	704	UQ0	C6-C5	9.20	1.53	1.35
5	D	705	UQ0	C6-C5	9.19	1.53	1.35
5	B	706	UQ0	C6-C5	9.12	1.53	1.35
5	D	707	UQ0	C6-C5	9.12	1.53	1.35
5	C	707	UQ0	C6-C5	9.12	1.53	1.35
5	B	705	UQ0	C6-C5	9.12	1.53	1.35
5	A	705	UQ0	C6-C5	8.99	1.53	1.35
5	A	706	UQ0	C6-C5	8.96	1.53	1.35
5	C	705	UQ0	C6-C5	8.86	1.53	1.35
5	C	706	UQ0	C6-C5	8.80	1.52	1.35
5	F	704	UQ0	C6-C5	8.76	1.52	1.35
5	D	706	UQ0	C6-C5	8.73	1.52	1.35
5	C	707	UQ0	C5-C4	4.79	1.54	1.47
5	D	706	UQ0	C3-C2	4.69	1.55	1.36
5	B	706	UQ0	C5-C4	4.59	1.54	1.47
5	C	707	UQ0	C3-C2	4.58	1.54	1.36
5	C	706	UQ0	C3-C2	4.49	1.54	1.36
5	A	706	UQ0	C3-C2	4.43	1.54	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	707	UQ0	C3-C2	4.41	1.54	1.36
5	A	706	UQ0	C5-C4	4.41	1.54	1.47
5	D	707	UQ0	C5-C4	4.33	1.53	1.47
5	E	704	UQ0	C3-C2	4.31	1.53	1.36
5	B	706	UQ0	C3-C2	4.24	1.53	1.36
5	F	704	UQ0	C3-C2	4.22	1.53	1.36
5	A	705	UQ0	C3-C2	4.12	1.53	1.36
5	C	706	UQ0	C5-C4	4.03	1.53	1.47
5	D	706	UQ0	C5-C4	3.97	1.53	1.47
5	C	705	UQ0	C5-C4	3.96	1.53	1.47
5	D	705	UQ0	C3-C2	3.95	1.52	1.36
5	A	705	UQ0	C5-C4	3.94	1.53	1.47
5	C	705	UQ0	C3-C2	3.93	1.52	1.36
5	B	705	UQ0	C5-C4	3.90	1.53	1.47
5	B	705	UQ0	C3-C2	3.65	1.51	1.36
5	E	704	UQ0	C5-C4	3.65	1.53	1.47
5	D	705	UQ0	C5-C4	3.53	1.52	1.47
2	E	701	FAD	PA-O5B	-3.49	1.45	1.59
5	F	704	UQ0	C5-C4	3.35	1.52	1.47
5	B	705	UQ0	C6-C1	3.35	1.54	1.44
5	C	707	UQ0	C2-C1	3.27	1.54	1.46
5	D	705	UQ0	C6-C1	3.22	1.53	1.44
5	A	705	UQ0	C6-C1	3.20	1.53	1.44
5	C	707	UQ0	C6-C1	3.18	1.53	1.44
5	A	706	UQ0	C6-C1	3.14	1.53	1.44
5	B	706	UQ0	C6-C1	3.12	1.53	1.44
5	A	705	UQ0	C2-C1	3.12	1.54	1.46
5	E	704	UQ0	C6-C1	3.11	1.53	1.44
5	C	706	UQ0	C2-C1	3.04	1.54	1.46
5	D	707	UQ0	C6-C1	3.01	1.53	1.44
5	E	704	UQ0	C2-C1	2.95	1.53	1.46
5	B	706	UQ0	C2-C1	2.95	1.53	1.46
5	F	704	UQ0	C6-C1	2.95	1.53	1.44
5	C	706	UQ0	C6-C1	2.95	1.53	1.44
5	D	706	UQ0	C2-C1	2.86	1.53	1.46
5	D	707	UQ0	C2-C1	2.85	1.53	1.46
5	C	705	UQ0	C6-C1	2.83	1.52	1.44
5	C	705	UQ0	C2-C1	2.77	1.53	1.46
5	D	706	UQ0	C6-C1	2.73	1.52	1.44
5	D	705	UQ0	C2-C1	2.50	1.52	1.46
5	F	704	UQ0	C2-C1	2.49	1.52	1.46
5	A	706	UQ0	C2-C1	2.42	1.52	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	707	UQ0	O2-CM2	-2.38	1.39	1.45
2	A	701	FAD	P-O2P	-2.32	1.44	1.55
2	B	701	FAD	P-O2P	-2.32	1.44	1.55
5	A	706	UQ0	O1-C1	-2.30	1.18	1.24
5	C	707	UQ0	O3-C3	2.30	1.42	1.36
5	B	706	UQ0	O2-CM2	-2.30	1.39	1.45
5	F	704	UQ0	O1-C1	-2.30	1.18	1.24
5	E	704	UQ0	O1-C1	-2.21	1.18	1.24
5	A	705	UQ0	O4-C4	-2.17	1.18	1.23
5	D	705	UQ0	O4-C4	-2.16	1.18	1.23
5	B	706	UQ0	C3-C4	2.16	1.55	1.48
5	D	707	UQ0	O1-C1	-2.14	1.19	1.24
5	D	707	UQ0	O3-C3	2.13	1.42	1.36
5	B	706	UQ0	O3-C3	2.11	1.42	1.36
5	C	707	UQ0	C3-C4	2.11	1.55	1.48
5	D	707	UQ0	C3-C4	2.08	1.54	1.48
5	B	705	UQ0	C2-C1	2.08	1.51	1.46
5	C	705	UQ0	O1-C1	-2.04	1.19	1.24
2	E	701	FAD	P-O2P	-2.04	1.45	1.55
5	D	706	UQ0	O1-C1	-2.04	1.19	1.24
5	C	707	UQ0	O2-CM2	-2.03	1.40	1.45
5	D	705	UQ0	O1-C1	-2.03	1.19	1.24
5	E	704	UQ0	O3-CM3	-2.03	1.40	1.45
5	C	706	UQ0	O1-C1	-2.02	1.19	1.24
5	A	706	UQ0	C3-C4	2.01	1.54	1.48
5	D	705	UQ0	O3-CM3	-2.01	1.40	1.45
5	C	706	UQ0	O3-CM3	-2.00	1.40	1.45
5	F	704	UQ0	O3-CM3	-2.00	1.40	1.45

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	707	UQ0	CM5-C5-C4	6.43	121.84	117.45
5	B	706	UQ0	CM5-C5-C4	5.58	121.26	117.45
5	C	706	UQ0	CM5-C5-C4	5.11	120.93	117.45
5	A	706	UQ0	CM5-C5-C4	4.36	120.42	117.45
5	D	706	UQ0	CM5-C5-C4	4.31	120.39	117.45
5	D	707	UQ0	CM5-C5-C4	3.56	119.88	117.45
5	E	704	UQ0	C6-C5-C4	3.15	122.24	119.53
5	B	705	UQ0	C6-C5-C4	2.86	121.99	119.53
2	D	701	FAD	O2P-P-O1P	2.62	125.19	112.24
2	C	701	FAD	C5A-C6A-N6A	2.61	124.32	120.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	705	UQ0	CM5-C5-C4	2.59	119.22	117.45
5	D	706	UQ0	C6-C5-C4	2.58	121.75	119.53
2	A	701	FAD	C5A-C6A-N6A	2.57	124.25	120.35
5	C	705	UQ0	C6-C5-C4	2.53	121.70	119.53
2	E	701	FAD	C5A-C6A-N6A	2.50	124.15	120.35
5	B	705	UQ0	O1-C1-C2	-2.48	117.92	121.55
2	B	701	FAD	O2P-P-O1P	2.48	124.48	112.24
2	B	701	FAD	C5A-C6A-N6A	2.46	124.09	120.35
2	F	701	FAD	C5A-C6A-N6A	2.43	124.04	120.35
3	A	702	TPP	C6-C5-C4	2.40	129.36	127.43
3	A	702	TPP	O2A-PA-O1A	2.26	123.42	112.24
2	D	701	FAD	C5A-C6A-N6A	2.22	123.72	120.35
5	E	704	UQ0	C5-C6-C1	-2.22	117.98	122.63
5	A	706	UQ0	C6-C1-C2	2.14	121.01	115.63
5	E	704	UQ0	O4-C4-C5	-2.06	118.78	120.94
3	E	702	TPP	C5-C4-N3	2.05	111.68	107.57
3	D	702	TPP	C5-C4-N3	2.04	111.65	107.57
5	A	705	UQ0	CM5-C5-C4	2.04	118.84	117.45
5	F	704	UQ0	C6-C1-C2	2.03	120.72	115.63
5	E	704	UQ0	C6-C1-C2	2.02	120.69	115.63
3	B	702	TPP	C5-C4-N3	2.01	111.59	107.57

There are no chirality outliers.

All (59) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	FAD	C5B-O5B-PA-O3P
2	B	701	FAD	C5B-O5B-PA-O1A
2	B	701	FAD	C5B-O5B-PA-O3P
2	C	701	FAD	C5B-O5B-PA-O1A
2	C	701	FAD	C5'-O5'-P-O1P
2	C	701	FAD	C5'-O5'-P-O3P
2	D	701	FAD	C5B-O5B-PA-O1A
2	D	701	FAD	C5B-O5B-PA-O3P
2	D	701	FAD	C5'-O5'-P-O1P
2	D	701	FAD	C5'-O5'-P-O3P
2	E	701	FAD	C5B-O5B-PA-O1A
2	E	701	FAD	C5B-O5B-PA-O2A
2	E	701	FAD	C5'-O5'-P-O1P
2	E	701	FAD	C5'-O5'-P-O3P
2	F	701	FAD	C5B-O5B-PA-O1A
2	F	701	FAD	C5B-O5B-PA-O3P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	F	701	FAD	C5'-O5'-P-O1P
2	F	701	FAD	C5'-O5'-P-O3P
3	A	702	TPP	PA-O3A-PB-O2B
3	B	702	TPP	C7-O7-PA-O2A
3	C	702	TPP	C4-C5-C6-C7
3	C	702	TPP	PA-O3A-PB-O2B
3	D	702	TPP	C4-C5-C6-C7
3	D	702	TPP	C5-C6-C7-O7
3	D	702	TPP	PA-O3A-PB-O3B
3	E	702	TPP	C4-C5-C6-C7
3	E	702	TPP	PA-O3A-PB-O2B
3	E	702	TPP	PA-O3A-PB-O3B
3	F	702	TPP	C4-C5-C6-C7
3	F	702	TPP	PA-O3A-PB-O1B
2	E	701	FAD	PA-O3P-P-O1P
3	E	702	TPP	C5-C6-C7-O7
3	F	702	TPP	C5-C6-C7-O7
2	B	701	FAD	C5'-O5'-P-O3P
2	A	701	FAD	P-O3P-PA-O1A
2	C	701	FAD	PA-O3P-P-O1P
2	A	701	FAD	C5B-O5B-PA-O1A
2	A	701	FAD	C5B-O5B-PA-O2A
2	B	701	FAD	C5B-O5B-PA-O2A
2	D	701	FAD	C5B-O5B-PA-O2A
2	D	701	FAD	C5'-O5'-P-O2P
2	E	701	FAD	C5'-O5'-P-O2P
5	C	707	UQ0	C1-C2-O2-CM2
3	A	702	TPP	C4-C5-C6-C7
2	D	701	FAD	PA-O3P-P-O2P
2	E	701	FAD	O4B-C4B-C5B-O5B
2	F	701	FAD	P-O3P-PA-O1A
3	B	702	TPP	PA-O3A-PB-O2B
3	B	702	TPP	PA-O3A-PB-O3B
3	D	702	TPP	PA-O3A-PB-O2B
2	E	701	FAD	C5B-O5B-PA-O3P
2	B	701	FAD	P-O3P-PA-O2A
2	C	701	FAD	PA-O3P-P-O2P
2	E	701	FAD	P-O3P-PA-O1A
2	E	701	FAD	PA-O3P-P-O2P
2	F	701	FAD	P-O3P-PA-O2A
2	B	701	FAD	C5'-O5'-P-O1P
2	F	701	FAD	C5B-O5B-PA-O2A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	E	702	TPP	PA-O3A-PB-O1B


There are no ring outliers.


11 monomers are involved in 25 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	701	FAD	3	0
2	C	701	FAD	4	0
5	D	706	UQ0	1	0
2	D	701	FAD	2	0
2	F	701	FAD	4	0
5	A	706	UQ0	1	1
2	A	701	FAD	2	0
5	C	706	UQ0	1	0
3	B	702	TPP	1	0
5	D	707	UQ0	1	0
2	E	701	FAD	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	594/594 (100%)	-0.54	0	100	100	22, 27, 41, 64
1	B	594/594 (100%)	-0.41	1 (0%)	95	95	22, 28, 43, 65
1	C	594/594 (100%)	-0.50	3 (0%)	91	92	26, 35, 51, 74
1	D	594/594 (100%)	-0.44	1 (0%)	95	95	27, 36, 53, 75
1	E	594/594 (100%)	-0.46	3 (0%)	91	92	28, 38, 56, 79
1	F	594/594 (100%)	-0.25	10 (1%)	70	74	27, 38, 55, 83
All	All	3564/3564 (100%)	-0.43	18 (0%)	91	92	22, 34, 51, 83

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	110	HIS	2.5
1	D	1	MET	2.5
1	B	593	GLU	2.4
1	E	344	CYS	2.4
1	F	110	HIS	2.3
1	F	109	LEU	2.3
1	E	593	GLU	2.3
1	E	197	VAL	2.2
1	F	86	ALA	2.2
1	F	485	ALA	2.2
1	F	333	ALA	2.1
1	F	341	ARG	2.1
1	C	3	LYS	2.1
1	F	78	PRO	2.1
1	F	3	LYS	2.0
1	C	338	LYS	2.0
1	F	119	ILE	2.0
1	F	487	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	UQ0	D	707	13/13	0.08	0.58	96,106,117,118	0
5	UQ0	C	706	13/13	0.11	0.62	93,103,114,115	0
5	UQ0	D	706	13/13	0.17	0.54	85,93,107,112	0
5	UQ0	C	707	13/13	0.20	0.69	81,92,104,108	0
5	UQ0	B	706	13/13	0.28	0.65	82,91,105,106	0
5	UQ0	A	706	13/13	0.34	0.69	83,95,105,105	0
5	UQ0	E	704	13/13	0.66	0.23	75,82,87,88	0
5	UQ0	C	705	13/13	0.75	0.19	58,64,70,72	0
4	MG	B	703	1/1	0.87	0.12	27,27,27,27	0
5	UQ0	B	705	13/13	0.91	0.15	37,40,46,49	0
5	UQ0	A	705	13/13	0.91	0.12	44,52,57,58	0
5	UQ0	F	704	13/13	0.92	0.14	48,53,63,65	0
5	UQ0	D	705	13/13	0.94	0.14	48,53,58,59	0
4	MG	D	703	1/1	0.95	0.07	33,33,33,33	0
3	TPP	F	702	26/26	0.96	0.08	30,37,40,43	0
2	FAD	C	701	53/53	0.96	0.10	28,32,37,38	0
2	FAD	D	701	53/53	0.96	0.11	28,33,39,40	0
2	FAD	E	701	53/53	0.96	0.10	30,35,43,45	0
2	FAD	F	701	53/53	0.96	0.10	29,34,43,44	0
2	FAD	A	701	53/53	0.97	0.10	23,25,31,33	0
4	MG	A	704	1/1	0.97	0.18	23,23,23,23	1
2	FAD	B	701	53/53	0.97	0.12	22,26,33,36	0
4	MG	C	704	1/1	0.97	0.06	31,31,31,31	0
3	TPP	C	702	26/26	0.97	0.08	29,33,35,37	0
4	MG	D	704	1/1	0.97	0.05	33,33,33,33	0
3	TPP	B	702	26/26	0.98	0.07	22,28,29,31	0
3	TPP	A	702	26/26	0.98	0.07	23,25,28,29	0


Continued on next page...


Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MG	E	703	1/1	0.98	0.06	32,32,32,32	0
3	TPP	D	702	26/26	0.98	0.09	27,34,36,40	0
3	TPP	E	702	26/26	0.98	0.06	31,37,39,41	0
4	MG	A	703	1/1	0.99	0.11	25,25,25,25	0
4	MG	C	703	1/1	0.99	0.09	29,29,29,29	0
4	MG	F	703	1/1	0.99	0.03	37,37,37,37	0
4	MG	B	704	1/1	1.00	0.09	23,23,23,23	1


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



















































































6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.