



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 9, 2024 – 10:17 am GMT

PDB ID : 5I2M
Title : CRYSTAL STRUCTURE OF VSV-INDIANA (MUDD-SUMMERS STRAIN)
GLYCOPROTEIN UNDER ITS ACIDIC CONFORMATION
Authors : Roche, S.; Bressanelli, S.
Deposited on : 2016-02-09
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	4642 (2.40-2.40)
Clashscore	180529	5218 (2.40-2.40)
Ramachandran outliers	177936	5158 (2.40-2.40)
Sidechain outliers	177891	5159 (2.40-2.40)
RSRZ outliers	164620	4642 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	422	 4% 85% 11% .
1	B	422	 3% 85% 11% ..
1	C	422	 % 85% 11% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10314 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glycoprotein G.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	409	3234	2062	540	611	21	0	0	0
1	B	410	3242	2068	541	612	21	0	0	0
1	C	408	3224	2056	537	610	21	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	41	LEU	ILE	conflict	UNP P0C2X0
A	80	HIS	GLN	conflict	UNP P0C2X0
B	41	LEU	ILE	conflict	UNP P0C2X0
B	80	HIS	GLN	conflict	UNP P0C2X0
C	41	LEU	ILE	conflict	UNP P0C2X0
C	80	HIS	GLN	conflict	UNP P0C2X0

- Molecule 2 is 2-{2-[2-(2-{2-[2-(2-ETHOXY-ETHOXY)-ETHOXY]-ETHOXY}-ETHOXY)-ETHOXY]-ETHOXY}-ETHANOL (three-letter code: PE4) (formula: C₁₆H₃₄O₈).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	C O	0	0
			20	14 6		
2	B	1	Total	C O	0	0
			19	13 6		
2	B	1	Total	C O	0	0
			23	15 8		
2	B	1	Total	C O	0	0
			20	14 6		
2	C	1	Total	C O	0	0
			23	15 8		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	1	Total	Ca	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	166	Total	O	0	0
			166	166		
4	B	159	Total	O	0	0
			159	159		
4	C	183	Total	O	0	0
			183	183		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glycoprotein G



- Molecule 1: Glycoprotein G



- Molecule 1: Glycoprotein G



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 1	Depositor
Cell constants a, b, c, α , β , γ	71.27Å 224.20Å 375.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.96 – 2.40 24.96 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.9 (24.96-2.40) 99.8 (24.96-2.40)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 2.41Å)	Xtrriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.183 , 0.215 0.183 , 0.215	Depositor DCC
R_{free} test set	5888 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	45.3	Xtrriage
Anisotropy	0.111	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 64.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10314	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, PE4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/3334	0.58	0/4540
1	B	0.42	0/3342	0.59	0/4551
1	C	0.44	0/3323	0.61	2/4525 (0.0%)
All	All	0.43	0/9999	0.60	2/13616 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	274	ASP	CB-CG-OD1	5.79	123.52	118.30
1	C	198	LEU	CB-CG-CD2	-5.11	102.31	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3234	0	3081	32	0
1	B	3242	0	3092	48	0
1	C	3224	0	3074	38	0
2	A	20	0	24	1	0
2	B	62	0	75	11	0
2	C	23	0	29	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	1	0	0	0	0
4	A	166	0	0	2	0
4	B	159	0	0	3	0
4	C	183	0	0	1	0
All	All	10314	0	9375	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:341:SER:H	2:B:502:PE4:H131	1.47	0.79
1:B:381:LYS:HB3	2:B:503:PE4:H131	1.66	0.77
1:B:343:MET:HE2	1:B:380:TYR:CD2	2.26	0.71
1:A:38:GLY:HA3	1:C:1:LYS:HD3	1.72	0.69
1:C:1:LYS:HE2	1:C:2:PHE:CE1	2.29	0.67
1:B:65:VAL:HG22	1:B:123:GLU:HG2	1.77	0.67
1:B:174:LYS:HE3	1:B:226:HIS:HE1	1.60	0.67
1:B:1:LYS:HD3	1:C:38:GLY:HA3	1.76	0.66
1:A:347:ILE:HD11	1:A:354:ARG:HD3	1.78	0.66
1:C:113:SER:O	1:C:120:THR:OG1	2.16	0.63
1:B:357:TRP:CE2	1:B:370:PRO:HD3	2.33	0.62
1:B:174:LYS:HE3	1:B:226:HIS:CE1	2.34	0.62
1:B:343:MET:HE3	1:B:360:TRP:HH2	1.63	0.61
1:B:341:SER:N	2:B:502:PE4:H131	2.16	0.61
1:C:343:MET:HE1	1:C:380:TYR:HB3	1.83	0.60
1:A:307:PRO:HG2	1:A:330:TYR:CE1	2.40	0.56
1:C:69:ASP:OD2	1:C:71:ARG:NH1	2.39	0.56
1:C:220:LYS:HZ3	2:C:501:PE4:H62	1.69	0.56
1:B:236:TRP:HB3	1:B:259:ILE:HD13	1.88	0.56
1:B:1:LYS:HB3	4:B:639:HOH:O	2.06	0.55
1:B:379:GLY:HA2	2:B:502:PE4:H51	1.87	0.55
1:B:343:MET:HE1	1:B:380:TYR:HB3	1.89	0.55
1:C:1:LYS:NZ	1:C:336:ALA:O	2.39	0.55
1:A:1:LYS:HZ2	1:B:38:GLY:H	1.52	0.55
1:C:307:PRO:HG2	1:C:330:TYR:CE1	2.41	0.55
1:B:307:PRO:HG2	1:B:330:TYR:CE1	2.42	0.55
1:B:346:MET:HE3	4:B:637:HOH:O	2.07	0.54
1:B:206:ARG:HG2	1:B:207:SER:N	2.22	0.54
1:B:1:LYS:HE3	1:B:2:PHE:CE1	2.44	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:246:ALA:HA	2:C:501:PE4:H52	1.90	0.53
1:A:8:HIS:CD2	1:A:354:ARG:HH12	2.27	0.52
1:B:341:SER:HA	2:B:502:PE4:H71	1.90	0.52
1:A:138:GLU:OE1	1:A:223:TYR:OH	2.17	0.52
1:A:38:GLY:H	1:C:1:LYS:HZ2	1.59	0.51
1:A:186:ILE:HG22	1:A:207:SER:HB2	1.92	0.51
1:B:249:ARG:HA	2:B:501:PE4:C13	2.41	0.51
1:A:220:LYS:NZ	2:A:501:PE4:O3	2.34	0.50
1:C:375:ARG:NH1	1:C:380:TYR:OH	2.41	0.50
1:C:227:TRP:CZ2	2:C:501:PE4:H91	2.47	0.50
1:A:1:LYS:NZ	1:B:38:GLY:H	2.10	0.50
1:B:366:VAL:HG13	1:B:375:ARG:O	2.11	0.50
1:C:343:MET:HE2	1:C:380:TYR:CD2	2.47	0.50
1:A:38:GLY:CA	1:C:1:LYS:HD3	2.42	0.49
1:C:366:VAL:CG1	1:C:367:GLU:N	2.75	0.49
1:B:10:GLN:NE2	1:B:355:GLU:HB3	2.26	0.49
1:B:1:LYS:HD3	1:C:38:GLY:CA	2.42	0.49
1:A:101:GLN:HG2	1:C:147:GLN:OE1	2.12	0.49
1:C:220:LYS:NZ	2:C:501:PE4:H62	2.27	0.48
1:C:366:VAL:HG12	1:C:367:GLU:N	2.29	0.48
1:C:343:MET:HE3	1:C:360:TRP:HH2	1.79	0.47
1:B:1:LYS:HD2	1:C:189:PHE:CE2	2.49	0.47
1:B:343:MET:HE3	1:B:360:TRP:CH2	2.47	0.47
1:A:1:LYS:HZ1	1:B:37:ILE:HA	1.80	0.47
1:A:8:HIS:HD2	1:A:354:ARG:HH12	1.61	0.47
1:A:366:VAL:CG1	1:A:367:GLU:N	2.78	0.47
1:B:384:LEU:HD12	1:C:281:TYR:CE2	2.50	0.47
1:A:67:THR:O	1:A:78:ILE:HA	2.15	0.47
1:B:381:LYS:HE2	2:B:503:PE4:H112	1.97	0.47
1:B:344:VAL:HG22	1:B:353:GLU:HG2	1.95	0.47
1:B:375:ARG:NH2	2:B:502:PE4:H22	2.29	0.46
1:A:58:MET:O	1:A:129:VAL:HA	2.16	0.46
1:A:1:LYS:HD3	1:B:38:GLY:HA3	1.97	0.46
1:B:366:VAL:CG1	1:B:367:GLU:N	2.78	0.46
1:C:387:ILE:O	1:C:391:MET:HG3	2.16	0.45
1:B:340:LEU:HD22	2:B:502:PE4:H132	1.98	0.45
1:A:69:ASP:HB3	1:A:77:TYR:HB2	1.99	0.45
1:C:246:ALA:HA	2:C:501:PE4:C5	2.45	0.45
1:B:45:MET:HE1	1:B:262:PRO:HG2	1.98	0.44
1:C:343:MET:HE3	1:C:373:VAL:HG11	1.98	0.44
1:B:343:MET:CE	1:B:380:TYR:HB3	2.46	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:269:VAL:HG21	1:B:400:SER:HB3	1.99	0.44
1:C:56:GLY:HA3	1:C:167:TRP:CZ2	2.53	0.44
1:C:366:VAL:CG1	1:C:376:THR:HG22	2.48	0.44
1:A:366:VAL:HG12	1:A:367:GLU:N	2.33	0.43
1:B:167:TRP:CH2	1:B:169:SER:HB3	2.53	0.43
1:A:45:MET:HG2	1:A:237:PHE:HB3	1.98	0.43
1:B:70:PHE:CD1	1:B:116:TYR:HA	2.53	0.43
1:A:261:ALA:O	1:A:402:ALA:HB1	2.19	0.43
1:A:326:PHE:CE2	1:A:328:THR:HB	2.54	0.43
1:C:326:PHE:CE2	1:C:328:THR:HB	2.54	0.43
1:B:366:VAL:HG12	1:B:367:GLU:N	2.34	0.42
1:A:167:TRP:CH2	1:A:169:SER:HB3	2.54	0.42
1:B:8:HIS:O	1:B:354:ARG:NH2	2.52	0.42
1:C:50:LYS:NZ	4:C:603:HOH:O	2.37	0.42
1:B:1:LYS:HE2	4:B:639:HOH:O	2.19	0.42
1:C:366:VAL:CG1	1:C:367:GLU:H	2.33	0.42
1:C:229:VAL:O	1:C:236:TRP:HA	2.19	0.41
1:B:217:LYS:HD2	1:B:217:LYS:N	2.35	0.41
1:C:69:ASP:HB3	1:C:77:TYR:HB2	2.02	0.41
1:B:326:PHE:CE2	1:B:328:THR:HB	2.56	0.41
1:B:381:LYS:NZ	2:B:503:PE4:H101	2.36	0.41
1:C:80:HIS:HB3	1:C:109:PHE:CE2	2.55	0.41
1:A:70:PHE:HB3	1:A:115:GLY:O	2.20	0.41
1:A:216:GLY:O	1:A:217:LYS:HB2	2.20	0.41
1:A:384:LEU:HD23	1:A:384:LEU:HA	1.86	0.41
1:C:45:MET:HG2	1:C:237:PHE:HB3	2.02	0.41
1:A:344:VAL:HG22	1:A:353:GLU:HG2	2.01	0.41
1:B:272:ILE:HG21	1:B:396:LEU:HD21	2.03	0.41
1:A:1:LYS:HE2	1:A:2:PHE:CE1	2.56	0.40
1:B:381:LYS:NZ	2:B:503:PE4:O4	2.52	0.40
1:A:48:SER:OG	1:A:403:GLN:OE1	2.22	0.40
1:A:271:LEU:HD22	1:C:396:LEU:HD23	2.02	0.40
1:A:332:ARG:NE	4:A:602:HOH:O	2.43	0.40
4:A:664:HOH:O	1:C:290:LYS:HE2	2.20	0.40
1:C:223:TYR:CD2	1:C:259:ILE:HD11	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	407/422 (96%)	397 (98%)	10 (2%)	0	100	100
1	B	408/422 (97%)	398 (98%)	10 (2%)	0	100	100
1	C	406/422 (96%)	396 (98%)	10 (2%)	0	100	100
All	All	1221/1266 (96%)	1191 (98%)	30 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	358/369 (97%)	349 (98%)	9 (2%)	42	63
1	B	359/369 (97%)	351 (98%)	8 (2%)	47	67
1	C	357/369 (97%)	353 (99%)	4 (1%)	70	84
All	All	1074/1107 (97%)	1053 (98%)	21 (2%)	50	70

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	TRP
1	A	50	LYS
1	A	70	PHE
1	A	86	THR
1	A	150	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	224	CYS
1	A	243	ASP
1	A	302	LEU
1	A	377	SER
1	B	8	HIS
1	B	32	TRP
1	B	70	PHE
1	B	86	THR
1	B	224	CYS
1	B	259	ILE
1	B	312	THR
1	B	354	ARG
1	C	32	TRP
1	C	70	PHE
1	C	224	CYS
1	C	348	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	HIS
1	A	49	HIS
1	A	163	ASN
1	B	9	ASN
1	B	33	HIS
1	B	133	HIS
1	B	226	HIS
1	C	9	ASN
1	C	42	GLN
1	C	60	HIS
1	C	163	ASN
1	C	180	ASN
1	C	407	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PE4	B	502	-	22,22,23	0.53	0	21,21,22	0.46	0
2	PE4	A	501	-	19,19,23	0.64	0	18,18,22	0.29	0
2	PE4	C	501	-	22,22,23	0.42	0	21,21,22	0.62	0
2	PE4	B	503	-	19,19,23	0.54	0	18,18,22	0.50	0
2	PE4	B	501	-	18,18,23	0.53	0	17,17,22	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PE4	B	502	-	-	7/20/20/21	-
2	PE4	A	501	-	-	7/17/17/21	-
2	PE4	C	501	-	-	6/20/20/21	-
2	PE4	B	503	-	-	8/17/17/21	-
2	PE4	B	501	-	-	5/16/16/21	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	502	PE4	O4-C7-C8-O5
2	B	503	PE4	O2-C3-C4-O3
2	B	502	PE4	O2-C3-C4-O3
2	B	502	PE4	O7-C13-C14-O8
2	C	501	PE4	O7-C13-C14-O8
2	A	501	PE4	O2-C3-C4-O3
2	B	501	PE4	O2-C3-C4-O3
2	A	501	PE4	C14-C13-O7-C12
2	C	501	PE4	O4-C7-C8-O5
2	A	501	PE4	O6-C11-C12-O7
2	C	501	PE4	O2-C3-C4-O3
2	A	501	PE4	C1-C2-O2-C3
2	B	502	PE4	O1-C1-C2-O2
2	B	502	PE4	O3-C5-C6-O4
2	A	501	PE4	C6-C5-O3-C4
2	C	501	PE4	C1-C2-O2-C3
2	B	503	PE4	C9-C10-O6-C11
2	B	503	PE4	C11-C12-O7-C13
2	B	503	PE4	C7-C8-O5-C9
2	B	502	PE4	C7-C8-O5-C9
2	C	501	PE4	C13-C14-O8-C15
2	B	503	PE4	C6-C5-O3-C4
2	A	501	PE4	O3-C5-C6-O4
2	C	501	PE4	C8-C7-O4-C6
2	B	501	PE4	C4-C3-O2-C2
2	B	501	PE4	C1-C2-O2-C3
2	A	501	PE4	C4-C3-O2-C2
2	B	503	PE4	C5-C6-O4-C7
2	B	502	PE4	C11-C12-O7-C13
2	B	501	PE4	C9-C10-O6-C11
2	B	503	PE4	O6-C10-C9-O5
2	B	501	PE4	C11-C12-O7-C13
2	B	503	PE4	O6-C11-C12-O7

There are no ring outliers.

5 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	502	PE4	6	0
2	A	501	PE4	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	501	PE4	5	0
2	B	503	PE4	4	0
2	B	501	PE4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	409/422 (96%)	-0.06	16 (3%) 44 41	27, 66, 104, 137	0
1	B	410/422 (97%)	-0.10	12 (2%) 54 50	29, 63, 108, 142	0
1	C	408/422 (96%)	-0.28	6 (1%) 71 68	29, 60, 95, 123	0
All	All	1227/1266 (96%)	-0.15	34 (2%) 55 51	27, 63, 104, 142	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	410	ILE	6.9
1	A	409	HIS	4.6
1	A	402	ALA	4.4
1	A	11	LYS	3.9
1	B	182	ILE	3.8
1	C	164	SER	3.6
1	B	162	HIS	3.5
1	C	156	TYR	3.5
1	C	35	ASP	3.5
1	A	164	SER	3.4
1	A	13	ASN	3.4
1	A	156	TYR	3.3
1	A	161	VAL	3.2
1	B	156	TYR	3.1
1	A	86	THR	3.1
1	B	409	HIS	3.1
1	B	52	ILE	2.9
1	B	262	PRO	2.9
1	B	174	LYS	2.9
1	B	172	LYS	2.8
1	A	174	LYS	2.8
1	A	163	ASN	2.7
1	A	256	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	182	ILE	2.5
1	A	117	ALA	2.5
1	B	171	TYR	2.5
1	C	163	ASN	2.4
1	A	171	TYR	2.3
1	B	163	ASN	2.2
1	C	349	GLY	2.2
1	A	352	THR	2.1
1	B	154	SER	2.1
1	C	53	GLN	2.1
1	A	406	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PE4	B	502	23/24	0.86	0.19	74,89,93,97	0
2	PE4	B	503	20/24	0.87	0.21	77,91,98,99	0
2	PE4	A	501	20/24	0.88	0.19	61,76,111,115	0
2	PE4	B	501	19/24	0.93	0.13	61,72,93,94	0
2	PE4	C	501	23/24	0.96	0.11	44,58,112,120	0
3	CA	C	502	1/1	0.99	0.03	49,49,49,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PE4 B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PE4 B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PE4 A 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PE4 B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.