



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 24, 2026 – 06:36 PM UTC

PDB ID : 7I2E / pdb_00007i2e
Title : Group deposition for crystallographic fragment screening of the NS5 RNA-dependent RNA polymerase from Dengue virus serotype 2 – Crystal structure of the NS5 RNA-dependent RNA polymerase from Dengue virus serotype 2 in complex with Z740611958 (DNV2_NS5A-x0264)
Authors : Aschenbrenner, J.C.; Saini, M.; Chopra, A.; Marples, P.G.; Balcomb, B.H.; Lithgo, R.M.; Fearon, D.; von Delft, F.; Ruiz, F.X.; Arnold, E.
Deposited on : 2025-03-06
Resolution : 1.72 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	: 4-5-2 with Phenix2.0
Mogul	: 2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	: 2.0
EDS	: 3.0
Buster-report	: wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	: 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	: 9.0.010 (Gargrove)
Density-Fitness	: 1.0.12
Ideal geometry (proteins)	: Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1039 (1.72-1.72)
Clashscore	190562	1049 (1.72-1.72)
Ramachandran outliers	187476	1041 (1.72-1.72)
Sidechain outliers	187428	1041 (1.72-1.72)
RSRZ outliers	180081	1039 (1.72-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	637	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	PO4	A	1006	-	X	X	-
7	A1BZQ	A	1009	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 5213 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NS5 RNA-dependent RNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	573	Total	C	N	O	S	0	7	0
			4740	2985	850	871	34			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	264	GLY	-	expression tag	UNP Q91H74
A	265	PRO	-	expression tag	UNP Q91H74

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		

- Molecule 3 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	1
			24	12	2	8	2		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 5 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	P	0	0
			5	4	1		
5	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 7 is N-[(1R)-1-(2,4-dimethyl-1,3-thiazol-5-yl)ethyl]-2-methylpropanamide (CCD ID: A1BZQ) (formula: $C_{11}H_{18}N_2OS$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total	C	N	O	S	0	0
			15	11	2	1	1		

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	Cl	0	0
			1	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	406	Total	O	0	0
			406	406		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: NS5 RNA-dependent RNA polymerase



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	82.49Å 116.86Å 148.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	74.50 – 1.72 74.50 – 1.72	Depositor EDS
% Data completeness (in resolution range)	97.2 (74.50-1.72) 97.2 (74.50-1.72)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.00 (at 1.72Å)	Xtriage
Refinement program	REFMAC 5.8.0267, REFMAC5	Depositor
R, R_{free}	0.193 , 0.228 0.251 , 0.272	Depositor DCC
R_{free} test set	3924 reflections (5.13%)	wwPDB-VP
Wilson B-factor (Å ²)	31.7	Xtriage
Anisotropy	0.154	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 222.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	5213	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, DMS, CL, MES, ZN, A1BZQ, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.13	4/4845 (0.1%)	1.35	10/6531 (0.2%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	751	THR	C-O	6.62	1.31	1.24
1	A	711	HIS	CE1-NE2	6.57	1.39	1.32
1	A	531	TYR	C-O	5.87	1.30	1.23
1	A	653	GLU	C-O	5.79	1.30	1.24

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	702	ASP	CA-CB-CG	6.75	119.36	112.60
1	A	559	GLY	CA-C-N	6.25	128.98	120.54
1	A	559	GLY	C-N-CA	6.25	128.98	120.54
1	A	788	VAL	CA-C-O	6.24	122.83	119.15
1	A	702	ASP	CB-CA-C	5.94	119.28	110.14
1	A	650	VAL	CA-C-N	5.63	126.36	119.99
1	A	650	VAL	C-N-CA	5.63	126.36	119.99
1	A	730	ASN	CA-CB-CG	-5.45	107.15	112.60
1	A	559	GLY	O-C-N	5.22	128.41	122.67
1	A	844	ASP	CA-CB-CG	5.04	117.64	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4740	0	4645	26	0
2	A	2	0	0	0	0
3	A	24	0	26	0	0
4	A	8	0	12	3	0
5	A	10	0	0	2	0
6	A	7	0	10	0	0
7	A	15	0	0	0	0
8	A	1	0	0	0	0
9	A	406	0	0	9	1
All	All	5213	0	4693	29	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (29) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1004:DMS:H11	9:A:1226:HOH:O	1.81	0.79
1:A:664:ASP:OD1	5:A:1006:PO4:O4	2.00	0.79
4:A:1004:DMS:H12	9:A:1285:HOH:O	2.03	0.59
1:A:664:ASP:OD1	5:A:1006:PO4:P	2.62	0.57
1:A:358:LYS:HG3	1:A:540:THR:HG21	1.86	0.57
1:A:756:LYS:HG2	1:A:789:PRO:HG3	1.88	0.56
1:A:638:THR:HA	1:A:641:ILE:HG22	1.89	0.55
1:A:447:CYS:SG	1:A:450:CYS:HB2	2.48	0.54
1:A:562:LYS:NZ	9:A:1111:HOH:O	2.41	0.53
1:A:453:ASN:ND2	1:A:579:ARG:HD2	2.24	0.53
1:A:834:GLU:OE2	1:A:890:ARG:NE	2.42	0.52
1:A:528:GLY:O	1:A:668:LYS:HE3	2.11	0.50
1:A:638:THR:HA	1:A:641:ILE:CG2	2.41	0.50
1:A:886:MET:HE1	9:A:1240:HOH:O	2.12	0.49
1:A:363:THR:HG23	9:A:1276:HOH:O	2.12	0.48
1:A:475:TRP:CD1	1:A:475:TRP:N	2.83	0.47
1:A:358:LYS:HE2	1:A:537:GLY:HA3	1.96	0.47
1:A:790:THR:HG22	9:A:1353:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:562:LYS:HE3	1:A:566:GLU:OE2	2.15	0.46
4:A:1004:DMS:C1	9:A:1226:HOH:O	2.53	0.46
1:A:512[B]:LEU:HD11	1:A:711:HIS:NE2	2.32	0.45
1:A:868:ASN:OD1	9:A:1102:HOH:O	2.21	0.45
1:A:303:TRP:CD2	1:A:593:ILE:HD12	2.52	0.43
1:A:321:VAL:HG11	1:A:326:ARG:CZ	2.48	0.43
1:A:512[B]:LEU:HD22	1:A:727:PRO:HB3	2.00	0.43
1:A:886:MET:CE	9:A:1240:HOH:O	2.67	0.41
1:A:450:CYS:C	1:A:477:MET:HE2	2.45	0.41
1:A:638:THR:O	1:A:641:ILE:HG23	2.21	0.40
1:A:394:CYS:HB3	1:A:486:PHE:CE2	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:1145:HOH:O	9:A:1145:HOH:O[2_445]	1.72	0.48

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	566/637 (89%)	546 (96%)	20 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	509/554 (92%)	499 (98%)	10 (2%)	48 26

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	274	LEU
1	A	335	ILE
1	A	455	MET
1	A	474	ILE
1	A	570	LYS
1	A	635	LEU
1	A	641	ILE
1	A	761	MET
1	A	764	LEU
1	A	887	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	273	ASN
1	A	306	HIS
1	A	645	ASN
1	A	705	GLN
1	A	786	HIS
1	A	801	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 11 ligands modelled in this entry, 3 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	DMS	A	1005	-	3,3,3	0.41	0	3,3,3	0.07	0
3	MES	A	1003[B]	-	12,12,12	0.70	0	15,16,16	0.30	0
3	MES	A	1003[A]	-	12,12,12	0.81	0	15,16,16	0.71	0
6	PEG	A	1008	-	6,6,6	0.19	0	5,5,5	0.23	0
7	A1BZQ	A	1009	-	14,15,15	0.13	0	15,21,21	0.34	0
5	PO4	A	1007	-	4,4,4	1.43	1 (25%)	6,6,6	0.52	0
5	PO4	A	1006	-	4,4,4	4.67	4 (100%)	6,6,6	1.30	1 (16%)
4	DMS	A	1004	-	3,3,3	0.81	0	3,3,3	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MES	A	1003[B]	-	-	5/6/14/14	0/1/1/1
3	MES	A	1003[A]	-	-	3/6/14/14	0/1/1/1
7	A1BZQ	A	1009	-	-	1/11/12/12	0/1/1/1
6	PEG	A	1008	-	-	3/4/4/4	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1006	PO4	P-O1	6.77	1.66	1.50
5	A	1006	PO4	P-O2	5.21	1.69	1.54
5	A	1006	PO4	P-O3	2.97	1.63	1.54
5	A	1007	PO4	P-O1	2.51	1.56	1.50
5	A	1006	PO4	P-O4	-2.33	1.47	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1006	PO4	O4-P-O2	2.15	114.61	107.91

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1003[A]	MES	C7-C8-S-O2S
3	A	1003[A]	MES	C7-C8-S-O3S
3	A	1003[B]	MES	C8-C7-N4-C3
3	A	1003[B]	MES	C7-C8-S-O2S
3	A	1003[B]	MES	C7-C8-S-O3S
6	A	1008	PEG	O2-C3-C4-O4
3	A	1003[B]	MES	C8-C7-N4-C5
3	A	1003[A]	MES	C7-C8-S-O1S
3	A	1003[B]	MES	C7-C8-S-O1S
6	A	1008	PEG	C4-C3-O2-C2
6	A	1008	PEG	C1-C2-O2-C3
7	A	1009	A1BZQ	C5-C4-C6-S

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1006	PO4	2	0
4	A	1004	DMS	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	573/637 (89%)	4.72	310 (54%) 0 0	4, 31, 75, 119	134 (23%)

All (310) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	580	VAL	22.0
1	A	380	TRP	20.8
1	A	589	VAL	20.4
1	A	725	VAL	20.1
1	A	303	TRP	20.0
1	A	304	ALA	19.9
1	A	478	TRP	19.7
1	A	411	ALA	19.7
1	A	281	ILE	19.6
1	A	512[A]	LEU	19.5
1	A	515	LEU	19.4
1	A	435	VAL	19.3
1	A	309	TYR	18.7
1	A	805	THR	18.6
1	A	292	TRP	18.6
1	A	483	PHE	18.5
1	A	600	GLY	18.5
1	A	601	SER	18.3
1	A	498	PHE	18.2
1	A	839	LEU	18.1
1	A	412	ILE	18.0
1	A	432	TRP	17.8
1	A	305	TYR	17.8
1	A	409	LEU	17.7
1	A	403	VAL	17.6
1	A	516	GLY	17.6
1	A	359	VAL	17.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	474	ILE	16.8
1	A	741[A]	SER	16.7
1	A	505	SER	16.5
1	A	400	THR	16.4
1	A	790	THR	16.2
1	A	499	SER	16.0
1	A	434	LEU	16.0
1	A	299	PRO	15.9
1	A	481	ALA	15.9
1	A	294	TYR	15.7
1	A	311	THR	15.6
1	A	546	ASP	15.5
1	A	408	ALA	15.2
1	A	278	GLY	15.1
1	A	588	THR	15.1
1	A	575	ASN	15.0
1	A	513	HIS	14.6
1	A	551[A]	GLU	14.6
1	A	431	PHE	14.3
1	A	280	ARG	14.3
1	A	356	LYS	14.3
1	A	426	VAL	14.2
1	A	290	THR	14.2
1	A	840	GLY	14.0
1	A	479	LEU	14.0
1	A	283	LYS	14.0
1	A	582	ARG	13.9
1	A	477	MET	13.8
1	A	480	GLY	13.8
1	A	514	LYS	13.8
1	A	801	HIS	13.7
1	A	430	GLY	13.7
1	A	279	LYS	13.7
1	A	657	ARG	13.5
1	A	361	THR	13.2
1	A	407	ALA	13.2
1	A	419	TRP	13.2
1	A	541	ARG	13.1
1	A	384	GLU	13.1
1	A	387	LYS	13.0
1	A	800	THR	13.0
1	A	302	THR	12.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	737	ARG	12.8
1	A	306	HIS	12.8
1	A	798	HIS	12.7
1	A	502	ASN	12.7
1	A	298	HIS	12.7
1	A	548	LYS	12.6
1	A	742	GLN	12.5
1	A	576	LYS	12.4
1	A	293	HIS	12.2
1	A	383	LYS	12.2
1	A	405	SER	12.2
1	A	473	ALA	12.2
1	A	358	LYS	12.1
1	A	482	ARG	12.0
1	A	396	ARG	11.9
1	A	429	SER	11.9
1	A	402	LYS	11.9
1	A	422	ALA	11.9
1	A	841	LYS	11.8
1	A	598	GLN	11.5
1	A	597	ASP	11.4
1	A	581	GLN	11.3
1	A	603	GLN	11.3
1	A	401	ARG	11.3
1	A	510	GLU	11.2
1	A	799	ALA	11.1
1	A	425	ALA	11.1
1	A	291	SER	10.9
1	A	802	GLU	10.9
1	A	843	GLU	10.8
1	A	595	ARG	10.6
1	A	404	ARG	10.6
1	A	433	GLU	10.5
1	A	791	SER	10.4
1	A	362	ARG	10.4
1	A	406	ASN	10.3
1	A	312	LYS	10.2
1	A	596	ARG	10.2
1	A	295	ASP	10.2
1	A	287	GLU	10.1
1	A	360	ASP	10.0
1	A	423	ARG	9.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	297	ASP	9.8
1	A	691	ILE	9.6
1	A	289	GLU	9.3
1	A	421	SER	9.3
1	A	792	ARG	9.2
1	A	424	GLU	9.1
1	A	697	SER	8.9
1	A	428	ASP	8.8
1	A	501	GLU	8.7
1	A	410	GLY	8.5
1	A	282	GLU	8.2
1	A	785[A]	SER	8.2
1	A	418	LYS	8.1
1	A	583	PRO	8.1
1	A	441	LEU	7.9
1	A	420	LYS	7.9
1	A	310	GLU	7.9
1	A	357	GLU	7.8
1	A	274	LEU	7.7
1	A	364	GLN	7.7
1	A	590	MET	7.5
1	A	475	TRP	7.5
1	A	296	GLN	7.4
1	A	286	GLN	7.4
1	A	572	THR	7.3
1	A	719[A]	LYS	7.2
1	A	275	ASP	7.0
1	A	427	GLU	7.0
1	A	695	GLU	6.9
1	A	763[A]	SER	6.8
1	A	670	LEU	6.8
1	A	449	THR	6.8
1	A	476	TYR	6.7
1	A	584	THR	6.6
1	A	698	ARG	6.6
1	A	451	VAL	6.6
1	A	571	LEU	6.5
1	A	864[A]	GLN	6.5
1	A	635	LEU	6.3
1	A	744	ALA	6.3
1	A	634	HIS	6.3
1	A	344	THR	6.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	705	GLN	6.2
1	A	745	GLY	6.2
1	A	579	ARG	6.1
1	A	889	PHE	6.1
1	A	445	GLY	5.9
1	A	448	GLU	5.9
1	A	284	ILE	5.8
1	A	604	VAL	5.8
1	A	637	VAL	5.8
1	A	452	TYR	5.8
1	A	484	LEU	5.5
1	A	564	LEU	5.5
1	A	440	ASN	5.4
1	A	453	ASN	5.4
1	A	694	TRP	5.4
1	A	288	HIS	5.4
1	A	592	ILE	5.4
1	A	593	ILE	5.3
1	A	365	GLU	5.3
1	A	890	ARG	5.2
1	A	693	GLN	5.1
1	A	825	GLU	5.1
1	A	455	MET	5.1
1	A	276	ILE	5.0
1	A	300	TYR	5.0
1	A	746	TRP	5.0
1	A	882	TYR	4.9
1	A	701	ASN	4.9
1	A	649	ARG	4.8
1	A	436	ASP	4.7
1	A	641	ILE	4.7
1	A	830	VAL	4.6
1	A	544	LEU	4.6
1	A	442	HIS	4.6
1	A	363	THR	4.6
1	A	277	ILE	4.6
1	A	545	GLU	4.6
1	A	743	GLY	4.6
1	A	578	VAL	4.5
1	A	437	LYS	4.5
1	A	495	ASP	4.5
1	A	876	ASN	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	891	ARG	4.5
1	A	444	GLU	4.4
1	A	563	LYS	4.4
1	A	285	LYS	4.4
1	A	367	LYS	4.4
1	A	446	LYS	4.3
1	A	318	SER	4.3
1	A	888	ARG	4.2
1	A	443	LEU	4.2
1	A	648	VAL	4.2
1	A	370	THR	4.2
1	A	308	SER	4.2
1	A	397	GLU	4.2
1	A	880	THR	4.2
1	A	393	MET	4.1
1	A	399	PHE	4.1
1	A	540	THR	4.0
1	A	439	ARG	4.0
1	A	629	PHE	4.0
1	A	677	ALA	3.9
1	A	632	ILE	3.9
1	A	565	ALA	3.8
1	A	884	PRO	3.8
1	A	577	VAL	3.8
1	A	454	MET	3.8
1	A	602	GLY	3.8
1	A	699	GLY	3.7
1	A	537	GLY	3.6
1	A	683	ASP	3.6
1	A	307	GLY	3.6
1	A	301	LYS	3.6
1	A	372	LYS	3.5
1	A	376	ILE	3.5
1	A	834	GLU	3.5
1	A	638	THR	3.5
1	A	536	ALA	3.4
1	A	273	ASN	3.4
1	A	319	SER	3.4
1	A	570	LYS	3.3
1	A	366	PRO	3.3
1	A	567	ALA	3.2
1	A	636	THR	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	552	MET	3.1
1	A	557	MET	3.1
1	A	633	GLN	3.1
1	A	887	LYS	3.1
1	A	643	VAL	3.0
1	A	591	ASP	3.0
1	A	594	SER	3.0
1	A	690	ASP	3.0
1	A	703	TRP	3.0
1	A	886	MET	2.9
1	A	524	LYS	2.9
1	A	371	LYS	2.9
1	A	438	GLU	2.9
1	A	368	GLU	2.9
1	A	818	ILE	2.8
1	A	549	ASN	2.8
1	A	854	THR	2.8
1	A	450	CYS	2.8
1	A	630	LYS	2.8
1	A	883	MET	2.8
1	A	497	TRP	2.7
1	A	558	GLU	2.7
1	A	375	LYS	2.7
1	A	676	SER	2.7
1	A	569	PHE	2.7
1	A	556	HIS	2.7
1	A	828	THR	2.7
1	A	398	GLU	2.6
1	A	789	PRO	2.6
1	A	486	PHE	2.6
1	A	561	HIS	2.6
1	A	447	CYS	2.6
1	A	373	LEU	2.6
1	A	566	GLU	2.5
1	A	554	THR	2.5
1	A	489	LEU	2.5
1	A	717	ILE	2.5
1	A	861	LYS	2.5
1	A	337	MET	2.5
1	A	764	LEU	2.5
1	A	573	TYR	2.5
1	A	642	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	663	ASP	2.4
1	A	559	GLY	2.4
1	A	395	THR	2.3
1	A	678	LEU	2.3
1	A	388	LYS	2.3
1	A	833	TRP	2.3
1	A	535	THR	2.3
1	A	379	GLU	2.3
1	A	568	ILE	2.3
1	A	640	GLU	2.3
1	A	644	LYS	2.3
1	A	534	ASP	2.3
1	A	542	ILE	2.3
1	A	547	LEU	2.2
1	A	538	TRP	2.2
1	A	639	GLU	2.2
1	A	631	SER	2.2
1	A	672	ASP	2.2
1	A	804	MET	2.2
1	A	878	GLU	2.2
1	A	692	GLN	2.1
1	A	386	GLY	2.1
1	A	343	MET	2.1
1	A	664	ASP	2.1
1	A	336	PRO	2.1
1	A	369	GLY	2.1
1	A	885	SER	2.1
1	A	390	THR	2.1
1	A	689	LYS	2.0
1	A	875	GLY	2.0
1	A	702	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	A1BZQ	A	1009	15/15	0.64	0.43	28,33,36,38	15
4	DMS	A	1005	4/4	0.68	0.33	76,98,106,126	0
5	PO4	A	1007	5/5	0.75	0.18	72,78,99,113	0
6	PEG	A	1008	7/7	0.78	0.21	64,69,79,81	0
5	PO4	A	1006	5/5	0.79	0.17	40,40,59,69	0
4	DMS	A	1004	4/4	0.83	0.23	41,50,54,55	0
3	MES	A	1003[A]	12/12	0.95	0.33	24,26,28,29	12
3	MES	A	1003[B]	12/12	0.95	0.33	629,645,678,682	12
8	CL	A	1010	1/1	0.97	0.08	40,40,40,40	0
2	ZN	A	1002	1/1	0.98	0.04	53,53,53,53	0
2	ZN	A	1001	1/1	1.00	0.01	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1BZQ A 1009:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.