



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2018 – 10:27 am GMT

PDB ID : 1I9A
Title : STRUCTURAL STUDIES OF CHOLESTEROL BIOSYNTHESIS: MEVALONATE 5-DIPHOSPHATE DECARBOXYLASE AND ISOPENTENYL DIPHOSPHATE ISOMERASE
Authors : Bonanno, J.B.; Edo, C.; Eswar, N.; Pieper, U.; Romanowski, M.J.; Ilyin, V.; Gerchman, S.E.; Kycia, H.; Studier, F.W.; Sali, A.; Burley, S.K.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2001-03-18
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	4155 (2.50-2.50)
Clashscore	122126	4827 (2.50-2.50)
Ramachandran outliers	120053	4735 (2.50-2.50)
Sidechain outliers	120020	4737 (2.50-2.50)
RSRZ outliers	108989	4058 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	182	
1	B	182	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3083 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ISOPENTENYL-DIPHOSPHATE DELTA-ISOMERASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	178	1410	892	249	262	4	3	0	0	0
1	B	178	1410	892	249	262	4	3	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	137	MSE	MET	modified residue	UNP Q46822
A	162	MSE	MET	modified residue	UNP Q46822
A	164	MSE	MET	modified residue	UNP Q46822
B	1137	MSE	MET	modified residue	UNP Q46822
B	1162	MSE	MET	modified residue	UNP Q46822
B	1164	MSE	MET	modified residue	UNP Q46822

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mn	0	0
			1	1		
2	A	1	Total	Mn	0	0
			1	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	110	Total	O	0	0
			110	110		
3	B	151	Total	O	0	0
			151	151		

4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	72.76Å 72.76Å 204.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.50 19.80 – 2.40	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.50) 95.6 (19.80-2.40)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.62 (at 2.41Å)	Xtrriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.229 , 0.279 0.241 , 0.282	Depositor DCC
R_{free} test set	3790 reflections (9.77%)	wwPDB-VP
Wilson B-factor (Å ²)	40.5	Xtrriage
Anisotropy	0.407	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 31.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3083	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/1444	0.64	1/1966 (0.1%)
1	B	0.37	0/1444	0.65	1/1966 (0.1%)
All	All	0.37	0/2888	0.65	2/3932 (0.1%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	117	VAL	N-CA-C	-6.20	94.26	111.00
1	B	1117	VAL	N-CA-C	-5.66	95.73	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1410	0	1368	54	0
1	B	1410	0	1368	61	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	110	0	0	9	0
3	B	151	0	0	11	0
All	All	3083	0	2736	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1047:LEU:HG	3:B:3183:HOH:O	1.72	0.89
1:B:1130:GLN:HB3	3:B:3129:HOH:O	1.80	0.80
1:A:22:TYR:CE1	1:A:56:LYS:HD2	2.18	0.78
1:A:97:SER:OG	1:A:100:PRO:HG3	1.86	0.74
1:A:9:LEU:HD11	1:A:33:LEU:HD23	1.69	0.73
1:B:1041:ASN:HD21	1:B:1045:GLN:HB2	1.57	0.69
1:A:45:GLN:HG2	3:A:3089:HOH:O	1.91	0.69
1:B:1009:LEU:HD21	1:B:1033:LEU:HG	1.75	0.69
1:A:9:LEU:HD11	1:A:33:LEU:CD2	2.23	0.68
1:B:1098:ILE:HG13	1:B:1122:ALA:HB2	1.76	0.66
1:B:1067:CYS:HB3	3:B:3216:HOH:O	1.96	0.65
1:B:1010:ASN:HD21	1:B:1014:VAL:HG23	1.64	0.62
1:B:1010:ASN:ND2	1:B:1014:VAL:HG23	2.15	0.62
1:B:1006:VAL:HG13	1:B:1032:HIS:HB2	1.82	0.62
1:B:1021:LYS:HG3	1:B:1022:TYR:N	2.14	0.61
1:B:1103:ARG:HG3	3:B:3165:HOH:O	2.00	0.61
1:B:1087:GLU:HG2	1:B:1135:GLU:HG3	1.81	0.61
1:A:41:ASN:ND2	1:A:45:GLN:HB2	2.15	0.60
1:B:1041:ASN:ND2	1:B:1045:GLN:HB2	2.16	0.60
1:A:6:VAL:HG13	1:A:32:HIS:HB2	1.82	0.59
1:A:8:LEU:HD13	1:A:30:ARG:CZ	2.33	0.58
1:B:1058:TRP:N	1:B:1059:PRO:HD3	2.19	0.58
1:A:41:ASN:HD21	1:A:45:GLN:HB2	1.69	0.58
1:B:1167:THR:HB	3:B:3234:HOH:O	2.04	0.57
1:A:55:LYS:O	1:A:59:PRO:HG3	2.05	0.56
1:B:1009:LEU:HD11	1:B:1033:LEU:CD2	2.35	0.56
1:A:124:ARG:HB3	3:A:3203:HOH:O	2.06	0.56
1:B:1033:LEU:HD23	1:B:1117:VAL:HB	1.88	0.56
1:B:1098:ILE:HD13	1:B:1174:ARG:HG3	1.88	0.55
1:B:1170:GLU:HB2	3:B:3143:HOH:O	2.07	0.55
1:B:1011:ALA:HB3	1:B:1012:GLN:NE2	2.21	0.55
1:B:1033:LEU:HB3	3:B:3122:HOH:O	2.06	0.55
1:A:76:ASN:O	1:A:80:VAL:HG23	2.08	0.54
1:B:1151:ILE:HG23	1:B:1163:VAL:HG22	1.90	0.54
1:A:99:TYR:HB3	1:A:120:VAL:HB	1.89	0.53
1:A:59:PRO:HD2	3:A:3008:HOH:O	2.09	0.52
1:B:1034:ALA:O	1:B:1119:PRO:HD2	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:ARG:HD3	1:A:178:PHE:HE2	1.75	0.52
1:B:1010:ASN:HB3	1:B:1016:THR:HG21	1.92	0.52
1:B:1019:LEU:HD23	1:B:1020:GLU:N	2.25	0.51
1:B:1022:TYR:CE1	1:B:1056:LYS:HD2	2.45	0.51
1:A:160:PRO:HG3	3:A:3123:HOH:O	2.10	0.51
1:B:1167:THR:HA	3:B:3228:HOH:O	2.11	0.51
1:A:37:SER:HA	1:A:121:PHE:O	2.11	0.50
1:B:1143:ASP:HB3	3:B:3136:HOH:O	2.10	0.50
1:B:1030:ARG:HH11	1:B:1030:ARG:HG3	1.76	0.50
1:B:1057:ALA:HB1	1:B:1058:TRP:CE3	2.46	0.50
1:A:102:PHE:HB3	1:A:118:CYS:O	2.12	0.50
1:A:97:SER:HG	1:A:100:PRO:HG3	1.76	0.50
1:A:98:ILE:HG13	1:A:122:ALA:HB2	1.94	0.49
1:B:1154:THR:HG22	1:B:1156:TRP:CZ2	2.46	0.49
1:A:64:ASN:HA	1:A:162:MSE:HE3	1.93	0.49
1:B:1098:ILE:CD1	1:B:1174:ARG:HG3	2.42	0.49
1:A:156:TRP:CG	1:B:1140:GLN:HG3	2.48	0.49
1:B:1096:GLU:HG3	1:B:1178:PHE:HE1	1.77	0.49
1:B:1090:VAL:HG23	1:B:1127:SER:O	2.13	0.49
1:B:1055:LYS:O	1:B:1059:PRO:HG3	2.12	0.49
1:B:1103:ARG:HD3	3:B:3107:HOH:O	2.11	0.48
1:B:1006:VAL:HG13	1:B:1032:HIS:CB	2.42	0.48
1:B:1030:ARG:NH1	1:B:1030:ARG:HG3	2.28	0.48
1:A:4:GLU:HG2	1:A:21:LYS:HE3	1.95	0.48
1:A:8:LEU:HD13	1:A:30:ARG:NH2	2.27	0.48
1:B:1047:LEU:HB2	1:B:1141:TRP:CZ3	2.49	0.48
1:A:161:TRP:HA	1:A:164:MSE:HE3	1.95	0.48
1:B:1103:ARG:O	1:B:1104:TYR:HB3	2.14	0.48
1:A:167:THR:HB	3:A:3131:HOH:O	2.13	0.48
1:A:34:ALA:HA	1:A:70:PRO:HD3	1.95	0.47
1:A:108:ASP:C	1:A:108:ASP:OD2	2.53	0.47
1:B:1090:VAL:HB	1:B:1129:LEU:HD23	1.96	0.47
1:A:57:ALA:HB1	1:A:58:TRP:CE3	2.49	0.47
1:A:105:ARG:HG2	1:A:105:ARG:HH11	1.80	0.47
1:B:1009:LEU:HD11	1:B:1033:LEU:HD23	1.95	0.47
1:A:6:VAL:HG13	1:A:32:HIS:CB	2.45	0.47
1:B:1040:PHE:HA	1:B:1045:GLN:O	2.15	0.47
1:A:105:ARG:HA	1:A:114:GLU:O	2.15	0.47
1:B:1102:PHE:CD2	1:B:1118:CYS:HB3	2.50	0.46
1:A:51:ARG:NH1	1:A:57:ALA:O	2.49	0.46
1:A:64:ASN:CA	1:A:162:MSE:HE3	2.46	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1105:ARG:HA	1:B:1114:GLU:O	2.16	0.46
1:B:1057:ALA:HB2	1:B:1112:ILE:HG21	1.98	0.46
1:B:1051:ARG:O	1:B:1060:GLY:HA2	2.15	0.46
1:B:1037:SER:HA	1:B:1121:PHE:O	2.16	0.46
1:B:1010:ASN:HD21	1:B:1014:VAL:CG2	2.29	0.46
1:B:1099:TYR:HB3	1:B:1120:VAL:HB	1.98	0.46
1:A:145:ALA:CB	3:A:3185:HOH:O	2.64	0.45
1:A:58:TRP:N	1:A:59:PRO:HD3	2.31	0.45
1:A:40:PHE:HB2	1:A:124:ARG:HD2	1.98	0.45
1:B:1108:ASP:OD2	1:B:1108:ASP:C	2.55	0.45
1:B:1018:THR:HG23	1:B:1019:LEU:N	2.32	0.44
1:A:34:ALA:O	1:A:119:PRO:HD2	2.17	0.44
1:A:85:ARG:O	1:A:89:GLY:HA2	2.18	0.44
1:B:1132:ASN:OD1	1:B:1134:ASP:HB2	2.18	0.44
1:A:57:ALA:HB1	1:A:58:TRP:HE3	1.83	0.44
1:B:1047:LEU:HD23	1:B:1048:VAL:N	2.33	0.43
1:A:173:LYS:HD2	3:A:3220:HOH:O	2.18	0.43
1:A:4:GLU:CD	1:A:21:LYS:HE3	2.39	0.43
1:A:46:LEU:HD22	1:A:144:LEU:HD13	2.00	0.42
1:A:167:THR:O	1:A:167:THR:HG22	2.18	0.42
1:A:63:THR:HB	1:A:159:SER:HB3	2.02	0.42
1:A:125:THR:HG22	3:A:3147:HOH:O	2.17	0.42
1:A:50:ARG:NH2	1:B:1060:GLY:O	2.53	0.42
1:A:96:GLU:HG3	1:A:178:PHE:HE1	1.84	0.41
1:A:92:ILE:HD12	1:A:95:PRO:HG3	2.01	0.41
1:A:124:ARG:CG	1:A:124:ARG:HH11	2.32	0.41
1:A:124:ARG:HH21	1:A:179:THR:HA	1.85	0.41
1:B:1035:PHE:C	1:B:1035:PHE:CD1	2.94	0.41
1:B:1122:ALA:HB3	1:B:1178:PHE:CE1	2.56	0.41
1:A:170:GLU:O	1:A:174:ARG:HG3	2.21	0.41
1:A:179:THR:HG23	3:A:3037:HOH:O	2.21	0.40
1:B:1097:SER:OG	1:B:1100:PRO:HG3	2.20	0.40
1:A:51:ARG:HD3	1:A:58:TRP:O	2.22	0.40
1:B:1005:HIS:HB3	3:B:3104:HOH:O	2.22	0.40
1:B:1124:ARG:HH11	1:B:1124:ARG:CG	2.34	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	176/182 (97%)	163 (93%)	12 (7%)	1 (1%)	27	46
1	B	176/182 (97%)	162 (92%)	13 (7%)	1 (1%)	27	46
All	All	352/364 (97%)	325 (92%)	25 (7%)	2 (1%)	27	46

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1065	SER
1	A	65	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	150/150 (100%)	140 (93%)	10 (7%)	18	34
1	B	150/150 (100%)	141 (94%)	9 (6%)	21	39
All	All	300/300 (100%)	281 (94%)	19 (6%)	20	37

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	VAL
1	A	18	THR
1	A	47	LEU
1	A	99	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	108	ASP
1	A	115	ASN
1	A	124	ARG
1	A	125	THR
1	A	130	GLN
1	A	142	CYS
1	B	1018	THR
1	B	1047	LEU
1	B	1072	LEU
1	B	1099	TYR
1	B	1108	ASP
1	B	1114	GLU
1	B	1115	ASN
1	B	1124	ARG
1	B	1174	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	115	ASN
1	A	130	GLN
1	B	1012	GLN
1	B	1115	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	175/182 (96%)	-0.22	0 100 100	30, 42, 52, 62	0
1	B	175/182 (96%)	-0.31	1 (0%) 89 90	29, 39, 55, 61	0
All	All	350/364 (96%)	-0.26	1 (0%) 93 94	29, 41, 54, 62	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1022	TYR	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MN	A	1001	1/1	0.99	0.13	32,32,32,32	0
2	MN	B	2001	1/1	0.99	0.14	39,39,39,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.