



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 3, 2021 – 01:59 AM EDT

PDB ID : 3IEC  
Title : Helicobacter pylori CagA Inhibits PAR1/MARK Family Kinases by Mimicking Host Substrates  
Authors : Stebbins, C.E.; Nestic, D.; Miller, M.  
Deposited on : 2009-07-22  
Resolution : 2.20 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">80%      16%    . .</p>
1	B	319	<div style="display: flex; align-items: center;"> <div style="width: 10%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">85%      10%    . .</p>
1	C	319	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">81%      13%    . .</p>
1	D	319	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 83%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">83%      11%    . .</p>
2	E	125	<div style="display: flex; align-items: center;"> <div style="width: 10%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 89%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">10%    .      89%</p>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	F	125	 9% .. 89%
2	G	125	 10% . 89%
2	H	125	 % 9% .. 89%

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 11312 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase MARK2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	311	2534	1633	429	459	13	0	0	0
1	B	313	2547	1641	432	461	13	0	0	0
1	C	311	2534	1633	429	459	13	0	0	0
1	D	311	2534	1633	429	459	13	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	45	MET	-	expression tag	UNP Q7KZI7
A	46	ALA	-	expression tag	UNP Q7KZI7
A	47	ASP	-	expression tag	UNP Q7KZI7
A	48	LEU	-	expression tag	UNP Q7KZI7
A	146	TRP	ARG	engineered mutation	UNP Q7KZI7
B	45	MET	-	expression tag	UNP Q7KZI7
B	46	ALA	-	expression tag	UNP Q7KZI7
B	47	ASP	-	expression tag	UNP Q7KZI7
B	48	LEU	-	expression tag	UNP Q7KZI7
B	146	TRP	ARG	engineered mutation	UNP Q7KZI7
C	45	MET	-	expression tag	UNP Q7KZI7
C	46	ALA	-	expression tag	UNP Q7KZI7
C	47	ASP	-	expression tag	UNP Q7KZI7
C	48	LEU	-	expression tag	UNP Q7KZI7
C	146	TRP	ARG	engineered mutation	UNP Q7KZI7
D	45	MET	-	expression tag	UNP Q7KZI7
D	46	ALA	-	expression tag	UNP Q7KZI7
D	47	ASP	-	expression tag	UNP Q7KZI7
D	48	LEU	-	expression tag	UNP Q7KZI7
D	146	TRP	ARG	engineered mutation	UNP Q7KZI7

- Molecule 2 is a protein called Cytotoxicity-associated immunodominant antigen.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	14	Total	C	N	O	0	0	0
			119	76	22	21			
2	F	14	Total	C	N	O	0	0	0
			119	76	22	21			
2	G	14	Total	C	N	O	0	0	0
			119	76	22	21			
2	H	14	Total	C	N	O	0	0	0
			119	76	22	21			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	881	GLY	-	expression tag	UNP P55980
E	882	PRO	-	expression tag	UNP P55980
E	883	VAL	-	expression tag	UNP P55980
E	884	ASP	-	expression tag	UNP P55980
F	881	GLY	-	expression tag	UNP P55980
F	882	PRO	-	expression tag	UNP P55980
F	883	VAL	-	expression tag	UNP P55980
F	884	ASP	-	expression tag	UNP P55980
G	881	GLY	-	expression tag	UNP P55980
G	882	PRO	-	expression tag	UNP P55980
G	883	VAL	-	expression tag	UNP P55980
G	884	ASP	-	expression tag	UNP P55980
H	881	GLY	-	expression tag	UNP P55980
H	882	PRO	-	expression tag	UNP P55980
H	883	VAL	-	expression tag	UNP P55980
H	884	ASP	-	expression tag	UNP P55980

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	185	Total	O	0	0
			185	185		
3	B	166	Total	O	0	0
			166	166		
3	C	161	Total	O	0	0
			161	161		
3	D	147	Total	O	0	0
			147	147		
3	E	6	Total	O	0	0
			6	6		

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>	<b>ZeroOcc</b>	<b>AltConf</b>
3	F	8	Total O 8 8	0	0
3	G	7	Total O 7 7	0	0
3	H	7	Total O 7 7	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Serine/threonine-protein kinase MARK2




- Molecule 1: Serine/threonine-protein kinase MARK2




- Molecule 1: Serine/threonine-protein kinase MARK2



- Molecule 1: Serine/threonine-protein kinase MARK2





• Molecule 2: Cytotoxicity-associated immunodominant antigen

Chain E: 10% . 89%

GLY	VAL	ASP	ASN	ASN	ASN	ASN	GLY	LEU	LYS	ASN	SER	THR	GLU	PRO	ILE	TYR	ALA	LYS	LYS	THR	ASP	GLN	VAL	ALA	SER	PRO	GLU	GLU	PRO	LYS	ILE	TYR	THR	GLN	VAL	VAL	ALA	LYS	VAL	LYS	VAL	ASN	LYS	ILE	ILE	ASP	ARG	LEU	ASN	GLN	ILE	ILE	ALA	SER	GLY	LEU	GLY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

GLY	VAL	GLY	ALA	ALA	GLY	F948	P949	L950	K961	VAL	GLY	LEU	SER	ALA	ILE	PRO	GLU	PRO	ILE	TYR	LYS	THR	ILE	ASP	GLY	GLY	PRO	PHE	PRO	LEU	PRO	LYS	ARG	HIS	ASP	GLN	LYS	VAL	VAL	ALA	ASP	ASP	LEU	SER	LYS	VAL	ASN	LYS	VAL	VAL	ALA	LYS	GLY	ARG	ARG	SER	ASN	GLN	GLN	ILE	LEU	ALA	ALA
-----	-----	-----	-----	-----	-----	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

• Molecule 2: Cytotoxicity-associated immunodominant antigen

Chain F: 9% .. 89%

GLY	VAL	ASP	ASN	ASN	ASN	ASN	GLY	LEU	LYS	ASN	SER	THR	GLU	PRO	ILE	TYR	ALA	LYS	LYS	THR	ILE	ASP	GLN	VAL	VAL	ALA	SER	PRO	PHE	PRO	LEU	PRO	LYS	ARG	HIS	ASP	GLN	LYS	VAL	VAL	ALA	ASP	ASP	LEU	SER	LYS	VAL	ASN	LYS	VAL	VAL	ALA	LYS	GLY	ARG	ARG	SER	ASN	GLN	GLN	ILE	LEU	ALA	ALA	SER	GLY	LEU	GLY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

GLY	VAL	GLY	ALA	ALA	GLY	F948	P949	L950	K961	VAL	GLY	LEU	SER	ALA	ILE	PRO	GLU	PRO	ILE	TYR	LYS	THR	ILE	ASP	GLY	GLY	PRO	PHE	PRO	LEU	PRO	LYS	ARG	HIS	ASP	GLN	LYS	VAL	VAL	ALA	ASP	ASP	LEU	SER	LYS	VAL	ASN	LYS	VAL	VAL	ALA	LYS	GLY	ARG	ARG	SER	ASN	GLN	GLN	ILE	LEU	ALA	ALA
-----	-----	-----	-----	-----	-----	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

• Molecule 2: Cytotoxicity-associated immunodominant antigen

Chain G: 10% . 89%

GLY	VAL	ASP	ASN	ASN	ASN	ASN	GLY	LEU	LYS	ASN	SER	THR	GLU	PRO	ILE	TYR	ALA	LYS	LYS	THR	ILE	ASP	GLY	GLN	VAL	VAL	ALA	SER	PRO	PHE	PRO	LEU	PRO	LYS	ARG	HIS	ASP	GLN	LYS	VAL	VAL	ALA	ASP	ASP	LEU	SER	LYS	VAL	ASN	LYS	VAL	VAL	ALA	LYS	GLY	ARG	ARG	SER	ASN	GLN	GLN	ILE	LEU	ALA	ALA	SER	GLY	LEU	GLY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

GLY	VAL	GLY	ALA	ALA	GLY	F948	P949	L950	K961	VAL	GLY	LEU	SER	ALA	ILE	PRO	GLU	PRO	ILE	TYR	LYS	THR	ILE	ASP	GLY	GLY	PRO	PHE	PRO	LEU	PRO	LYS	ARG	HIS	ASP	GLN	LYS	VAL	VAL	ALA	ASP	ASP	LEU	SER	LYS	VAL	ASN	LYS	VAL	VAL	ALA	LYS	GLY	ARG	ARG	SER	ASN	GLN	GLN	ILE	LEU	ALA	ALA
-----	-----	-----	-----	-----	-----	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

• Molecule 2: Cytotoxicity-associated immunodominant antigen

Chain H: 9% .. 89%

GLY	VAL	ASP	ASN	ASN	ASN	ASN	GLY	LEU	LYS	ASN	SER	THR	GLU	PRO	ILE	TYR	ALA	LYS	LYS	THR	ILE	ASP	GLN	VAL	VAL	ALA	SER	PRO	PHE	PRO	LEU	PRO	LYS	ARG	HIS	ASP	GLN	LYS	VAL	VAL	ALA	ASP	ASP	LEU	SER	LYS	VAL	ASN	LYS	VAL	VAL	ALA	LYS	GLY	ARG	ARG	SER	ASN	GLN	GLN	ILE	LEU	ALA	ALA	SER	GLY	LEU	GLY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

GLY	VAL	GLY	ALA	ALA	GLY	F948	P949	L950	K961	VAL	GLY	LEU	SER	ALA	ILE	PRO	GLU	PRO	ILE	TYR	LYS	THR	ILE	ASP	GLY	GLY	PRO	PHE	PRO	LEU	PRO	LYS	ARG	HIS	ASP	GLN	LYS	VAL	VAL	ALA	ASP	ASP	LEU	SER	LYS	VAL	ASN	LYS	VAL	VAL	ALA	LYS	GLY	ARG	ARG	SER	ASN	GLN	GLN	ILE	LEU	ALA	ALA
-----	-----	-----	-----	-----	-----	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	93.47Å 93.26Å 113.95Å 90.00° 100.94° 90.00°	Depositor
Resolution (Å)	40.96 – 2.20 30.06 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (40.96-2.20) 99.5 (30.06-2.20)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.58 (at 2.20Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.204 , 0.248 0.219 , 0.259	Depositor DCC
$R_{free}$ test set	4906 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	38.5	Xtrriage
Anisotropy	0.102	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 50.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	11312	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.77	1/2587 (0.0%)	0.81	4/3485 (0.1%)
1	B	0.73	1/2600 (0.0%)	0.78	1/3501 (0.0%)
1	C	0.75	0/2587	0.77	2/3485 (0.1%)
1	D	0.73	1/2587 (0.0%)	0.74	2/3485 (0.1%)
2	E	0.56	0/121	0.80	0/160
2	F	0.80	0/121	0.95	0/160
2	G	0.53	0/121	0.64	0/160
2	H	0.55	0/121	0.69	0/160
All	All	0.74	3/10845 (0.0%)	0.78	9/14596 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	D	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	340	GLU	CG-CD	5.64	1.60	1.51
1	B	192	ALA	C-O	5.54	1.33	1.23
1	A	166	CYS	CB-SG	-5.37	1.73	1.81

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	292	ARG	NE-CZ-NH1	8.56	124.58	120.30
1	A	292	ARG	NE-CZ-NH2	-7.27	116.66	120.30
1	A	232	ASP	CB-CG-OD1	7.20	124.78	118.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	339	ARG	NE-CZ-NH2	-5.63	117.49	120.30
1	D	292	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	C	176	LEU	CB-CG-CD1	5.21	119.86	111.00
1	C	54	ARG	NE-CZ-NH2	-5.09	117.75	120.30
1	D	292	ARG	NE-CZ-NH2	-5.03	117.78	120.30
1	B	174	ARG	NE-CZ-NH2	-5.03	117.79	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	223	GLY	Peptide
1	D	192	ALA	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2534	0	2570	39	0
1	B	2547	0	2586	24	0
1	C	2534	0	2570	32	0
1	D	2534	0	2570	31	0
2	E	119	0	122	0	0
2	F	119	0	122	1	0
2	G	119	0	122	2	0
2	H	119	0	122	3	0
3	A	185	0	0	9	0
3	B	166	0	0	4	1
3	C	161	0	0	4	0
3	D	147	0	0	2	0
3	E	6	0	0	0	0
3	F	8	0	0	0	0
3	G	7	0	0	1	1
3	H	7	0	0	1	0
All	All	11312	0	10784	127	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 6.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:286:ILE:O	1:C:292:ARG:NH1	1.78	1.16
1:B:286:ILE:O	1:B:292:ARG:NH1	1.89	1.05
1:B:294:THR:HG23	1:B:297:GLN:HE21	1.32	0.91
1:B:103:ILE:HG23	1:B:171:ILE:HD13	1.57	0.85
1:A:302:ARG:NE	3:A:463:HOH:O	2.17	0.77
1:A:276:ASP:OD1	1:A:302:ARG:NH1	2.18	0.76
1:C:238:VAL:O	1:C:242:THR:HG23	1.86	0.76
1:A:103:ILE:HG23	1:A:171:ILE:HD13	1.68	0.75
1:A:105:LYS:NZ	3:A:364:HOH:O	2.06	0.72
2:G:961:LYS:C	3:G:486:HOH:O	2.29	0.70
1:D:220:LEU:HD11	1:D:231:VAL:HG11	1.73	0.70
1:A:286:ILE:O	1:A:292:ARG:HD3	1.94	0.68
1:A:269:ILE:HD13	1:A:278:GLU:OE2	1.95	0.67
1:A:238:VAL:O	1:A:242:THR:HG23	1.95	0.66
1:B:90:ASN:ND2	1:B:93:SER:H	1.95	0.65
1:B:268:ARG:NH1	3:B:385:HOH:O	2.32	0.63
1:B:90:ASN:HD22	1:B:90:ASN:C	2.01	0.62
1:D:269:ILE:HD12	1:D:269:ILE:N	2.16	0.61
1:A:294:THR:HG22	1:A:295:LEU:N	2.16	0.60
1:A:173:HIS:CG	1:A:176:LEU:HD13	2.37	0.60
1:A:286:ILE:HG21	1:A:291:LYS:HG3	1.83	0.59
1:D:172:VAL:HG11	1:D:228:GLY:C	2.22	0.59
1:A:302:ARG:NH2	3:A:463:HOH:O	2.34	0.59
1:C:288:ASN:HD22	1:C:288:ASN:C	2.06	0.59
1:B:173:HIS:CG	1:B:176:LEU:HD13	2.37	0.59
1:D:220:LEU:HD11	1:D:231:VAL:CG1	2.32	0.59
1:D:280:LEU:HD22	1:D:284:PHE:CE2	2.38	0.58
1:A:105:LYS:CE	3:A:364:HOH:O	2.49	0.58
1:A:288:ASN:C	1:A:288:ASN:HD22	2.07	0.57
1:C:173:HIS:CG	1:C:176:LEU:HD13	2.39	0.57
1:D:50:ILE:HG23	1:D:50:ILE:O	2.05	0.57
1:C:286:ILE:HD12	1:C:292:ARG:HA	1.86	0.57
1:A:302:ARG:CZ	3:A:463:HOH:O	2.52	0.57
1:C:169:LYS:NZ	3:C:638:HOH:O	2.25	0.57
1:D:219:GLU:OE2	1:D:292:ARG:NH2	2.38	0.57
1:D:322:ASP:OD2	3:D:401:HOH:O	2.17	0.56
1:D:286:ILE:HG21	1:D:291:LYS:HB2	1.88	0.56
1:C:50:ILE:HD12	1:C:126:TYR:CD2	2.40	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:GLY:O	1:B:65:ALA:N	2.39	0.55
1:C:138:PHE:CE1	2:G:950:LEU:HD22	2.41	0.55
1:A:294:THR:CG2	3:A:386:HOH:O	2.54	0.55
1:D:138:PHE:CE1	2:H:950:LEU:HD22	2.43	0.54
1:C:280:LEU:HD22	1:C:284:PHE:CE2	2.43	0.54
1:C:294:THR:HG22	1:C:296:GLU:H	1.70	0.54
1:B:286:ILE:HD13	1:B:291:LYS:O	2.07	0.54
1:D:95:GLN:NE2	3:D:368:HOH:O	2.40	0.53
1:A:286:ILE:HD12	1:A:291:LYS:O	2.09	0.53
1:C:50:ILE:HD12	1:C:126:TYR:CG	2.44	0.53
1:B:240:LEU:HD11	1:B:280:LEU:HD13	1.92	0.52
1:D:258:LEU:C	1:D:258:LEU:HD12	2.31	0.52
1:B:288:ASN:C	1:B:288:ASN:HD22	2.13	0.51
1:A:311:ASP:O	1:A:311:ASP:CG	2.48	0.51
1:B:90:ASN:ND2	1:B:90:ASN:C	2.64	0.51
1:C:87:THR:HG22	1:C:123:LYS:HG3	1.93	0.51
1:C:258:LEU:HD12	1:C:262:VAL:HG23	1.93	0.50
1:B:201:THR:O	1:B:203:GLY:N	2.43	0.50
1:A:269:ILE:HD13	1:A:278:GLU:CD	2.31	0.50
1:B:86:LYS:HA	1:B:89:LEU:HD22	1.93	0.50
1:B:280:LEU:HD22	1:B:284:PHE:CE2	2.47	0.50
1:C:130:GLU:OE2	1:C:190:LYS:NZ	2.38	0.50
1:D:230:GLU:CD	1:D:230:GLU:H	2.15	0.49
1:B:114:LYS:NZ	3:B:492:HOH:O	2.45	0.49
1:A:294:THR:HG22	1:A:296:GLU:H	1.78	0.48
1:D:162:ALA:CB	1:D:191:ILE:HD12	2.44	0.47
1:C:117:GLU:HB2	1:C:356:ALA:HB2	1.96	0.47
1:A:286:ILE:HD12	1:A:292:ARG:HA	1.95	0.47
1:A:49:HIS:CE1	1:A:73:ILE:HD11	2.50	0.47
1:A:314:LYS:HE3	3:A:379:HOH:O	2.13	0.47
1:B:174:ARG:HD3	1:B:196:PHE:O	2.15	0.47
1:D:269:ILE:HD12	1:D:269:ILE:H	1.78	0.47
1:C:87:THR:CG2	1:C:123:LYS:HG3	2.45	0.47
1:C:231:VAL:HG13	3:C:585:HOH:O	2.14	0.47
1:C:172:VAL:HG11	1:C:228:GLY:C	2.35	0.46
1:C:227:ASP:N	1:C:230:GLU:OE2	2.48	0.46
1:C:322:ASP:OD2	3:C:572:HOH:O	2.20	0.46
1:A:284:PHE:O	1:A:292:ARG:HD2	2.16	0.46
1:C:50:ILE:O	1:C:50:ILE:HG23	2.16	0.46
1:A:104:MET:HB2	1:A:104:MET:HE2	1.76	0.46
1:A:254:ASN:OD1	1:A:257:GLU:HG3	2.16	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:343:GLN:HG3	3:C:384:HOH:O	2.14	0.46
1:D:255:LEU:H	1:D:255:LEU:HD22	1.81	0.46
1:D:256:LYS:O	1:D:260:GLU:HG3	2.16	0.46
1:C:123:LYS:HZ3	1:D:291:LYS:HE3	1.80	0.46
1:D:326:PRO:O	1:D:330:GLU:HG2	2.16	0.46
1:A:242:THR:HG21	1:A:248:LEU:HD23	1.98	0.45
1:C:77:LYS:HE2	1:C:363:TYR:HB2	1.98	0.45
1:C:309:GLU:H	1:C:309:GLU:CD	2.20	0.45
1:D:87:THR:CG2	1:D:123:LYS:HG2	2.47	0.45
1:B:311:ASP:CG	1:B:311:ASP:O	2.54	0.45
1:D:280:LEU:HD12	1:D:303:TRP:CE3	2.51	0.45
1:D:100:GLU:HG2	1:D:104:MET:CE	2.46	0.45
1:A:289:PRO:HA	1:A:292:ARG:HG3	1.99	0.44
1:A:294:THR:HG22	3:A:386:HOH:O	2.17	0.44
1:D:247:SER:HB2	2:H:948:PHE:O	2.18	0.44
2:H:961:LYS:C	3:H:684:HOH:O	2.55	0.44
1:A:86:LYS:O	1:A:87:THR:C	2.56	0.43
1:C:129:MET:HE2	1:C:129:MET:HB3	1.56	0.43
1:A:288:ASN:HD22	1:A:289:PRO:N	2.17	0.43
1:B:231:VAL:HG13	3:B:378:HOH:O	2.18	0.43
1:B:353:GLU:OE2	3:B:683:HOH:O	2.21	0.43
1:C:346:LEU:HD11	1:C:358:TYR:CD2	2.54	0.43
1:D:50:ILE:O	1:D:50:ILE:CG2	2.66	0.42
1:A:172:VAL:HG11	1:A:228:GLY:C	2.40	0.42
1:A:343:GLN:HG3	3:A:464:HOH:O	2.19	0.42
1:D:286:ILE:HG21	1:D:291:LYS:CB	2.49	0.42
1:D:84:ILE:HD13	1:D:97:LEU:HD11	2.02	0.42
1:A:294:THR:CG2	1:A:295:LEU:N	2.83	0.42
1:D:280:LEU:HD22	1:D:284:PHE:HE2	1.82	0.42
1:C:90:ASN:C	1:C:90:ASN:HD22	2.23	0.42
1:B:295:LEU:HD23	1:B:295:LEU:HA	1.85	0.41
1:C:201:THR:O	1:C:203:GLY:N	2.53	0.41
1:A:218:PRO:CB	1:A:263:LEU:HD23	2.50	0.41
1:D:286:ILE:HD12	1:D:292:ARG:HA	2.02	0.41
1:C:294:THR:HG22	1:C:295:LEU:N	2.36	0.41
1:B:138:PHE:CE1	2:F:950:LEU:HD22	2.56	0.41
1:D:294:THR:OG1	1:D:297:GLN:HG3	2.21	0.41
1:D:227:ASP:HB2	1:D:230:GLU:OE1	2.20	0.41
1:D:240:LEU:HD11	1:D:280:LEU:HD13	2.03	0.41
1:B:258:LEU:HD12	1:B:262:VAL:HG23	2.02	0.41
1:A:117:GLU:HB2	1:A:356:ALA:HB2	2.03	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:239:ILE:O	1:C:243:LEU:HG	2.21	0.41
1:B:234:TRP:HE3	1:B:292:ARG:NH1	2.18	0.41
1:A:87:THR:OG1	1:A:88:GLN:HG2	2.21	0.40
1:A:218:PRO:HB3	1:A:263:LEU:HD23	2.03	0.40
1:A:255:LEU:N	1:A:255:LEU:CD1	2.84	0.40
1:A:251:ASP:O	1:A:261:ARG:NH1	2.52	0.40
1:C:258:LEU:HD12	1:C:258:LEU:C	2.42	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:382:HOH:O	3:G:153:HOH:O[1_655]	2.08	0.12

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/319 (96%)	296 (96%)	11 (4%)	0	100	100
1	B	309/319 (97%)	301 (97%)	7 (2%)	1 (0%)	41	46
1	C	307/319 (96%)	298 (97%)	8 (3%)	1 (0%)	41	46
1	D	307/319 (96%)	297 (97%)	9 (3%)	1 (0%)	41	46
2	E	12/125 (10%)	11 (92%)	1 (8%)	0	100	100
2	F	12/125 (10%)	11 (92%)	0	1 (8%)	1	0
2	G	12/125 (10%)	11 (92%)	1 (8%)	0	100	100
2	H	12/125 (10%)	11 (92%)	1 (8%)	0	100	100
All	All	1278/1776 (72%)	1236 (97%)	38 (3%)	4 (0%)	41	46

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	202	PHE
1	C	202	PHE
1	D	202	PHE
2	F	960	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	277/283 (98%)	263 (95%)	14 (5%)	24	29
1	B	278/283 (98%)	261 (94%)	17 (6%)	18	21
1	C	277/283 (98%)	260 (94%)	17 (6%)	18	21
1	D	277/283 (98%)	262 (95%)	15 (5%)	22	26
2	E	14/103 (14%)	13 (93%)	1 (7%)	14	16
2	F	14/103 (14%)	12 (86%)	2 (14%)	3	2
2	G	14/103 (14%)	12 (86%)	2 (14%)	3	2
2	H	14/103 (14%)	13 (93%)	1 (7%)	14	16
All	All	1165/1544 (76%)	1096 (94%)	69 (6%)	19	23

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	91	SER
1	A	94	LEU
1	A	176	LEU
1	A	206	LEU
1	A	231	VAL
1	A	236	LEU
1	A	240	LEU
1	A	258	LEU
1	A	280	LEU
1	A	288	ASN
1	A	310	ASP
1	A	311	ASP

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	327	ARG
1	A	330	GLU
1	B	50	ILE
1	B	61	LYS
1	B	71	ARG
1	B	89	LEU
1	B	90	ASN
1	B	91	SER
1	B	94	LEU
1	B	129	MET
1	B	176	LEU
1	B	236	LEU
1	B	240	LEU
1	B	253	GLN
1	B	258	LEU
1	B	280	LEU
1	B	288	ASN
1	B	294	THR
1	B	311	ASP
1	C	49	HIS
1	C	50	ILE
1	C	82	LYS
1	C	90	ASN
1	C	95	GLN
1	C	129	MET
1	C	172	VAL
1	C	176	LEU
1	C	206	LEU
1	C	236	LEU
1	C	240	LEU
1	C	255	LEU
1	C	258	LEU
1	C	280	LEU
1	C	288	ASN
1	C	309	GLU
1	C	340	GLU
1	D	49	HIS
1	D	50	ILE
1	D	66	LYS
1	D	94	LEU
1	D	95	GLN
1	D	123	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	172	VAL
1	D	230	GLU
1	D	236	LEU
1	D	240	LEU
1	D	255	LEU
1	D	258	LEU
1	D	280	LEU
1	D	302	ARG
1	D	353	GLU
2	E	950	LEU
2	F	950	LEU
2	F	961	LYS
2	G	950	LEU
2	G	961	LYS
2	H	950	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	HIS
1	A	180	ASN
1	A	279	ASN
1	A	288	ASN
1	B	90	ASN
1	B	180	ASN
1	B	288	ASN
1	B	297	GLN
1	B	343	GLN
1	C	49	HIS
1	C	52	ASN
1	C	90	ASN
1	C	95	GLN
1	C	180	ASN
1	C	288	ASN
1	C	297	GLN
1	D	95	GLN
1	D	180	ASN
1	D	254	ASN
1	D	279	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	311/319 (97%)	0.21	21 (6%) 17 16	16, 24, 37, 47	0
1	B	313/319 (98%)	0.38	31 (9%) 7 6	15, 25, 40, 61	0
1	C	311/319 (97%)	0.34	20 (6%) 19 18	13, 23, 36, 47	0
1	D	311/319 (97%)	0.42	30 (9%) 8 6	17, 25, 39, 48	0
2	E	14/125 (11%)	-0.02	0 100 100	16, 19, 22, 23	0
2	F	14/125 (11%)	0.04	0 100 100	13, 16, 17, 18	0
2	G	14/125 (11%)	0.60	0 100 100	9, 16, 18, 19	0
2	H	14/125 (11%)	0.44	1 (7%) 16 14	30, 41, 49, 50	0
All	All	1302/1776 (73%)	0.34	103 (7%) 12 11	9, 24, 39, 61	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	65	ALA	7.2
1	D	202	PHE	7.0
1	B	203	GLY	6.7
1	C	203	GLY	5.9
1	A	202	PHE	5.9
1	B	202	PHE	5.7
1	C	202	PHE	5.6
1	D	65	ALA	5.6
1	B	239	ILE	4.9
1	B	204	ASN	4.6
1	D	204	ASN	4.6
1	B	236	LEU	4.6
1	C	363	TYR	4.5
1	D	88	GLN	4.4
1	C	60	GLY	4.2
1	A	239	ILE	4.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	238	VAL	4.1
1	B	192	ALA	3.9
1	D	253	GLN	3.9
1	B	176	LEU	3.8
1	A	236	LEU	3.7
1	C	88	GLN	3.6
1	C	238	VAL	3.5
1	D	239	ILE	3.4
1	C	239	ILE	3.4
1	B	256	LYS	3.4
1	D	203	GLY	3.3
1	A	176	LEU	3.3
1	B	62	GLY	3.3
1	B	253	GLN	3.2
1	A	223	GLY	3.2
1	D	291	LYS	3.2
1	A	88	GLN	3.1
1	D	176	LEU	3.1
1	A	203	GLY	3.1
1	A	238	VAL	3.1
1	D	363	TYR	3.1
1	C	236	LEU	3.1
1	B	227	ASP	3.0
1	A	256	LYS	3.0
1	B	61	LYS	3.0
1	A	49	HIS	3.0
1	B	237	GLY	2.9
1	D	236	LEU	2.9
1	C	59	ILE	2.9
1	C	204	ASN	2.9
1	D	237	GLY	2.8
1	A	85	ASP	2.8
1	B	88	GLN	2.8
1	B	49	HIS	2.7
1	D	60	GLY	2.7
1	C	176	LEU	2.7
1	D	238	VAL	2.7
1	B	310	ASP	2.6
1	D	192	ALA	2.6
1	D	215	TYR	2.6
1	A	237	GLY	2.6
1	B	235	SER	2.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	191	ILE	2.6
1	B	240	LEU	2.5
1	C	215	TYR	2.5
1	D	222	GLN	2.5
1	B	320	LEU	2.5
1	C	181	LEU	2.5
1	D	89	LEU	2.5
1	A	235	SER	2.5
1	A	260	GLU	2.5
1	B	215	TYR	2.5
1	D	227	ASP	2.5
1	D	221	PHE	2.4
1	B	257	GLU	2.4
1	B	159	ILE	2.4
1	A	255	LEU	2.4
1	C	256	LYS	2.4
1	B	85	ASP	2.4
1	D	49	HIS	2.4
1	A	257	GLU	2.3
1	B	181	LEU	2.3
1	D	255	LEU	2.3
1	A	310	ASP	2.3
1	C	253	GLN	2.3
1	D	56	LEU	2.3
1	B	285	LEU	2.2
1	D	207	ASP	2.2
1	A	59	ILE	2.2
1	D	58	THR	2.2
1	B	207	ASP	2.2
1	D	314	LYS	2.2
1	A	60	GLY	2.2
1	B	252	GLY	2.2
1	A	253	GLN	2.2
1	C	264	ARG	2.1
1	A	240	LEU	2.1
1	D	181	LEU	2.1
1	D	311	ASP	2.1
1	B	255	LEU	2.1
1	D	257	GLU	2.1
1	B	60	GLY	2.1
1	C	89	LEU	2.1
1	C	254	ASN	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	H	961	LYS	2.0
1	C	49	HIS	2.0
1	D	309	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.