



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 19, 2024 – 05:33 AM EDT

PDB ID : 4IIB
Title : Crystal structure of beta-glucosidase 1 from *Aspergillus aculeatus*
Authors : Suzuki, K.; Sumitani, J.; Kawaguchi, T.; Fushinobu, S.
Deposited on : 2012-12-20
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	841	 91% 7%
1	B	841	 90% 8%
2	C	6	 67% 33%
3	D	3	 33% 67%
3	G	3	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	K	3	 100%
3	M	3	 100%
4	E	2	 50% 50%
5	F	10	 80% 20%
5	L	10	 100%
6	H	7	 71% 29%
6	N	7	 86% 14%
7	I	7	 100%
8	J	7	 71% 29%
9	O	6	 83% 17%
10	P	8	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MAN	C	4	-	-	X	-

2 Entry composition i


There are 16 unique types of molecules in this entry. The entry contains 15992 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-glucosidase 1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	834	Total 6387	C 4031	N 1097	O 1241	S 18	0	0	0
1	B	832	Total 6375	C 4023	N 1095	O 1239	S 18	0	0	0

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	6	Total 72	C 40	N 2	O 30	0	0	0

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	D	3	Total 39	C 22	N 2	O 15	0	0	0
3	G	3	Total 39	C 22	N 2	O 15	0	0	0
3	K	3	Total 39	C 22	N 2	O 15	0	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	M	3	39	22	2	15	0	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	E	2	28	16	2	10	0	0	0

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	F	10	116	64	2	50	0	0	0
5	L	10	116	64	2	50	0	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	H	7	Total	C	N	O	0	0	0
			83	46	2	35			
6	N	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	I	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	J	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	O	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
10	P	8	94	52	2	40	0	0	0

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
11	A	1	14	8	1	5	0	0
11	A	1	14	8	1	5	0	0
11	B	1	14	8	1	5	0	0
11	B	1	14	8	1	5	0	0

- Molecule 12 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	A	1	Total	C	O	0	0
			8	6	2		

- Molecule 13 is (4R)-2-METHYLPENTANE-2,4-DIOL (three-letter code: MRD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	A	1	Total	C	O	0	0
			8	6	2		
13	A	1	Total	C	O	0	0
			8	6	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	B	1	Total C O 8 6 2	0	0
13	B	1	Total C O 8 6 2	0	0
13	B	1	Total C O 8 6 2	0	0

- Molecule 14 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	A	1	Total Na 1 1	0	0
14	B	1	Total Na 1 1	0	0

- Molecule 15 is ACETIC ACID (three-letter code: ACY) (formula: C₂H₄O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	A	1	Total C O 4 2 2	0	0
15	B	1	Total C O 4 2 2	0	0


- Molecule 16 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	A	1027	Total 1027	O 1027	0	0
16	B	1103	Total 1103	O 1103	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Beta-glucosidase 1



- Molecule 1: Beta-glucosidase 1



- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  33% 67%


MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%


MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%


MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%


MAG1
MAG2
BMA3

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%


MAG1
MAG2

- Molecule 5: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  80% 20%

MAG1
MAG2
BMA3
MAN5
MAN6
MAN7
MAN8
MAN9
MAN10

- Molecule 5: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%


MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9
MAN10

- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  71% 29%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7

- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  86% 14%


MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7

- Molecule 7: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%


MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7

- Molecule 8: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  71% 29%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7

- Molecule 9: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  83% 17%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6

- Molecule 10: α -D-mannopyranose-(1-2)- α -D-mannopyranose-(1-3)-[α -D-mannopyranose-(1-6)] α -D-mannopyranose-(1-6)-[α -D-mannopyranose-(1-3)] β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain P:

100%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	82.16Å 123.02Å 222.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.49 – 1.80 34.49 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.8 (34.49-1.80) 99.9 (34.49-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.58 (at 1.81Å)	Xtrriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.137 , 0.169 0.137 , 0.170	Depositor DCC
R_{free} test set	10448 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	11.7	Xtrriage
Anisotropy	0.047	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 48.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	15992	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MPD, BMA, NA, ACY, MAN, MRD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.48	18/6550 (0.3%)	1.22	28/8930 (0.3%)
1	B	1.48	16/6538 (0.2%)	1.25	33/8913 (0.4%)
All	All	1.48	34/13088 (0.3%)	1.23	61/17843 (0.3%)

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	469	GLU	CD-OE2	-7.73	1.17	1.25
1	A	761	GLU	CD-OE2	-7.13	1.17	1.25
1	B	761	GLU	CD-OE2	-6.91	1.18	1.25
1	B	458	TYR	CG-CD2	6.30	1.47	1.39
1	A	561	ASP	CG-OD2	5.94	1.39	1.25
1	A	336	ARG	CZ-NH1	5.93	1.40	1.33
1	A	613	ARG	CZ-NH1	5.89	1.40	1.33
1	B	613	ARG	CZ-NH1	5.82	1.40	1.33
1	B	159	GLU	CD-OE1	5.80	1.32	1.25
1	B	68	TRP	CZ3-CH2	5.75	1.49	1.40
1	A	509	GLU	CD-OE1	5.68	1.31	1.25
1	B	685	PHE	CG-CD1	5.59	1.47	1.38
1	A	499	SER	CB-OG	5.59	1.49	1.42
1	A	764	ARG	CZ-NH1	5.59	1.40	1.33
1	B	837	TYR	CG-CD1	5.54	1.46	1.39
1	A	159	GLU	CD-OE1	5.47	1.31	1.25
1	A	613	ARG	CZ-NH2	5.41	1.40	1.33
1	B	197	GLU	CB-CG	5.40	1.62	1.52
1	A	22	LEU	N-CA	5.39	1.57	1.46
1	A	635	ARG	CZ-NH1	5.39	1.40	1.33
1	A	257	CYS	CB-SG	5.37	1.91	1.82
1	A	350	TYR	CG-CD1	5.34	1.46	1.39
1	B	376	GLU	CD-OE1	5.33	1.31	1.25
1	A	587	TYR	CG-CD1	5.32	1.46	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	654	TYR	CE1-CZ	5.28	1.45	1.38
1	B	389	SER	CB-OG	5.27	1.49	1.42
1	A	399	SER	CA-CB	5.24	1.60	1.52
1	A	357	SER	CA-CB	5.21	1.60	1.52
1	B	390	GLU	CG-CD	5.15	1.59	1.51
1	B	261	TYR	CE2-CZ	5.14	1.45	1.38
1	B	484	TRP	CE3-CZ3	5.12	1.47	1.38
1	B	607	TYR	CD2-CE2	5.03	1.46	1.39
1	A	151	SER	CA-CB	-5.02	1.45	1.52
1	B	233	PHE	CE1-CZ	5.02	1.46	1.37

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	819	ARG	NE-CZ-NH1	-12.85	113.87	120.30
1	B	764	ARG	NE-CZ-NH2	-10.86	114.87	120.30
1	A	336	ARG	NE-CZ-NH1	8.90	124.75	120.30
1	A	764	ARG	NE-CZ-NH1	8.84	124.72	120.30
1	A	589	ARG	NE-CZ-NH2	-8.61	116.00	120.30
1	A	819	ARG	NE-CZ-NH1	-8.47	116.06	120.30
1	B	831	ASP	CB-CG-OD1	8.34	125.81	118.30
1	B	177	LYS	CD-CE-NZ	7.85	129.76	111.70
1	A	561	ASP	CB-CG-OD2	7.58	125.13	118.30
1	B	101	ASP	CB-CG-OD1	7.48	125.03	118.30
1	A	613	ARG	NE-CZ-NH1	-7.37	116.62	120.30
1	A	820	ARG	NE-CZ-NH2	-7.16	116.72	120.30
1	A	715	ASP	CB-CG-OD1	7.14	124.72	118.30
1	B	521	ARG	NE-CZ-NH1	-7.11	116.75	120.30
1	A	238	ARG	NE-CZ-NH1	7.03	123.81	120.30
1	A	757	ARG	NE-CZ-NH2	-6.96	116.82	120.30
1	B	819	ARG	NE-CZ-NH2	6.91	123.76	120.30
1	B	238	ARG	NE-CZ-NH2	-6.83	116.89	120.30
1	A	820	ARG	NE-CZ-NH1	6.77	123.69	120.30
1	A	764	ARG	NE-CZ-NH2	-6.65	116.98	120.30
1	B	200	ARG	NE-CZ-NH2	-6.51	117.05	120.30
1	A	626	PHE	CB-CG-CD1	6.50	125.35	120.80
1	A	101	ASP	CB-CG-OD1	6.43	124.08	118.30
1	A	561	ASP	CB-CG-OD1	-6.42	112.52	118.30
1	B	638	ASP	CB-CG-OD1	6.42	124.08	118.30
1	A	347	ASP	CB-CG-OD1	6.33	124.00	118.30
1	A	214	ASP	CB-CG-OD2	-6.23	112.69	118.30
1	B	635	ARG	NE-CZ-NH2	-6.21	117.19	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	238	ARG	NE-CZ-NH1	6.13	123.36	120.30
1	B	531	ASP	CB-CG-OD1	6.09	123.78	118.30
1	B	361	ASP	CB-CG-OD1	6.02	123.72	118.30
1	A	626	PHE	CB-CG-CD2	-6.02	116.59	120.80
1	B	306	ASP	CB-CG-OD1	-5.88	113.01	118.30
1	B	181	ASP	CB-CG-OD1	5.80	123.52	118.30
1	B	831	ASP	CB-CG-OD2	-5.73	113.14	118.30
1	B	360	ARG	NE-CZ-NH2	-5.73	117.44	120.30
1	A	722	ASP	CB-CG-OD1	5.65	123.39	118.30
1	B	193	LEU	CB-CG-CD1	-5.65	101.39	111.00
1	A	628	GLU	OE1-CD-OE2	-5.64	116.53	123.30
1	B	561	ASP	CB-CG-OD1	5.62	123.36	118.30
1	A	238	ARG	NE-CZ-NH2	-5.53	117.54	120.30
1	A	73	CYS	CA-CB-SG	-5.53	104.05	114.00
1	A	635	ARG	NE-CZ-NH2	-5.50	117.55	120.30
1	A	88	MET	CA-CB-CG	-5.50	103.96	113.30
1	B	221	ASP	CB-CG-OD1	5.49	123.24	118.30
1	B	88	MET	CA-CB-CG	-5.42	104.09	113.30
1	A	808	SER	CA-CB-OG	-5.41	96.60	111.20
1	B	613	ARG	NE-CZ-NH2	-5.39	117.60	120.30
1	A	123	LEU	CB-CG-CD1	-5.38	101.85	111.00
1	B	757	ARG	NE-CZ-NH2	-5.34	117.63	120.30
1	B	626	PHE	CB-CG-CD2	-5.24	117.14	120.80
1	A	153	ASP	CB-CG-OD1	5.23	123.01	118.30
1	B	82	ARG	NE-CZ-NH1	5.19	122.89	120.30
1	B	156	ARG	NE-CZ-NH1	-5.15	117.73	120.30
1	A	757	ARG	NE-CZ-NH1	5.13	122.87	120.30
1	B	62	LEU	CB-CG-CD1	-5.13	102.28	111.00
1	B	265	LYS	CD-CE-NZ	-5.12	99.93	111.70
1	B	406	ASN	CB-CA-C	5.10	120.61	110.40
1	B	715	ASP	CB-CG-OD1	5.08	122.87	118.30
1	B	346	ARG	NE-CZ-NH1	-5.06	117.77	120.30
1	B	802	ARG	NE-CZ-NH2	-5.02	117.79	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6387	0	6097	22	0
1	B	6375	0	6083	26	0
2	C	72	0	61	6	0
3	D	39	0	33	2	0
3	G	39	0	34	0	0
3	K	39	0	34	0	0
3	M	39	0	34	0	0
4	E	28	0	25	3	0
5	F	116	0	98	3	0
5	L	116	0	97	0	0
6	H	83	0	70	2	0
6	N	83	0	69	1	0
7	I	83	0	68	0	0
8	J	83	0	70	2	0
9	O	72	0	61	1	0
10	P	94	0	77	0	0
11	A	28	0	26	0	0
11	B	28	0	26	0	0
12	A	8	0	14	0	0
13	A	16	0	28	2	0
13	B	24	0	42	5	0
14	A	1	0	0	0	0
14	B	1	0	0	0	0
15	A	4	0	3	0	0
15	B	4	0	3	0	0
16	A	1027	0	0	7	0
16	B	1103	0	0	8	0
All	All	15992	0	13153	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:3:BMA:C3	2:C:4:MAN:H5	1.82	1.09
2:C:3:BMA:H3	2:C:4:MAN:H5	1.36	1.07
2:C:3:BMA:H3	2:C:4:MAN:C5	1.84	1.07
2:C:3:BMA:C3	2:C:4:MAN:C5	2.45	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:819:ARG:HH12	1:A:860:GLN:C	1.71	0.92
13:A:942:MRD:H1C2	13:A:942:MRD:C5	2.00	0.88
8:J:5:MAN:C2	8:J:6:MAN:C1	2.52	0.86
5:F:5:MAN:C2	5:F:6:MAN:C1	2.55	0.85
1:A:857:PRO:HD3	16:A:1336:HOH:O	1.80	0.82
13:A:942:MRD:H1C2	13:A:942:MRD:H5C3	1.61	0.80
2:C:3:BMA:H3	2:C:4:MAN:C6	2.12	0.79
1:A:201:GLN:HG3	16:A:2020:HOH:O	1.86	0.75
4:E:2:NAG:H83	4:E:2:NAG:H3	1.70	0.73
13:B:948:MRD:C5	13:B:948:MRD:H1C2	2.17	0.72
5:F:5:MAN:HO2	5:F:6:MAN:C1	2.03	0.69
8:J:5:MAN:O2	8:J:6:MAN:C2	2.40	0.68
1:A:794:LYS:HG3	16:A:1747:HOH:O	1.95	0.66
1:B:815:THR:HG22	16:B:1545:HOH:O	1.95	0.65
16:A:1834:HOH:O	2:C:4:MAN:H61	1.97	0.65
13:B:948:MRD:H1C2	13:B:948:MRD:H5C3	1.79	0.64
13:B:948:MRD:H4	16:B:1369:HOH:O	2.00	0.62
1:A:542:ASN:ND2	16:A:1640:HOH:O	2.27	0.61
1:B:819:ARG:HH12	1:B:860:GLN:C	2.05	0.60
1:A:819:ARG:NH1	1:A:860:GLN:C	2.53	0.57
5:F:5:MAN:O2	5:F:6:MAN:C2	2.51	0.55
1:B:387:ASN:CG	16:B:1673:HOH:O	2.47	0.54
1:B:595:LYS:HE2	16:B:1078:HOH:O	2.07	0.53
16:A:1150:HOH:O	6:H:1:NAG:H82	2.08	0.53
1:B:764:ARG:HD3	1:B:814:THR:HG21	1.89	0.53
1:A:595:LYS:HE2	16:A:1340:HOH:O	2.09	0.53
1:A:664:ILE:HD11	1:A:841:VAL:HG11	1.91	0.51
1:B:387:ASN:ND2	16:B:1673:HOH:O	2.43	0.51
1:A:251:ILE:HG21	3:D:1:NAG:H82	1.94	0.50
1:B:860:GLN:HB3	16:B:1945:HOH:O	2.11	0.49
1:B:188:ALA:HB3	1:B:244:ILE:HD13	1.95	0.49
1:B:90:LEU:HG	1:B:139:VAL:HB	1.96	0.48
1:A:231:TRP:HB3	1:A:232:PRO:HD3	1.95	0.48
1:A:807:PRO:O	1:A:808:SER:HB2	2.13	0.48
1:B:449:TRP:CD1	1:B:508:GLY:HA3	2.49	0.47
1:A:303:ILE:HG21	4:E:2:NAG:H81	1.96	0.47
1:A:484:TRP:CE2	6:H:3:BMA:H62	2.50	0.47
1:B:613:ARG:NH1	16:B:1057:HOH:O	2.39	0.46
1:B:783:LEU:C	1:B:783:LEU:HD23	2.36	0.46
1:B:193:LEU:HD13	1:B:220:VAL:HG21	1.98	0.46
1:A:446:ALA:HA	1:A:574:PRO:HD2	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:470:VAL:HG11	1:A:477:VAL:HB	1.99	0.45
1:B:172:PHE:CE2	1:B:236:ALA:HB2	2.52	0.44
4:E:2:NAG:H83	4:E:2:NAG:C3	2.43	0.44
1:A:97:ILE:HD13	1:A:135:LYS:HG3	1.99	0.44
1:B:251:ILE:HG21	9:O:1:NAG:H82	2.00	0.43
1:A:188:ALA:HB3	1:A:244:ILE:HD13	2.01	0.43
13:B:949:MRD:O2	13:B:949:MRD:C5	2.66	0.43
1:A:500:LEU:HD23	1:A:545:ILE:HB	2.01	0.42
1:B:500:LEU:HD23	1:B:545:ILE:HB	2.01	0.42
1:A:827:VAL:HG11	3:D:2:NAG:O3	2.20	0.42
1:B:659:TYR:HE1	1:B:781:PRO:HB3	1.85	0.42
1:B:504:ASN:HA	1:B:549:HIS:O	2.20	0.42
1:B:595:LYS:HE3	16:B:1003:HOH:O	2.20	0.41
1:B:611:LEU:HD12	1:B:613:ARG:NH2	2.35	0.41
1:B:484:TRP:CZ2	1:B:529:ASN:HB2	2.55	0.41
1:B:764:ARG:HD3	1:B:814:THR:CG2	2.50	0.41
1:A:191:TYR:O	1:A:246:CYS:HA	2.20	0.41
1:B:484:TRP:CE2	6:N:3:BMA:H62	2.55	0.41
1:A:659:TYR:HE1	1:A:781:PRO:HB3	1.85	0.41
1:B:102:TYR:HB3	1:B:383:ASN:HA	2.03	0.41
1:B:664:ILE:HD11	1:B:854:ALA:HB3	2.03	0.41
13:B:948:MRD:H1C2	13:B:948:MRD:H4	1.48	0.41
1:A:484:TRP:CZ2	1:A:529:ASN:HB2	2.56	0.40
1:B:146:GLY:HA2	1:B:147:PRO:C	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	830/841 (99%)	807 (97%)	23 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	828/841 (98%)	802 (97%)	26 (3%)	0	100	100
All	All	1658/1682 (99%)	1609 (97%)	49 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	671/677 (99%)	668 (100%)	3 (0%)	91	89
1	B	670/677 (99%)	665 (99%)	5 (1%)	84	81
All	All	1341/1354 (99%)	1333 (99%)	8 (1%)	86	84

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	89	CYS
1	A	281	TRP
1	A	860	GLN
1	B	81	PRO
1	B	281	TRP
1	B	700	LEU
1	B	757	ARG
1	B	860	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

82 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	2,1	14,14,15	1.59	4 (28%)	17,19,21	2.24	6 (35%)
2	NAG	C	2	2	14,14,15	1.04	2 (14%)	17,19,21	2.44	9 (52%)
2	BMA	C	3	2	11,11,12	0.89	1 (9%)	15,15,17	2.67	6 (40%)
2	MAN	C	4	2	11,11,12	1.79	3 (27%)	15,15,17	4.30	10 (66%)
2	MAN	C	5	2	11,11,12	0.70	0	15,15,17	1.71	4 (26%)
2	MAN	C	6	2	11,11,12	0.78	0	15,15,17	1.87	5 (33%)
3	NAG	D	1	3,1	14,14,15	1.64	2 (14%)	17,19,21	1.82	5 (29%)
3	NAG	D	2	3	14,14,15	1.57	3 (21%)	17,19,21	2.69	7 (41%)
3	BMA	D	3	3	11,11,12	1.19	1 (9%)	15,15,17	2.89	7 (46%)
4	NAG	E	1	4,1	14,14,15	0.96	1 (7%)	17,19,21	2.15	7 (41%)
4	NAG	E	2	4	14,14,15	1.62	2 (14%)	17,19,21	2.44	7 (41%)
5	NAG	F	1	5,1	14,14,15	1.57	3 (21%)	17,19,21	1.78	5 (29%)
5	MAN	F	10	5	11,11,12	1.45	2 (18%)	15,15,17	2.31	7 (46%)
5	NAG	F	2	5	14,14,15	2.00	1 (7%)	17,19,21	1.61	4 (23%)
5	BMA	F	3	5	11,11,12	1.27	2 (18%)	15,15,17	1.48	3 (20%)
5	MAN	F	4	5	11,11,12	0.79	0	15,15,17	1.16	1 (6%)
5	MAN	F	5	5	11,11,12	1.31	2 (18%)	15,15,17	1.79	5 (33%)
5	MAN	F	6	5	11,11,12	0.58	0	15,15,17	2.18	3 (20%)
5	MAN	F	7	5	11,11,12	1.48	3 (27%)	15,15,17	1.17	2 (13%)
5	MAN	F	8	5	11,11,12	1.28	2 (18%)	15,15,17	1.31	1 (6%)
5	MAN	F	9	5	11,11,12	1.05	1 (9%)	15,15,17	1.86	2 (13%)
3	NAG	G	1	3,1	14,14,15	0.97	1 (7%)	17,19,21	2.05	5 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	G	2	3	14,14,15	1.15	2 (14%)	17,19,21	1.53	4 (23%)
3	BMA	G	3	3	11,11,12	0.94	1 (9%)	15,15,17	2.08	5 (33%)
6	NAG	H	1	6,1	14,14,15	1.48	2 (14%)	17,19,21	2.33	7 (41%)
6	NAG	H	2	6	14,14,15	0.98	0	17,19,21	2.30	7 (41%)
6	BMA	H	3	6	11,11,12	1.31	1 (9%)	15,15,17	0.99	0
6	MAN	H	4	6	11,11,12	1.04	1 (9%)	15,15,17	2.12	7 (46%)
6	MAN	H	5	6	11,11,12	1.09	1 (9%)	15,15,17	2.61	7 (46%)
6	MAN	H	6	6	11,11,12	1.19	1 (9%)	15,15,17	1.20	1 (6%)
6	MAN	H	7	6	11,11,12	0.80	0	15,15,17	1.88	5 (33%)
7	NAG	I	1	7,1,14	14,14,15	0.82	0	17,19,21	1.59	3 (17%)
7	NAG	I	2	7	14,14,15	1.32	2 (14%)	17,19,21	1.85	6 (35%)
7	BMA	I	3	7	11,11,12	0.97	0	15,15,17	2.12	3 (20%)
7	MAN	I	4	7	11,11,12	1.26	1 (9%)	15,15,17	1.48	2 (13%)
7	MAN	I	5	7	11,11,12	1.27	1 (9%)	15,15,17	1.29	3 (20%)
7	MAN	I	6	7	11,11,12	1.07	0	15,15,17	2.43	5 (33%)
7	MAN	I	7	7	11,11,12	1.18	2 (18%)	15,15,17	1.46	2 (13%)
8	NAG	J	1	8,1	14,14,15	1.74	3 (21%)	17,19,21	2.41	11 (64%)
8	NAG	J	2	8	14,14,15	1.08	1 (7%)	17,19,21	2.46	8 (47%)
8	BMA	J	3	8	11,11,12	1.68	4 (36%)	15,15,17	2.82	6 (40%)
8	MAN	J	4	8	11,11,12	1.16	1 (9%)	15,15,17	1.64	5 (33%)
8	MAN	J	5	8	11,11,12	1.12	1 (9%)	15,15,17	2.10	6 (40%)
8	MAN	J	6	8	11,11,12	1.09	1 (9%)	15,15,17	2.39	6 (40%)
8	MAN	J	7	8	11,11,12	0.88	0	15,15,17	2.19	5 (33%)
3	NAG	K	1	3,1	14,14,15	1.34	2 (14%)	17,19,21	1.28	1 (5%)
3	NAG	K	2	3	14,14,15	1.11	1 (7%)	17,19,21	1.63	5 (29%)
3	BMA	K	3	3	11,11,12	0.87	0	15,15,17	2.24	4 (26%)
5	NAG	L	1	5,1	14,14,15	1.00	0	17,19,21	2.01	5 (29%)
5	MAN	L	10	5	11,11,12	0.75	0	15,15,17	1.91	4 (26%)
5	NAG	L	2	5	14,14,15	1.34	2 (14%)	17,19,21	1.76	3 (17%)
5	BMA	L	3	5	11,11,12	1.27	2 (18%)	15,15,17	2.04	5 (33%)
5	MAN	L	4	5	11,11,12	0.97	0	15,15,17	1.51	2 (13%)
5	MAN	L	5	5	11,11,12	1.50	3 (27%)	15,15,17	2.73	7 (46%)
5	MAN	L	6	5	11,11,12	1.13	0	15,15,17	1.33	2 (13%)
5	MAN	L	7	5	11,11,12	1.63	2 (18%)	15,15,17	2.33	6 (40%)
5	MAN	L	8	5	11,11,12	1.46	2 (18%)	15,15,17	1.52	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MAN	L	9	5	11,11,12	1.12	0	15,15,17	2.17	6 (40%)
3	NAG	M	1	3,1	14,14,15	1.12	1 (7%)	17,19,21	2.24	6 (35%)
3	NAG	M	2	3	14,14,15	1.22	1 (7%)	17,19,21	2.12	5 (29%)
3	BMA	M	3	3	11,11,12	1.26	1 (9%)	15,15,17	2.12	6 (40%)
6	NAG	N	1	6,1	14,14,15	1.54	3 (21%)	17,19,21	1.83	6 (35%)
6	NAG	N	2	6	14,14,15	0.91	0	17,19,21	2.03	8 (47%)
6	BMA	N	3	6	11,11,12	1.06	1 (9%)	15,15,17	2.13	3 (20%)
6	MAN	N	4	6	11,11,12	1.66	2 (18%)	15,15,17	2.16	6 (40%)
6	MAN	N	5	6	11,11,12	1.40	2 (18%)	15,15,17	2.19	5 (33%)
6	MAN	N	6	6	11,11,12	1.28	2 (18%)	15,15,17	1.89	6 (40%)
6	MAN	N	7	6	11,11,12	1.12	2 (18%)	15,15,17	1.89	5 (33%)
9	NAG	O	1	9,1	14,14,15	1.10	1 (7%)	17,19,21	1.62	3 (17%)
9	NAG	O	2	9	14,14,15	2.02	6 (42%)	17,19,21	2.45	8 (47%)
9	BMA	O	3	9	11,11,12	0.96	1 (9%)	15,15,17	1.28	2 (13%)
9	MAN	O	4	9	11,11,12	0.79	0	15,15,17	1.79	3 (20%)
9	MAN	O	5	9	11,11,12	1.24	1 (9%)	15,15,17	0.95	1 (6%)
9	MAN	O	6	9	11,11,12	1.42	1 (9%)	15,15,17	1.76	3 (20%)
10	NAG	P	1	14,1,10	14,14,15	1.35	2 (14%)	17,19,21	1.89	8 (47%)
10	NAG	P	2	10	14,14,15	1.08	1 (7%)	17,19,21	2.21	7 (41%)
10	BMA	P	3	10	11,11,12	1.12	1 (9%)	15,15,17	1.23	2 (13%)
10	MAN	P	4	10	11,11,12	1.42	1 (9%)	15,15,17	1.98	6 (40%)
10	MAN	P	5	10	11,11,12	1.25	2 (18%)	15,15,17	1.48	2 (13%)
10	MAN	P	6	10	11,11,12	0.98	1 (9%)	15,15,17	1.43	4 (26%)
10	MAN	P	7	10	11,11,12	1.34	2 (18%)	15,15,17	2.26	4 (26%)
10	MAN	P	8	10	11,11,12	1.19	0	15,15,17	2.30	8 (53%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	BMA	C	3	2	-	0/2/19/22	0/1/1/1
2	MAN	C	4	2	-	2/2/19/22	0/1/1/1
2	MAN	C	5	2	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	C	6	2	-	0/2/19/22	0/1/1/1
3	NAG	D	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	BMA	D	3	3	-	0/2/19/22	0/1/1/1
4	NAG	E	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	3/6/23/26	0/1/1/1
5	NAG	F	1	5,1	-	0/6/23/26	0/1/1/1
5	MAN	F	10	5	-	0/2/19/22	0/1/1/1
5	NAG	F	2	5	-	0/6/23/26	0/1/1/1
5	BMA	F	3	5	-	0/2/19/22	0/1/1/1
5	MAN	F	4	5	-	0/2/19/22	0/1/1/1
5	MAN	F	5	5	-	0/2/19/22	0/1/1/1
5	MAN	F	6	5	-	0/2/19/22	0/1/1/1
5	MAN	F	7	5	-	0/2/19/22	0/1/1/1
5	MAN	F	8	5	-	0/2/19/22	0/1/1/1
5	MAN	F	9	5	-	0/2/19/22	0/1/1/1
3	NAG	G	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
3	BMA	G	3	3	-	0/2/19/22	0/1/1/1
6	NAG	H	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	H	2	6	-	0/6/23/26	0/1/1/1
6	BMA	H	3	6	-	0/2/19/22	0/1/1/1
6	MAN	H	4	6	-	0/2/19/22	0/1/1/1
6	MAN	H	5	6	-	0/2/19/22	0/1/1/1
6	MAN	H	6	6	-	0/2/19/22	0/1/1/1
6	MAN	H	7	6	-	1/2/19/22	0/1/1/1
7	NAG	I	1	7,1,14	-	0/6/23/26	0/1/1/1
7	NAG	I	2	7	-	0/6/23/26	0/1/1/1
7	BMA	I	3	7	-	0/2/19/22	0/1/1/1
7	MAN	I	4	7	-	0/2/19/22	0/1/1/1
7	MAN	I	5	7	-	0/2/19/22	0/1/1/1
7	MAN	I	6	7	-	2/2/19/22	0/1/1/1
7	MAN	I	7	7	-	0/2/19/22	0/1/1/1
8	NAG	J	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	J	2	8	-	0/6/23/26	0/1/1/1
8	BMA	J	3	8	-	0/2/19/22	0/1/1/1
8	MAN	J	4	8	-	0/2/19/22	0/1/1/1
8	MAN	J	5	8	-	2/2/19/22	0/1/1/1
8	MAN	J	6	8	-	2/2/19/22	0/1/1/1
8	MAN	J	7	8	-	0/2/19/22	0/1/1/1
3	NAG	K	1	3,1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	K	2	3	-	2/6/23/26	0/1/1/1
3	BMA	K	3	3	-	2/2/19/22	0/1/1/1
5	NAG	L	1	5,1	-	0/6/23/26	0/1/1/1
5	MAN	L	10	5	-	0/2/19/22	0/1/1/1
5	NAG	L	2	5	-	0/6/23/26	0/1/1/1
5	BMA	L	3	5	-	0/2/19/22	0/1/1/1
5	MAN	L	4	5	-	0/2/19/22	0/1/1/1
5	MAN	L	5	5	-	0/2/19/22	0/1/1/1
5	MAN	L	6	5	-	0/2/19/22	0/1/1/1
5	MAN	L	7	5	-	0/2/19/22	0/1/1/1
5	MAN	L	8	5	-	0/2/19/22	0/1/1/1
5	MAN	L	9	5	-	0/2/19/22	0/1/1/1
3	NAG	M	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	M	2	3	-	1/6/23/26	0/1/1/1
3	BMA	M	3	3	-	0/2/19/22	0/1/1/1
6	NAG	N	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	N	2	6	-	0/6/23/26	0/1/1/1
6	BMA	N	3	6	-	0/2/19/22	0/1/1/1
6	MAN	N	4	6	-	0/2/19/22	0/1/1/1
6	MAN	N	5	6	-	2/2/19/22	0/1/1/1
6	MAN	N	6	6	-	0/2/19/22	0/1/1/1
6	MAN	N	7	6	-	1/2/19/22	0/1/1/1
9	NAG	O	1	9,1	-	0/6/23/26	0/1/1/1
9	NAG	O	2	9	-	1/6/23/26	0/1/1/1
9	BMA	O	3	9	-	0/2/19/22	0/1/1/1
9	MAN	O	4	9	-	0/2/19/22	0/1/1/1
9	MAN	O	5	9	-	1/2/19/22	0/1/1/1
9	MAN	O	6	9	-	0/2/19/22	0/1/1/1
10	NAG	P	1	14,1,10	-	1/6/23/26	0/1/1/1
10	NAG	P	2	10	-	0/6/23/26	0/1/1/1
10	BMA	P	3	10	-	0/2/19/22	0/1/1/1
10	MAN	P	4	10	-	0/2/19/22	0/1/1/1
10	MAN	P	5	10	-	2/2/19/22	0/1/1/1
10	MAN	P	6	10	-	2/2/19/22	0/1/1/1
10	MAN	P	7	10	-	0/2/19/22	0/1/1/1
10	MAN	P	8	10	-	1/2/19/22	0/1/1/1

All (111) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	2	NAG	C1-C2	6.38	1.61	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	1	NAG	C8-C7	5.07	1.61	1.50
6	N	4	MAN	O2-C2	-4.41	1.34	1.43
8	J	1	NAG	C2-N2	4.11	1.53	1.46
4	E	2	NAG	O7-C7	4.06	1.32	1.23
6	H	1	NAG	C1-C2	4.00	1.57	1.52
10	P	4	MAN	O5-C1	3.97	1.50	1.43
8	J	3	BMA	C2-C3	3.55	1.57	1.52
9	O	2	NAG	C1-C2	3.51	1.57	1.52
5	F	1	NAG	C4-C3	3.50	1.61	1.52
4	E	2	NAG	C8-C7	-3.48	1.43	1.50
9	O	2	NAG	O7-C7	3.45	1.31	1.23
6	H	3	BMA	O5-C5	-3.25	1.37	1.43
5	L	2	NAG	O5-C1	3.14	1.49	1.43
5	L	7	MAN	C4-C5	3.13	1.59	1.53
9	O	5	MAN	O5-C1	-3.12	1.38	1.43
9	O	6	MAN	C2-C3	3.10	1.57	1.52
9	O	1	NAG	C2-N2	3.05	1.51	1.46
5	F	5	MAN	O5-C1	-3.00	1.38	1.43
2	C	4	MAN	C4-C5	-2.99	1.46	1.53
5	L	5	MAN	O2-C2	2.97	1.49	1.43
2	C	4	MAN	C2-C3	2.96	1.57	1.52
6	H	4	MAN	O2-C2	-2.95	1.37	1.43
8	J	1	NAG	C1-C2	2.93	1.56	1.52
7	I	2	NAG	C6-C5	2.92	1.61	1.51
6	N	6	MAN	C2-C3	2.90	1.56	1.52
5	F	10	MAN	O5-C1	-2.88	1.38	1.43
2	C	1	NAG	C8-C7	2.87	1.56	1.50
2	C	1	NAG	C1-C2	2.85	1.56	1.52
6	N	1	NAG	C2-N2	2.80	1.50	1.46
9	O	2	NAG	C4-C5	2.78	1.59	1.53
3	M	3	BMA	O5-C1	-2.78	1.39	1.43
3	D	3	BMA	C4-C5	2.77	1.58	1.53
10	P	1	NAG	O7-C7	2.77	1.29	1.23
6	N	5	MAN	C1-C2	2.75	1.58	1.52
10	P	5	MAN	O5-C1	-2.74	1.39	1.43
5	F	1	NAG	O5-C1	2.72	1.48	1.43
6	N	4	MAN	O5-C1	2.72	1.48	1.43
8	J	4	MAN	O5-C1	-2.69	1.39	1.43
3	K	2	NAG	O7-C7	-2.69	1.17	1.23
5	L	8	MAN	C1-C2	2.68	1.58	1.52
3	D	2	NAG	C4-C5	2.68	1.58	1.53
8	J	2	NAG	O4-C4	2.65	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	7	MAN	C1-C2	2.61	1.58	1.52
3	G	2	NAG	O5-C1	-2.60	1.39	1.43
5	F	10	MAN	C2-C3	2.60	1.56	1.52
7	I	5	MAN	O5-C5	-2.59	1.38	1.43
5	L	7	MAN	O5-C1	-2.59	1.39	1.43
9	O	2	NAG	C7-N2	2.58	1.42	1.34
5	L	8	MAN	C4-C3	2.57	1.59	1.52
6	H	6	MAN	O5-C5	2.57	1.48	1.43
5	F	9	MAN	C2-C3	-2.54	1.48	1.52
3	G	2	NAG	C2-N2	-2.54	1.42	1.46
2	C	2	NAG	O7-C7	2.53	1.28	1.23
3	D	2	NAG	O4-C4	2.50	1.49	1.43
3	K	1	NAG	C8-C7	2.50	1.55	1.50
5	F	5	MAN	O5-C5	2.49	1.48	1.43
2	C	4	MAN	O5-C1	-2.47	1.39	1.43
6	N	7	MAN	C2-C3	-2.44	1.48	1.52
5	L	3	BMA	O5-C1	2.41	1.47	1.43
3	D	1	NAG	C2-N2	2.40	1.50	1.46
3	M	1	NAG	O5-C5	2.39	1.48	1.43
5	F	3	BMA	C4-C3	2.38	1.58	1.52
8	J	1	NAG	C8-C7	2.37	1.55	1.50
10	P	6	MAN	O5-C1	-2.37	1.39	1.43
5	F	3	BMA	C6-C5	2.36	1.59	1.51
9	O	2	NAG	O5-C1	-2.35	1.39	1.43
9	O	3	BMA	O5-C1	-2.34	1.39	1.43
3	M	2	NAG	O7-C7	-2.33	1.18	1.23
5	F	8	MAN	C2-C3	2.32	1.56	1.52
2	C	1	NAG	C6-C5	2.31	1.59	1.51
5	F	1	NAG	O3-C3	2.31	1.48	1.43
6	N	1	NAG	C4-C5	2.30	1.57	1.53
10	P	3	BMA	O2-C2	-2.29	1.38	1.43
3	G	1	NAG	C8-C7	2.28	1.55	1.50
6	N	1	NAG	O3-C3	2.25	1.48	1.43
10	P	7	MAN	O5-C1	2.22	1.47	1.43
5	L	5	MAN	O5-C5	2.22	1.47	1.43
6	H	5	MAN	O5-C1	2.22	1.47	1.43
2	C	3	BMA	C2-C3	2.22	1.55	1.52
10	P	7	MAN	C2-C3	2.21	1.55	1.52
2	C	2	NAG	C1-C2	2.21	1.55	1.52
10	P	1	NAG	C3-C2	2.21	1.57	1.52
9	O	2	NAG	C8-C7	2.21	1.55	1.50
5	F	8	MAN	O5-C5	2.19	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	J	3	BMA	O5-C5	2.18	1.47	1.43
7	I	4	MAN	C2-C3	-2.17	1.49	1.52
6	N	6	MAN	O5-C1	-2.17	1.40	1.43
8	J	6	MAN	C1-C2	2.16	1.57	1.52
7	I	2	NAG	C8-C7	2.16	1.55	1.50
3	G	3	BMA	O5-C1	-2.16	1.40	1.43
5	L	5	MAN	C6-C5	2.15	1.59	1.51
3	D	2	NAG	C3-C2	2.14	1.57	1.52
2	C	1	NAG	C2-N2	2.14	1.49	1.46
6	N	7	MAN	O5-C5	-2.12	1.39	1.43
5	F	7	MAN	C2-C3	-2.11	1.49	1.52
5	L	2	NAG	C1-C2	2.11	1.55	1.52
10	P	2	NAG	C1-C2	2.11	1.55	1.52
4	E	1	NAG	O7-C7	2.09	1.27	1.23
8	J	3	BMA	C1-C2	2.08	1.57	1.52
6	N	3	BMA	C1-C2	2.08	1.57	1.52
8	J	3	BMA	C4-C5	2.08	1.57	1.53
7	I	7	MAN	C4-C5	2.07	1.57	1.53
5	L	3	BMA	C6-C5	2.06	1.58	1.51
10	P	5	MAN	O2-C2	-2.06	1.39	1.43
7	I	7	MAN	C1-C2	2.05	1.57	1.52
6	H	1	NAG	O3-C3	2.05	1.48	1.43
8	J	5	MAN	O5-C5	-2.04	1.39	1.43
5	F	7	MAN	C4-C3	2.03	1.57	1.52
6	N	5	MAN	O4-C4	-2.03	1.37	1.43
3	K	1	NAG	C4-C5	2.01	1.57	1.53

All (395) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	4	MAN	O5-C5-C4	-9.06	88.80	110.83
2	C	4	MAN	C1-C2-C3	-7.03	99.41	109.64
2	C	3	BMA	O3-C3-C2	-6.86	96.04	110.05
2	C	4	MAN	O5-C5-C6	6.56	120.43	107.66
8	J	3	BMA	C1-C2-C3	-6.49	100.20	109.64
3	D	2	NAG	C1-O5-C5	-6.46	103.53	112.19
5	L	5	MAN	O6-C6-C5	-6.34	89.74	111.33
3	K	3	BMA	C1-O5-C5	6.28	120.61	112.19
3	D	3	BMA	C3-C4-C5	5.97	121.06	110.23
5	F	6	MAN	C1-O5-C5	5.93	120.14	112.19
10	P	7	MAN	C1-O5-C5	5.85	120.02	112.19
6	N	3	BMA	C1-O5-C5	-5.83	104.38	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	J	6	MAN	C1-O5-C5	5.81	119.97	112.19
7	I	6	MAN	O4-C4-C3	-5.81	96.68	110.38
8	J	1	NAG	O5-C1-C2	-5.79	102.33	111.29
3	G	3	BMA	C1-O5-C5	5.76	119.91	112.19
6	N	5	MAN	C1-O5-C5	5.63	119.73	112.19
5	L	7	MAN	C1-O5-C5	5.58	119.66	112.19
6	H	2	NAG	C1-O5-C5	-5.56	104.74	112.19
8	J	3	BMA	C1-O5-C5	-5.51	104.80	112.19
5	L	2	NAG	C1-O5-C5	-5.38	104.98	112.19
3	D	3	BMA	O3-C3-C2	-5.35	99.14	110.05
8	J	5	MAN	O6-C6-C5	-5.28	93.35	111.33
5	F	10	MAN	C1-O5-C5	5.24	119.20	112.19
7	I	3	BMA	C1-O5-C5	5.18	119.13	112.19
8	J	2	NAG	O7-C7-C8	-5.15	112.89	122.05
3	G	1	NAG	C1-C2-N2	-5.06	102.46	110.43
2	C	4	MAN	C3-C4-C5	-5.01	101.14	110.23
6	H	5	MAN	C1-O5-C5	4.97	118.85	112.19
2	C	1	NAG	O5-C1-C2	-4.97	103.60	111.29
6	H	5	MAN	C6-C5-C4	-4.93	100.92	113.02
3	M	1	NAG	C4-C3-C2	-4.91	103.82	111.02
8	J	7	MAN	C1-C2-C3	4.88	116.75	109.64
4	E	2	NAG	O5-C1-C2	4.87	118.82	111.29
9	O	2	NAG	O6-C6-C5	-4.72	95.26	111.33
6	H	1	NAG	C2-N2-C7	-4.69	116.61	122.90
10	P	2	NAG	O5-C1-C2	-4.63	104.12	111.29
2	C	4	MAN	O4-C4-C3	4.60	121.22	110.38
9	O	2	NAG	C6-C5-C4	4.53	124.15	113.02
3	D	1	NAG	C1-O5-C5	-4.52	106.13	112.19
9	O	6	MAN	O2-C2-C3	4.51	119.49	110.15
5	L	1	NAG	C1-O5-C5	-4.50	106.16	112.19
5	L	10	MAN	C6-C5-C4	-4.47	102.03	113.02
8	J	2	NAG	O7-C7-N2	4.46	129.86	121.98
10	P	8	MAN	O3-C3-C4	-4.45	99.89	110.38
6	N	7	MAN	O5-C1-C2	-4.45	100.18	110.79
4	E	2	NAG	C2-N2-C7	4.44	128.85	122.90
5	L	5	MAN	C6-C5-C4	-4.41	102.18	113.02
8	J	6	MAN	O2-C2-C1	-4.41	99.12	109.22
3	D	2	NAG	C6-C5-C4	4.38	123.78	113.02
2	C	2	NAG	O5-C5-C4	-4.38	100.18	110.83
5	F	2	NAG	C1-O5-C5	-4.37	106.33	112.19
5	L	9	MAN	C1-C2-C3	4.36	116.00	109.64
6	N	4	MAN	C1-C2-C3	4.35	115.98	109.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	H	1	NAG	O5-C1-C2	-4.34	104.58	111.29
4	E	2	NAG	O6-C6-C5	-4.34	96.57	111.33
3	D	3	BMA	C1-O5-C5	-4.31	106.40	112.19
2	C	1	NAG	C2-N2-C7	-4.26	117.20	122.90
3	M	1	NAG	C1-O5-C5	-4.24	106.50	112.19
3	M	2	NAG	C3-C4-C5	-4.21	102.61	110.23
7	I	6	MAN	C1-O5-C5	4.20	117.81	112.19
2	C	4	MAN	O5-C1-C2	-4.18	100.83	110.79
5	L	3	BMA	C2-C3-C4	-4.13	103.60	110.86
3	D	3	BMA	O6-C6-C5	4.05	125.11	111.33
2	C	4	MAN	O3-C3-C2	3.98	118.18	110.05
8	J	7	MAN	O2-C2-C1	-3.98	100.11	109.22
5	F	9	MAN	O3-C3-C2	-3.98	101.94	110.05
2	C	3	BMA	C1-O5-C5	-3.97	106.86	112.19
10	P	7	MAN	O2-C2-C1	-3.95	100.19	109.22
2	C	5	MAN	O5-C5-C6	3.94	115.34	107.66
5	L	10	MAN	C1-O5-C5	3.90	117.41	112.19
10	P	4	MAN	C6-C5-C4	-3.90	103.45	113.02
9	O	4	MAN	O5-C5-C6	3.90	115.25	107.66
6	H	5	MAN	O2-C2-C3	-3.88	102.12	110.15
5	F	1	NAG	C1-C2-N2	-3.83	104.40	110.43
10	P	2	NAG	C1-C2-N2	3.83	116.47	110.43
3	M	3	BMA	O3-C3-C2	3.82	117.85	110.05
4	E	1	NAG	C1-C2-N2	-3.81	104.42	110.43
7	I	6	MAN	O2-C2-C1	3.81	117.95	109.22
5	L	9	MAN	C1-O5-C5	3.79	117.26	112.19
6	H	4	MAN	C1-O5-C5	3.77	117.24	112.19
4	E	1	NAG	C4-C3-C2	-3.77	105.50	111.02
6	N	5	MAN	C6-C5-C4	-3.73	103.86	113.02
5	F	6	MAN	O2-C2-C1	-3.73	100.69	109.22
9	O	1	NAG	C4-C3-C2	-3.72	105.56	111.02
3	M	3	BMA	O4-C4-C3	-3.72	101.60	110.38
8	J	4	MAN	C1-O5-C5	3.70	117.14	112.19
3	D	2	NAG	C8-C7-N2	3.68	122.22	116.12
5	F	10	MAN	O2-C2-C3	3.68	117.77	110.15
6	H	5	MAN	O3-C3-C2	3.67	117.54	110.05
6	H	4	MAN	O4-C4-C5	-3.64	100.36	109.32
2	C	3	BMA	C1-C2-C3	-3.63	104.36	109.64
2	C	2	NAG	O6-C6-C5	-3.62	98.99	111.33
5	L	5	MAN	O4-C4-C5	-3.62	100.42	109.32
2	C	1	NAG	O7-C7-N2	3.59	128.32	121.98
5	L	4	MAN	C1-O5-C5	3.58	116.99	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2	NAG	O4-C4-C5	-3.57	100.54	109.32
3	G	1	NAG	C1-O5-C5	-3.56	107.42	112.19
5	F	9	MAN	O4-C4-C3	-3.55	102.01	110.38
10	P	8	MAN	O4-C4-C3	-3.54	102.03	110.38
6	H	7	MAN	O5-C5-C6	3.53	114.53	107.66
5	L	7	MAN	O6-C6-C5	-3.51	99.39	111.33
5	L	3	BMA	O3-C3-C2	-3.50	102.91	110.05
9	O	4	MAN	C2-C3-C4	-3.46	104.78	110.86
8	J	1	NAG	C4-C3-C2	-3.45	105.96	111.02
8	J	2	NAG	O6-C6-C5	-3.44	99.62	111.33
4	E	1	NAG	O4-C4-C5	-3.44	100.85	109.32
7	I	2	NAG	O5-C1-C2	-3.44	105.97	111.29
4	E	1	NAG	O7-C7-C8	-3.43	115.94	122.05
10	P	8	MAN	C6-C5-C4	-3.41	104.64	113.02
6	N	4	MAN	C6-C5-C4	3.40	121.36	113.02
7	I	3	BMA	O6-C6-C5	-3.40	99.77	111.33
6	N	6	MAN	O6-C6-C5	-3.39	99.78	111.33
3	M	2	NAG	O5-C1-C2	-3.39	106.04	111.29
3	M	2	NAG	C1-O5-C5	-3.39	107.64	112.19
3	K	1	NAG	C2-N2-C7	3.37	127.42	122.90
3	K	2	NAG	C3-C4-C5	-3.37	104.12	110.23
8	J	3	BMA	O6-C6-C5	-3.36	99.89	111.33
3	M	3	BMA	C6-C5-C4	-3.35	104.79	113.02
9	O	2	NAG	O5-C5-C4	-3.35	102.68	110.83
6	H	7	MAN	C2-C3-C4	-3.34	104.99	110.86
8	J	5	MAN	O4-C4-C3	-3.31	102.57	110.38
10	P	4	MAN	O2-C2-C1	-3.28	101.70	109.22
6	N	3	BMA	O4-C4-C3	-3.28	102.65	110.38
3	D	2	NAG	O5-C1-C2	-3.27	106.23	111.29
6	H	4	MAN	O3-C3-C4	3.27	118.08	110.38
6	H	2	NAG	C3-C4-C5	-3.26	104.33	110.23
5	L	3	BMA	O6-C6-C5	-3.25	100.26	111.33
3	K	3	BMA	O4-C4-C3	-3.25	102.72	110.38
5	F	1	NAG	C1-O5-C5	-3.24	107.84	112.19
5	L	1	NAG	C2-N2-C7	-3.24	118.56	122.90
3	M	2	NAG	C4-C3-C2	3.24	115.76	111.02
7	I	4	MAN	O3-C3-C2	-3.23	103.46	110.05
10	P	5	MAN	O5-C5-C6	3.22	113.92	107.66
6	N	6	MAN	C6-C5-C4	-3.22	105.12	113.02
5	F	5	MAN	C1-O5-C5	3.21	116.49	112.19
4	E	2	NAG	C1-O5-C5	-3.19	107.91	112.19
8	J	3	BMA	O3-C3-C2	-3.19	103.55	110.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	N	2	NAG	C2-N2-C7	-3.18	118.64	122.90
6	N	4	MAN	O3-C3-C4	3.18	117.87	110.38
2	C	2	NAG	C1-O5-C5	-3.18	107.93	112.19
10	P	8	MAN	O3-C3-C2	3.18	116.54	110.05
2	C	2	NAG	C6-C5-C4	3.16	120.77	113.02
5	F	3	BMA	C3-C4-C5	-3.15	104.52	110.23
2	C	2	NAG	O7-C7-N2	3.15	127.55	121.98
5	F	5	MAN	O6-C6-C5	-3.14	100.65	111.33
9	O	2	NAG	C2-N2-C7	-3.11	118.74	122.90
3	K	2	NAG	C1-O5-C5	-3.09	108.04	112.19
8	J	6	MAN	O6-C6-C5	-3.09	100.81	111.33
2	C	6	MAN	O2-C2-C1	-3.09	102.15	109.22
5	L	1	NAG	C1-C2-N2	-3.09	105.56	110.43
6	N	1	NAG	O5-C5-C4	-3.09	103.31	110.83
5	L	7	MAN	C1-C2-C3	3.08	114.13	109.64
2	C	5	MAN	O2-C2-C1	3.07	116.25	109.22
10	P	6	MAN	C1-O5-C5	3.07	116.30	112.19
10	P	2	NAG	O5-C5-C6	3.06	113.61	107.66
7	I	1	NAG	O7-C7-N2	3.04	127.35	121.98
3	G	3	BMA	O3-C3-C4	3.03	117.53	110.38
6	H	1	NAG	O3-C3-C2	-3.03	103.10	109.40
10	P	1	NAG	C1-O5-C5	3.02	116.24	112.19
5	L	5	MAN	C1-O5-C5	3.02	116.23	112.19
5	F	1	NAG	O4-C4-C3	-3.02	103.27	110.38
5	L	4	MAN	O2-C2-C1	-3.00	102.36	109.22
6	N	1	NAG	C2-N2-C7	-2.99	118.89	122.90
3	M	1	NAG	O5-C5-C4	-2.99	103.56	110.83
6	H	1	NAG	C1-C2-N2	-2.98	105.73	110.43
6	N	4	MAN	C1-O5-C5	2.98	116.18	112.19
3	M	3	BMA	O5-C5-C6	2.98	113.46	107.66
3	G	2	NAG	C4-C3-C2	2.96	115.35	111.02
6	N	1	NAG	C4-C3-C2	-2.96	106.68	111.02
2	C	2	NAG	O7-C7-C8	-2.95	116.80	122.05
6	N	7	MAN	C1-C2-C3	-2.93	105.38	109.64
3	D	3	BMA	O5-C5-C6	2.93	113.36	107.66
7	I	2	NAG	C1-O5-C5	2.92	116.11	112.19
7	I	3	BMA	O4-C4-C5	-2.92	102.13	109.32
3	D	2	NAG	C4-C3-C2	-2.90	106.77	111.02
3	D	2	NAG	O6-C6-C5	-2.89	101.49	111.33
6	H	2	NAG	C1-C2-N2	-2.89	105.89	110.43
6	N	4	MAN	O2-C2-C3	-2.88	104.18	110.15
3	G	1	NAG	C4-C3-C2	-2.88	106.79	111.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	O	2	NAG	C1-O5-C5	-2.88	108.32	112.19
7	I	7	MAN	C1-C2-C3	2.88	113.83	109.64
8	J	2	NAG	C2-N2-C7	-2.86	119.07	122.90
10	P	5	MAN	O2-C2-C3	-2.86	104.23	110.15
3	D	1	NAG	O7-C7-C8	-2.85	116.97	122.05
10	P	4	MAN	O3-C3-C2	-2.85	104.23	110.05
6	N	2	NAG	C6-C5-C4	2.85	120.02	113.02
5	L	8	MAN	C1-C2-C3	-2.85	105.49	109.64
10	P	1	NAG	O6-C6-C5	-2.85	101.63	111.33
10	P	1	NAG	O3-C3-C2	-2.85	103.48	109.40
7	I	4	MAN	O5-C5-C6	-2.84	102.14	107.66
6	N	1	NAG	O4-C4-C5	-2.83	102.35	109.32
5	L	5	MAN	O2-C2-C3	-2.83	104.29	110.15
10	P	7	MAN	O5-C5-C6	2.82	113.15	107.66
5	F	6	MAN	O5-C5-C6	2.81	113.13	107.66
5	L	8	MAN	O2-C2-C1	-2.80	102.80	109.22
9	O	6	MAN	O2-C2-C1	-2.80	102.81	109.22
6	N	2	NAG	C1-O5-C5	-2.79	108.44	112.19
5	L	9	MAN	O5-C5-C4	-2.79	104.05	110.83
3	M	1	NAG	C1-C2-N2	-2.78	106.06	110.43
2	C	6	MAN	C3-C4-C5	2.77	115.26	110.23
3	G	1	NAG	O4-C4-C3	-2.77	103.84	110.38
10	P	3	BMA	C1-O5-C5	2.77	115.90	112.19
6	H	2	NAG	C2-N2-C7	-2.77	119.19	122.90
6	N	2	NAG	O4-C4-C3	-2.76	103.88	110.38
6	N	2	NAG	O6-C6-C5	-2.75	101.97	111.33
6	H	2	NAG	O7-C7-N2	-2.75	117.12	121.98
6	N	7	MAN	C1-O5-C5	-2.74	108.51	112.19
3	K	2	NAG	O6-C6-C5	-2.73	102.04	111.33
5	L	2	NAG	C1-C2-N2	-2.72	106.15	110.43
6	N	2	NAG	C1-C2-N2	-2.71	106.16	110.43
6	H	4	MAN	O5-C1-C2	2.71	117.25	110.79
6	H	5	MAN	C1-C2-C3	2.70	113.58	109.64
6	H	5	MAN	O6-C6-C5	-2.70	102.13	111.33
9	O	2	NAG	O4-C4-C5	-2.70	102.68	109.32
3	G	2	NAG	C6-C5-C4	-2.69	106.41	113.02
5	L	7	MAN	C6-C5-C4	-2.69	106.41	113.02
3	G	3	BMA	O2-C2-C1	2.69	115.38	109.22
6	N	1	NAG	O3-C3-C2	-2.69	103.82	109.40
5	L	5	MAN	O2-C2-C1	-2.68	103.09	109.22
3	M	3	BMA	C3-C4-C5	2.67	115.08	110.23
7	I	2	NAG	O7-C7-N2	-2.67	117.27	121.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	J	7	MAN	O3-C3-C2	2.66	115.49	110.05
6	N	2	NAG	C3-C4-C5	-2.66	105.41	110.23
10	P	1	NAG	O7-C7-N2	2.65	126.67	121.98
5	F	1	NAG	C2-N2-C7	-2.64	119.36	122.90
5	F	2	NAG	O4-C4-C3	-2.64	104.16	110.38
10	P	8	MAN	C1-C2-C3	-2.63	105.82	109.64
5	L	7	MAN	C2-C3-C4	-2.62	106.25	110.86
9	O	2	NAG	C4-C3-C2	-2.62	107.17	111.02
5	L	1	NAG	O4-C4-C5	-2.61	102.91	109.32
5	L	10	MAN	O6-C6-C5	-2.60	102.48	111.33
3	M	2	NAG	O7-C7-C8	-2.59	117.44	122.05
7	I	5	MAN	C3-C4-C5	-2.59	105.54	110.23
6	N	6	MAN	O3-C3-C2	-2.58	104.78	110.05
10	P	8	MAN	O2-C2-C1	2.58	115.14	109.22
3	G	1	NAG	O3-C3-C2	-2.58	104.04	109.40
9	O	3	BMA	O3-C3-C2	2.57	115.30	110.05
8	J	2	NAG	O5-C5-C4	-2.56	104.59	110.83
6	N	5	MAN	C2-C3-C4	-2.56	106.35	110.86
6	N	6	MAN	C2-C3-C4	-2.56	106.36	110.86
3	G	2	NAG	C2-N2-C7	-2.56	119.47	122.90
3	K	3	BMA	C6-C5-C4	-2.55	106.76	113.02
6	H	1	NAG	C8-C7-N2	2.54	120.33	116.12
3	D	1	NAG	C4-C3-C2	-2.54	107.30	111.02
8	J	7	MAN	C2-C3-C4	-2.54	106.40	110.86
5	F	10	MAN	C1-C2-C3	2.53	113.33	109.64
6	H	1	NAG	O3-C3-C4	-2.53	104.42	110.38
5	L	9	MAN	O5-C5-C6	-2.53	102.75	107.66
8	J	4	MAN	O2-C2-C1	-2.52	103.45	109.22
2	C	4	MAN	C1-O5-C5	-2.52	108.81	112.19
3	D	2	NAG	O3-C3-C2	-2.52	104.17	109.40
7	I	2	NAG	O7-C7-C8	2.52	126.54	122.05
9	O	1	NAG	O5-C5-C4	-2.52	104.70	110.83
5	L	1	NAG	O5-C1-C2	-2.52	107.40	111.29
2	C	3	BMA	C6-C5-C4	-2.51	106.86	113.02
7	I	6	MAN	C6-C5-C4	-2.50	106.88	113.02
6	H	4	MAN	O4-C4-C3	-2.49	104.50	110.38
2	C	3	BMA	O6-C6-C5	-2.49	102.84	111.33
6	H	1	NAG	O7-C7-C8	-2.49	117.62	122.05
2	C	6	MAN	O5-C1-C2	2.48	116.71	110.79
7	I	7	MAN	C1-O5-C5	2.48	115.51	112.19
3	M	1	NAG	O3-C3-C2	-2.48	104.25	109.40
6	N	7	MAN	O3-C3-C2	-2.47	105.01	110.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	P	2	NAG	C1-O5-C5	2.47	115.49	112.19
2	C	6	MAN	O4-C4-C5	-2.46	103.25	109.32
4	E	2	NAG	C1-C2-N2	2.46	114.30	110.43
6	H	7	MAN	O4-C4-C3	-2.45	104.60	110.38
6	H	7	MAN	C1-O5-C5	-2.45	108.90	112.19
5	L	8	MAN	O3-C3-C4	-2.45	104.60	110.38
6	N	4	MAN	O6-C6-C5	-2.45	103.00	111.33
7	I	1	NAG	O7-C7-C8	-2.44	117.70	122.05
10	P	4	MAN	O4-C4-C3	-2.44	104.62	110.38
4	E	2	NAG	C8-C7-N2	-2.44	112.07	116.12
6	H	4	MAN	O6-C6-C5	-2.44	103.03	111.33
5	F	4	MAN	O6-C6-C5	-2.43	103.05	111.33
2	C	4	MAN	C6-C5-C4	2.43	118.98	113.02
6	N	5	MAN	O6-C6-C5	-2.42	103.08	111.33
5	F	5	MAN	C6-C5-C4	-2.42	107.08	113.02
6	H	7	MAN	O2-C2-C3	-2.41	105.15	110.15
5	L	9	MAN	C2-C3-C4	-2.41	106.62	110.86
2	C	3	BMA	O5-C5-C4	-2.40	104.98	110.83
10	P	7	MAN	C1-C2-C3	2.40	113.14	109.64
3	D	3	BMA	O3-C3-C4	2.40	116.02	110.38
5	F	10	MAN	C2-C3-C4	2.38	115.05	110.86
6	H	2	NAG	O5-C1-C2	-2.38	107.61	111.29
5	F	10	MAN	O5-C1-C2	2.38	116.47	110.79
2	C	6	MAN	O3-C3-C4	2.36	115.95	110.38
8	J	1	NAG	C1-O5-C5	-2.36	109.02	112.19
5	L	3	BMA	C3-C4-C5	-2.36	105.95	110.23
5	F	7	MAN	O6-C6-C5	-2.36	103.29	111.33
3	K	2	NAG	O7-C7-C8	-2.36	117.86	122.05
8	J	5	MAN	C6-C5-C4	2.36	118.81	113.02
10	P	2	NAG	O4-C4-C5	-2.35	103.53	109.32
8	J	3	BMA	O2-C2-C1	2.35	114.60	109.22
5	F	1	NAG	O5-C5-C4	-2.35	105.11	110.83
10	P	1	NAG	O4-C4-C3	-2.34	104.86	110.38
5	L	6	MAN	C1-O5-C5	2.34	115.32	112.19
7	I	5	MAN	C2-C3-C4	-2.33	106.76	110.86
7	I	2	NAG	O5-C5-C4	-2.33	105.16	110.83
8	J	6	MAN	C6-C5-C4	-2.33	107.31	113.02
8	J	1	NAG	C1-C2-N2	-2.33	106.77	110.43
5	L	2	NAG	O4-C4-C3	-2.32	104.90	110.38
5	F	10	MAN	O3-C3-C4	-2.32	104.90	110.38
2	C	1	NAG	C1-O5-C5	-2.32	109.07	112.19
7	I	2	NAG	C6-C5-C4	-2.31	107.34	113.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	L	9	MAN	C6-C5-C4	-2.31	107.34	113.02
9	O	3	BMA	C2-C3-C4	-2.31	106.79	110.86
8	J	4	MAN	C1-C2-C3	2.29	112.98	109.64
8	J	1	NAG	C2-N2-C7	-2.29	119.83	122.90
5	F	3	BMA	C1-C2-C3	2.29	112.98	109.64
3	K	2	NAG	O7-C7-N2	2.29	126.02	121.98
5	F	2	NAG	C1-C2-N2	-2.29	106.83	110.43
6	N	3	BMA	C1-C2-C3	-2.29	106.32	109.64
2	C	1	NAG	O7-C7-C8	-2.28	118.00	122.05
3	G	3	BMA	C2-C3-C4	-2.28	106.86	110.86
9	O	1	NAG	O7-C7-N2	2.27	126.00	121.98
8	J	5	MAN	O2-C2-C3	-2.27	105.44	110.15
5	F	10	MAN	C6-C5-C4	-2.27	107.45	113.02
5	F	5	MAN	O2-C2-C3	-2.26	105.47	110.15
4	E	1	NAG	C3-C4-C5	2.26	114.33	110.23
10	P	1	NAG	C8-C7-N2	-2.26	112.37	116.12
5	L	6	MAN	O2-C2-C1	-2.26	104.05	109.22
10	P	1	NAG	C4-C3-C2	-2.26	107.71	111.02
6	H	5	MAN	O2-C2-C1	-2.26	104.05	109.22
8	J	4	MAN	O3-C3-C2	-2.25	105.45	110.05
3	G	2	NAG	O5-C5-C6	2.25	112.05	107.66
5	F	3	BMA	O6-C6-C5	-2.25	103.67	111.33
5	L	7	MAN	O3-C3-C4	-2.25	105.07	110.38
5	F	8	MAN	O2-C2-C3	-2.24	105.51	110.15
8	J	1	NAG	O4-C4-C5	-2.24	103.81	109.32
5	F	2	NAG	O5-C1-C2	-2.24	107.83	111.29
8	J	2	NAG	O4-C4-C3	-2.23	105.12	110.38
7	I	1	NAG	C4-C3-C2	-2.22	107.76	111.02
10	P	4	MAN	C1-C2-C3	2.22	112.88	109.64
3	D	1	NAG	C8-C7-N2	2.22	119.80	116.12
3	G	3	BMA	C6-C5-C4	-2.21	107.59	113.02
6	N	7	MAN	O4-C4-C3	-2.20	105.18	110.38
4	E	2	NAG	O3-C3-C2	-2.20	104.82	109.40
8	J	1	NAG	C8-C7-N2	-2.20	112.47	116.12
8	J	3	BMA	O5-C5-C4	-2.20	105.48	110.83
7	I	5	MAN	O3-C3-C2	2.19	114.53	110.05
8	J	7	MAN	O4-C4-C3	-2.19	105.22	110.38
2	C	2	NAG	C2-N2-C7	-2.18	119.97	122.90
5	L	3	BMA	O3-C3-C4	-2.18	105.23	110.38
6	N	6	MAN	C1-O5-C5	2.17	115.10	112.19
2	C	5	MAN	O4-C4-C3	-2.16	105.27	110.38
8	J	6	MAN	C3-C4-C5	-2.16	106.31	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	J	4	MAN	O2-C2-C3	-2.16	105.68	110.15
8	J	1	NAG	O3-C3-C2	-2.16	104.92	109.40
2	C	1	NAG	C1-C2-N2	-2.15	107.04	110.43
6	N	6	MAN	O2-C2-C1	-2.15	104.30	109.22
8	J	5	MAN	O2-C2-C1	-2.15	104.30	109.22
4	E	1	NAG	C8-C7-N2	2.15	119.68	116.12
8	J	1	NAG	O7-C7-N2	2.14	125.76	121.98
6	H	2	NAG	O6-C6-C5	-2.14	104.05	111.33
10	P	2	NAG	O3-C3-C4	-2.13	105.34	110.38
9	O	5	MAN	O5-C1-C2	2.13	115.86	110.79
3	M	3	BMA	C1-O5-C5	2.12	115.03	112.19
8	J	6	MAN	C1-C2-C3	2.11	112.72	109.64
8	J	5	MAN	C1-O5-C5	-2.11	109.36	112.19
2	C	5	MAN	O3-C3-C2	2.11	114.36	110.05
8	J	2	NAG	C1-O5-C5	-2.10	109.37	112.19
2	C	4	MAN	O2-C2-C1	2.09	114.01	109.22
6	N	5	MAN	O4-C4-C3	-2.08	105.48	110.38
8	J	1	NAG	O5-C5-C4	-2.08	105.77	110.83
10	P	8	MAN	O2-C2-C3	2.08	114.45	110.15
7	I	6	MAN	O5-C5-C6	-2.07	103.63	107.66
10	P	6	MAN	C6-C5-C4	-2.07	107.93	113.02
5	F	7	MAN	O5-C1-C2	-2.07	105.85	110.79
5	L	10	MAN	O3-C3-C2	-2.07	105.84	110.05
8	J	1	NAG	O4-C4-C3	-2.06	105.52	110.38
6	H	6	MAN	O3-C3-C4	-2.06	105.52	110.38
10	P	6	MAN	C1-C2-C3	-2.06	106.65	109.64
9	O	2	NAG	O4-C4-C3	-2.05	105.54	110.38
4	E	1	NAG	O5-C5-C6	2.05	111.66	107.66
10	P	3	BMA	O4-C4-C3	2.05	115.21	110.38
5	F	5	MAN	C1-C2-C3	-2.05	106.66	109.64
2	C	2	NAG	C4-C3-C2	-2.05	108.02	111.02
10	P	2	NAG	C3-C4-C5	-2.04	106.53	110.23
6	N	2	NAG	O7-C7-C8	2.04	125.69	122.05
10	P	8	MAN	O6-C6-C5	-2.04	104.39	111.33
3	M	1	NAG	C8-C7-N2	-2.03	112.75	116.12
9	O	6	MAN	O5-C5-C6	2.03	111.61	107.66
6	N	1	NAG	O4-C4-C3	-2.03	105.59	110.38
6	H	4	MAN	C6-C5-C4	2.03	118.00	113.02
3	K	3	BMA	O3-C3-C4	-2.03	105.60	110.38
10	P	1	NAG	O4-C4-C5	-2.02	104.34	109.32
8	J	2	NAG	O3-C3-C2	-2.02	105.21	109.40
3	D	3	BMA	O5-C5-C4	-2.01	105.93	110.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	O	4	MAN	O4-C4-C5	-2.01	104.37	109.32
3	D	1	NAG	C2-N2-C7	-2.01	120.20	122.90
5	L	5	MAN	O4-C4-C3	-2.01	105.64	110.38
10	P	4	MAN	C1-O5-C5	-2.01	109.50	112.19
10	P	6	MAN	O4-C4-C3	-2.00	105.65	110.38

There are no chirality outliers.

All (31) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
8	J	5	MAN	C4-C5-C6-O6
8	J	6	MAN	O5-C5-C6-O6
8	J	6	MAN	C4-C5-C6-O6
3	K	3	BMA	O5-C5-C6-O6
8	J	5	MAN	O5-C5-C6-O6
2	C	4	MAN	C4-C5-C6-O6
7	I	6	MAN	O5-C5-C6-O6
2	C	4	MAN	O5-C5-C6-O6
7	I	6	MAN	C4-C5-C6-O6
4	E	2	NAG	C8-C7-N2-C2
4	E	2	NAG	O7-C7-N2-C2
10	P	6	MAN	O5-C5-C6-O6
3	K	3	BMA	C4-C5-C6-O6
10	P	6	MAN	C4-C5-C6-O6
6	H	7	MAN	C4-C5-C6-O6
6	N	5	MAN	O5-C5-C6-O6
10	P	5	MAN	C4-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
10	P	8	MAN	O5-C5-C6-O6
6	N	5	MAN	C4-C5-C6-O6
6	N	7	MAN	C4-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6
10	P	1	NAG	C4-C5-C6-O6
3	K	2	NAG	C3-C2-N2-C7
4	E	2	NAG	C3-C2-N2-C7
9	O	2	NAG	C4-C5-C6-O6
9	O	5	MAN	C4-C5-C6-O6
3	K	2	NAG	C1-C2-N2-C7
3	M	2	NAG	C1-C2-N2-C7
2	C	5	MAN	C4-C5-C6-O6
10	P	5	MAN	O5-C5-C6-O6



There are no ring outliers.



13 monomers are involved in 20 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	4	MAN	6	0
4	E	2	NAG	3	0
5	F	5	MAN	3	0
9	O	1	NAG	1	0
2	C	3	BMA	5	0
3	D	2	NAG	1	0
5	F	6	MAN	3	0
6	H	1	NAG	1	0
8	J	6	MAN	2	0
6	N	3	BMA	1	0
3	D	1	NAG	1	0
6	H	3	BMA	1	0
8	J	5	MAN	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
































5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 2 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
11	NAG	B	946	1	14,14,15	0.83	0	17,19,21	1.58	2 (11%)
11	NAG	B	908	1	14,14,15	1.18	2 (14%)	17,19,21	3.32	9 (52%)
15	ACY	A	945	-	3,3,3	1.22	0	3,3,3	1.01	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	MPD	A	941	-	7,7,7	0.96	0	9,10,10	1.39	1 (11%)
11	NAG	A	940	1	14,14,15	0.86	1 (7%)	17,19,21	1.96	6 (35%)
13	MRD	B	947	-	7,7,7	1.30	1 (14%)	9,10,10	0.81	0
13	MRD	B	949	-	7,7,7	1.11	1 (14%)	9,10,10	1.56	1 (11%)
13	MRD	A	943	-	7,7,7	1.49	1 (14%)	9,10,10	0.31	0
11	NAG	A	907	1	14,14,15	0.93	1 (7%)	17,19,21	1.79	3 (17%)
15	ACY	B	951	-	3,3,3	1.60	1 (33%)	3,3,3	1.08	0
13	MRD	B	948	-	7,7,7	1.89	3 (42%)	9,10,10	1.33	0
13	MRD	A	942	-	7,7,7	1.71	2 (28%)	9,10,10	1.45	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	B	946	1	-	0/6/23/26	0/1/1/1
11	NAG	B	908	1	-	4/6/23/26	0/1/1/1
12	MPD	A	941	-	-	0/5/5/5	-
11	NAG	A	940	1	-	0/6/23/26	0/1/1/1
13	MRD	B	947	-	-	0/5/5/5	-
13	MRD	B	949	-	-	5/5/5/5	-
13	MRD	A	943	-	-	0/5/5/5	-
11	NAG	A	907	1	-	0/6/23/26	0/1/1/1
13	MRD	B	948	-	-	3/5/5/5	-
13	MRD	A	942	-	-	3/5/5/5	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	B	948	MRD	C3-C2	-3.32	1.44	1.54
13	B	948	MRD	CM-C2	2.84	1.60	1.52
13	A	942	MRD	C3-C2	-2.68	1.46	1.54
13	B	947	MRD	C1-C2	2.64	1.60	1.52
11	A	907	NAG	O5-C1	-2.63	1.39	1.43
13	A	943	MRD	C3-C2	2.54	1.61	1.54
13	A	942	MRD	CM-C2	2.40	1.59	1.52
11	B	908	NAG	O5-C1	-2.15	1.40	1.43
13	B	948	MRD	C1-C2	-2.12	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B	908	NAG	C2-N2	-2.11	1.42	1.46
15	B	951	ACY	CH3-C	2.11	1.57	1.49
11	A	940	NAG	C1-C2	-2.08	1.49	1.52
13	B	949	MRD	O2-C2	-2.02	1.39	1.44

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B	908	NAG	C4-C3-C2	-7.51	100.01	111.02
11	B	908	NAG	O5-C1-C2	-7.21	100.14	111.29
11	A	940	NAG	O5-C1-C2	5.18	119.31	111.29
11	A	907	NAG	O5-C1-C2	-4.79	103.88	111.29
12	A	941	MPD	CM-C2-C1	-3.88	101.94	110.63
11	B	908	NAG	C2-N2-C7	3.73	127.90	122.90
11	B	908	NAG	C6-C5-C4	-3.66	104.03	113.02
11	B	908	NAG	C1-C2-N2	3.58	116.08	110.43
11	B	946	NAG	C1-O5-C5	-3.50	107.49	112.19
13	B	949	MRD	CM-C2-C1	3.32	118.05	110.63
11	B	908	NAG	O7-C7-N2	-3.22	116.30	121.98
11	B	946	NAG	O6-C6-C5	-2.99	101.16	111.33
11	B	908	NAG	O5-C5-C4	2.80	117.64	110.83
11	A	907	NAG	C2-N2-C7	-2.79	119.16	122.90
11	A	940	NAG	C1-C2-N2	-2.64	106.27	110.43
11	A	940	NAG	O7-C7-C8	-2.63	117.38	122.05
13	A	942	MRD	O4-C4-C3	-2.62	100.94	111.35
11	A	940	NAG	C2-N2-C7	-2.53	119.51	122.90
11	B	908	NAG	C8-C7-N2	2.38	120.07	116.12
11	A	940	NAG	C8-C7-N2	2.32	119.96	116.12
11	A	940	NAG	O6-C6-C5	-2.19	103.89	111.33
11	B	908	NAG	O3-C3-C4	2.08	115.29	110.38
11	A	907	NAG	O4-C4-C3	-2.05	105.56	110.38

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
13	A	942	MRD	C1-C2-C3-C4
13	B	948	MRD	C2-C3-C4-C5
13	B	949	MRD	C2-C3-C4-O4
13	B	949	MRD	C2-C3-C4-C5
11	B	908	NAG	C8-C7-N2-C2
11	B	908	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
11	B	908	NAG	C1-C2-N2-C7
13	B	948	MRD	C1-C2-C3-C4
13	A	942	MRD	C2-C3-C4-C5
11	B	908	NAG	C3-C2-N2-C7
13	B	949	MRD	O2-C2-C3-C4
13	A	942	MRD	CM-C2-C3-C4
13	B	948	MRD	CM-C2-C3-C4
13	B	949	MRD	C1-C2-C3-C4
13	B	949	MRD	CM-C2-C3-C4

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	B	949	MRD	1	0
13	B	948	MRD	4	0
13	A	942	MRD	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	834/841 (99%)	-0.58	5 (0%) 89 87	5, 12, 23, 55	0
1	B	832/841 (98%)	-0.62	3 (0%) 92 90	5, 9, 20, 51	0
All	All	1666/1682 (99%)	-0.60	8 (0%) 91 89	5, 10, 22, 55	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	675	VAL	3.6
1	B	668	ASN	3.2
1	B	860	GLN	2.9
1	A	860	GLN	2.7
1	A	669	ALA	2.6
1	B	676	ALA	2.6
1	A	676	ALA	2.3
1	A	790	PRO	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MAN	C	4	11/12	0.73	0.31	28,45,54,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	BMA	K	3	11/12	0.75	0.29	53,62,81,82	0
10	MAN	P	8	11/12	0.76	0.23	48,58,65,69	0
3	BMA	G	3	11/12	0.79	0.29	30,40,51,58	0
6	MAN	N	7	11/12	0.80	0.32	54,63,69,71	0
6	MAN	H	7	11/12	0.80	0.30	52,55,61,62	0
9	MAN	O	6	11/12	0.82	0.32	33,37,44,45	0
2	MAN	C	5	11/12	0.85	0.24	25,27,32,32	0
3	BMA	D	3	11/12	0.85	0.21	31,37,46,57	0
3	NAG	G	2	14/15	0.85	0.21	26,32,39,39	0
3	BMA	M	3	11/12	0.86	0.22	33,40,48,56	0
9	MAN	O	5	11/12	0.86	0.26	34,36,43,47	0
10	MAN	P	6	11/12	0.87	0.22	41,49,56,61	0
9	MAN	O	4	11/12	0.88	0.23	32,36,43,44	0
10	MAN	P	7	11/12	0.89	0.22	26,34,37,45	0
7	MAN	I	6	11/12	0.90	0.24	38,49,56,67	0
7	MAN	I	7	11/12	0.90	0.23	25,28,34,34	0
9	BMA	O	3	11/12	0.91	0.16	24,27,31,31	0
3	NAG	M	2	14/15	0.92	0.16	20,26,42,44	0
7	BMA	I	3	11/12	0.92	0.14	20,25,30,34	0
2	BMA	C	3	11/12	0.92	0.17	19,24,27,30	0
5	MAN	L	10	11/12	0.92	0.13	19,25,30,32	0
8	MAN	J	7	11/12	0.92	0.11	22,26,29,36	0
2	MAN	C	6	11/12	0.92	0.15	26,33,39,41	0
5	MAN	F	10	11/12	0.93	0.17	31,36,46,51	0
10	BMA	P	3	11/12	0.93	0.14	20,26,29,33	0
3	NAG	K	2	14/15	0.93	0.12	13,17,26,34	0
6	BMA	H	3	11/12	0.93	0.16	15,18,25,30	0
4	NAG	E	2	14/15	0.93	0.12	12,22,31,38	0
6	MAN	H	4	11/12	0.94	0.13	18,23,30,30	0
7	MAN	I	5	11/12	0.94	0.11	16,21,24,26	0
5	MAN	F	6	11/12	0.94	0.14	22,25,32,35	0
6	NAG	N	2	14/15	0.94	0.12	12,19,25,28	0
10	MAN	P	4	11/12	0.94	0.14	16,20,25,28	0
10	MAN	P	5	11/12	0.94	0.11	18,20,25,28	0
8	MAN	J	6	11/12	0.94	0.13	18,21,29,35	0
6	BMA	N	3	11/12	0.94	0.15	16,18,27,28	0
3	NAG	D	2	14/15	0.94	0.14	17,23,26,29	0
7	NAG	I	2	14/15	0.95	0.10	15,20,23,25	0
5	NAG	F	1	14/15	0.95	0.09	13,15,20,22	0
6	MAN	H	5	11/12	0.95	0.13	15,16,26,34	0
5	MAN	L	5	11/12	0.95	0.08	11,13,17,24	0
5	MAN	L	6	11/12	0.95	0.11	18,21,27,32	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	MAN	J	5	11/12	0.95	0.14	20,29,40,58	0
5	MAN	F	5	11/12	0.95	0.08	12,17,19,31	0
6	MAN	N	5	11/12	0.95	0.12	16,19,28,34	0
3	NAG	G	1	14/15	0.95	0.09	14,18,26,26	0
6	MAN	N	4	11/12	0.96	0.12	17,19,28,35	0
6	MAN	H	6	11/12	0.96	0.15	12,16,25,33	0
6	MAN	N	6	11/12	0.96	0.13	15,18,27,30	0
10	NAG	P	2	14/15	0.96	0.11	18,22,24,29	0
8	MAN	J	4	11/12	0.96	0.13	20,27,33,36	0
3	NAG	D	1	14/15	0.96	0.07	11,15,16,18	0
3	NAG	M	1	14/15	0.96	0.07	12,14,23,28	0
6	NAG	H	2	14/15	0.96	0.09	13,16,25,27	0
9	NAG	O	2	14/15	0.96	0.08	11,16,25,27	0
7	MAN	I	4	11/12	0.96	0.12	15,20,24,25	0
6	NAG	N	1	14/15	0.97	0.09	10,13,33,33	0
2	NAG	C	2	14/15	0.97	0.07	13,18,28,33	0
6	NAG	H	1	14/15	0.97	0.09	11,13,38,40	0
5	MAN	F	8	11/12	0.97	0.09	13,15,16,16	0
8	BMA	J	3	11/12	0.97	0.07	12,14,19,19	0
5	MAN	F	9	11/12	0.97	0.07	17,18,22,25	0
2	NAG	C	1	14/15	0.97	0.07	11,13,15,15	0
5	NAG	L	2	14/15	0.97	0.07	8,10,11,11	0
5	BMA	F	3	11/12	0.97	0.06	13,15,17,18	0
9	NAG	O	1	14/15	0.97	0.07	10,13,16,16	0
4	NAG	E	1	14/15	0.97	0.06	11,14,16,16	0
5	MAN	F	7	11/12	0.98	0.06	11,13,15,16	0
8	NAG	J	2	14/15	0.98	0.06	9,11,15,22	0
5	MAN	L	7	11/12	0.98	0.07	8,9,11,12	0
10	NAG	P	1	14/15	0.98	0.07	11,13,17,18	0
5	MAN	L	8	11/12	0.98	0.07	11,13,14,15	0
7	NAG	I	1	14/15	0.98	0.06	11,13,16,18	0
5	MAN	L	9	11/12	0.98	0.06	12,14,17,18	0
5	NAG	L	1	14/15	0.98	0.07	9,10,15,15	0
5	NAG	F	2	14/15	0.98	0.06	12,13,14,15	0
5	BMA	L	3	11/12	0.98	0.06	9,10,12,12	0
3	NAG	K	1	14/15	0.98	0.06	9,10,12,13	0
8	NAG	J	1	14/15	0.99	0.05	7,9,11,11	0
5	MAN	L	4	11/12	0.99	0.06	9,9,12,12	0
5	MAN	F	4	11/12	0.99	0.05	11,12,14,15	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain D:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain K:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain O:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
11	NAG	A	907	14/15	0.83	0.33	37,48,55,57	0
11	NAG	B	908	14/15	0.88	0.26	30,40,47,51	0
13	MRD	A	943	8/8	0.88	0.15	19,23,27,28	0
13	MRD	B	949	8/8	0.88	0.19	28,39,42,42	0
13	MRD	B	947	8/8	0.89	0.15	17,21,24,24	0
13	MRD	A	942	8/8	0.92	0.13	13,16,31,33	0
13	MRD	B	948	8/8	0.94	0.10	13,19,32,35	0
15	ACY	B	951	4/4	0.94	0.10	13,16,16,18	0
15	ACY	A	945	4/4	0.95	0.10	18,18,20,21	0
12	MPD	A	941	8/8	0.95	0.08	16,18,20,22	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
11	NAG	A	940	14/15	0.96	0.16	21,28,36,39	0
11	NAG	B	946	14/15	0.97	0.16	19,23,28,32	0
14	NA	B	950	1/1	0.97	0.11	20,20,20,20	0
14	NA	A	944	1/1	0.98	0.11	16,16,16,16	0

6.5 Other polymers [i](#)

There are no such residues in this entry.