

Full wwPDB X-ray Structure Validation Report (i)

Jun 24, 2024 - 06:09 PM JST

PDB ID	:	9IIL
Title	:	Structure of the complex of erythrose-4-phosphate dehydrogenase from Acine-
		tobacter baumannii with nicotinamide adenine dinucleotide in the presence of poly(ethylene glycol) at 2.20 A resolution
Authors	:	Viswanathan, V.; Kumari, A.; Singh, A.; Kumar, A.; Sharma, P.; Chopra, S.;
		Jeyakanthan, J.; Sharma, S.; Raje, C.I.; Singh, T.P.
Deposited on	:	2024-06-20
Resolution	:	2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1



1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Percentile relative to X-ray structures of similar resolution

Matria	Whole archive	Similar resolution		
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	130704	4898 (2.20-2.20)		
Clashscore	141614	5594 (2.20-2.20)		
Ramachandran outliers	138981	5503 (2.20-2.20)		
Sidechain outliers	138945	5504 (2.20-2.20)		
RSRZ outliers	127900	4800 (2.20-2.20)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	341	% 	11%
1	В	341	87%	12% •
1	С	341	% 	11%
1	D	341	% 87%	13% •



2 Entry composition (i)

There are 11 unique types of molecules in this entry. The entry contains 11823 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	241	Total	С	Ν	0	\mathbf{S}	0	1	0
1	1 A	541	2690	1707	474	500	9	0	T	
1	р	2/1	Total	С	Ν	0	S	0	0	0
1	I D	041	2679	1701	470	499	9	0		
1	C	341	Total	С	Ν	0	S	0	1	0
			2690	1707	474	500	9			
1	1 D	9.41	Total	С	Ν	0	S	0	0	0
	341	2698	1713	475	501	9				

• Molecule 1 is a protein called Glyceraldehyde-3-phosphate dehydrogenase.

• Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
0	٨	1	Total	С	Ν	Ο	Р	0	0
	1	44	21	7	14	2	0	0	
0	р	1	Total	С	Ν	Ο	Р	0	0
2 B	1	44	21	7	14	2	0	U	



$\alpha \cdot \cdot \cdot$	C		
Continued	from	previous	page
contentaca	<i>J</i> · <i>O</i> · · · <i>O</i>	proceed ac	page.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
0	C	1	Total	С	Ν	Ο	Р	0	0	
	1	44	21	7	14	2	0	0		
0	D	П	1	Total	С	Ν	Ο	Р	0	0
		44	21	7	14	2	0			

• Molecule 3 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 7 4 3 \end{array}$	0	0

• Molecule 4 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total C O 13 8 5	0	0
4	А	1	Total C O 13 8 5	0	0
4	А	1	Total C O 13 8 5	0	0
4	В	1	Total C O 13 8 5	0	0
4	В	1	Total C O 13 8 5	0	0
4	С	1	Total C O 13 8 5	0	0

• Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
5	С	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 4 2 2 \end{array}$	0	0
5	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
5	D	1	$\begin{array}{c cc} Total & C & O \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
6	А	1	Total 5	0 4	Р 1	0	0

• Molecule 7 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	Total C O 10 6 4	0	0
7	В	1	Total C O 10 6 4	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	С	1	Total C O 10 6 4	0	0
7	С	1	Total C O 10 6 4	0	0

• Molecule 8 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: $C_4H_{12}NO_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	1	Total C N O 8 4 1 3	0	0
8	С	1	Total C N O 8 4 1 3	0	0

• Molecule 9 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: $C_{10}H_{22}O_6$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	В	1	Total C O 16 10 6	0	0
9	D	1	Total C O 16 10 6	0	0

• Molecule 10 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
10	В	1	Total 6	$\begin{array}{c} \mathrm{C} \\ \mathrm{3} \end{array}$	O 3	0	0



• Molecule 11 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	А	168	Total O 168 168	0	0
11	В	144	Total O 144 144	0	0
11	С	159	Total O 159 159	0	0
11	D	152	Total O 152 152	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glyceraldehyde-3-phosphate dehydrogenase



• Molecule 1: Glyceraldehyde-3-phosphate dehydrogenase









4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants	145.37Å 167.13Å 149.59Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	88.45 - 2.20	Depositor
Resolution (A)	88.45 - 2.20	EDS
% Data completeness	98.7 (88.45-2.20)	Depositor
(in resolution range)	98.7 (88.45-2.20)	EDS
R_{merge}	0.23	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.21 (at 2.20 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
B B.	0.168 , 0.217	Depositor
II, II, <i>free</i>	0.175 , 0.220	DCC
R_{free} test set	1335 reflections (1.47%)	wwPDB-VP
Wilson B-factor $(Å^2)$	40.0	Xtriage
Anisotropy	0.139	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34, 37.1	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11823	wwPDB-VP
Average B, all atoms $(Å^2)$	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, NAD, PO4, PGE, EDO, 1PE, PEG, GOL, TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mal Chain		Bond lengths		ond angles
IVIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.40	0/2744	0.82	2/3730~(0.1%)
1	В	0.38	0/2733	0.80	2/3716~(0.1%)
1	С	0.40	0/2744	0.85	2/3730~(0.1%)
1	D	0.40	0/2752	0.84	1/3741~(0.0%)
All	All	0.40	0/10973	0.83	7/14917~(0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1
1	D	0	2
All	All	0	3

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	С	18	ARG	NE-CZ-NH2	-7.85	116.38	120.30
1	С	18	ARG	NE-CZ-NH1	6.67	123.63	120.30
1	В	306	LEU	CB-CG-CD2	-6.18	100.49	111.00
1	А	2	GLN	CB-CA-C	5.82	122.05	110.40
1	В	25	LYS	N-CA-CB	-5.56	100.59	110.60
1	А	1	MET	CG-SD-CE	5.21	108.53	100.20
1	D	1	MET	CG-SD-CE	5.09	108.34	100.20

There are no chirality outliers.

All (3) planarity outliers are listed below:



Mol	Chain	Res	Type	Group
1	В	203	ARG	Sidechain
1	D	209	ARG	Sidechain
1	D	55	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2690	0	2696 25		0
1	В	2679	0	2684	31	0
1	С	2690	0	2696	24	0
1	D	2698	0	2706	29	0
2	А	44	0	26	0	0
2	В	44	0	26	0	0
2	С	44	0	26	1	0
2	D	44	0	26	0	0
3	А	7	0	10	2	0
3	В	21	0	30	4	0
3	С	7	0	10	1	0
3	D	7	0	10	2	0
4	А	39	0	54	6	0
4	В	26	0	36	5	0
4	С	13	0	18	0	0
5	А	12	0	18	1	0
5	В	12	0	18	0	0
5	С	8	0	12	2	0
5	D	16	0	24	2	0
6	А	5	0	0	0	0
7	А	10	0	14	0	0
7	В	10	0	14	0	0
7	С	20	0	28	1	0
8	А	8	0	12	1	0
8	С	8	0	12	0	0
9	В	16	0	22	3	0
9	D	16	0	22	1	0
10	В	6	0	8	0	0
11	А	168	0	0	2	0
11	В	144	0	0	4	0
11	С	159	0	0	9	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	D	152	0	0	4	0
All	All	11823	0	11258	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom_2	Interatomic	Clash	
	Atom-2	distance (Å)	overlap (Å)	
1:B:55:ARG:HH22	4:B:412:PG4:H51	1.36	0.91	
1:B:248:ASN:O	9:B:402:1PE:H122	1.80	0.81	
1:C:287:ASP:HB3	1:C:306:LEU:HD21	1.70	0.72	
1:A:296:ASN:HB3	4:A:403:PG4:H42	1.72	0.70	
4:B:403:PG4:H61	11:C:538:HOH:O	1.94	0.67	
1:B:287:ASP:HB3	1:B:306:LEU:HD21	1.75	0.66	
1:A:232:LYS:HG2	11:A:626:HOH:O	1.97	0.64	
1:A:46:LEU:HD23	11:D:589:HOH:O	1.98	0.64	
1:A:287:ASP:HB3	1:A:306:LEU:HD21	1.81	0.63	
1:D:206[A]:ARG:HD3	1:D:217:PRO:O	2.00	0.61	
1:C:202:HIS:O	11:C:501:HOH:O	2.16	0.60	
1:A:55:ARG:HH22	4:A:410:PG4:H42	1.65	0.60	
1:A:93:LEU:HD13	1:A:95:TRP:CZ2	2.36	0.60	
1:D:93:LEU:HD13	1:D:95:TRP:CZ2	2.37	0.59	
1:D:233:MET:HE2	1:D:237[B]:ILE:HD11	1.86	0.58	
1:C:162:CYS:H	2:C:402:NAD:H5N	1.67	0.58	
1:B:95:TRP:CE3	1:B:100:ILE:HG13	2.41	0.56	
1:A:36:ASP:O	1:A:86:GLN:HA	2.06	0.55	
1:C:229:VAL:HG23	1:C:230:MET:HG3	1.88	0.55	
1:B:115:ASP:HA	1:B:118:ARG:HD3	1.88	0.55	
1:A:314:HIS:CD2	3:A:402:PEG:H32	2.42	0.54	
1:D:1:MET:HG2	11:D:625:HOH:O	2.07	0.54	
1:A:77:GLN:HB2	5:A:404:EDO:H21	1.89	0.54	
8:A:409:TRS:H32	1:B:314:HIS:ND1	2.23	0.54	
1:C:315:GLN:HE21	1:D:315:GLN:HE21	1.55	0.54	
1:C:55:ARG:NH1	7:C:401:PGE:H52	2.23	0.53	
5:C:407:EDO:C2	11:C:578:HOH:O	2.56	0.53	
1:D:227:LYS:HE3	5:D:405:EDO:H11	1.89	0.53	
1:A:227:LYS:NZ	11:A:502:HOH:O	2.39	0.52	
1:A:55:ARG:HH12	4:A:410:PG4:H52	1.73	0.52	
1:D:213:GLN:O	1:D:213:GLN:HG3	2.10	0.52	
1:C:290:LEU:O	1:D:206[B]:ARG:NH1	2.43	0.51	



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:306:LEU:C	1:C:306:LEU:HD12	2.30	0.51	
1:D:88:LYS:HG3	1:D:89:GLN:HG3	1.92	0.51	
1:A:184:LEU:HD22	1:B:310:MET:HE3	1.93	0.51	
1:C:185:MET:SD	1:C:252:ILE:HD11	2.51	0.50	
1:D:226:LEU:HD22	1:D:237[A]:ILE:HG21	1.94	0.50	
1:B:93:LEU:HD13	1:B:95:TRP:CZ2	2.47	0.50	
1:C:93:LEU:HD13	1:C:95:TRP:CZ2	2.47	0.50	
1:B:248:ASN:O	9:B:402:1PE:C12	2.58	0.50	
1:D:232:LYS:HG2	11:D:599:HOH:O	2.11	0.50	
1:D:167:LEU:HD13	1:D:252:ILE:HD11	1.94	0.49	
1:D:306:LEU:C	1:D:306:LEU:HD12	2.32	0.49	
1:B:114:ALA:O	1:B:117:THR:OG1	2.31	0.49	
1:A:262:ILE:HG12	3:A:402:PEG:H42	1.95	0.49	
1:B:232:LYS:HD2	11:B:509:HOH:O	2.12	0.49	
1:B:4:ILE:HD13	1:B:29:PHE:CD1	2.48	0.48	
1:D:285:VAL:HG22	1:D:304:VAL:HB	1.95	0.48	
1:D:4:ILE:HD13	1:D:29:PHE:HB2	1.96	0.48	
1:A:135:ASP:OD1	1:A:136:HIS:N	2.46	0.48	
4:B:403:PG4:O1	11:B:501:HOH:O	2.20	0.48	
5:C:407:EDO:H22	11:C:578:HOH:O	2.13	0.48	
1:B:293:SER:HA	9:B:402:1PE:H222	1.95	0.47	
1:B:314:HIS:HD2	3:B:406:PEG:H42	1.80	0.47	
1:D:227:LYS:CE	5:D:405:EDO:H11	2.43	0.47	
1:A:55:ARG:NH1	4:A:410:PG4:H52	2.28	0.47	
1:A:206[B]:ARG:HD3	1:A:217:PRO:O	2.14	0.47	
1:C:307:THR:OG1	1:D:206[B]:ARG:NH2	2.47	0.47	
1:D:183:ALA:HB3	1:D:237[A]:ILE:HD12	1.97	0.47	
1:A:315:GLN:HE21	1:B:315:GLN:HE21	1.62	0.46	
1:C:139:ALA:HA	3:C:406:PEG:H22	1.97	0.46	
1:D:296:ASN:HD22	9:D:403:1PE:H131	1.80	0.46	
1:B:232:LYS:CD	11:B:509:HOH:O	2.63	0.46	
1:C:285:VAL:HG22	1:C:304:VAL:HB	1.98	0.46	
1:D:275:SER:O	1:D:280:ALA:HA	2.16	0.46	
1:B:187:GLU:OE2	1:B:322:TYR:OH	2.25	0.46	
1:D:168:VAL:HB	1:D:169:PRO:HD3	1.98	0.46	
1:B:314:HIS:HA	3:B:406:PEG:H31	1.98	0.46	
1:C:232:LYS:HD2	11:C:513:HOH:O	2.17	0.45	
1:B:36:ASP:O	1:B:86:GLN:HA	2.17	0.45	
1:A:183:ALA:O	1:A:237:ILE:HA	2.15	0.45	
1:C:295:PHE:CE2	1:C:321:TRP:CD1	3.04	0.45	
1:B:78:ARG:O	1:B:79:LEU:HD12	2.17	0.45	

Continued from previous page...



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
4:B:403:PG4:H71	11:C:538:HOH:O	2.18	0.44	
1:B:228:ARG:HH21	3:B:405:PEG:C1	2.30	0.44	
1:B:228:ARG:HH21	3:B:405:PEG:H11	1.83	0.44	
1:C:287:ASP:HA	1:C:306:LEU:HG	1.99	0.44	
1:D:55:ARG:HH22	3:D:401:PEG:H31	1.81	0.44	
1:C:95:TRP:CE3	1:C:100:ILE:HG13	2.53	0.44	
1:C:36:ASP:O	1:C:86:GLN:HA	2.18	0.43	
1:B:306:LEU:HD21	11:B:633:HOH:O	2.18	0.43	
1:A:287:ASP:HA	1:A:306:LEU:HG	1.99	0.43	
1:B:96:ALA:HB2	1:B:123:GLY:HA3	1.98	0.43	
1:B:191:VAL:HA	1:B:195:GLN:OE1	2.19	0.43	
1:C:18:ARG:HG3	1:C:47:PHE:CE1	2.53	0.43	
1:B:11:ARG:O	1:B:15:ASN:ND2	2.52	0.43	
1:B:248:ASN:O	1:B:249:VAL:HB	2.18	0.43	
1:D:287:ASP:HB3	1:D:306:LEU:HD21	2.00	0.43	
1:A:308:GLN:OE1	1:B:206:ARG:NH1	2.52	0.42	
1:B:102:VAL:HA	1:B:126:ARG:O	2.18	0.42	
1:D:3:ARG:HD2	11:D:536:HOH:O	2.19	0.42	
1:B:213:GLN:HG3	1:B:213:GLN:O	2.19	0.42	
1:C:195:GLN:OE1	1:C:243:ARG:HD2	2.19	0.42	
1:C:314:HIS:HD2	11:C:533:HOH:O	2.02	0.42	
1:A:168:VAL:HB	1:A:169:PRO:HD3	2.02	0.42	
1:D:27:PHE:HB3	1:D:29:PHE:CE1	2.54	0.42	
1:C:3:ARG:HD2	11:C:544:HOH:O	2.20	0.41	
4:B:403:PG4:H82	11:C:502:HOH:O	2.19	0.41	
1:A:44:VAL:HG13	1:A:60:VAL:HG11	2.02	0.41	
1:C:253:ASP:OD2	1:C:317:LYS:HD3	2.21	0.41	
1:D:4:ILE:HD12	1:D:4:ILE:N	2.36	0.41	
1:B:95:TRP:CE3	1:B:95:TRP:HA	2.56	0.41	
1:D:93:LEU:O	1:D:122:ALA:HB1	2.21	0.40	
1:D:295:PHE:CE2	1:D:321:TRP:CD1	3.08	0.40	
1:A:12:ILE:O	1:A:16:VAL:HG23	2.21	0.40	
1:A:293:SER:HB2	4:A:403:PG4:H52	2.03	0.40	
1:C:10:GLY:O	1:C:11:ARG:C	2.59	0.40	
1:D:55:ARG:NH2	3:D:401:PEG:H31	2.36	0.40	
1:A:296:ASN:HD22	4:A:403:PG4:H42	1.85	0.40	

Continued from previous page...

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	340/341~(100%)	326 (96%)	12 (4%)	2 (1%)	25	26
1	В	339/341~(99%)	324 (96%)	13~(4%)	2(1%)	25	26
1	С	340/341~(100%)	322~(95%)	16 (5%)	2 (1%)	25	26
1	D	341/341~(100%)	323~(95%)	16 (5%)	2 (1%)	25	26
All	All	1360/1364~(100%)	1295 (95%)	57 (4%)	8 (1%)	25	26

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	160	VAL
1	А	249	VAL
1	В	160	VAL
1	В	249	VAL
1	С	249	VAL
1	D	160	VAL
1	D	249	VAL
1	С	160	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Percentiles	
1	А	293/292~(100%)	289~(99%)	4 (1%)	67 80
1	В	292/292~(100%)	287~(98%)	5(2%)	60 74

Continued on next page...



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	С	293/292~(100%)	289~(99%)	4 (1%)	67	80
1	D	294/292~(101%)	286~(97%)	8 (3%)	44	57
All	All	1172/1168~(100%)	1151 (98%)	21 (2%)	59	72

Continued from previous page...

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	39	ASP
1	А	92	LEU
1	А	98	LEU
1	А	188	ILE
1	В	28	HIS
1	В	39	ASP
1	В	92	LEU
1	В	253	ASP
1	В	273	LYS
1	С	4	ILE
1	С	25	LYS
1	С	97	SER
1	С	273	LYS
1	D	43	LEU
1	D	67	GLU
1	D	94	PRO
1	D	105	GLU
1	D	196	SER
1	D	240	TYR
1	D	266	HIS
1	D	340	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	315	GLN
1	D	28	HIS
1	D	74	GLN
1	D	315	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

38 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm ths}$	В	ond ang	les
	туре	Unain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	В	404	-	3,3,3	0.21	0	2,2,2	0.37	0
5	EDO	С	407	-	3,3,3	0.13	0	2,2,2	0.35	0
4	PG4	А	411	-	12,12,12	0.22	0	11,11,11	0.18	0
4	PG4	А	410	-	12,12,12	0.24	0	11,11,11	0.17	0
5	EDO	А	404	-	3,3,3	0.23	0	2,2,2	0.48	0
9	1PE	В	402	-	15,15,15	0.28	0	14,14,14	0.28	0
7	PGE	С	401	-	9,9,9	0.43	0	8,8,8	0.36	0
4	PG4	А	403	-	12,12,12	0.45	0	11,11,11	0.30	0
2	NAD	В	401	-	42,48,48	0.86	2 (4%)	50,73,73	0.92	2 (4%)
2	NAD	А	401	-	42,48,48	0.88	3 (7%)	50,73,73	0.83	1 (2%)
7	PGE	А	408	-	9,9,9	0.30	0	8,8,8	0.26	0
5	EDO	D	407	-	3,3,3	0.07	0	2,2,2	0.18	0
8	TRS	А	409	-	7,7,7	0.19	0	9,9,9	0.39	0
5	EDO	С	405	-	3,3,3	0.15	0	2,2,2	0.33	0
6	PO4	А	407	-	4,4,4	0.90	0	6,6,6	0.53	0
5	EDO	А	406	-	3,3,3	0.13	0	2,2,2	0.26	0
3	PEG	В	406	-	6,6,6	0.32	0	$5,\!5,\!5$	0.22	0
10	GOL	В	409	-	5,5,5	0.09	0	$5,\!5,\!5$	0.37	0
3	PEG	D	401	-	6,6,6	0.44	0	5, 5, 5	0.40	0
2	NAD	D	402	-	42,48,48	0.79	2 (4%)	50,73,73	0.87	2 (4%)
4	PG4	С	403	-	12,12,12	0.55	0	11,11,11	0.36	0
5	EDO	D	405	-	3,3,3	0.38	0	2,2,2	0.77	0



Mol	Tuno	Chain	Dog	Tink	Bo	Bond lengths			Bond angles		
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
7	PGE	С	404	-	9,9,9	0.41	0	8,8,8	0.30	0	
9	1PE	D	403	-	15,15,15	0.22	0	14,14,14	0.20	0	
3	PEG	А	402	-	6,6,6	0.36	0	$5,\!5,\!5$	0.50	0	
5	EDO	D	404	-	3,3,3	0.16	0	2,2,2	0.42	0	
8	TRS	С	408	-	7,7,7	0.19	0	9,9,9	0.39	0	
5	EDO	В	411	-	3,3,3	0.09	0	2,2,2	0.12	0	
7	PGE	В	408	-	9,9,9	0.30	0	8,8,8	0.20	0	
3	PEG	С	406	-	6,6,6	0.24	0	$5,\!5,\!5$	0.17	0	
5	EDO	А	405	-	3,3,3	0.21	0	2,2,2	0.35	0	
3	PEG	В	405	-	6,6,6	0.25	0	$5,\!5,\!5$	0.16	0	
5	EDO	D	406	-	3,3,3	0.35	0	2,2,2	0.53	0	
2	NAD	С	402	-	42,48,48	0.80	1 (2%)	50,73,73	0.95	2 (4%)	
3	PEG	В	410	-	6,6,6	0.23	0	5,5,5	0.14	0	
4	PG4	В	403	-	12,12,12	0.29	0	11,11,11	0.32	0	
4	PG4	В	412	-	12,12,12	0.24	0	11,11,11	0.23	0	
5	EDO	В	407	-	3,3,3	0.12	0	2,2,2	0.34	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	В	404	-	-	1/1/1/1	-
5	EDO	С	407	-	-	1/1/1/1	-
4	PG4	А	411	-	-	5/10/10/10	-
4	PG4	А	410	-	-	5/10/10/10	-
5	EDO	А	404	-	-	0/1/1/1	-
9	1PE	В	402	-	-	7/13/13/13	-
7	PGE	С	401	-	-	3/7/7/7	-
4	PG4	А	403	-	-	5/10/10/10	-
2	NAD	В	401	-	-	6/26/62/62	0/5/5/5
2	NAD	А	401	-	-	12/26/62/62	0/5/5/5
7	PGE	А	408	-	-	1/7/7/7	-
5	EDO	D	407	-	-	0/1/1/1	-
8	TRS	А	409	-	-	5/9/9/9	-
5	EDO	С	405	-	-	0/1/1/1	-
5	EDO	A	406	-	-	1/1/1/1	-
3	PEG	В	406	-	-	1/4/4/4	-
10	GOL	В	409	-	-	2/4/4/4	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEG	D	401	-	-	0/4/4/4	-
2	NAD	D	402	-	-	9/26/62/62	0/5/5/5
4	PG4	С	403	-	-	6/10/10/10	-
5	EDO	D	405	-	-	0/1/1/1	-
7	PGE	С	404	-	-	2/7/7/7	-
9	1PE	D	403	-	-	5/13/13/13	-
3	PEG	А	402	-	-	2/4/4/4	-
5	EDO	D	404	-	-	1/1/1/1	-
8	TRS	С	408	-	-	<mark>6/9/9/9</mark>	-
5	EDO	В	411	-	-	0/1/1/1	-
7	PGE	В	408	-	-	4/7/7/7	-
3	PEG	С	406	-	-	1/4/4/4	-
5	EDO	А	405	-	-	1/1/1/1	-
3	PEG	В	405	-	-	2/4/4/4	-
5	EDO	D	406	-	-	1/1/1/1	-
2	NAD	С	402	-	-	6/26/62/62	0/5/5/5
3	PEG	В	410	-	-	1/4/4/4	-
4	PG4	В	403	-	-	3/10/10/10	-
4	PG4	В	412	-	-	6/10/10/10	-
5	EDO	В	407	-	-	1/1/1/1	-

Continued from previous page...

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	В	401	NAD	C2N-N1N	3.30	1.39	1.35
2	А	401	NAD	C2N-N1N	3.07	1.38	1.35
2	С	402	NAD	C2N-N1N	3.04	1.38	1.35
2	D	402	NAD	C2N-N1N	2.79	1.38	1.35
2	А	401	NAD	O4D-C1D	2.61	1.44	1.41
2	D	402	NAD	O4D-C1D	2.44	1.44	1.41
2	В	401	NAD	O4D-C1D	2.25	1.44	1.41
2	А	401	NAD	C8A-N7A	-2.04	1.31	1.34

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	401	NAD	C6N-N1N-C2N	-2.96	119.28	121.97
2	С	402	NAD	C6N-N1N-C2N	-2.58	119.62	121.97
2	D	402	NAD	C6N-N1N-C2N	-2.43	119.76	121.97



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	401	NAD	C6N-N1N-C2N	-2.32	119.86	121.97
2	В	401	NAD	C5A-C6A-N6A	2.26	123.78	120.35
2	D	402	NAD	O4D-C1D-C2D	-2.24	103.65	106.93
2	С	402	NAD	O2D-C2D-C3D	2.19	118.90	111.82

Continued from previous page...

There are no chirality outliers.

All (112) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	401	NAD	С5В-О5В-РА-О1А
2	А	401	NAD	C5D-O5D-PN-O2N
2	А	401	NAD	O4D-C1D-N1N-C2N
2	А	401	NAD	O4D-C1D-N1N-C6N
2	А	401	NAD	C2D-C1D-N1N-C2N
2	А	401	NAD	C2D-C1D-N1N-C6N
2	В	401	NAD	O4D-C1D-N1N-C2N
2	В	401	NAD	O4D-C1D-N1N-C6N
2	В	401	NAD	C2D-C1D-N1N-C2N
2	В	401	NAD	C2D-C1D-N1N-C6N
2	С	402	NAD	С5В-О5В-РА-О1А
2	С	402	NAD	O4B-C4B-C5B-O5B
2	С	402	NAD	O4D-C1D-N1N-C2N
2	D	402	NAD	C5B-O5B-PA-O1A
2	D	402	NAD	O4D-C1D-N1N-C2N
2	D	402	NAD	O4D-C1D-N1N-C6N
2	D	402	NAD	C2D-C1D-N1N-C6N
8	А	409	TRS	C1-C-C2-O2
8	А	409	TRS	C3-C-C2-O2
8	А	409	TRS	N-C-C2-O2
3	А	402	PEG	C1-C2-O2-C3
2	А	401	NAD	O4B-C4B-C5B-O5B
2	D	402	NAD	O4B-C4B-C5B-O5B
4	А	403	PG4	O3-C5-C6-O4
4	В	412	PG4	O4-C7-C8-O5
9	D	403	1PE	OH4-C13-C23-OH3
2	С	402	NAD	C3B-C4B-C5B-O5B
7	В	408	PGE	O1-C1-C2-O2
5	А	406	EDO	O1-C1-C2-O2
4	В	403	PG4	O2-C3-C4-O3
3	В	405	PEG	O2-C3-C4-O4
4	A	410	PG4	O1-C1-C2-O2
4	А	410	PG4	O4-C7-C8-O5



Mol	Chain	Res	Type	Atoms
4	В	403	PG4	O4-C7-C8-O5
4	В	412	PG4	O1-C1-C2-O2
4	С	403	PG4	O4-C7-C8-O5
4	А	410	PG4	O3-C5-C6-O4
9	В	402	1PE	С16-С26-ОН6-С15
10	В	409	GOL	C1-C2-C3-O3
7	С	404	PGE	O3-C5-C6-O4
2	D	402	NAD	C3B-C4B-C5B-O5B
3	В	406	PEG	C4-C3-O2-C2
5	В	404	EDO	O1-C1-C2-O2
5	С	407	EDO	O1-C1-C2-O2
7	С	401	PGE	C3-C4-O3-C5
4	А	410	PG4	O2-C3-C4-O3
9	В	402	1PE	OH5-C14-C24-OH4
3	А	402	PEG	O2-C3-C4-O4
2	А	401	NAD	C3B-C4B-C5B-O5B
3	С	406	PEG	O1-C1-C2-O2
4	А	403	PG4	O4-C7-C8-O5
4	А	411	PG4	O1-C1-C2-O2
4	А	411	PG4	O3-C5-C6-O4
5	А	405	EDO	O1-C1-C2-O2
4	В	412	PG4	O3-C5-C6-O4
4	А	411	PG4	O4-C7-C8-O5
9	D	403	1PE	OH6-C15-C25-OH5
4	С	403	PG4	O1-C1-C2-O2
3	В	410	PEG	O1-C1-C2-O2
5	В	407	EDO	O1-C1-C2-O2
4	С	403	PG4	O2-C3-C4-O3
7	С	404	PGE	O1-C1-C2-O2
9	В	402	1PE	C23-C13-OH4-C24
7	В	408	PGE	C1-C2-O2-C3
3	В	405	PEG	C1-C2-O2-C3
9	В	402	1PE	C12-C22-OH3-C23
2	A	401	NAD	C5B-O5B-PA-O3
2	A	401	NAD	C5D-O5D-PN-O3
2	C	402	NAD	C5B-O5B-PA-O3
2	D	402	NAD	C5B-O5B-PA-O3
7	А	408	PGE	O3-C5-C6-O4
9	D	403	1PE	OH2-C12-C22-OH3
4	С	403	PG4	O3-C5-C6-O4
8	C	408	TRS	C1-C-C3-O3
8	С	408	TRS	N-C-C3-O3

Continued from previous page...



Mol	Chain	Res	Type	Atoms
9	В	402	1PE	C15-C25-OH5-C14
7	С	401	PGE	C6-C5-O3-C4
9	D	403	1PE	C24-C14-OH5-C25
2	А	401	NAD	C5B-O5B-PA-O2A
2	С	402	NAD	C5B-O5B-PA-O2A
2	D	402	NAD	C5B-O5B-PA-O2A
9	В	402	1PE	С25-С15-ОН6-С26
4	А	403	PG4	C6-C5-O3-C4
4	А	411	PG4	O2-C3-C4-O3
7	С	401	PGE	O1-C1-C2-O2
4	А	403	PG4	O2-C3-C4-O3
4	А	403	PG4	C5-C6-O4-C7
4	В	412	PG4	C8-C7-O4-C6
2	В	401	NAD	C4N-C3N-C7N-N7N
7	В	408	PGE	C3-C4-O3-C5
2	В	401	NAD	O4B-C4B-C5B-O5B
7	В	408	PGE	C4-C3-O2-C2
5	D	406	EDO	O1-C1-C2-O2
8	А	409	TRS	C1-C-C3-O3
8	А	409	TRS	C2-C-C3-O3
8	С	408	TRS	C1-C-C2-O2
8	С	408	TRS	C3-C-C2-O2
4	А	411	PG4	C5-C6-O4-C7
9	D	403	1PE	С13-С23-ОН3-С22
4	В	403	PG4	C3-C4-O3-C5
4	В	412	PG4	C1-C2-O2-C3
4	С	403	PG4	C6-C5-O3-C4
2	D	402	NAD	C2D-C1D-N1N-C2N
10	В	409	GOL	O2-C2-C3-O3
9	В	402	1PE	C14-C24-OH4-C13
8	С	408	TRS	C3-C-C1-O1
8	С	408	TRS	N-C-C2-O2
4	А	410	PG4	C3-C4-O3-C5
4	С	403	PG4	C4-C3-O2-C2
2	А	401	NAD	C5D-O5D-PN-O1N
5	D	404	EDO	O1-C1-C2-O2
4	В	412	PG4	C5-C6-O4-C7

Continued from previous page...

There are no ring outliers.

17 monomers are involved in 32 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	С	407	EDO	2	0
4	А	410	PG4	3	0
5	А	404	EDO	1	0
9	В	402	1PE	3	0
7	С	401	PGE	1	0
4	А	403	PG4	3	0
8	А	409	TRS	1	0
3	В	406	PEG	2	0
3	D	401	PEG	2	0
5	D	405	EDO	2	0
9	D	403	1PE	1	0
3	А	402	PEG	2	0
3	С	406	PEG	1	0
3	В	405	PEG	2	0
2	С	402	NAD	1	0
4	В	403	PG4	4	0
4	В	412	PG4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		$\mathbf{OWAB}(\mathbf{\AA}^2)$	Q < 0.9
1	А	341/341~(100%)	-0.51	2 (0%) 89 8	88	28, 41, 65, 111	0
1	В	341/341~(100%)	-0.48	1 (0%) 94 9	93	28, 43, 78, 114	0
1	С	341/341~(100%)	-0.51	2 (0%) 89 8	88	30, 42, 68, 126	0
1	D	341/341~(100%)	-0.42	2 (0%) 89 8	88	30, 45, 74, 113	0
All	All	1364/1364~(100%)	-0.48	7 (0%) 91 9	90	28, 43, 72, 126	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	341	SER	8.6
1	В	341	SER	3.4
1	D	341	SER	2.5
1	D	66	ASN	2.4
1	А	1	MET	2.3
1	А	341	SER	2.3
1	С	340	LYS	2.3

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	\mathbf{Res}	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
8	TRS	А	409	8/8	0.79	0.19	81,88,93,94	0
3	PEG	D	401	7/7	0.82	0.15	58,60,70,74	0
3	PEG	С	406	7/7	0.82	0.15	63,73,77,77	0
5	EDO	В	411	4/4	0.83	0.16	84,92,94,96	0
7	PGE	А	408	10/10	0.84	0.16	71,78,91,91	0
5	EDO	С	405	4/4	0.84	0.16	73,78,80,81	0
3	PEG	В	410	7/7	0.85	0.11	85,97,104,104	0
5	EDO	В	407	4/4	0.85	0.21	58,70,77,85	0
3	PEG	А	402	7/7	0.86	0.19	57,72,83,85	0
5	EDO	D	405	4/4	0.86	0.12	$65,\!67,\!74,\!77$	0
8	TRS	С	408	8/8	0.86	0.19	90,93,95,95	0
10	GOL	В	409	6/6	0.86	0.13	85,90,93,97	0
7	PGE	С	401	10/10	0.87	0.18	$55,\!68,\!76,\!77$	0
3	PEG	В	405	7/7	0.87	0.15	68,72,80,89	0
4	PG4	С	403	13/13	0.88	0.14	52,56,68,73	0
7	PGE	В	408	10/10	0.88	0.18	83,92,97,98	0
5	EDO	A	404	4/4	0.89	0.17	$65,\!68,\!72,\!72$	0
5	EDO	А	406	4/4	0.89	0.16	63,79,82,84	0
4	PG4	А	410	13/13	0.89	0.15	66,73,91,92	0
9	1PE	В	402	16/16	0.90	0.19	47,58,66,69	0
5	EDO	А	405	4/4	0.91	0.16	68,70,70,70	0
4	PG4	А	403	13/13	0.91	0.17	$55,\!63,\!67,\!68$	0
5	EDO	В	404	4/4	0.91	0.10	69,77,80,80	0
5	EDO	С	407	4/4	0.91	0.22	$59,\!65,\!66,\!72$	0
6	PO4	А	407	5/5	0.92	0.10	$65,\!67,\!77,\!85$	5
9	1PE	D	403	16/16	0.92	0.18	$51,\!73,\!85,\!85$	0
4	PG4	В	412	13/13	0.92	0.19	$60,\!67,\!82,\!83$	0
5	EDO	D	407	4/4	0.93	0.10	46,59,68,76	0
5	EDO	D	406	4/4	0.93	0.13	$59,\!61,\!72,\!73$	0
5	EDO	D	404	4/4	0.94	0.10	$57,\!60,\!61,\!62$	0
3	PEG	В	406	7/7	0.94	0.15	61,73,82,85	0
7	PGE	С	404	10/10	0.94	0.10	56,60,65,68	0
2	NAD	В	401	44/44	0.94	0.13	45,59,83,84	0
2	NAD	С	402	44/44	0.95	0.13	44,56,85,93	0
2	NAD	А	401	44/44	0.97	0.11	43,49,72,76	0
2	NAD	D	402	44/44	0.97	0.09	39,50,61,62	0
4	PG4	A	411	13/13	0.97	0.11	34,37,42,51	0

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q < 0.9
4	PG4	В	403	13/13	0.97	0.11	$34,\!38,\!46,\!56$	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


















































































































6.5 Other polymers (i)

There are no such residues in this entry.

