



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 2, 2024 – 01:53 PM JST

PDB ID : 8IK6  
Title : pUbl depleted Parkin complex with pUbiquitin  
Authors : Lenka, D.R.; Kumar, A.  
Deposited on : 2023-02-28  
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.002 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.38.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	1085 (3.32-3.28)
Clashscore	180529	1128 (3.32-3.28)
Ramachandran outliers	177936	1125 (3.32-3.28)
Sidechain outliers	177891	1124 (3.32-3.28)
RSRZ outliers	164620	1085 (3.32-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	327	
1	C	327	
2	B	75	
2	D	75	

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5518 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called E3 ubiquitin-protein ligase parkin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	C	303	2325	1442	421	423	39	0	0	0
1	A	250	1969	1227	356	356	30	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	140	PRO	ARG	engineered mutation	UNP O60260
C	347	CYS	GLN	engineered mutation	UNP O60260
C	383	ASN	ALA	engineered mutation	UNP O60260
C	384	LEU	SER	engineered mutation	UNP O60260
C	385	TYR	GLY	engineered mutation	UNP O60260
C	386	PHE	THR	engineered mutation	UNP O60260
C	387	GLN	THR	engineered mutation	UNP O60260
C	388	SER	THR	engineered mutation	UNP O60260
A	140	PRO	ARG	engineered mutation	UNP O60260
A	347	CYS	GLN	engineered mutation	UNP O60260
A	383	ASN	ALA	engineered mutation	UNP O60260
A	384	LEU	SER	engineered mutation	UNP O60260
A	385	TYR	GLY	engineered mutation	UNP O60260
A	386	PHE	THR	engineered mutation	UNP O60260
A	387	GLN	THR	engineered mutation	UNP O60260
A	388	SER	THR	engineered mutation	UNP O60260


- Molecule 2 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	P				S
2	D	73	586	368	99	117	1	1	0	0	0
2	B	72	577	363	97	115	1	1	0	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	8	Total	Zn	0	0
			8	8		
3	A	6	Total	Zn	0	0
			6	6		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	1	Total	O	0	0
			1	1		
5	B	1	Total	O	0	0
			1	1		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: E3 ubiquitin-protein ligase parkin



- Molecule 1: E3 ubiquitin-protein ligase parkin




- Molecule 2: Ubiquitin



- Molecule 2: Ubiquitin





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 64 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	187.81Å 187.81Å 141.86Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	39.15 – 3.30 39.15 – 3.30	Depositor EDS
% Data completeness (in resolution range)	92.0 (39.15-3.30) 92.0 (39.15-3.30)	Depositor EDS
$R_{merge}$	0.19	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.25 (at 3.32Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.234 , 0.270 0.234 , 0.272	Depositor DCC
$R_{free}$ test set	1144 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	128.1	Xtrriage
Anisotropy	0.381	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 129.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5518	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	151.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, ZN, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	0/2023	0.57	0/2748
1	C	0.48	1/2384 (0.0%)	0.60	0/3232
2	B	0.25	0/571	0.53	0/766
2	D	0.24	0/581	0.54	0/781
All	All	0.42	1/5559 (0.0%)	0.58	0/7527

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	201	CYS	CB-SG	-5.03	1.73	1.81

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1969	0	1846	29	0
1	C	2325	0	2158	47	1
2	B	577	0	600	8	0
2	D	586	0	609	6	0
3	A	6	0	0	0	0
3	C	8	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	10	0	0	0	0
4	C	35	0	0	0	0
5	B	1	0	0	0	0
5	D	1	0	0	0	0
All	All	5518	0	5213	84	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:238:CYS:HB3	1:C:241:CYS:SG	2.15	0.87
1:A:166:CYS:HB3	1:A:169:CYS:HB2	1.63	0.80
1:C:352:CYS:HB3	1:C:360:CYS:HB2	1.64	0.79
1:A:211:LYS:HZ3	1:A:219:ASP:HA	1.47	0.77
1:C:238:CYS:CB	1:C:241:CYS:SG	2.74	0.74
1:C:169:CYS:SG	1:C:171:GLN:HB2	2.29	0.72
1:A:169:CYS:HB3	1:A:171:GLN:HB2	1.70	0.72
1:C:150:CYS:HB3	1:C:154:CYS:HB2	1.74	0.68
1:C:214:ALA:HB2	1:A:142:ILE:HD11	1.81	0.62
1:C:236:ILE:HG22	1:C:237:THR:H	1.63	0.62
1:C:211:LYS:HE3	1:C:217:THR:HB	1.82	0.61
2:B:45:PHE:HB3	2:B:50:LEU:HD21	1.82	0.61
2:D:41:GLN:O	2:D:42:ARG:HD3	2.01	0.61
1:C:253:CYS:HB2	1:C:293:CYS:CB	2.31	0.60
2:D:45:PHE:HB3	2:D:50:LEU:HD21	1.85	0.59
2:B:22:THR:HG22	2:B:55:THR:HG22	1.84	0.57
1:A:211:LYS:NZ	1:A:219:ASP:HA	2.19	0.57
1:A:396:ARG:O	1:A:400:GLN:HG2	2.05	0.56
1:C:436:CYS:HB3	1:C:443:LEU:H	1.71	0.56
2:B:63:LYS:HG2	2:B:64:GLU:HG2	1.87	0.55
1:C:140:PRO:C	1:A:156:ARG:HH22	2.10	0.55
1:C:192:MET:HG3	1:C:208:PHE:HE2	1.73	0.54
1:A:262:ASP:O	1:A:266:LEU:HD22	2.07	0.54
1:C:446:CYS:SG	1:C:449:CYS:N	2.81	0.54
1:A:196:CYS:HB2	1:A:203:GLY:HA3	1.90	0.53
2:B:23:ILE:HB	2:B:52:ASP:HA	1.91	0.53
1:A:163:ARG:NH1	1:A:211:LYS:HZ2	2.07	0.52
1:A:209:PHE:HE2	1:A:211:LYS:HE3	1.74	0.52
1:A:226:LEU:HD22	1:A:303:HIS:HA	1.91	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:435:LYS:HA	1:C:443:LEU:O	2.10	0.52
1:A:169:CYS:HB3	1:A:171:GLN:CB	2.40	0.52
1:C:211:LYS:HB3	1:C:217:THR:HG21	1.92	0.51
1:C:360:CYS:CB	1:C:361:GLY:HA2	2.39	0.51
1:C:273:ASN:HD21	1:C:314:ARG:HH11	1.59	0.51
1:C:360:CYS:N	1:C:361:GLY:HA2	2.25	0.50
1:A:449:CYS:HB2	1:A:451:CYS:SG	2.51	0.50
1:C:352:CYS:CB	1:C:360:CYS:HB2	2.40	0.50
1:C:168:THR:HB	1:C:201:CYS:SG	2.52	0.50
1:C:337:CYS:O	2:D:9:THR:HA	2.11	0.50
1:A:248:VAL:HG12	1:A:260:CYS:HA	1.94	0.50
1:A:162:LEU:HD13	1:A:210:PHE:CZ	2.47	0.50
1:C:241:CYS:HB3	1:C:263:CYS:SG	2.52	0.49
1:C:360:CYS:CB	1:C:361:GLY:CA	2.90	0.49
1:C:253:CYS:HB2	1:C:293:CYS:HB3	1.94	0.49
2:B:22:THR:HA	2:B:55:THR:HA	1.93	0.49
1:C:420:ARG:HB3	1:C:441:CYS:SG	2.53	0.48
1:A:198:SER:O	1:A:199:PRO:C	2.52	0.48
2:B:61:ILE:HD13	2:B:67:LEU:HD21	1.95	0.48
1:C:234:ARG:HB3	1:C:236:ILE:HD11	1.96	0.48
1:A:307:LEU:HB3	1:A:311:GLN:HB2	1.95	0.48
1:C:140:PRO:HB3	1:C:454:ASN:HD21	1.78	0.48
1:C:433:HIS:HD2	1:C:453:TRP:CG	2.32	0.47
1:C:186:VAL:HA	1:C:208:PHE:CD2	2.50	0.47
2:D:6:LYS:O	2:D:68:HIS:HA	2.16	0.46
2:D:22:THR:O	2:D:26:VAL:HG23	2.16	0.46
1:C:420:ARG:HD3	1:C:441:CYS:SG	2.55	0.46
1:A:435:LYS:HG3	1:A:444:GLU:HG2	1.97	0.45
1:C:268:CYS:HB3	1:C:307:LEU:HD21	1.97	0.45
1:C:360:CYS:HB3	1:C:361:GLY:CA	2.47	0.44
1:C:140:PRO:O	1:A:156:ARG:NH2	2.49	0.44
1:C:152:GLY:HA2	1:C:153:PRO:HA	1.78	0.44
1:A:304:PHE:O	1:A:307:LEU:HB2	2.18	0.44
2:B:63:LYS:O	2:B:64:GLU:HB2	2.19	0.43
1:A:268:CYS:HB3	1:A:307:LEU:CD1	2.49	0.43
1:A:163:ARG:HH11	1:A:211:LYS:HZ2	1.67	0.43
1:C:242:THR:HG22	1:C:242:THR:O	2.19	0.43
1:C:159:PRO:HD2	1:A:142:ILE:HD12	2.01	0.43
1:C:332:CYS:HB3	1:C:337:CYS:HB3	2.00	0.42
1:A:265:HIS:HD2	1:A:266:LEU:HD13	1.83	0.42
1:C:177:THR:HG23	1:C:194:GLY:HA2	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:438:GLN:HA	1:C:439:PRO:HD3	1.88	0.42
1:A:303:HIS:O	1:A:306:ILE:HG12	2.20	0.42
1:C:259:ILE:HD12	1:C:290:VAL:HG21	2.00	0.42
1:C:396:ARG:HD2	1:C:396:ARG:C	2.39	0.42
2:B:43:LEU:HB3	2:B:50:LEU:HD12	2.01	0.42
1:C:226:LEU:HD22	1:C:303:HIS:HA	2.02	0.41
1:C:215:HIS:CD2	1:C:215:HIS:N	2.87	0.41
1:C:182:CYS:SG	1:C:184:ASP:HB2	2.61	0.41
1:C:358:LEU:HD11	2:D:71:LEU:HD11	2.01	0.41
1:A:157:VAL:HG21	1:A:306:ILE:HD13	2.03	0.41
1:A:428:ASN:HD22	1:A:429:GLY:H	1.69	0.41
1:C:247:PRO:HG2	1:C:261:LEU:HD11	2.02	0.40
1:A:258:VAL:HG11	1:A:403:TRP:HE3	1.86	0.40
1:C:314:ARG:HE	1:C:314:ARG:HB2	1.75	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:314:ARG:NH1	1:C:314:ARG:NH1[7_555]	1.86	0.34

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	244/327 (75%)	231 (95%)	12 (5%)	1 (0%)	30	61
1	C	293/327 (90%)	264 (90%)	28 (10%)	1 (0%)	37	66
2	B	67/75 (89%)	64 (96%)	3 (4%)	0	100	100
2	D	70/75 (93%)	68 (97%)	2 (3%)	0	100	100
All	All	674/804 (84%)	627 (93%)	45 (7%)	2 (0%)	37	66

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	199	PRO
1	C	142	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/284 (78%)	205 (92%)	17 (8%)	10	33
1	C	256/284 (90%)	226 (88%)	30 (12%)	4	17
2	B	65/67 (97%)	57 (88%)	8 (12%)	4	16
2	D	66/67 (98%)	60 (91%)	6 (9%)	7	27
All	All	609/702 (87%)	548 (90%)	61 (10%)	6	23

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	144	ASN
1	C	168	THR
1	C	170	ARG
1	C	173	THR
1	C	174	LEU
1	C	198	SER
1	C	212	CYS
1	C	215	HIS
1	C	217	THR
1	C	219	ASP
1	C	220	LYS
1	C	258	VAL
1	C	260	CYS
1	C	285	TYR
1	C	297	LEU
1	C	309	GLU
1	C	310	GLU
1	C	334	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	C	337	CYS
1	C	348	ARG
1	C	358	LEU
1	C	360	CYS
1	C	366	ARG
1	C	369	LYS
1	C	373	HIS
1	C	399	GLU
1	C	428	ASN
1	C	438	GLN
1	C	455	ARG
1	C	465	VAL
2	D	9	THR
2	D	14	THR
2	D	39	ASP
2	D	42	ARG
2	D	51	GLU
2	D	54	ARG
1	A	156	ARG
1	A	178	GLN
1	A	196	CYS
1	A	200	HIS
1	A	204	THR
1	A	220	LYS
1	A	254	ASN
1	A	266	LEU
1	A	285	TYR
1	A	307	LEU
1	A	393	VAL
1	A	395	GLU
1	A	396	ARG
1	A	402	ARG
1	A	425	VAL
1	A	428	ASN
1	A	454	ASN
2	B	9	THR
2	B	20	SER
2	B	24	GLU
2	B	33	LYS
2	B	34	GLU
2	B	39	ASP
2	B	51	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	73	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	273	ASN
1	C	428	ASN
1	A	282	GLN
1	A	428	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SEP	B	65	2	8,9,10	0.64	0	8,12,14	0.60	0
2	SEP	D	65	2	8,9,10	0.63	0	8,12,14	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SEP	B	65	2	-	0/5/8/10	-
2	SEP	D	65	2	-	3/5/8/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	65	SEP	CB-OG-P-O1P
2	D	65	SEP	CB-OG-P-O3P
2	D	65	SEP	CA-CB-OG-P

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 23 ligands modelled in this entry, 14 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	SO4	A	507	-	4,4,4	0.38	0	6,6,6	0.06	0
4	SO4	C	512	-	4,4,4	0.38	0	6,6,6	0.05	0
4	SO4	C	515	-	4,4,4	0.40	0	6,6,6	0.05	0
4	SO4	C	514	-	4,4,4	0.39	0	6,6,6	0.04	0
4	SO4	A	508	-	4,4,4	0.38	0	6,6,6	0.04	0
4	SO4	C	510	-	4,4,4	0.39	0	6,6,6	0.05	0
4	SO4	C	509	-	4,4,4	0.39	0	6,6,6	0.05	0
4	SO4	C	513	-	4,4,4	0.39	0	6,6,6	0.05	0
4	SO4	C	511	-	4,4,4	0.38	0	6,6,6	0.04	0

There are no bond length outliers.

There are no bond angle outliers.




There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	250/327 (76%)	-0.47	0 <b>100</b> <b>100</b>	118, 149, 194, 219	0
1	C	303/327 (92%)	-0.45	2 (0%) <b>84</b> <b>75</b>	94, 138, 206, 231	0
2	B	71/75 (94%)	-0.53	0 <b>100</b> <b>100</b>	149, 185, 206, 226	0
2	D	72/75 (96%)	-0.66	0 <b>100</b> <b>100</b>	107, 128, 161, 168	0
All	All	696/804 (86%)	-0.49	2 (0%) <b>90</b> <b>85</b>	94, 146, 203, 231	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	353	GLU	3.0
1	C	291	ALA	2.7

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SEP	B	65	10/11	0.96	0.07	148,151,156,156	0
2	SEP	D	65	10/11	0.98	0.06	116,126,137,143	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	SO4	C	511	5/5	0.33	0.10	291,296,297,300	0
4	SO4	A	507	5/5	0.64	0.09	229,233,236,239	0
4	SO4	A	508	5/5	0.81	0.05	194,197,201,204	0
4	SO4	C	514	5/5	0.83	0.06	202,204,207,213	0
4	SO4	C	513	5/5	0.84	0.06	248,249,250,254	0
4	SO4	C	515	5/5	0.85	0.07	191,191,197,197	0
3	ZN	C	502	1/1	0.90	0.08	236,236,236,236	0
4	SO4	C	510	5/5	0.90	0.05	177,184,189,190	0
4	SO4	C	509	5/5	0.93	0.07	182,184,187,188	0
3	ZN	C	506	1/1	0.95	0.07	203,203,203,203	0
3	ZN	C	503	1/1	0.96	0.06	148,148,148,148	0
3	ZN	C	505	1/1	0.98	0.05	151,151,151,151	0
3	ZN	C	507	1/1	0.98	0.05	202,202,202,202	0
3	ZN	A	502	1/1	0.98	0.06	168,168,168,168	0
3	ZN	A	504	1/1	0.98	0.03	179,179,179,179	0
3	ZN	C	508	1/1	0.99	0.04	134,134,134,134	0
3	ZN	A	506	1/1	0.99	0.02	153,153,153,153	0
4	SO4	C	512	5/5	0.99	0.03	121,121,122,123	0
3	ZN	C	501	1/1	0.99	0.02	134,134,134,134	0
3	ZN	A	501	1/1	1.00	0.01	130,130,130,130	0
3	ZN	A	505	1/1	1.00	0.03	127,127,127,127	0
3	ZN	C	504	1/1	1.00	0.01	124,124,124,124	0
3	ZN	A	503	1/1	1.00	0.02	132,132,132,132	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around SO4 C 511:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 A 507:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 A 508:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SO4 C 514:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SO4 C 513:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SO4 C 515:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SO4 C 510:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 C 509:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN C 506:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN C 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around ZN C 505:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)























**Electron density around SO4 C 512:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ZN C 501:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)














## 6.5 Other polymers [i](#)

There are no such residues in this entry.