



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2024 – 12:47 AM EST

PDB ID : 4ILA
Title : The pentameric ligand-gated ion channel GLIC A237F in complex with Cesium
Authors : Sauguet, L.; Corringer, P.J.; Delarue, M.
Deposited on : 2012-12-29
Resolution : 3.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1659 (3.60-3.40)
Clashscore	141614	1036 (3.58-3.42)
Ramachandran outliers	138981	1005 (3.58-3.42)
Sidechain outliers	138945	1006 (3.58-3.42)
RSRZ outliers	127900	1559 (3.60-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	320	 87% 10% .
1	B	320	 88% 8% ..
1	C	320	 85% 11% ..
1	D	320	 85% 11% ..
1	E	320	 84% 12% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACT	C	402	-	-	-	X
2	ACT	D	401	-	-	X	-
3	PLC	A	404	-	-	-	X
3	PLC	B	403	-	-	-	X
3	PLC	C	403	-	-	-	X
3	PLC	E	403	-	-	-	X
4	UNL	B	405	-	-	-	X
4	UNL	C	405	-	-	-	X
4	UNL	D	405	-	-	-	X
4	UNL	E	405	-	-	-	X
5	CS	C	410	-	-	-	X
7	LMT	A	415	-	-	-	X
7	LMT	B	413	-	-	-	X
7	LMT	C	413	-	-	-	X
7	LMT	E	412	-	-	-	X

2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 13116 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proton-gated ion channel.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	311	2531	1670	404	453	4	0	0	0
1	B	311	2531	1670	404	453	4	0	0	0
1	C	311	2531	1670	404	453	4	0	0	0
1	D	311	2531	1670	404	453	4	0	0	0
1	E	310	2520	1661	403	452	4	0	0	0

There are 30 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP Q7NDN8
A	-2	SER	-	expression tag	UNP Q7NDN8
A	-1	ALA	-	expression tag	UNP Q7NDN8
A	0	ALA	-	expression tag	UNP Q7NDN8
A	1	ALA	-	expression tag	UNP Q7NDN8
A	237	PHE	ALA	engineered mutation	UNP Q7NDN8
B	-3	GLY	-	expression tag	UNP Q7NDN8
B	-2	SER	-	expression tag	UNP Q7NDN8
B	-1	ALA	-	expression tag	UNP Q7NDN8
B	0	ALA	-	expression tag	UNP Q7NDN8
B	1	ALA	-	expression tag	UNP Q7NDN8
B	237	PHE	ALA	engineered mutation	UNP Q7NDN8
C	-3	GLY	-	expression tag	UNP Q7NDN8
C	-2	SER	-	expression tag	UNP Q7NDN8
C	-1	ALA	-	expression tag	UNP Q7NDN8
C	0	ALA	-	expression tag	UNP Q7NDN8
C	1	ALA	-	expression tag	UNP Q7NDN8
C	237	PHE	ALA	engineered mutation	UNP Q7NDN8
D	-3	GLY	-	expression tag	UNP Q7NDN8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	SER	-	expression tag	UNP Q7NDN8
D	-1	ALA	-	expression tag	UNP Q7NDN8
D	0	ALA	-	expression tag	UNP Q7NDN8
D	1	ALA	-	expression tag	UNP Q7NDN8
D	237	PHE	ALA	engineered mutation	UNP Q7NDN8
E	-3	GLY	-	expression tag	UNP Q7NDN8
E	-2	SER	-	expression tag	UNP Q7NDN8
E	-1	ALA	-	expression tag	UNP Q7NDN8
E	0	ALA	-	expression tag	UNP Q7NDN8
E	1	ALA	-	expression tag	UNP Q7NDN8
E	237	PHE	ALA	engineered mutation	UNP Q7NDN8

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	E	1	Total	C	O	0	0
			4	2	2		
2	E	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is DIUNDECYL PHOSPHATIDYL CHOLINE (three-letter code: PLC) (formula: $C_{32}H_{65}NO_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			34	24	1	8	1		
3	A	1	Total	C				0	0
			12	12					
3	B	1	Total	C	N	O	P	0	0
			34	24	1	8	1		
3	B	1	Total	C				0	0
			12	12					
3	C	1	Total	C	N	O	P	0	0
			34	24	1	8	1		
3	C	1	Total	C				0	0
			12	12					
3	D	1	Total	C	N	O	P	0	0
			34	24	1	8	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total C 12 12	0	0
3	E	1	Total C N O P 34 24 1 8 1	0	0
3	E	1	Total C 12 12	0	0

- Molecule 4 is UNKNOWN LIGAND (three-letter code: UNL) (formula:).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total C 24 24	0	0
4	B	2	Total C 24 24	0	0
4	C	2	Total C 24 24	0	0
4	D	2	Total C 24 24	0	0
4	E	2	Total C 24 24	0	0

- Molecule 5 is CESIUM ION (three-letter code: CS) (formula: Cs).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	7	Total Cs 7 7	0	0
5	B	5	Total Cs 5 5	0	0
5	C	5	Total Cs 5 5	0	0
5	D	6	Total Cs 6 6	0	0
5	E	4	Total Cs 4 4	0	0

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Cl 1 1	0	0
6	B	1	Total Cl 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	1	Total Cl 1 1	0	0
6	D	1	Total Cl 1 1	0	0
6	E	1	Total Cl 1 1	0	0

- Molecule 7 is DODECYL-BETA-D-MALTOSE (three-letter code: LMT) (formula: $C_{24}H_{46}O_{11}$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C 8 8	0	0
7	B	1	Total C 8 8	0	0
7	C	1	Total C 9 9	0	0
7	C	1	Total C 9 9	0	0
7	D	1	Total C 8 8	0	0
7	E	1	Total C 8 8	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proton-gated ion channel




- Molecule 1: Proton-gated ion channel



- Molecule 1: Proton-gated ion channel




- Molecule 1: Proton-gated ion channel





- Molecule 1: Proton-gated ion channel



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	182.40Å 133.23Å 160.18Å 90.00° 102.50° 90.00°	Depositor
Resolution (Å)	19.98 – 3.50 19.98 – 3.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (19.98-3.50) 99.9 (19.98-3.50)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 3.52Å)	Xtrriage
Refinement program	BUSTER 2.11.2	Depositor
R, R_{free}	0.190 , 0.208 0.207 , 0.222	Depositor DCC
R_{free} test set	2367 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	78.8	Xtrriage
Anisotropy	0.411	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 58.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	13116	wwPDB-VP
Average B, all atoms (Å ²)	83.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UNL, CL, CS, ACT, LMT, PLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/2600	0.72	0/3554
1	B	0.50	0/2600	0.72	0/3554
1	C	0.48	0/2600	0.71	0/3554
1	D	0.50	0/2600	0.71	0/3554
1	E	0.49	0/2587	0.72	0/3535
All	All	0.49	0/12987	0.71	0/17751

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2531	0	2549	15	0
1	B	2531	0	2549	13	0
1	C	2531	0	2548	17	0
1	D	2531	0	2548	18	0
1	E	2520	0	2538	18	0
2	A	8	0	6	1	0
2	B	8	0	6	0	0
2	C	8	0	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	8	0	6	2	0
2	E	8	0	6	0	0
3	A	46	0	65	1	0
3	B	46	0	65	1	0
3	C	46	0	65	1	0
3	D	46	0	65	1	0
3	E	46	0	65	2	0
4	A	24	0	0	0	0
4	B	24	0	0	0	0
4	C	24	0	0	0	0
4	D	24	0	0	0	0
4	E	24	0	0	0	0
5	A	7	0	0	0	0
5	B	5	0	0	0	0
5	C	5	0	0	0	0
5	D	6	0	0	0	0
5	E	4	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
7	A	8	0	12	0	0
7	B	8	0	12	0	0
7	C	18	0	28	3	0
7	D	8	0	12	2	0
7	E	8	0	12	2	0
All	All	13116	0	13163	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:403:PLC:H1'1	3:E:404:PLC:H8A2	1.55	0.86
1:C:133:ARG:NH1	1:C:176:LEU:O	2.14	0.80
1:C:11:ILE:HG13	1:C:14:GLU:OE2	1.89	0.72
3:D:403:PLC:H1'1	3:D:404:PLC:H8A2	1.72	0.70
1:C:237:PHE:HD1	7:C:413:LMT:C9	2.06	0.69
1:C:237:PHE:CD1	7:C:413:LMT:C9	2.79	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:237:PHE:CD1	7:D:414:LMT:C8	2.80	0.64
1:D:133:ARG:NH1	1:D:176:LEU:O	2.30	0.64
1:D:11:ILE:HG13	1:D:14:GLU:OE2	2.01	0.61
1:A:11:ILE:HG13	1:A:14:GLU:OE2	2.02	0.59
1:E:11:ILE:HG13	1:E:14:GLU:OE2	2.01	0.59
1:C:131:ILE:HD11	1:C:181:GLU:HG2	1.88	0.54
1:A:78:PHE:CE2	1:A:85:ARG:HD3	2.43	0.53
1:A:135:VAL:HG23	1:A:138:ARG:H	1.73	0.53
1:D:78:PHE:CE2	1:D:85:ARG:HD3	2.43	0.53
1:C:78:PHE:CE2	1:C:85:ARG:HD3	2.44	0.53
1:B:78:PHE:CE2	1:B:85:ARG:HD3	2.44	0.53
1:D:181:GLU:OE2	2:D:401:ACT:O	2.27	0.53
1:D:139:ASN:ND2	1:D:180:LEU:HD22	2.24	0.52
1:E:78:PHE:CE2	1:E:85:ARG:HD3	2.45	0.51
1:A:181:GLU:OE2	2:A:401:ACT:OXT	2.29	0.49
1:B:32:ASP:CG	1:B:192:ARG:HH22	2.15	0.49
1:E:237:PHE:CD1	7:E:412:LMT:C8	2.96	0.49
1:A:32:ASP:CG	1:A:192:ARG:HH22	2.16	0.49
1:C:32:ASP:CG	1:C:192:ARG:HH22	2.16	0.48
1:D:32:ASP:CG	1:D:192:ARG:HH22	2.16	0.48
1:B:82:GLU:HG3	1:B:109:ARG:HG2	1.96	0.48
1:A:240:ILE:O	1:A:244:THR:HG23	2.14	0.48
3:C:403:PLC:H4'2	3:C:404:PLC:H5A1	1.96	0.48
7:C:413:LMT:H82	7:C:414:LMT:H52	1.96	0.48
1:D:240:ILE:O	1:D:244:THR:HG23	2.14	0.47
1:E:32:ASP:CG	1:E:192:ARG:HH22	2.17	0.47
1:B:240:ILE:O	1:B:244:THR:HG23	2.15	0.47
1:E:133:ARG:NH2	1:E:179:ARG:HG3	2.29	0.47
1:B:11:ILE:HG13	1:B:14:GLU:OE2	2.15	0.47
1:E:237:PHE:HD1	7:E:412:LMT:C8	2.28	0.47
1:A:7:PRO:HG3	1:A:135:VAL:HG21	1.96	0.47
1:E:240:ILE:O	1:E:244:THR:HG23	2.15	0.46
1:E:55:ASP:HB3	1:E:58:ARG:HG3	1.97	0.46
1:D:78:PHE:HE2	1:D:85:ARG:HD3	1.80	0.46
1:C:7:PRO:HG3	1:C:135:VAL:HG21	1.98	0.46
3:B:403:PLC:H11	3:B:404:PLC:HEA2	1.98	0.45
1:C:78:PHE:HE2	1:C:85:ARG:HD3	1.81	0.45
1:B:78:PHE:HE2	1:B:85:ARG:HD3	1.82	0.45
1:C:240:ILE:O	1:C:244:THR:HG23	2.16	0.44
1:D:7:PRO:HG3	1:D:135:VAL:HG21	1.99	0.44
1:A:78:PHE:HE2	1:A:85:ARG:HD3	1.81	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:120:PRO:HD3	1:D:255:THR:OG1	2.17	0.44
1:E:26:GLU:HB2	1:E:40:ASN:HB3	1.99	0.44
1:D:8:PRO:HA	1:D:9:PRO:HD3	1.94	0.43
1:E:78:PHE:HE2	1:E:85:ARG:HD3	1.83	0.43
1:E:135:VAL:HG23	1:E:138:ARG:H	1.82	0.43
1:A:118:ARG:HH12	3:A:403:PLC:H72	1.83	0.43
1:D:133:ARG:CZ	1:D:179:ARG:HB2	2.49	0.43
1:D:237:PHE:HD1	7:D:414:LMT:C8	2.32	0.43
1:B:131:ILE:HD11	1:B:181:GLU:HG2	2.01	0.43
1:A:26:GLU:HB2	1:A:40:ASN:HB3	2.01	0.43
1:B:14:GLU:N	1:B:14:GLU:OE1	2.52	0.43
1:E:62:ARG:HD2	1:E:63:VAL:HG23	2.00	0.42
1:C:254:TYR:CZ	1:C:258:ILE:HD11	2.54	0.42
1:E:254:TYR:CZ	1:E:258:ILE:HD11	2.54	0.42
1:E:69:GLU:H	1:E:69:GLU:CD	2.23	0.42
1:E:118:ARG:HH22	3:E:403:PLC:H72	1.84	0.42
1:B:120:PRO:HD3	1:B:255:THR:OG1	2.20	0.42
1:A:63:VAL:HG21	1:B:136:ASP:HB3	2.01	0.42
1:C:69:GLU:H	1:C:69:GLU:CD	2.23	0.42
1:C:180:LEU:HG	1:C:181:GLU:N	2.34	0.41
1:A:120:PRO:HD3	1:A:255:THR:OG1	2.19	0.41
1:B:254:TYR:CZ	1:B:258:ILE:HD11	2.56	0.41
1:C:55:ASP:HB3	1:C:58:ARG:HB2	2.02	0.41
1:C:105:ARG:NH1	2:D:401:ACT:OXT	2.52	0.41
1:C:79:VAL:HG21	1:C:183:LYS:HD2	2.02	0.41
1:D:8:PRO:HD3	1:D:72:TRP:CE3	2.56	0.41
1:D:26:GLU:HB2	1:D:40:ASN:HB3	2.03	0.41
1:D:69:GLU:CD	1:D:69:GLU:H	2.23	0.41
1:D:254:TYR:CZ	1:D:258:ILE:HD11	2.56	0.41
1:B:8:PRO:HA	1:B:9:PRO:HD3	1.95	0.41
1:E:130:LEU:HD23	1:E:130:LEU:HA	1.92	0.41
1:E:155:VAL:HG12	1:E:162:ILE:HD13	2.02	0.41
1:C:120:PRO:HD3	1:C:255:THR:OG1	2.21	0.41
1:A:79:VAL:HG21	1:A:183:LYS:HD2	2.01	0.40
1:A:69:GLU:CD	1:A:69:GLU:H	2.24	0.40
1:A:254:TYR:CZ	1:A:258:ILE:HD11	2.56	0.40
1:E:131:ILE:HD11	1:E:181:GLU:HG2	2.03	0.40
1:B:69:GLU:CD	1:B:69:GLU:H	2.24	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	309/320 (97%)	303 (98%)	6 (2%)	0	100	100
1	B	309/320 (97%)	303 (98%)	6 (2%)	0	100	100
1	C	309/320 (97%)	303 (98%)	6 (2%)	0	100	100
1	D	309/320 (97%)	302 (98%)	7 (2%)	0	100	100
1	E	306/320 (96%)	301 (98%)	5 (2%)	0	100	100
All	All	1542/1600 (96%)	1512 (98%)	30 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	281/285 (99%)	269 (96%)	12 (4%)	29	62
1	B	281/285 (99%)	269 (96%)	12 (4%)	29	62
1	C	281/285 (99%)	267 (95%)	14 (5%)	24	58
1	D	281/285 (99%)	268 (95%)	13 (5%)	27	61
1	E	280/285 (98%)	265 (95%)	15 (5%)	22	55
All	All	1404/1425 (98%)	1338 (95%)	66 (5%)	26	60

All (66) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	LYS
1	A	59	SER
1	A	69	GLU
1	A	86	ASP
1	A	91	ASP
1	A	111	LEU
1	A	137	THR
1	A	147	GLU
1	A	178	ASP
1	A	222	GLU
1	A	233	ILE
1	A	280	LYS
1	B	14	GLU
1	B	62	ARG
1	B	69	GLU
1	B	86	ASP
1	B	109	ARG
1	B	111	LEU
1	B	147	GLU
1	B	181	GLU
1	B	233	ILE
1	B	280	LYS
1	B	287	ARG
1	B	304	LEU
1	C	48	LYS
1	C	61	VAL
1	C	62	ARG
1	C	69	GLU
1	C	86	ASP
1	C	111	LEU
1	C	137	THR
1	C	147	GLU
1	C	181	GLU
1	C	222	GLU
1	C	233	ILE
1	C	280	LYS
1	C	287	ARG
1	C	304	LEU
1	D	50	ARG
1	D	62	ARG
1	D	69	GLU
1	D	86	ASP
1	D	111	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	137	THR
1	D	147	GLU
1	D	181	GLU
1	D	222	GLU
1	D	233	ILE
1	D	280	LYS
1	D	287	ARG
1	D	304	LEU
1	E	14	GLU
1	E	48	LYS
1	E	58	ARG
1	E	64	LYS
1	E	69	GLU
1	E	86	ASP
1	E	111	LEU
1	E	136	ASP
1	E	137	THR
1	E	147	GLU
1	E	151	LYS
1	E	222	GLU
1	E	233	ILE
1	E	280	LYS
1	E	304	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	284	GLN
1	B	284	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 68 ligands modelled in this entry, 10 are unknown and 32 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	LMT	D	414	-	7,7,36	0.43	0	6,6,47	0.64	0
3	PLC	E	404	-	11,11,41	0.59	0	10,10,49	0.34	0
2	ACT	E	401	-	3,3,3	1.22	0	3,3,3	0.53	0
3	PLC	C	404	-	11,11,41	0.70	0	10,10,49	0.48	0
2	ACT	D	401	-	3,3,3	1.34	0	3,3,3	0.99	0
2	ACT	B	402	-	3,3,3	1.10	0	3,3,3	0.89	0
3	PLC	A	404	-	11,11,41	0.56	0	10,10,49	0.44	0
3	PLC	B	404	-	11,11,41	0.64	0	10,10,49	0.31	0
3	PLC	C	403	-	33,33,41	1.28	4 (12%)	39,41,49	1.55	5 (12%)
3	PLC	D	404	-	11,11,41	0.50	0	10,10,49	0.60	0
3	PLC	D	403	-	33,33,41	1.39	6 (18%)	39,41,49	1.66	5 (12%)
2	ACT	B	401	-	3,3,3	0.96	0	3,3,3	0.89	0
7	LMT	C	413	-	8,8,36	0.33	0	7,7,47	0.73	0
3	PLC	E	403	-	33,33,41	1.31	5 (15%)	39,41,49	1.54	5 (12%)
7	LMT	A	415	-	7,7,36	0.43	0	6,6,47	0.57	0
2	ACT	C	402	-	3,3,3	1.22	0	3,3,3	0.83	0
3	PLC	A	403	-	33,33,41	1.35	6 (18%)	39,41,49	1.61	5 (12%)
7	LMT	E	412	-	7,7,36	0.34	0	6,6,47	0.76	0
2	ACT	A	402	-	3,3,3	1.06	0	3,3,3	1.01	0
2	ACT	C	401	-	3,3,3	1.08	0	3,3,3	0.91	0
2	ACT	E	402	-	3,3,3	1.16	0	3,3,3	0.88	0
3	PLC	B	403	-	33,33,41	1.41	7 (21%)	39,41,49	1.60	5 (12%)
7	LMT	B	413	-	7,7,36	0.28	0	6,6,47	0.82	0
7	LMT	C	414	-	8,8,36	0.30	0	7,7,47	0.64	0
2	ACT	A	401	-	3,3,3	1.02	0	3,3,3	1.05	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ACT	D	402	-	3,3,3	1.02	0	3,3,3	1.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PLC	D	403	-	-	19/37/37/45	-
7	LMT	C	413	-	-	1/6/6/61	-
3	PLC	A	404	-	-	1/9/9/45	-
3	PLC	E	403	-	-	19/37/37/45	-
7	LMT	A	415	-	-	1/5/5/61	-
7	LMT	D	414	-	-	0/5/5/61	-
3	PLC	B	403	-	-	23/37/37/45	-
7	LMT	C	414	-	-	0/6/6/61	-
7	LMT	B	413	-	-	0/5/5/61	-
3	PLC	E	404	-	-	2/9/9/45	-
3	PLC	A	403	-	-	21/37/37/45	-
7	LMT	E	412	-	-	0/5/5/61	-
3	PLC	B	404	-	-	2/9/9/45	-
3	PLC	C	403	-	-	20/37/37/45	-
3	PLC	D	404	-	-	0/9/9/45	-
3	PLC	C	404	-	-	1/9/9/45	-

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	403	PLC	O2-C'	3.94	1.45	1.34
3	D	403	PLC	O2-C'	3.92	1.45	1.34
3	B	403	PLC	O2-C'	3.82	1.45	1.34
3	E	403	PLC	O2-C'	3.58	1.44	1.34
3	C	403	PLC	O2-C'	3.47	1.44	1.34
3	B	403	PLC	O3-CB	2.64	1.41	1.33
3	E	403	PLC	C3-C2	2.59	1.58	1.50
3	B	403	PLC	C3-C2	2.54	1.58	1.50
3	C	403	PLC	P-O1P	2.49	1.59	1.50
3	C	403	PLC	C3-C2	2.48	1.58	1.50
3	B	403	PLC	C1-C2	2.47	1.58	1.50
3	D	403	PLC	P-O1P	2.45	1.59	1.50
3	A	403	PLC	O3-CB	2.44	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	403	PLC	C3-C2	2.41	1.58	1.50
3	E	403	PLC	C1-C2	2.39	1.58	1.50
3	D	403	PLC	O3-CB	2.36	1.40	1.33
3	E	403	PLC	O3-CB	2.32	1.40	1.33
3	B	403	PLC	C5-C4	2.27	1.58	1.51
3	D	403	PLC	C3-C2	2.25	1.57	1.50
3	E	403	PLC	P-O1P	2.24	1.58	1.50
3	B	403	PLC	P-O1P	2.21	1.58	1.50
3	D	403	PLC	C1-C2	2.20	1.57	1.50
3	D	403	PLC	C5-C4	2.13	1.58	1.51
3	A	403	PLC	P-O1P	2.12	1.58	1.50
3	C	403	PLC	O3-CB	2.06	1.39	1.33
3	B	403	PLC	P-O4P	2.05	1.67	1.59
3	A	403	PLC	C5-C4	2.01	1.57	1.51
3	A	403	PLC	C1-C2	2.01	1.56	1.50

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	403	PLC	C2-O2-C'	5.20	130.59	117.79
3	A	403	PLC	C2-O2-C'	4.68	129.32	117.79
3	B	403	PLC	C2-O2-C'	4.67	129.29	117.79
3	E	403	PLC	O2-C'-O'	-4.59	112.60	123.70
3	D	403	PLC	O2-C'-C1'	4.52	121.25	111.50
3	C	403	PLC	O2-C'-C1'	4.50	121.19	111.50
3	A	403	PLC	O2-C'-C1'	4.39	120.97	111.50
3	C	403	PLC	O2-C'-O'	-4.39	113.10	123.70
3	B	403	PLC	O2-C'-C1'	4.34	120.85	111.50
3	D	403	PLC	O2-C'-O'	-4.31	113.28	123.70
3	C	403	PLC	C2-O2-C'	4.31	128.40	117.79
3	E	403	PLC	O2-C'-C1'	4.30	120.77	111.50
3	A	403	PLC	O2-C'-O'	-4.29	113.33	123.70
3	E	403	PLC	C2-O2-C'	4.20	128.14	117.79
3	B	403	PLC	O2-C'-O'	-3.89	114.31	123.70
3	A	403	PLC	O4P-P-O1P	-3.22	96.48	109.07
3	B	403	PLC	O4P-P-O1P	-3.00	97.34	109.07
3	B	403	PLC	O2P-P-O3P	2.98	121.57	107.75
3	A	403	PLC	O2P-P-O3P	2.95	121.46	107.75
3	E	403	PLC	O2P-P-O3P	2.84	120.95	107.75
3	E	403	PLC	O4P-P-O1P	-2.83	98.00	109.07
3	D	403	PLC	O2P-P-O3P	2.81	120.80	107.75
3	C	403	PLC	O4P-P-O1P	-2.58	98.99	109.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	403	PLC	O4P-P-O1P	-2.52	99.24	109.07
3	C	403	PLC	O2P-P-O3P	2.34	118.60	107.75

There are no chirality outliers.

All (110) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	403	PLC	O4P-C4-C5-N
3	A	403	PLC	C1'-C'-O2-C2
3	B	403	PLC	C1'-C'-O2-C2
3	B	403	PLC	C1-O3P-P-O1P
3	B	403	PLC	C1-O3P-P-O2P
3	B	403	PLC	C4-O4P-P-O3P
3	C	403	PLC	C1'-C'-O2-C2
3	C	403	PLC	C1-O3P-P-O1P
3	C	403	PLC	C4-O4P-P-O1P
3	D	403	PLC	C1'-C'-O2-C2
3	E	403	PLC	C1'-C'-O2-C2
3	E	403	PLC	C4-O4P-P-O1P
3	A	403	PLC	O'-C'-O2-C2
3	D	403	PLC	O'-C'-O2-C2
3	E	403	PLC	O'-C'-O2-C2
3	B	403	PLC	O'-C'-O2-C2
3	C	403	PLC	O'-C'-O2-C2
3	B	403	PLC	C4-C5-N-C7
3	C	403	PLC	C4-C5-N-C8
3	D	403	PLC	C4-C5-N-C8
3	B	403	PLC	CB-C1B-C2B-C3B
3	A	403	PLC	C'-C1'-C2'-C3'
3	B	403	PLC	C'-C1'-C2'-C3'
3	D	403	PLC	C'-C1'-C2'-C3'
3	D	403	PLC	CB-C1B-C2B-C3B
3	B	403	PLC	C4-C5-N-C8
3	A	403	PLC	CB-C1B-C2B-C3B
3	E	403	PLC	C'-C1'-C2'-C3'
3	C	403	PLC	C'-C1'-C2'-C3'
3	C	403	PLC	CB-C1B-C2B-C3B
3	A	403	PLC	C1-O3P-P-O4P
3	A	403	PLC	C4-O4P-P-O3P
3	B	403	PLC	C1-O3P-P-O4P
3	C	403	PLC	C1-O3P-P-O4P
3	D	403	PLC	C1-O3P-P-O4P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	403	PLC	C4-O4P-P-O3P
3	E	403	PLC	C1-O3P-P-O4P
3	A	403	PLC	C4-C5-N-C6
3	A	403	PLC	C4-C5-N-C7
3	A	403	PLC	C4-C5-N-C8
3	D	403	PLC	C4-C5-N-C6
3	A	403	PLC	C3B-C4B-C5B-C6B
3	B	403	PLC	C3B-C4B-C5B-C6B
3	C	403	PLC	C1'-C2'-C3'-C4'
3	E	403	PLC	CB-C1B-C2B-C3B
3	C	403	PLC	C4-C5-N-C6
3	C	403	PLC	C4-C5-N-C7
3	D	403	PLC	C4-C5-N-C7
3	D	403	PLC	C3B-C4B-C5B-C6B
3	D	403	PLC	C1'-C2'-C3'-C4'
3	E	403	PLC	C1B-C2B-C3B-C4B
3	A	403	PLC	C1'-C2'-C3'-C4'
3	B	403	PLC	C1'-C2'-C3'-C4'
3	D	403	PLC	C1B-C2B-C3B-C4B
3	B	403	PLC	C1B-C2B-C3B-C4B
3	E	404	PLC	C1B-C2B-C3B-C4B
3	B	403	PLC	C4-C5-N-C6
3	E	403	PLC	C4-C5-N-C7
3	E	403	PLC	C4-C5-N-C8
3	B	404	PLC	C1B-C2B-C3B-C4B
3	E	403	PLC	C1'-C2'-C3'-C4'
3	B	403	PLC	C4B-C5B-C6B-C7B
3	C	404	PLC	CB-C1B-C2B-C3B
3	E	403	PLC	C4-C5-N-C6
3	C	403	PLC	C4'-C5'-C6'-C7'
3	E	403	PLC	C4B-C5B-C6B-C7B
3	A	403	PLC	C1B-C2B-C3B-C4B
3	C	403	PLC	C4B-C5B-C6B-C7B
3	A	403	PLC	O3P-C1-C2-O2
3	D	403	PLC	C2B-C3B-C4B-C5B
3	E	403	PLC	C4-O4P-P-O3P
3	E	403	PLC	C3B-C4B-C5B-C6B
3	A	403	PLC	C1-O3P-P-O1P
3	B	403	PLC	C4-O4P-P-O1P
3	D	403	PLC	C1-O3P-P-O1P
3	D	403	PLC	C4-O4P-P-O1P
3	D	403	PLC	C4-O4P-P-O2P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	E	403	PLC	C1-O3P-P-O1P
3	B	403	PLC	C2B-C3B-C4B-C5B
3	B	403	PLC	O4P-C4-C5-N
3	C	403	PLC	O4P-C4-C5-N
3	D	403	PLC	O4P-C4-C5-N
3	E	403	PLC	O4P-C4-C5-N
3	A	403	PLC	C4B-C5B-C6B-C7B
3	E	403	PLC	O3P-C1-C2-O2
3	C	403	PLC	C4-O4P-P-O3P
3	C	403	PLC	O3P-C1-C2-O2
3	A	404	PLC	C3B-C4B-C5B-C6B
3	B	403	PLC	C3'-C4'-C5'-C6'
3	B	403	PLC	C3-C2-O2-C'
3	C	403	PLC	C1B-C2B-C3B-C4B
3	A	403	PLC	O3P-C1-C2-C3
3	E	404	PLC	C8B-C9B-CAA-CBA
3	A	403	PLC	C3-C2-O2-C'
3	C	403	PLC	C1-C2-O2-C'
3	E	403	PLC	C3-C2-O2-C'
3	B	403	PLC	O2-C'-C1'-C2'
3	B	404	PLC	C6B-C7B-C8B-C9B
3	C	403	PLC	C2B-C1B-CB-O3
3	A	403	PLC	C2B-C3B-C4B-C5B
3	A	403	PLC	C3'-C4'-C5'-C6'
7	C	413	LMT	C6-C7-C8-C9
3	E	403	PLC	C2B-C3B-C4B-C5B
3	A	403	PLC	C4-O4P-P-O1P
3	D	403	PLC	O2-C'-C1'-C2'
3	B	403	PLC	O'-C'-C1'-C2'
3	C	403	PLC	C2B-C1B-CB-OB
3	D	403	PLC	C3-C2-O2-C'
3	B	403	PLC	C2B-C1B-CB-O3
7	A	415	LMT	C5-C6-C7-C8

There are no ring outliers.

15 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	D	414	LMT	2	0
3	E	404	PLC	1	0
3	C	404	PLC	1	0
2	D	401	ACT	2	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	404	PLC	1	0
3	C	403	PLC	1	0
3	D	404	PLC	1	0
3	D	403	PLC	1	0
7	C	413	LMT	3	0
3	E	403	PLC	2	0
3	A	403	PLC	1	0
7	E	412	LMT	2	0
3	B	403	PLC	1	0
7	C	414	LMT	1	0
2	A	401	ACT	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	311/320 (97%)	-0.54	2 (0%) 89 86	52, 78, 116, 148	0
1	B	311/320 (97%)	-0.56	3 (0%) 82 77	52, 78, 115, 137	0
1	C	311/320 (97%)	-0.53	3 (0%) 82 77	53, 77, 120, 156	0
1	D	311/320 (97%)	-0.53	0 100 100	55, 77, 121, 152	0
1	E	310/320 (96%)	-0.50	3 (0%) 82 77	55, 78, 111, 137	0
All	All	1554/1600 (97%)	-0.53	11 (0%) 87 83	52, 78, 118, 156	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	13	ASP	3.7
1	C	58	ARG	3.6
1	A	88	ASP	2.8
1	B	154	ASP	2.6
1	A	57	VAL	2.5
1	B	136	ASP	2.5
1	E	88	ASP	2.1
1	E	62	ARG	2.1
1	E	136	ASP	2.1
1	C	154	ASP	2.1
1	B	13	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	CS	B	408	1/1	-0.12	0.20	271,271,271,271	0
5	CS	A	413	1/1	0.21	0.21	292,292,292,292	0
5	CS	B	411	1/1	0.37	0.18	241,241,241,241	0
5	CS	A	412	1/1	0.39	0.18	247,247,247,247	0
5	CS	C	410	1/1	0.46	0.46	256,256,256,256	0
5	CS	D	411	1/1	0.46	0.30	263,263,263,263	0
5	CS	D	410	1/1	0.53	0.27	280,280,280,280	0
5	CS	C	411	1/1	0.54	0.27	234,234,234,234	0
5	CS	A	409	1/1	0.56	0.18	223,223,223,223	0
5	CS	C	407	1/1	0.60	0.16	197,197,197,197	0
5	CS	D	408	1/1	0.61	0.15	224,224,224,224	0
5	CS	D	412	1/1	0.61	0.25	282,282,282,282	0
5	CS	E	408	1/1	0.64	0.31	216,216,216,216	0
5	CS	E	410	1/1	0.64	0.33	300,300,300,300	0
3	PLC	B	403	34/42	0.65	0.46	72,128,159,161	0
7	LMT	A	415	8/35	0.65	0.52	107,108,112,113	0
3	PLC	C	403	34/42	0.67	0.45	74,120,157,158	0
5	CS	B	409	1/1	0.68	0.30	250,250,250,250	0
5	CS	B	407	1/1	0.70	0.11	222,222,222,222	0
4	UNL	C	405	12/-	0.70	0.51	91,93,96,98	0
4	UNL	B	405	12/-	0.72	0.67	96,102,107,109	0
7	LMT	B	413	8/35	0.72	0.44	93,93,104,107	0
3	PLC	A	404	12/42	0.74	0.66	86,93,100,100	0
4	UNL	E	405	12/-	0.75	0.59	92,95,96,97	0
5	CS	C	408	1/1	0.75	0.19	235,235,235,235	0
5	CS	E	407	1/1	0.76	0.20	193,193,193,193	0
7	LMT	C	413	9/35	0.76	0.41	74,80,96,99	0
7	LMT	E	412	8/35	0.76	0.45	76,84,92,95	0
7	LMT	D	414	8/35	0.77	0.38	83,85,94,95	0
2	ACT	A	402	4/4	0.77	0.33	129,129,130,131	0
2	ACT	C	402	4/4	0.78	0.48	109,111,112,112	0
5	CS	D	407	1/1	0.78	0.08	210,210,210,210	0
2	ACT	B	402	4/4	0.79	0.34	100,101,101,102	0
4	UNL	D	405	12/-	0.79	0.50	76,81,84,90	0
3	PLC	A	403	34/42	0.79	0.38	76,116,142,144	0
5	CS	A	411	1/1	0.80	0.15	221,221,221,221	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	PLC	E	403	34/42	0.80	0.44	66,113,149,151	0
5	CS	C	409	1/1	0.81	0.11	223,223,223,223	0
3	PLC	D	403	34/42	0.82	0.34	67,111,142,144	0
5	CS	E	409	1/1	0.82	0.18	227,227,227,227	0
3	PLC	D	404	12/42	0.82	0.51	59,71,91,92	0
5	CS	A	410	1/1	0.82	0.25	248,248,248,248	0
4	UNL	A	405	12/-	0.83	0.56	88,90,103,110	0
3	PLC	C	404	12/42	0.83	0.61	79,83,86,86	0
3	PLC	E	404	12/42	0.83	0.75	70,72,83,84	0
5	CS	B	410	1/1	0.86	0.34	300,300,300,300	0
6	CL	B	412	1/1	0.87	0.21	77,77,77,77	0
7	LMT	C	414	9/35	0.87	0.27	72,88,96,96	0
5	CS	A	408	1/1	0.88	0.06	181,181,181,181	0
2	ACT	D	402	4/4	0.88	0.37	141,141,141,142	0
4	UNL	D	406	12/-	0.89	0.32	68,73,85,96	0
3	PLC	B	404	12/42	0.90	0.50	67,72,89,89	0
4	UNL	B	406	12/-	0.90	0.26	78,84,92,98	0
4	UNL	E	406	12/-	0.90	0.36	85,90,97,100	0
2	ACT	D	401	4/4	0.90	0.27	90,93,94,95	0
4	UNL	A	406	12/-	0.90	0.37	75,84,101,102	0
4	UNL	C	406	12/-	0.92	0.31	78,83,86,93	0
5	CS	D	409	1/1	0.92	0.08	240,240,240,240	0
6	CL	C	412	1/1	0.92	0.23	87,87,87,87	0
2	ACT	E	401	4/4	0.93	0.37	107,108,109,113	0
6	CL	E	411	1/1	0.93	0.19	90,90,90,90	0
2	ACT	A	401	4/4	0.94	0.36	96,97,98,104	0
2	ACT	C	401	4/4	0.95	0.28	98,101,101,113	0
2	ACT	E	402	4/4	0.95	0.15	93,94,94,94	0
6	CL	A	414	1/1	0.95	0.12	66,66,66,66	0
2	ACT	B	401	4/4	0.96	0.25	103,106,107,115	0
6	CL	D	413	1/1	0.97	0.09	69,69,69,69	0
5	CS	A	407	1/1	0.97	0.06	192,192,192,192	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PLC B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT A 415:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLC C 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT B 413:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PLC A 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LMT C 413:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around PLC E 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLC D 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PLC C 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PLC E 404:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.