

Full wwPDB X-ray Structure Validation Report (i)

Oct 11, 2023 – 10:10 AM JST

PDB ID	:	8IM2
Title	:	Crystal structure of human HPPD complexed with NTBC
Authors	:	Dong, J.; Lin, HY.; Yang, GF.
Deposited on	:	2023-03-05
Resolution	:	2.81 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	3617 (2.84-2.80)
Clashscore	141614	4060 (2.84-2.80)
Ramachandran outliers	138981	3978 (2.84-2.80)
Sidechain outliers	138945	3980 (2.84-2.80)
RSRZ outliers	127900	3552 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
		202	% ■		
1	A	393	83%	12%	5%
			4%		
1	В	393	77%	17%	• 6%
			2%		
1	С	393	77%	16%	• 6%
			2%		
1	D	393	75%	18%	• 6%
			%		
1	Ε	393	76%	18%	5%
			2%		
1	F	393	77%	15%	7%



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MPD	D	401	-	-	-	Х



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 17761 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	274	Total	С	Ν	0	\mathbf{S}	0	2	0
1	A	374	2964	1902	505	546	11	0	2	0
1	В	371	Total	С	Ν	0	S	0	1	0
1	D	571	2880	1846	494	529	11	0		0
1	С	371	Total	С	Ν	0	S	0	1	0
1		371	2929	1882	497	539	11	0		
1	Л	368	Total	С	Ν	0	S	0	0	Ο
1	D	308	2907	1868	493	535	11	0	0	
1	F	379	Total	С	Ν	0	S	0	0	0
1		372	2966	1903	504	548	11	0	0	0
1	1 F	365	Total	С	Ν	Ο	S	0	1	0
		305	2840	1822	480	527	11	0		0

• Molecule 1 is a protein called 4-hydroxyphenylpyruvate dioxygenase.

• Molecule 2 is COBALT (II) ION (three-letter code: CO) (formula: Co).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total Co 1 1	0	0
2	В	1	Total Co 1 1	0	0
2	С	1	Total Co 1 1	0	0
2	D	1	Total Co 1 1	0	0
2	Ε	1	Total Co 1 1	0	0
2	F	1	Total Co 1 1	0	0

• Molecule 3 is 2-{HYDROXY[2-NITRO-4-(TRIFLUOROMETHYL)PHENYL]METHYLEN E}CYCLOHEXANE-1,3-DIONE (three-letter code: NTD) (formula: $C_{14}H_{10}F_3NO_5$).





Mol	Chain	Residues		Atc	\mathbf{ms}			ZeroOcc	AltConf
3	Δ	1	Total	С	F	Ν	0	0	0
5	Л	I	23	14	3	1	5	0	0
3	В	1	Total	С	F	Ν	Ο	0	0
0	D	T	23	14	3	1	5	0	0
3	С	1	Total	С	F	Ν	Ο	0	0
0	U	1	23	14	3	1	5	0	0
3	Л	1	Total	С	F	Ν	Ο	0	0
0	D	1	23	14	3	1	5	0	0
3	F	1	Total	С	F	Ν	Ο	0	0
0	Ľ	1	23	14	3	1	5	0	0
3	F	1	Total	С	F	Ν	0	0	0
0	Ľ	1	23	14	3	1	5	0	0

• Molecule 4 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	Ε	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
4	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	33	Total O 33 33	0	0
5	В	4	Total O 4 4	0	0
5	С	6	Total O 6 6	0	0
5	D	8	Total O 8 8	0	0
5	Е	32	$\begin{array}{cc} \text{Total} & \text{O} \\ 32 & 32 \end{array}$	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: 4-hydroxyphenylpyruvate dioxygenase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	121.55Å 147.44Å 133.93Å	Depositor
a, b, c, α , β , γ	90.00° 97.12° 90.00°	Depositor
Resolution(A)	29.67 - 2.81	Depositor
Resolution (A)	29.67 - 2.81	EDS
% Data completeness	96.4 (29.67-2.81)	Depositor
(in resolution range)	96.4(29.67-2.81)	EDS
R _{merge}	0.12	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	3.78 (at 2.80\AA)	Xtriage
Refinement program	PHENIX (1.18.2_3874: ???)	Depositor
D D.	0.213 , 0.254	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.213 , 0.254	DCC
R_{free} test set	2680 reflections $(4.86%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	49.6	Xtriage
Anisotropy	0.409	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.28, 32.1	EDS
L-test for $twinning^2$	$ < L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	17761	wwPDB-VP
Average B, all atoms $(Å^2)$	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 23.05 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.0398e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CO, NTD, MPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.27	0/3048	0.48	0/4125	
1	В	0.30	0/2951	0.54	1/4005~(0.0%)	
1	С	0.29	0/3005	0.51	0/4072	
1	D	0.27	0/2980	0.50	0/4038	
1	Е	0.28	0/3039	0.50	0/4111	
1	F	0.27	0/2910	0.49	0/3950	
All	All	0.28	0/17933	0.50	1/24301~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	304	LYS	CA-CB-CG	-7.27	97.40	113.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2964	0	2866	27	0
1	В	2880	0	2735	40	0
1	С	2929	0	2824	41	0
1	D	2907	0	2804	37	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Е	2966	0	2884	46	0
1	F	2840	0	2690	40	0
2	А	1	0	0	0	0
2	В	1	0	0	0	0
2	С	1	0	0	0	0
2	D	1	0	0	0	0
2	Е	1	0	0	0	0
2	F	1	0	0	0	0
3	А	23	0	9	1	0
3	В	23	0	9	1	0
3	С	23	0	9	0	0
3	D	23	0	9	0	0
3	Ε	23	0	9	1	0
3	F	23	0	9	2	0
4	А	8	0	14	1	0
4	В	8	0	14	1	0
4	С	8	0	14	0	0
4	D	8	0	14	0	0
4	Ε	8	0	14	1	0
4	F	8	0	14	1	0
5	А	33	0	0	2	0
5	В	4	0	0	0	0
5	С	6	0	0	0	0
5	D	8	0	0	0	0
5	Е	32	0	0	1	0
All	All	17761	0	16941	227	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (227) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:102:ASP:OD2	1:E:105:TYR:HB3	1.70	0.92
1:D:102:ASP:OD2	1:D:105:TYR:HB3	1.75	0.85
1:E:115:ALA:HB2	1:E:203:ASN:HD22	1.42	0.84
1:B:80:LYS:HE2	1:B:84:ASP:OD2	1.81	0.81
1:C:193:MET:HB2	1:C:242:GLU:HB3	1.64	0.79
1:C:137:GLN:HG2	1:C:143:THR:HG22	1.67	0.76
1:E:341:GLN:HE22	1:E:346:LEU:HB3	1.52	0.74
1:E:282:ARG:NH1	1:E:320:LEU:O	2.20	0.74



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:234:GLU:HB3	1:C:237:LYS:NZ	2.04	0.73	
1:C:310:VAL:HG21	1:C:314:ILE:HD11	1.69	0.73	
1:B:338:LYS:HG3	1:B:339:PRO:HD2	1.72	0.72	
1:B:193:MET:HB2	1:B:242:GLU:HB3	1.73	0.70	
1:E:113:ARG:NH1	1:E:202:LYS:O	2.26	0.69	
1:E:17:LEU:HD11	1:E:101:GLU:HG3	1.75	0.67	
1:F:26:VAL:HG21	1:F:32:ALA:HB2	1.76	0.67	
1:F:282:ARG:NH1	1:F:320:LEU:O	2.29	0.66	
1:E:193:MET:HB2	1:E:242:GLU:HB3	1.77	0.66	
1:B:23:THR:HB	1:B:95:ASP:HB3	1.77	0.66	
1:F:17:LEU:HD12	1:F:99:GLU:HG2	1.76	0.66	
1:C:45:LEU:HD12	1:C:63:LYS:HB2	1.77	0.66	
1:F:26:VAL:HG22	1:F:28:ASN:H	1.61	0.65	
1:D:300:ARG:NH2	1:D:318:GLU:OE1	2.27	0.65	
4:F:403:MPD:O2	4:F:403:MPD:O4	2.12	0.65	
1:F:113:ARG:HD3	1:F:202:LYS:O	1.97	0.65	
1:E:279:ARG:HG2	1:E:320:LEU:HD21	1.80	0.64	
1:F:26:VAL:HG23	1:F:91:ASP:OD2	1.97	0.64	
1:F:45:LEU:HD21	1:F:156:PHE:HB2	1.80	0.63	
1:C:108:GLN:OE1	1:C:111:ARG:NH1	2.32	0.63	
1:B:298:GLN:NE2	1:B:373:GLU:OE2	2.28	0.62	
1:A:113:ARG:O	1:A:202:LYS:NZ	2.24	0.61	
1:B:46:ALA:HB1	1:B:160:TYR:HB3	1.83	0.60	
1:F:46:ALA:HB1	1:F:160:TYR:HB3	1.82	0.60	
1:C:104:ASP:OD1	1:C:132:LYS:NZ	2.33	0.60	
1:D:67:ILE:HD13	1:D:269:LEU:HD22	1.82	0.60	
1:C:341:GLN:HE22	1:C:346:LEU:HB3	1.67	0.59	
1:D:174:PRO:HB2	1:D:280:HIS:CG	2.38	0.58	
1:A:193:MET:HB2	1:A:242:GLU:HB3	1.85	0.58	
1:A:310:VAL:HG21	1:A:314:ILE:HD11	1.84	0.58	
1:B:25:TRP:CD2	1:B:94:LYS:HG3	2.38	0.58	
1:F:314:ILE:HD13	1:F:317:LEU:HD12	1.85	0.58	
1:C:341:GLN:NE2	1:C:346:LEU:HB3	2.18	0.58	
1:E:341:GLN:NE2	1:E:346:LEU:HB3	2.16	0.58	
1:F:228:VAL:HA	1:F:239:PRO:HA	1.86	0.58	
1:B:285:GLY:HA2	1:F:168:PRO:HD2	1.85	0.57	
1:E:46:ALA:HB1	1:E:160:TYR:HB3	1.85	0.57	
1:C:234:GLU:HB3	1:C:237:LYS:HZ1	1.69	0.57	
1:F:185:VAL:HG23	1:F:239:PRO:HB2	1.87	0.56	
1:D:253:GLN:NE2	1:D:257:ASP:OD1	2.38	0.56	
1:F:23:THR:HB	1:F:95:ASP:HB3	1.87	0.56	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:E:206:PHE:HD2	1:E:229:VAL:HG12	1.71	0.56	
1:C:234:GLU:HB3	1:C:237:LYS:HZ2	1.71	0.56	
1:C:316:ALA:O	1:C:320:LEU:HD12	2.05	0.55	
1:B:200:TYR:HB2	1:B:229:VAL:HG11	1.88	0.55	
1:B:359:PHE:O	3:B:502:NTD:H13	2.06	0.55	
1:A:200:TYR:HB2	1:A:229:VAL:HG11	1.87	0.55	
1:B:364:PHE:HE1	4:B:503:MPD:H12	1.70	0.55	
1:A:17:LEU:HD12	1:A:99:GLU:HG2	1.87	0.55	
1:B:288:PHE:HA	1:B:337:THR:HA	1.89	0.55	
1:C:228:VAL:HA	1:C:239:PRO:HA	1.88	0.55	
1:C:17:LEU:HD12	1:C:99:GLU:HG2	1.88	0.55	
1:C:200:TYR:HB2	1:C:229:VAL:HG11	1.88	0.55	
1:C:29:ALA:HB3	1:D:342:ASP:OD2	2.06	0.54	
1:E:252:ILE:O	1:E:256:VAL:HG23	2.08	0.54	
1:D:46:ALA:HB1	1:D:160:TYR:HB3	1.90	0.54	
1:D:167:ASP:HB3	1:D:170:LEU:HG	1.90	0.54	
1:D:17:LEU:HD11	1:D:101:GLU:HG3	1.90	0.53	
1:F:25:TRP:CE2	1:F:94:LYS:HG2	2.43	0.53	
1:E:251:GLN:HG3	4:E:403:MPD:H13	1.91	0.53	
1:D:341:GLN:NE2	1:D:346:LEU:HB3	2.24	0.53	
1:B:20:HIS:CD2	1:B:147:VAL:HG21	2.43	0.53	
1:F:185:VAL:HG13	1:F:265:GLN:HB3	1.90	0.53	
1:A:48:ARG:HH21	1:A:159:GLY:HA3	1.73	0.53	
1:C:23:THR:HB	1:C:95:ASP:HB3	1.90	0.52	
1:B:189:PRO:HD3	1:B:262:ALA:HB2	1.90	0.52	
1:B:28:ASN:HB2	1:F:91:ASP:OD2	2.10	0.52	
1:C:118:MET:HG3	1:C:137:GLN:HG3	1.91	0.52	
1:C:189:PRO:HD3	1:C:262:ALA:HB2	1.92	0.52	
3:A:402:NTD:ON1	4:A:403:MPD:HM1	2.08	0.52	
1:C:46:ALA:HB1	1:C:160:TYR:HB3	1.92	0.52	
1:E:340:VAL:HG23	1:E:341:GLN:NE2	2.25	0.52	
1:A:282:ARG:NH1	1:A:320:LEU:O	2.43	0.52	
1:C:167:ASP:HB3	1:C:170:LEU:HG	1.91	0.52	
1:E:167:ASP:HB3	1:E:170:LEU:HG	1.91	0.52	
1:B:206:PHE:HD2	1:B:229:VAL:HG12	1.75	0.51	
1:C:111:ARG:NH2	1:C:120:GLU:OE1	2.44	0.51	
1:E:121:PRO:HA	1:E:133:PHE:O	2.10	0.51	
1:F:193:MET:HB2	1:F:242:GLU:HB3	1.93	0.51	
1:B:138:THR:HG21	1:B:200:TYR:OH	2.10	0.51	
1:D:324:VAL:HG22	1:D:333:LEU:HD23	1.93	0.51	
1:E:115:ALA:CB	1:E:203:ASN:HD22	2.21	0.51	



Interatomic Clash						
Atom-1	Atom-2	distance $(Å)$	overlap (Å)			
1.D.41.GLV·HA2	1·D·284·ABG·NH2	2.26	0.51			
1:B:167:ASP:HB3	1:B:170:LEU:HG	1.92	0.50			
1:A:46:ALA:HB1	1:A:160:TYB:HB3	1.92	0.50			
1:F:185:VAL:HG11	1:F:266:HIS:CE1	2.47	0.50			
1:E:67:ILE:HD13	1:E:269:LEU:HD22	1.94	0.50			
1:F:52:THR:HG22	1:F:161:GLU:OE2	2.12	0.49			
1:B:87:VAL:HG12	1:F:78:TRP:HA	1.93	0.49			
1:B:251:GLN:NE2	1:B:254:GLU:OE1	2.44	0.49			
1:B:121:PRO:HA	1:B:133:PHE:O	2.11	0.49			
1:B:228:VAL:HA	1:B:239:PRO:HA	1.93	0.49			
1:E:225:ARG:NE	1:E:242:GLU:OE2	2.39	0.49			
1:A:324:VAL:HG22	1:A:333:LEU:HD23	1.93	0.49			
1:B:131:VAL:HG12	1:B:149:LYS:HA	1.94	0.49			
1:B:270:LYS:HZ1	1:B:353:ARG:H	1.61	0.49			
1:E:11:PRO:HB3	1:E:205:GLN:OE1	2.13	0.49			
1:A:325:ASP:HB3	1:A:332:LEU:HD21	1.95	0.48			
1:E:133:PHE:CE1	1:E:147:VAL:HG13	2.48	0.48			
1:E:203:ASN:OD1	1:E:203:ASN:N	2.45	0.48			
1:E:248:LYS:HE3	1:E:249:LYS:H	1.77	0.48			
1:C:247:LYS:HE2	1:E:137:GLN:NE2	2.27	0.48			
1:A:325:ASP:O	1:A:332:LEU:HD23	2.12	0.48			
1:E:99:GLU:OE2	1:E:149:LYS:N	2.45	0.48			
1:F:200:TYR:HD1	1:F:204:LEU:HD12	1.79	0.48			
1:A:282:ARG:NH2	5:A:502:HOH:O	2.35	0.48			
1:D:104:ASP:OD1	1:D:132:LYS:NZ	2.39	0.48			
1:A:206:PHE:HD2	1:A:229:VAL:HG12	1.78	0.48			
1:F:200:TYR:HB2	1:F:229:VAL:HG11	1.95	0.48			
1:E:25:TRP:CE2	1:E:94:LYS:HG2	2.48	0.48			
1:C:119:ARG:HD2	1:C:122:TRP:CE3	2.49	0.48			
1:E:200:TYR:HB2	1:E:229:VAL:HG11	1.95	0.48			
1:A:67:ILE:HD13	1:A:269:LEU:HD22	1.96	0.47			
1:F:239:PRO:HG2	3:F:402:NTD:H41	1.96	0.47			
1:A:342:ASP:OD2	1:E:29:ALA:HB3	2.14	0.47			
1:D:25:TRP:CE2	1:D:94:LYS:HG2	2.49	0.47			
1:F:251:GLN:NE2	1:F:254:GLU:OE2	2.47	0.47			
1:D:111:ARG:NH2	1:D:120:GLU:OE1	2.47	0.47			
1:A:251:GLN:O	1:A:251:GLN:HG3	2.13	0.47			
1:E:228:VAL:HA	1:E:239:PRO:HA	1.96	0.47			
1:C:206:PHE:HD2	1:C:229:VAL:HG12	1.79	0.47			
1:E:23:THR:HB	1:E:95:ASP:HB3	1.95	0.47			
1:C:252:ILE:O	1:C:256:VAL:HG23	2.15	0.47			



	A	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:F:275:ILE:O	1:F:279:ARG:HG3	2.13	0.47	
1:B:175:LYS:O	1:B:280:HIS:ND1	2.24	0.47	
1:B:278:ILE:HD11	1:B:350:VAL:HG11	1.96	0.47	
1:C:317:LEU:HD22	1:C:322:ILE:HB	1.97	0.47	
1:D:133:PHE:HA	1:D:146:LEU:O	2.14	0.46	
1:E:48:ARG:HH21	1:E:159:GLY:HA3	1.80	0.46	
1:D:278:ILE:O	1:D:282:ARG:HG3	2.15	0.46	
3:E:402:NTD:ON1	5:E:501:HOH:O	2.21	0.46	
1:C:103:CYS:HB3	1:C:132:LYS:HD2	1.97	0.46	
1:D:302:LYS:HB3	1:D:326:TYR:OH	2.16	0.46	
1:A:363:ASN:HA	1:A:366:SER:HB2	1.96	0.46	
1:C:50:LEU:HD23	1:C:55:ARG:HA	1.98	0.46	
1:D:182:ASP:HB2	1:D:270:LYS:HB2	1.96	0.46	
1:C:297:LYS:HE3	1:C:297:LYS:HB3	1.42	0.46	
1:B:66:LYS:HD2	1:B:180:MET:HE1	1.98	0.46	
1:C:300:ARG:O	1:C:304:LYS:HG3	2.16	0.46	
1:F:17:LEU:HD12	1:F:99:GLU:CG	2.43	0.46	
1:A:138:THR:OG1	1:A:139:TYR:N	2.46	0.46	
1:E:100:VAL:HG11	1:E:146:LEU:HD22	1.97	0.45	
1:F:96:ILE:HB	1:F:144:HIS:CE1	2.51	0.45	
1:A:128:PHE:O	1:A:153:ILE:HG12	2.16	0.45	
1:C:121:PRO:HA	1:C:133:PHE:O	2.16	0.45	
1:B:193:MET:HG3	1:B:240:ILE:HG22	1.97	0.45	
1:A:228:VAL:HA	1:A:239:PRO:HA	1.98	0.45	
1:D:118:MET:HE2	1:D:137:GLN:HB2	1.97	0.45	
1:E:234:GLU:O	1:E:237:LYS:NZ	2.49	0.45	
1:C:287:GLU:CD	1:C:338:LYS:HD3	2.37	0.45	
1:F:279:ARG:HH21	1:F:316:ALA:HB1	1.82	0.45	
1:D:365:ASN:O	1:D:369:LYS:HG3	2.17	0.45	
1:F:359:PHE:O	3:F:402:NTD:H13	2.17	0.45	
1:C:25:TRP:CE2	1:C:94:LYS:HG2	2.52	0.45	
1:D:310:VAL:HG12	1:D:312:GLU:H	1.81	0.45	
1:D:184:ILE:HG12	1:D:267:ILE:HG23	1.99	0.44	
1:D:338:LYS:HG3	1:D:339:PRO:HD2	1.98	0.44	
1:B:120:GLU:O	1:B:122:TRP:HE3	2.01	0.44	
1:F:23:THR:HA	1:F:70:VAL:HB	1.99	0.44	
1:F:26:VAL:HG23	1:F:91:ASP:CG	2.38	0.44	
1:F:52:THR:HG22	1:F:161:GLU:CD	2.37	0.44	
1:F:324:VAL:HG22	1:F:333:LEU:HD23	1.98	0.44	
1:D:278:ILE:HD13	1:D:281:LEU:HD12	2.00	0.44	
1:F:132:LYS:HE3	1:F:150:MET:SD	2.57	0.44	



	louo pugom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:E:45:LEU:HD11	1:E:156:PHE:HB2	2.00	0.44	
1:F:216:GLN:HB3	1:F:218:HIS:NE2	2.32	0.44	
1:A:174:PRO:HB2	1:A:280:HIS:CG	2.53	0.43	
1:E:248:LYS:HD2	1:E:248:LYS:HA	1.74	0.43	
1:F:174:PRO:HB2	1:F:280:HIS:ND1	2.33	0.43	
1:B:182:ASP:OD2	1:B:183:HIS:ND1	2.32	0.43	
1:D:274:ILE:HG21	1:D:333:LEU:HD13	1.99	0.43	
1:B:39:LYS:NZ	1:F:167:ASP:OD2	2.34	0.43	
1:E:292:PRO:HB3	1:E:374:GLU:OE1	2.18	0.43	
1:D:292:PRO:HB3	1:D:374:GLU:OE1	2.18	0.43	
1:D:40:MET:HG2	1:D:286:LEU:HD22	2.01	0.43	
1:D:138:THR:HG21	1:D:200:TYR:OH	2.18	0.43	
1:E:298:GLN:NE2	1:E:373:GLU:OE2	2.51	0.43	
1:E:265:GLN:O	1:E:346:LEU:HA	2.19	0.43	
1:B:174:PRO:O	1:B:284:ARG:NH1	2.49	0.43	
1:F:50:LEU:HD23	1:F:55:ARG:HA	2.00	0.42	
1:B:41:GLY:HA2	1:B:284:ARG:NH2	2.33	0.42	
1:D:200:TYR:HB2	1:D:229:VAL:HG11	2.01	0.42	
1:F:67:ILE:HD13	1:F:269:LEU:HD22	2.01	0.42	
1:D:128:PHE:HB3	1:D:153:ILE:HG13	2.02	0.42	
1:D:226:SER:HA	1:D:240:ILE:O	2.18	0.42	
1:C:265:GLN:O	1:C:346:LEU:HA	2.20	0.42	
1:D:38:SER:O	1:D:284:ARG:HD3	2.20	0.42	
1:B:138:THR:HG21	1:B:200:TYR:CZ	2.55	0.42	
1:E:230:ALA:HA	1:E:236:ILE:O	2.20	0.42	
1:E:273:ASP:OD2	1:E:276:THR:OG1	2.33	0.42	
1:B:207:HIS:HE1	1:B:234:GLU:OE2	2.03	0.42	
1:B:96:ILE:HB	1:B:144:HIS:CE1	2.55	0.42	
1:B:185:VAL:HG22	1:B:239:PRO:HB2	2.02	0.42	
1:B:331:TYR:HA	1:B:356:HIS:HD2	1.85	0.42	
1:D:125:GLN:HB3	1:D:130:LYS:HG2	2.01	0.41	
1:C:96:ILE:HB	1:C:144:HIS:CE1	2.56	0.41	
1:C:228:VAL:HG21	1:C:359:PHE:CE1	2.55	0.41	
1:A:133:PHE:HA	1:A:146:LEU:O	2.20	0.41	
1:C:200:TYR:CB	1:C:229:VAL:HG11	2.49	0.41	
1:E:102:ASP:N	1:E:148:GLU:OE2	2.49	0.41	
1:A:50:LEU:HD12	5:A:506:HOH:O	2.21	0.41	
1:A:185:VAL:HG22	1:A:239:PRO:HB2	2.02	0.41	
1:B:118:MET:HE2	1:B:137:GLN:HB2	2.02	0.41	
1:E:334:GLN:NE2	1:E:349:GLU:OE1	2.54	0.41	
1:A:167:ASP:HB3	1:A:170:LEU:HG	2.02	0.41	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:13:ARG:HH21	1:A:105:TYR:HB2	1.86	0.41
1:C:14:GLY:HA2	1:C:102:ASP:HB3	2.02	0.41
1:C:133:PHE:CE2	1:C:147:VAL:HG13	2.55	0.41
1:D:363:ASN:HA	1:D:366:SER:HB2	2.03	0.41
1:F:48:ARG:HA	1:F:52:THR:HG21	2.02	0.41
1:E:138:THR:OG1	1:E:139:TYR:N	2.54	0.40
1:A:343:ARG:O	1:A:345:THR:N	2.54	0.40
1:B:64:GLN:OE1	1:B:176:CYS:HB2	2.21	0.40
1:D:128:PHE:O	1:D:153:ILE:HG12	2.22	0.40
1:D:193:MET:HB2	1:D:242:GLU:HB2	2.02	0.40
1:E:288:PHE:HA	1:E:337:THR:HA	2.03	0.40
1:E:133:PHE:HA	1:E:146:LEU:O	2.22	0.40
1:C:40:MET:HE3	1:C:40:MET:HB3	1.88	0.40
1:E:345:THR:OG1	1:E:346:LEU:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	374/393~(95%)	361 (96%)	13 (4%)	0	100	100
1	В	370/393~(94%)	359 (97%)	11 (3%)	0	100	100
1	С	370/393~(94%)	356~(96%)	14 (4%)	0	100	100
1	D	366/393~(93%)	353 (96%)	13 (4%)	0	100	100
1	Ε	370/393~(94%)	357~(96%)	13 (4%)	0	100	100
1	F	364/393~(93%)	353~(97%)	11 (3%)	0	100	100
All	All	2214/2358~(94%)	2139 (97%)	75 (3%)	0	100	100

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percer	ntiles
1	А	310/343~(90%)	307~(99%)	3 (1%)	76	92
1	В	292/343~(85%)	287~(98%)	5 (2%)	60	86
1	С	305/343~(89%)	298~(98%)	7(2%)	50	80
1	D	303/343~(88%)	296~(98%)	7 (2%)	50	80
1	Ε	313/343~(91%)	310~(99%)	3 (1%)	76	92
1	F	290/343~(84%)	285~(98%)	5 (2%)	60	86
All	All	1813/2058~(88%)	1783 (98%)	30 (2%)	60	86

All (30) residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	А	13	ARG
1	А	279	ARG
1	А	377	LEU
1	В	94	LYS
1	В	138	THR
1	В	305	THR
1	В	350	VAL
1	В	356	HIS
1	С	45	LEU
1	С	137	GLN
1	С	138	THR
1	С	150	MET
1	С	283	GLU
1	С	297	LYS
1	С	334	GLN
1	D	138	THR
1	D	155	GLN
1	D	175	LYS
1	D	198	GLU
1	D	208	ARG
1	D	219	THR
1	D	341	GLN



COUU	Continucu from previous page								
Mol	Chain	Res	Type						
1	Е	15	ARG						
1	Е	219	THR						
1	Е	340	VAL						
1	F	99	GLU						
1	F	122	TRP						
1	F	138	THR						
1	F	217	VAL						
1	F	340	VAL						

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	191	GLN
1	А	265	GLN
1	В	137	GLN
1	В	187	ASN
1	В	207	HIS
1	В	265	GLN
1	С	341	GLN
1	D	241	ASN
1	D	251	GLN
1	D	253	GLN
1	D	265	GLN
1	D	341	GLN
1	D	354	HIS
1	Е	341	GLN
1	Е	357	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 18 ligands modelled in this entry, 6 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	Chain	Dog	Tink	Bo	ond leng	\mathbf{ths}	Bond angles		
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
4	MPD	D	401	-	7,7,7	0.68	0	9,10,10	0.33	0
3	NTD	А	402	2	22,24,24	<mark>3.99</mark>	9 (40%)	27,36,36	<mark>3.79</mark>	9 (33%)
4	MPD	E	403	-	7,7,7	0.69	0	9,10,10	0.34	0
3	NTD	С	402	2	22,24,24	4.01	9 (40%)	27,36,36	3.79	9 (33%)
3	NTD	F	402	2	22,24,24	4.03	9 (40%)	27,36,36	<mark>3.70</mark>	8 (29%)
3	NTD	D	403	2	22,24,24	4.02	9 (40%)	27,36,36	<mark>3.79</mark>	9 (33%)
4	MPD	F	403	-	7,7,7	0.71	0	9,10,10	0.35	0
4	MPD	В	503	-	7,7,7	0.70	0	9,10,10	0.28	0
3	NTD	Е	402	2	22,24,24	4.05	9 (40%)	27,36,36	3.75	9 (33%)
4	MPD	С	403	-	7,7,7	0.69	0	9,10,10	0.34	0
4	MPD	A	403	-	7,7,7	0.69	0	9,10,10	0.66	0
3	NTD	В	502	2	22,24,24	4.08	9 (40%)	27,36,36	3.79	9 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MPD	D	401	-	-	1/5/5/5	-
3	NTD	А	402	2	-	6/16/32/32	0/2/2/2
4	MPD	Е	403	-	-	3/5/5/5	-
3	NTD	С	402	2	-	6/16/32/32	0/2/2/2
3	NTD	F	402	2	-	6/16/32/32	0/2/2/2
3	NTD	D	403	2	-	4/16/32/32	0/2/2/2
4	MPD	F	403	-	-	5/5/5/5	-
4	MPD	В	503	-	-	5/5/5/5	-
3	NTD	Е	402	2	-	4/16/32/32	0/2/2/2



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MPD	С	403	-	-	3/5/5/5	-
4	MPD	А	403	-	-	2/5/5/5	-
3	NTD	В	502	2	-	4/16/32/32	0/2/2/2

Continued from previous page...

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	В	502	NTD	ON2-N	10.87	1.41	1.22
3	D	403	NTD	ON2-N	10.76	1.41	1.22
3	Е	402	NTD	ON2-N	10.62	1.40	1.22
3	F	402	NTD	ON2-N	10.62	1.40	1.22
3	С	402	NTD	ON2-N	10.53	1.40	1.22
3	А	402	NTD	ON2-N	10.46	1.40	1.22
3	F	402	NTD	O5-C1	9.13	1.41	1.23
3	Е	402	NTD	O5-C1	8.99	1.41	1.23
3	D	403	NTD	O5-C1	8.98	1.41	1.23
3	В	502	NTD	O1-C5	8.98	1.41	1.23
3	А	402	NTD	O5-C1	8.98	1.41	1.23
3	С	402	NTD	O1-C5	8.98	1.41	1.23
3	В	502	NTD	O5-C1	8.96	1.41	1.23
3	Е	402	NTD	O1-C5	8.92	1.41	1.23
3	А	402	NTD	O1-C5	8.90	1.41	1.23
3	F	402	NTD	O1-C5	8.87	1.41	1.23
3	С	402	NTD	O5-C1	8.87	1.41	1.23
3	D	403	NTD	O1-C5	8.82	1.40	1.23
3	Е	402	NTD	C6-C7	6.13	1.54	1.39
3	В	502	NTD	C6-C7	6.04	1.54	1.39
3	А	402	NTD	C6-C7	5.92	1.54	1.39
3	D	403	NTD	C6-C7	5.91	1.54	1.39
3	F	402	NTD	C6-C7	5.90	1.54	1.39
3	С	402	NTD	C6-C7	5.89	1.54	1.39
3	В	502	NTD	C6-C5	3.78	1.54	1.46
3	Е	402	NTD	C6-C5	3.62	1.54	1.46
3	С	402	NTD	C6-C5	3.58	1.54	1.46
3	F	402	NTD	C6-C5	3.55	1.54	1.46
3	А	402	NTD	C6-C5	3.46	1.54	1.46
3	Ε	402	NTD	C6-C1	3.44	1.53	1.46
3	D	403	NTD	C6-C5	3.38	1.53	1.46
3	D	403	NTD	C6-C1	3.38	1.53	1.46
3	F	402	NTD	C6-C1	3.34	1.53	1.46
3	С	402	NTD	C6-C1	3.31	1.53	1.46
3	А	402	NTD	C6-C1	3.22	1.53	1.46



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	В	502	NTD	C6-C1	3.18	1.53	1.46
3	F	402	NTD	O7-C7	2.72	1.40	1.33
3	Е	402	NTD	O7-C7	2.62	1.40	1.33
3	А	402	NTD	O7-C7	2.61	1.40	1.33
3	В	502	NTD	O7-C7	2.57	1.40	1.33
3	D	403	NTD	O7-C7	2.56	1.40	1.33
3	С	402	NTD	O7-C7	2.55	1.40	1.33
3	Е	402	NTD	C2-C5	2.54	1.54	1.50
3	В	502	NTD	C2-C5	2.47	1.54	1.50
3	F	402	NTD	C2-C5	2.47	1.54	1.50
3	С	402	NTD	C2-C5	2.44	1.54	1.50
3	А	402	NTD	C2-C5	2.35	1.53	1.50
3	D	403	NTD	C2-C5	2.27	1.53	1.50
3	Ε	402	NTD	C4-C1	2.15	1.53	1.50
3	D	403	NTD	C4-C1	2.13	1.53	1.50
3	А	402	NTD	C4-C1	2.06	1.53	1.50
3	F	402	NTD	C4-C1	2.05	1.53	1.50
3	В	502	NTD	C4-C1	2.03	1.53	1.50
3	С	402	NTD	C4-C1	2.01	1.53	1.50

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	D	403	NTD	C1-C6-C5	-8.79	107.31	118.89
3	В	502	NTD	O1-C5-C2	-8.66	106.66	120.86
3	С	402	NTD	O1-C5-C2	-8.36	107.16	120.86
3	Е	402	NTD	O1-C5-C2	-8.35	107.18	120.86
3	F	402	NTD	O1-C5-C2	-8.22	107.40	120.86
3	А	402	NTD	O1-C5-C2	-7.91	107.90	120.86
3	F	402	NTD	O1-C5-C6	-7.80	109.43	122.75
3	F	402	NTD	O5-C1-C6	-7.77	109.48	122.75
3	С	402	NTD	O5-C1-C6	-7.76	109.50	122.75
3	В	502	NTD	O5-C1-C6	-7.74	109.53	122.75
3	Е	402	NTD	C1-C6-C5	-7.71	108.74	118.89
3	А	402	NTD	C1-C6-C5	-7.54	108.96	118.89
3	D	403	NTD	O1-C5-C2	-7.44	108.67	120.86
3	А	402	NTD	O1-C5-C6	-7.32	110.25	122.75
3	С	402	NTD	O1-C5-C6	-7.24	110.39	122.75
3	Е	402	NTD	O1-C5-C6	-7.22	110.42	122.75
3	А	402	NTD	O5-C1-C6	-7.21	110.44	122.75
3	Е	402	NTD	O5-C1-C6	-7.21	110.44	122.75
3	D	403	NTD	O5-C1-C6	-7.04	110.73	122.75



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	С	402	NTD	O5-C1-C4	-7.03	109.34	120.86
3	В	502	NTD	O1-C5-C6	-7.03	110.75	122.75
3	D	403	NTD	O5-C1-C4	-6.92	109.51	120.86
3	В	502	NTD	O5-C1-C4	-6.90	109.55	120.86
3	Е	402	NTD	O5-C1-C4	-6.88	109.59	120.86
3	F	402	NTD	O5-C1-C4	-6.86	109.62	120.86
3	А	402	NTD	O5-C1-C4	-6.81	109.69	120.86
3	В	502	NTD	C8-C7-C6	-6.72	112.02	126.44
3	В	502	NTD	C1-C6-C5	-6.64	110.14	118.89
3	D	403	NTD	O1-C5-C6	-6.61	111.46	122.75
3	С	402	NTD	C1-C6-C5	-6.58	110.23	118.89
3	А	402	NTD	C8-C7-C6	-6.56	112.37	126.44
3	С	402	NTD	C8-C7-C6	-6.40	112.71	126.44
3	Ε	402	NTD	O7-C7-C6	-6.28	109.18	119.97
3	D	403	NTD	C8-C7-C6	-6.23	113.07	126.44
3	F	402	NTD	O7-C7-C6	-6.22	109.28	119.97
3	С	402	NTD	O7-C7-C6	-6.22	109.28	119.97
3	D	403	NTD	O7-C7-C6	-6.18	109.35	119.97
3	А	402	NTD	O7-C7-C6	-6.18	109.36	119.97
3	F	402	NTD	C1-C6-C5	-6.08	110.88	118.89
3	В	502	NTD	O7-C7-C6	-5.87	109.87	119.97
3	F	402	NTD	C8-C7-C6	-5.61	114.41	126.44
3	Е	402	NTD	C8-C7-C6	-5.47	114.69	126.44
3	А	402	NTD	C4-C1-C6	-3.49	110.39	116.95
3	D	403	NTD	C2-C5-C6	-3.44	110.48	116.95
3	D	403	NTD	C4-C1-C6	-3.41	110.55	116.95
3	В	502	NTD	C4-C1-C6	-3.04	111.24	116.95
3	Е	402	NTD	C4-C1-C6	-2.88	111.53	116.95
3	С	402	NTD	C4-C1-C6	-2.88	111.54	116.95
3	А	402	NTD	C2-C5-C6	-2.85	111.60	116.95
3	С	402	NTD	C2-C5-C6	-2.65	111.97	116.95
3	Е	402	NTD	C2-C5-C6	-2.56	112.13	116.95
3	F	402	NTD	C4-C1-C6	-2.49	112.26	116.95
3	В	502	NTD	C2-C5-C6	-2.12	112.96	116.95

Continued from previous page...

There are no chirality outliers.

All (49) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	402	NTD	C5-C6-C7-C8
3	А	402	NTD	C1-C6-C7-O7
3	А	402	NTD	C8-C9-N-ON2



Mol	Chain	Res	Type	Atoms
3	А	402	NTD	C10-C9-N-ON2
3	В	502	NTD	C5-C6-C7-C8
3	В	502	NTD	C1-C6-C7-O7
3	В	502	NTD	C8-C9-N-ON2
3	В	502	NTD	C10-C9-N-ON2
3	С	402	NTD	C5-C6-C7-C8
3	С	402	NTD	C1-C6-C7-O7
3	С	402	NTD	C8-C9-N-ON2
3	С	402	NTD	C10-C9-N-ON2
3	D	403	NTD	C5-C6-C7-C8
3	D	403	NTD	C1-C6-C7-O7
3	Е	402	NTD	C5-C6-C7-C8
3	Е	402	NTD	C1-C6-C7-O7
3	Е	402	NTD	C8-C9-N-ON2
3	F	402	NTD	C5-C6-C7-C8
3	F	402	NTD	C1-C6-C7-O7
3	F	402	NTD	C8-C9-N-ON2
3	F	402	NTD	C10-C9-N-ON2
4	А	403	MPD	C2-C3-C4-O4
4	В	503	MPD	O2-C2-C3-C4
4	В	503	MPD	CM-C2-C3-C4
4	В	503	MPD	C2-C3-C4-O4
4	В	503	MPD	C2-C3-C4-C5
3	Е	402	NTD	C10-C9-N-ON2
3	С	402	NTD	O7-C7-C8-C13
3	А	402	NTD	O7-C7-C8-C13
3	D	403	NTD	O7-C7-C8-C13
4	С	403	MPD	O2-C2-C3-C4
4	D	401	MPD	O2-C2-C3-C4
4	F	403	MPD	O2-C2-C3-C4
4	A	403	MPD	C2-C3-C4-C5
4	F	403	MPD	C2-C3-C4-C5
3	A	402	NTD	O7-C7-C8-C9
3	C	402	NTD	O7-C7-C8-C9
3	D	403	NTD	O7-C7-C8-C9
3	F	402	NTD	O7-C7-C8-C9
4	В	503	MPD	C1-C2-C3-C4
4	С	403	MPD	C1-C2-C3-C4
4	C	403	MPD	CM-C2-C3-C4
4	F	403	MPD	C1-C2-C3-C4
4	F	403	MPD	$CM-\overline{C2-C3-C4}$
3	F	402	NTD	O7-C7-C8-C13

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	Е	403	MPD	O2-C2-C3-C4
4	Е	403	MPD	C2-C3-C4-C5
4	Ε	403	MPD	C2-C3-C4-O4
4	F	403	MPD	C2-C3-C4-O4

Continued from previous page...

There are no ring outliers.

8 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	А	402	NTD	1	0
4	Е	403	MPD	1	0
3	F	402	NTD	2	0
4	F	403	MPD	1	0
4	В	503	MPD	1	0
3	Е	402	NTD	1	0
4	А	403	MPD	1	0
3	В	502	NTD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



























5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.





6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	374/393~(95%)	-0.26	3 (0%) 86 82	25, 45, 71, 94	0
1	В	371/393~(94%)	0.03	14 (3%) 40 30	37, 59, 83, 96	0
1	С	371/393~(94%)	-0.24	7 (1%) 66 59	34, 53, 75, 83	0
1	D	368/393~(93%)	-0.17	6 (1%) 72 65	33, 51, 78, 101	0
1	Ε	372/393~(94%)	-0.38	3 (0%) 86 82	27, 41, 70, 85	0
1	F	365/393~(92%)	-0.01	8 (2%) 62 52	38, 55, 93, 104	0
All	All	2221/2358~(94%)	-0.17	41 (1%) 68 61	25, 51, 81, 104	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	164	ALA	4.2
1	D	308	ILE	4.1
1	F	232	TYR	3.8
1	В	155	GLN	3.4
1	В	308	ILE	3.4
1	D	210	TRP	3.4
1	С	245	PRO	3.3
1	D	9	ALA	3.3
1	В	8	GLY	3.2
1	В	248	LYS	3.0
1	С	6	ASP	2.8
1	F	378	ARG	2.8
1	F	201	LEU	2.8
1	В	166	MET	2.8
1	F	155	GLN	2.6
1	В	292	PRO	2.6
1	В	108	GLN	2.6
1	С	220	GLU	2.5
1	С	308	ILE	2.5



Mol	Chain	Res	Type	RSRZ
1	С	9	ALA	2.5
1	F	15	ARG	2.5
1	F	217	VAL	2.5
1	В	376	ASN	2.4
1	В	129	GLY	2.4
1	А	11	PRO	2.4
1	Е	164	ALA	2.3
1	С	305	THR	2.3
1	В	291	VAL	2.3
1	F	373	GLU	2.2
1	Е	153	ILE	2.2
1	F	103	CYS	2.2
1	В	307	LYS	2.2
1	В	112	GLU	2.1
1	А	357	GLN	2.1
1	D	245	PRO	2.1
1	С	155	GLN	2.1
1	А	380	ASN	2.1
1	Е	374	GLU	2.1
1	В	377	LEU	2.1
1	В	186	GLY	2.1
1	D	246	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q < 0.9
4	MPD	D	401	8/8	0.61	0.53	64,77,82,86	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
4	MPD	F	403	8/8	0.80	0.61	64,68,70,74	0
4	MPD	В	503	8/8	0.81	0.34	64,69,72,74	0
4	MPD	Е	403	8/8	0.83	0.41	50,56,59,61	0
4	MPD	С	403	8/8	0.87	0.28	58,62,66,70	0
4	MPD	А	403	8/8	0.88	0.33	$56,\!57,\!62,\!63$	0
3	NTD	В	502	23/23	0.90	0.26	48,58,67,71	0
3	NTD	D	403	23/23	0.93	0.21	43,49,60,62	0
3	NTD	А	402	23/23	0.95	0.20	40,45,56,57	0
3	NTD	F	402	23/23	0.95	0.20	$42,\!46,\!55,\!59$	0
3	NTD	Е	402	23/23	0.96	0.21	33,35,41,46	0
3	NTD	С	402	23/23	0.96	0.17	44,48,56,60	0
2	CO	А	401	1/1	0.97	0.14	39,39,39,39	0
2	CO	В	501	1/1	0.97	0.16	50, 50, 50, 50	0
2	CO	D	402	1/1	0.98	0.19	44,44,44,44	0
2	CO	F	401	1/1	0.98	0.16	49,49,49,49	0
2	CO	С	401	1/1	0.99	0.13	45,45,45,45	0
2	CO	Е	401	1/1	1.00	0.15	$3\overline{4,34,34,34}$	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.















6.5 Other polymers (i)

There are no such residues in this entry.

