Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2024 – 12:08 PM EDT

PDB ID	:	5IZD
Title	:	Wild-type glyceraldehyde dehydrogenase from Thermoplasma acidophilum in complex with NADP
Authors	:	Iermak, I.; Mesters, J.R.; Kuta Smatanova, I.
Deposited on	:	2016-03-25
Resolution	:	2.05 Å(reported)

The following versions of software and data (see references ⓘ) were used in the production of this report:

|		
MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile Ranks	Value
Rfree		0.210
Clashscore		1
Ramachandran outliers		0
Sidechain outliers		0.8%
RSRZ outliers		0.8%

Worse ← → *Better*

▮ Percentile relative to all X-ray structures
❑ Percentile relative to X-ray structures of similar resolution

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1692 (2.04-2.04)
Clashscore	141614	1773 (2.04-2.04)
Ramachandran outliers	138981	1752 (2.04-2.04)
Sidechain outliers	138945	1752 (2.04-2.04)
RSRZ outliers	127900	1672 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	508	94% · ·
1	B	508	93% · ·
1	C	508	92% · 5%
1	D	508	91% 5% ·
1	E	508	92% 5% ·

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	508	93%
1	G	508	92% ... 5%
1	H	508	93%

2 Entry composition ⓘ

There are 3 unique types of molecules in this entry. The entry contains 31616 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-glyceraldehyde dehydrogenase (NADP(+)).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	494	Total 3807	C 2430	N 634	O 730	S 13	0	1	0
1	B	492	Total 3776	C 2417	N 631	O 715	S 13	0	1	0
1	C	484	Total 3682	C 2355	N 618	O 696	S 13	0	1	0
1	D	487	Total 3682	C 2359	N 607	O 703	S 13	0	0	0
1	E	492	Total 3783	C 2420	N 626	O 724	S 13	0	1	0
1	F	492	Total 3790	C 2422	N 634	O 721	S 13	0	2	0
1	G	492	Total 3763	C 2409	N 624	O 717	S 13	0	0	0
1	H	492	Total 3794	C 2426	N 637	O 718	S 13	0	3	0

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	494	SER	-	expression tag	UNP Q9HK01
A	495	GLY	-	expression tag	UNP Q9HK01
A	496	ARG	-	expression tag	UNP Q9HK01
A	497	PRO	-	expression tag	UNP Q9HK01
A	498	VAL	-	expression tag	UNP Q9HK01
A	499	LEU	-	expression tag	UNP Q9HK01
A	500	GLY	-	expression tag	UNP Q9HK01
A	501	SER	-	expression tag	UNP Q9HK01
A	502	SER	-	expression tag	UNP Q9HK01
A	503	HIS	-	expression tag	UNP Q9HK01
A	504	HIS	-	expression tag	UNP Q9HK01
A	505	HIS	-	expression tag	UNP Q9HK01
A	506	HIS	-	expression tag	UNP Q9HK01

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	507	HIS	-	expression tag	UNP Q9HK01
A	508	HIS	-	expression tag	UNP Q9HK01
B	494	SER	-	expression tag	UNP Q9HK01
B	495	GLY	-	expression tag	UNP Q9HK01
B	496	ARG	-	expression tag	UNP Q9HK01
B	497	PRO	-	expression tag	UNP Q9HK01
B	498	VAL	-	expression tag	UNP Q9HK01
B	499	LEU	-	expression tag	UNP Q9HK01
B	500	GLY	-	expression tag	UNP Q9HK01
B	501	SER	-	expression tag	UNP Q9HK01
B	502	SER	-	expression tag	UNP Q9HK01
B	503	HIS	-	expression tag	UNP Q9HK01
B	504	HIS	-	expression tag	UNP Q9HK01
B	505	HIS	-	expression tag	UNP Q9HK01
B	506	HIS	-	expression tag	UNP Q9HK01
B	507	HIS	-	expression tag	UNP Q9HK01
B	508	HIS	-	expression tag	UNP Q9HK01
C	494	SER	-	expression tag	UNP Q9HK01
C	495	GLY	-	expression tag	UNP Q9HK01
C	496	ARG	-	expression tag	UNP Q9HK01
C	497	PRO	-	expression tag	UNP Q9HK01
C	498	VAL	-	expression tag	UNP Q9HK01
C	499	LEU	-	expression tag	UNP Q9HK01
C	500	GLY	-	expression tag	UNP Q9HK01
C	501	SER	-	expression tag	UNP Q9HK01
C	502	SER	-	expression tag	UNP Q9HK01
C	503	HIS	-	expression tag	UNP Q9HK01
C	504	HIS	-	expression tag	UNP Q9HK01
C	505	HIS	-	expression tag	UNP Q9HK01
C	506	HIS	-	expression tag	UNP Q9HK01
C	507	HIS	-	expression tag	UNP Q9HK01
C	508	HIS	-	expression tag	UNP Q9HK01
D	494	SER	-	expression tag	UNP Q9HK01
D	495	GLY	-	expression tag	UNP Q9HK01
D	496	ARG	-	expression tag	UNP Q9HK01
D	497	PRO	-	expression tag	UNP Q9HK01
D	498	VAL	-	expression tag	UNP Q9HK01
D	499	LEU	-	expression tag	UNP Q9HK01
D	500	GLY	-	expression tag	UNP Q9HK01
D	501	SER	-	expression tag	UNP Q9HK01
D	502	SER	-	expression tag	UNP Q9HK01
D	503	HIS	-	expression tag	UNP Q9HK01

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	504	HIS	-	expression tag	UNP Q9HK01
D	505	HIS	-	expression tag	UNP Q9HK01
D	506	HIS	-	expression tag	UNP Q9HK01
D	507	HIS	-	expression tag	UNP Q9HK01
D	508	HIS	-	expression tag	UNP Q9HK01
E	494	SER	-	expression tag	UNP Q9HK01
E	495	GLY	-	expression tag	UNP Q9HK01
E	496	ARG	-	expression tag	UNP Q9HK01
E	497	PRO	-	expression tag	UNP Q9HK01
E	498	VAL	-	expression tag	UNP Q9HK01
E	499	LEU	-	expression tag	UNP Q9HK01
E	500	GLY	-	expression tag	UNP Q9HK01
E	501	SER	-	expression tag	UNP Q9HK01
E	502	SER	-	expression tag	UNP Q9HK01
E	503	HIS	-	expression tag	UNP Q9HK01
E	504	HIS	-	expression tag	UNP Q9HK01
E	505	HIS	-	expression tag	UNP Q9HK01
E	506	HIS	-	expression tag	UNP Q9HK01
E	507	HIS	-	expression tag	UNP Q9HK01
E	508	HIS	-	expression tag	UNP Q9HK01
F	494	SER	-	expression tag	UNP Q9HK01
F	495	GLY	-	expression tag	UNP Q9HK01
F	496	ARG	-	expression tag	UNP Q9HK01
F	497	PRO	-	expression tag	UNP Q9HK01
F	498	VAL	-	expression tag	UNP Q9HK01
F	499	LEU	-	expression tag	UNP Q9HK01
F	500	GLY	-	expression tag	UNP Q9HK01
F	501	SER	-	expression tag	UNP Q9HK01
F	502	SER	-	expression tag	UNP Q9HK01
F	503	HIS	-	expression tag	UNP Q9HK01
F	504	HIS	-	expression tag	UNP Q9HK01
F	505	HIS	-	expression tag	UNP Q9HK01
F	506	HIS	-	expression tag	UNP Q9HK01
F	507	HIS	-	expression tag	UNP Q9HK01
F	508	HIS	-	expression tag	UNP Q9HK01
G	494	SER	-	expression tag	UNP Q9HK01
G	495	GLY	-	expression tag	UNP Q9HK01
G	496	ARG	-	expression tag	UNP Q9HK01
G	497	PRO	-	expression tag	UNP Q9HK01
G	498	VAL	-	expression tag	UNP Q9HK01
G	499	LEU	-	expression tag	UNP Q9HK01
G	500	GLY	-	expression tag	UNP Q9HK01

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	501	SER	-	expression tag	UNP Q9HK01
G	502	SER	-	expression tag	UNP Q9HK01
G	503	HIS	-	expression tag	UNP Q9HK01
G	504	HIS	-	expression tag	UNP Q9HK01
G	505	HIS	-	expression tag	UNP Q9HK01
G	506	HIS	-	expression tag	UNP Q9HK01
G	507	HIS	-	expression tag	UNP Q9HK01
G	508	HIS	-	expression tag	UNP Q9HK01
H	494	SER	-	expression tag	UNP Q9HK01
H	495	GLY	-	expression tag	UNP Q9HK01
H	496	ARG	-	expression tag	UNP Q9HK01
H	497	PRO	-	expression tag	UNP Q9HK01
H	498	VAL	-	expression tag	UNP Q9HK01
H	499	LEU	-	expression tag	UNP Q9HK01
H	500	GLY	-	expression tag	UNP Q9HK01
H	501	SER	-	expression tag	UNP Q9HK01
H	502	SER	-	expression tag	UNP Q9HK01
H	503	HIS	-	expression tag	UNP Q9HK01
H	504	HIS	-	expression tag	UNP Q9HK01
H	505	HIS	-	expression tag	UNP Q9HK01
H	506	HIS	-	expression tag	UNP Q9HK01
H	507	HIS	-	expression tag	UNP Q9HK01
H	508	HIS	-	expression tag	UNP Q9HK01

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	B	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	C	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	D	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	G	1	Total 31	C 10	N 5	O 13	P 3	0	0
2	H	1	Total 31	C 10	N 5	O 13	P 3	0	0

- Molecule 3 is water.

| Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	183	Total 183	O 183	0	0
3	B	164	Total 164	O 164	0	0
3	C	107	Total 107	O 107	0	0
3	D	106	Total 106	O 106	0	0
3	E	188	Total 188	O 188	0	0
3	F	195	Total 195	O 195	0	0
3	G	192	Total 192	O 192	0	0
3	H	218	Total 218	O 218	0	0

3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: D-glyceraldehyde dehydrogenase (NADP(+))

Chain A:

- Molecule 1: D-glyceraldehyde dehydrogenase (NADP(+))

Chain B:

- Molecule 1: D-glyceraldehyde dehydrogenase (NADP(+))

Chain C:

- Molecule 1: D-glyceraldehyde dehydrogenase (NADP(+))

Chain D:

• Molecule 1: D-glyceraldehyde dehydrogenase (NADP(+))

Chain E:

• Molecule 1: D-glyceraldehyde dehydrogenase (NADP(+))

Chain F:


• Molecule 1: D-glyceraldehyde dehydrogenase (NADP(+))

Chain G:

• Molecule 1: D-glyceraldehyde dehydrogenase (NADP(+))

Chain H:

4 Data and refinement statistics ⓘ

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	95.29Å 152.35Å 149.91Å 90.00° 92.19° 90.00°	Depositor
Resolution (Å)	48.10 – 2.05 48.10 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.10-2.05) 99.8 (48.10-1.95)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.59 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.168 , 0.205 0.177 , 0.210	Depositor DCC
R_{free} test set	15542 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å^2)	30.2	Xtriage
Anisotropy	0.317	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 45.2	EDS
L-test for twinning[2]	$< |L| > = 0.47, < L^2 > = 0.30$	Xtriage
Estimated twinning fraction	0.018 for -h,-l,-k 0.015 for -h,l,k 0.030 for h,-k,-l	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	31616	wwPDB-VP
Average B, all atoms (Å^2)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

---

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CSD, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$|Z|$ >5	RMSZ	#$|Z|$ >5
1	A	0.86	2/3882 (0.1%)	0.88	2/5263 (0.0%)
1	B	0.80	2/3854 (0.1%)	0.88	12/5223 (0.2%)
1	C	0.82	0/3756	0.87	6/5090 (0.1%)
1	D	0.81	0/3754	0.84	6/5093 (0.1%)
1	E	0.85	0/3861	0.93	10/5233 (0.2%)
1	F	0.83	0/3871	0.88	9/5247 (0.2%)
1	G	0.87	3/3838 (0.1%)	0.93	9/5205 (0.2%)
1	H	0.88	1/3878 (0.0%)	0.91	7/5252 (0.1%)
All	All	0.84	8/30694 (0.0%)	0.89	61/41606 (0.1%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	381	GLU	CD-OE2	6.67	1.32	1.25
1	G	76	GLU	CD-OE2	6.15	1.32	1.25
1	H	466	GLU	CD-OE2	5.74	1.31	1.25
1	G	466	GLU	CD-OE2	5.56	1.31	1.25
1	A	489	ASP	CB-CG	5.50	1.63	1.51
1	G	73	GLU	CD-OE1	5.42	1.31	1.25
1	A	381	GLU	CD-OE2	5.37	1.31	1.25
1	B	99	GLU	CD-OE1	5.06	1.31	1.25

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	106	ASP	CB-CG-OD2	8.58	126.03	118.30
1	H	106	ASP	CB-CG-OD2	8.29	125.77	118.30
1	G	64	ARG	NE-CZ-NH1	7.76	124.18	120.30
1	C	390	ARG	NE-CZ-NH2	7.61	124.11	120.30
1	H	64	ARG	NE-CZ-NH1	7.18	123.89	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	H	116	ARG	NE-CZ-NH2	-7.02	116.79	120.30
1	B	210	ASP	CB-CG-OD1	6.96	124.57	118.30
1	B	390	ARG	NE-CZ-NH1	6.93	123.76	120.30
1	C	390	ARG	NE-CZ-NH1	-6.66	116.97	120.30
1	G	116	ARG	NE-CZ-NH2	-6.61	116.99	120.30
1	E	39	ARG	NE-CZ-NH2	-6.58	117.01	120.30
1	B	390	ARG	NE-CZ-NH2	-6.53	117.04	120.30
1	A	417	ASP	CB-CG-OD1	6.42	124.08	118.30
1	B	210	ASP	CB-CG-OD2	-6.38	112.56	118.30
1	F	70	ARG	NE-CZ-NH1	-6.36	117.12	120.30
1	G	106	ASP	CB-CG-OD1	-6.28	112.65	118.30
1	B	400	ASP	CB-CG-OD1	6.21	123.89	118.30
1	D	116	ARG	NE-CZ-NH1	6.12	123.36	120.30
1	F	106	ASP	CB-CG-OD1	-6.07	112.84	118.30
1	G	306	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	B	263	ASP	CB-CG-OD2	-5.99	112.91	118.30
1	C	306	ARG	NE-CZ-NH1	5.96	123.28	120.30
1	F	417	ASP	CB-CG-OD1	5.88	123.59	118.30
1	G	286	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	E	417	ASP	CB-CG-OD1	5.81	123.53	118.30
1	B	157	ARG	NE-CZ-NH2	-5.81	117.40	120.30
1	F	106	ASP	CB-CG-OD2	5.75	123.47	118.30
1	D	261	ASP	CB-CG-OD2	5.74	123.46	118.30
1	E	116	ARG	NE-CZ-NH2	-5.73	117.44	120.30
1	C	79	ARG	NE-CZ-NH2	5.67	123.14	120.30
1	E	102	ASP	CB-CG-OD1	5.58	123.32	118.30
1	B	102	ASP	CB-CG-OD1	5.55	123.30	118.30
1	D	64	ARG	NE-CZ-NH2	-5.55	117.52	120.30
1	H	232	ARG	CG-CD-NE	-5.54	100.17	111.80
1	G	70	ARG	NE-CZ-NH2	5.46	123.03	120.30
1	H	21	ASP	CB-CG-OD1	5.43	123.19	118.30
1	D	70	ARG	NE-CZ-NH2	5.41	123.00	120.30
1	C	116	ARG	NE-CZ-NH2	-5.40	117.60	120.30
1	E	261	ASP	CB-CG-OD1	5.37	123.13	118.30
1	F	259	ASP	CB-CG-OD1	5.36	123.13	118.30
1	F	58	ASP	CB-CG-OD1	5.36	123.12	118.30
1	A	417	ASP	CB-CG-OD2	-5.36	113.48	118.30
1	E	79	ARG	NE-CZ-NH2	5.35	122.97	120.30
1	B	102	ASP	CB-CG-OD2	-5.28	113.55	118.30
1	D	58	ASP	CB-CG-OD1	5.26	123.04	118.30
1	C	116	ARG	NE-CZ-NH1	5.21	122.91	120.30
1	E	70	ARG	NE-CZ-NH1	-5.19	117.71	120.30

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	F	232	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	F	116	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	B	106	ASP	CB-CG-OD2	5.16	122.94	118.30
1	G	488	ARG	NE-CZ-NH1	5.15	122.88	120.30
1	D	59	LEU	CA-CB-CG	5.15	127.14	115.30
1	E	64	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	G	451	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	G	241	MET	CG-SD-CE	-5.08	92.07	100.20
1	B	263	ASP	CB-CG-OD1	5.06	122.85	118.30
1	H	204	ARG	NE-CZ-NH2	-5.05	117.77	120.30
1	B	58	ASP	CB-CG-OD1	5.05	122.85	118.30
1	H	210	ASP	CB-CG-OD1	5.04	122.83	118.30
1	E	157	ARG	NE-CZ-NH2	-5.03	117.78	120.30
1	F	261	ASP	CB-CG-OD2	5.01	122.81	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3807	0	3687	8	0
1	B	3776	0	3666	4	0
1	C	3682	0	3544	6	0
1	D	3682	0	3528	10	0
1	E	3783	0	3668	9	1
1	F	3790	0	3686	5	0
1	G	3763	0	3650	6	1
1	H	3794	0	3694	5	0
2	A	31	0	11	0	0
2	B	31	0	11	0	0
2	C	31	0	11	0	0
2	D	31	0	11	0	0
2	G	31	0	11	0	0
2	H	31	0	11	0	0
3	A	183	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	164	0	0	0	0
3	C	107	0	0	0	0
3	D	106	0	0	0	0
3	E	188	0	0	0	0
3	F	195	0	0	0	0
3	G	192	0	0	1	0
3	H	218	0	0	0	0
All	All	31616	0	29189	51	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (51) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:172:LYS:HE2	1:A:203:GLY:O	1.94	0.67
1:G:455:GLN:OE1	3:G:701:HOH:O	2.16	0.63
1:D:323:ASN:HA	1:D:361:TYR:CE2	2.36	0.61
1:A:172:LYS:NZ	1:A:173:PRO:O	2.33	0.61
1:D:382:ILE:HG21	1:D:386:VAL:HB	1.83	0.60
1:D:83:GLU:HG3	1:D:101:VAL:HG21	1.88	0.55
1:A:70:ARG:HB3	1:A:191:ALA:HB1	1.91	0.52
1:A:172:LYS:HA	1:A:201:ILE:O	2.10	0.51
1:F:41:ASP:OD1	1:F:44[A]:ARG:NH1	2.41	0.51
1:A:427[A]:ARG:NH2	1:B:58:ASP:OD2	2.44	0.51
1:E:382:ILE:HG21	1:E:386:VAL:HB	1.93	0.50
1:E:136:LYS:HE2	1:E:470:LEU:HD13	1.93	0.50
1:E:247:GLU:OE2	1:E:281:CSD:OD1	2.30	0.49
1:C:274:TYR:CD2	1:C:308:LEU:HD11	2.48	0.49
1:D:274:TYR:CD2	1:D:308:LEU:HD11	2.49	0.48
1:E:384:ALA:HB1	1:E:385:PRO:HD2	1.95	0.48
1:A:282:ILE:HG22	1:A:410:ALA:HB2	1.95	0.48
1:D:273:LYS:HE3	1:D:273:LYS:HA	1.96	0.48
1:D:208:ILE:O	1:D:212:ILE:HG13	2.15	0.47
1:D:251:LYS:HB2	1:D:407:TYR:CD2	2.50	0.47
1:A:210:ASP:OD2	1:A:232:ARG:NH2	2.47	0.46
1:F:384:ALA:HB1	1:F:385:PRO:HD2	1.98	0.46
1:C:247:GLU:OE2	1:C:281:CSD:OD1	2.34	0.46
1:E:11:TRP:CZ2	1:E:186:ARG:HG2	2.51	0.45
1:H:172:LYS:HA	1:H:201:ILE:O	2.17	0.45
1:C:23:TYR:CE2	1:C:30:VAL:HG23	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:372:ASP:HB3	1:G:375:SER:HB3	1.99	0.45
1:B:262:MET:HE1	1:B:297:PHE:HA	1.99	0.44
1:D:252:ALA:HB3	1:D:283:ALA:O	2.17	0.44
1:B:382:ILE:HG21	1:B:386:VAL:HB	1.99	0.44
1:B:462:TYR:O	1:B:466:GLU:HG2	2.18	0.44
1:F:56:TRP:CE2	1:F:64:ARG:HD2	2.53	0.43
1:H:2:ASP:OD1	1:H:33:ARG:HG2	2.19	0.43
1:G:384:ALA:HB1	1:G:385:PRO:HD2	1.99	0.43
1:E:183:TRP:CZ2	1:E:187:LYS:HE2	2.54	0.43
1:E:303[A]:GLU:OE1	1:E:303[A]:GLU:HA	2.17	0.43
1:F:274:TYR:CE1	1:F:365:PRO:HB3	2.54	0.42
1:C:273:LYS:HA	1:C:273:LYS:HE3	2.02	0.42
1:C:344:ILE:HD13	1:C:368:ILE:HG12	2.01	0.42
1:G:414:PHE:CE2	1:G:436:ASN:HA	2.54	0.42
1:E:271:TRP:CE3	1:E:272:ALA:HA	2.55	0.42
1:C:274:TYR:CE1	1:C:365:PRO:HB3	2.55	0.42
1:D:302:VAL:HG13	1:D:346:PHE:HB2	2.02	0.41
1:A:483:HIS:ND1	1:A:489:ASP:OD2	2.47	0.41
1:G:492:PHE:CE1	1:H:267:LYS:HG2	2.56	0.41
1:H:160:ALA:HB3	1:H:161:PRO:HD3	2.02	0.41
1:D:274:TYR:CD2	1:D:308:LEU:CD1	3.04	0.41
1:E:384:ALA:HB1	1:E:385:PRO:CD	2.51	0.41
1:F:377:ILE:HD13	1:F:377:ILE:HA	1.90	0.40
1:G:172:LYS:HA	1:G:201:ILE:O	2.21	0.40
1:H:384:ALA:HB1	1:H:385:PRO:HD2	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:186:ARG:NH1	1:G:303:GLU:OE1[2_656]	2.16	0.04

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	492/508 (97%)	482 (98%)	10 (2%)	0	100	100
1	B	490/508 (96%)	482 (98%)	8 (2%)	0	100	100
1	C	478/508 (94%)	466 (98%)	12 (2%)	0	100	100
1	D	482/508 (95%)	467 (97%)	15 (3%)	0	100	100
1	E	490/508 (96%)	481 (98%)	9 (2%)	0	100	100
1	F	491/508 (97%)	481 (98%)	10 (2%)	0	100	100
1	G	489/508 (96%)	473 (97%)	16 (3%)	0	100	100
1	H	492/508 (97%)	482 (98%)	10 (2%)	0	100	100
All	All	3904/4064 (96%)	3814 (98%)	90 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	385/418 (92%)	382 (99%)	3 (1%)	81	82
1	B	377/418 (90%)	373 (99%)	4 (1%)	73	73
1	C	363/418 (87%)	360 (99%)	3 (1%)	81	82
1	D	362/418 (87%)	358 (99%)	4 (1%)	73	73
1	E	381/418 (91%)	378 (99%)	3 (1%)	81	82
1	F	383/418 (92%)	380 (99%)	3 (1%)	81	82
1	G	378/418 (90%)	376 (100%)	2 (0%)	88	89
1	H	381/418 (91%)	378 (99%)	3 (1%)	81	82
All	All	3010/3344 (90%)	2985 (99%)	25 (1%)	81	82

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	247	GLU
1	A	273	LYS
1	A	383	PHE
1	B	182	GLU
1	B	247	GLU
1	B	273	LYS
1	B	383	PHE
1	C	247	GLU
1	C	273	LYS
1	C	383	PHE
1	D	182	GLU
1	D	273	LYS
1	D	383	PHE
1	D	472	ASN
1	E	247	GLU
1	E	273	LYS
1	E	383	PHE
1	F	247	GLU
1	F	273	LYS
1	F	383	PHE
1	G	273	LYS
1	G	383	PHE
1	H	116	ARG
1	H	273	LYS
1	H	383	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	350	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	#$|Z| > 2$	Counts	RMSZ	#$|Z| > 2$
1	CSD	C	281	1	3,7,8	0.58	0	1,8,10	0.26	0
1	CSD	F	281	1	3,7,8	0.63	0	1,8,10	3.82	1 (100%)
1	CSD	E	281	1	3,7,8	1.03	0	1,8,10	2.06	1 (100%)
1	CSD	G	281	1	3,7,8	0.67	0	1,8,10	2.71	1 (100%)
1	CSD	H	281	1	3,7,8	0.63	0	1,8,10	2.19	1 (100%)
1	CSD	D	281	1	3,7,8	0.81	0	1,8,10	8.14	1 (100%)
1	CSD	B	281	1	3,7,8	0.32	0	1,8,10	1.78	0
1	CSD	A	281	1	3,7,8	0.81	0	1,8,10	5.04	1 (100%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSD	C	281	1	-	1/2/6/8	-
1	CSD	F	281	1	-	1/2/6/8	-
1	CSD	E	281	1	-	1/2/6/8	-
1	CSD	G	281	1	-	1/2/6/8	-
1	CSD	H	281	1	-	1/2/6/8	-
1	CSD	D	281	1	-	1/2/6/8	-
1	CSD	B	281	1	-	1/2/6/8	-
1	CSD	A	281	1	-	1/2/6/8	-

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	D	281	CSD	OD1-SG-CB	-8.14	90.04	105.54
1	A	281	CSD	OD1-SG-CB	-5.04	95.94	105.54
1	F	281	CSD	OD1-SG-CB	-3.82	98.26	105.54
1	G	281	CSD	OD1-SG-CB	-2.71	100.38	105.54
1	H	281	CSD	OD1-SG-CB	-2.19	101.38	105.54
1	E	281	CSD	OD1-SG-CB	-2.06	101.62	105.54

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	281	CSD	CA-CB-SG-OD1
1	B	281	CSD	CA-CB-SG-OD1
1	C	281	CSD	CA-CB-SG-OD1
1	D	281	CSD	CA-CB-SG-OD1
1	E	281	CSD	CA-CB-SG-OD1
1	F	281	CSD	CA-CB-SG-OD1
1	G	281	CSD	CA-CB-SG-OD1
1	H	281	CSD	CA-CB-SG-OD1

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	C	281	CSD	1	0
1	E	281	CSD	1	0

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	#$|Z| > 2$	Counts	RMSZ	#$|Z| > 2$
2	NAP	C	601	-	27,33,52	1.09	3 (11%)	35,52,80	0.79	0
2	NAP	D	601	-	27,33,52	1.09	3 (11%)	35,52,80	0.87	1 (2%)
2	NAP	H	601	-	27,33,52	1.28	2 (7%)	35,52,80	0.83	0
2	NAP	G	601	-	27,33,52	1.06	2 (7%)	35,52,80	0.78	1 (2%)
2	NAP	A	601	-	27,33,52	1.42	4 (14%)	35,52,80	0.82	0
2	NAP	B	601	-	27,33,52	1.04	1 (3%)	35,52,80	0.80	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	C	601	-	-	3/17/37/67	0/3/3/5
2	NAP	D	601	-	-	5/17/37/67	0/3/3/5
2	NAP	H	601	-	-	4/17/37/67	0/3/3/5
2	NAP	G	601	-	-	4/17/37/67	0/3/3/5
2	NAP	A	601	-	-	4/17/37/67	0/3/3/5
2	NAP	B	601	-	-	1/17/37/67	0/3/3/5

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	601	NAP	O4B-C1B	3.83	1.46	1.41
2	A	601	NAP	O4B-C1B	3.81	1.46	1.41
2	A	601	NAP	P2B-O2B	3.71	1.66	1.59
2	B	601	NAP	O4B-C1B	3.57	1.46	1.41
2	C	601	NAP	O4B-C1B	3.57	1.46	1.41
2	G	601	NAP	O4B-C1B	3.43	1.45	1.41
2	D	601	NAP	O4B-C1B	3.33	1.45	1.41
2	G	601	NAP	P2B-O2B	2.47	1.64	1.59
2	A	601	NAP	P2B-O2X	-2.31	1.45	1.54
2	D	601	NAP	C2A-N3A	2.30	1.35	1.32
2	A	601	NAP	C5A-C4A	-2.25	1.35	1.40
2	H	601	NAP	C2A-N3A	2.14	1.35	1.32
2	D	601	NAP	P2B-O2B	2.07	1.63	1.59
2	C	601	NAP	C8A-N7A	-2.03	1.31	1.34
2	C	601	NAP	C5A-C4A	-2.02	1.35	1.40

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	601	NAP	C5A-C6A-N6A	2.30	123.85	120.35
2	G	601	NAP	C5A-C6A-N6A	2.18	123.66	120.35
2	B	601	NAP	C5A-C6A-N6A	2.15	123.62	120.35

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	NAP	C5B-O5B-PA-O2A
2	C	601	NAP	C5B-O5B-PA-O2A
2	D	601	NAP	C5B-O5B-PA-O1A
2	G	601	NAP	C5B-O5B-PA-O1A
2	G	601	NAP	C5B-O5B-PA-O2A
2	G	601	NAP	C2B-O2B-P2B-O3X
2	B	601	NAP	PN-O3-PA-O5B
2	A	601	NAP	C5B-O5B-PA-O3
2	C	601	NAP	C5B-O5B-PA-O3
2	D	601	NAP	C5B-O5B-PA-O3
2	H	601	NAP	C5B-O5B-PA-O3
2	A	601	NAP	PN-O3-PA-O1A
2	H	601	NAP	PN-O3-PA-O1A
2	A	601	NAP	C5B-O5B-PA-O1A
2	D	601	NAP	C5B-O5B-PA-O2A
2	H	601	NAP	C5B-O5B-PA-O2A
2	D	601	NAP	PN-O3-PA-O1A
2	G	601	NAP	C5B-O5B-PA-O3
2	D	601	NAP	PN-O3-PA-O2A
2	C	601	NAP	C5B-O5B-PA-O1A
2	H	601	NAP	C5B-O5B-PA-O1A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand NAP C 601

Bond lengths

Bond angles

Torsions

Rings

Ligand NAP D 601

Bond lengths

Bond angles

Torsions

Rings

Ligand NAP H 601

Bond lengths

Bond angles

Torsions

Rings

Ligand NAP G 601

Bond lengths

Bond angles

Torsions

Rings

Ligand NAP A 601

Bond lengths

Bond angles

Torsions

Rings

Ligand NAP B 601

Bond lengths

Bond angles

Torsions

Rings

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å^2)	Q<0.9
1	A	493/508 (97%)	-0.33	1 (0%) 95	95	27, 34, 48, 59	2 (0%)
1	B	491/508 (96%)	-0.37	5 (1%) 82	84	26, 36, 51, 65	0
1	C	483/508 (95%)	-0.01	6 (1%) 79	81	28, 43, 58, 70	2 (0%)
1	D	486/508 (95%)	0.08	11 (2%) 60	64	30, 44, 61, 73	2 (0%)
1	E	491/508 (96%)	-0.36	3 (0%) 89	91	22, 34, 51, 66	1 (0%)
1	F	491/508 (96%)	-0.38	2 (0%) 92	93	22, 33, 48, 59	0
1	G	491/508 (96%)	-0.40	1 (0%) 95	95	21, 33, 51, 64	1 (0%)
1	H	491/508 (96%)	-0.41	2 (0%) 92	93	21, 31, 50, 67	2 (0%)
All	All	3917/4064 (96%)	-0.27	31 (0%) 86	88	21, 36, 55, 73	10 (0%)

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	491	LEU	4.0
1	D	308	LEU	3.6
1	C	372	ASP	3.2
1	D	490	ASP	3.2
1	B	490	ASP	3.1
1	C	485	ASN	3.0
1	D	51	ASP	2.8
1	B	371	ALA	2.7
1	D	302	VAL	2.7
1	E	340	SER	2.6
1	H	356	PRO	2.6
1	A	462	TYR	2.5
1	C	490	ASP	2.5
1	D	122	VAL	2.5
1	D	349	SER	2.5
1	F	490	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	371	ALA	2.4
1	D	363	PHE	2.3
1	D	2	ASP	2.3
1	E	371	ALA	2.2
1	B	492	PHE	2.2
1	D	123	VAL	2.2
1	C	11	TRP	2.2
1	G	341	GLY	2.2
1	D	301	PHE	2.2
1	B	370	ASN	2.2
1	C	362	PHE	2.2
1	F	370	ASN	2.1
1	B	369	GLY	2.0
1	D	120	GLY	2.0
1	E	370	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
1	CSD	C	281	8/9	0.90	0.14	43,45,50,51	0
1	CSD	F	281	8/9	0.93	0.11	32,33,41,42	0
1	CSD	B	281	8/9	0.94	0.08	32,34,41,41	0
1	CSD	H	281	8/9	0.94	0.10	28,30,37,37	0
1	CSD	D	281	8/9	0.96	0.11	42,44,47,48	0
1	CSD	E	281	8/9	0.96	0.08	32,33,40,42	0
1	CSD	G	281	8/9	0.97	0.08	29,31,35,36	0
1	CSD	A	281	8/9	0.97	0.08	30,32,40,41	0

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($Å^2$)	Q<0.9
2	NAP	B	601	31/48	0.81	0.20	41,46,59,63	31
2	NAP	D	601	31/48	0.81	0.20	41,51,63,67	31
2	NAP	G	601	31/48	0.87	0.16	30,40,54,59	31
2	NAP	C	601	31/48	0.93	0.10	27,39,60,63	0
2	NAP	A	601	31/48	0.94	0.11	26,31,67,70	0
2	NAP	H	601	31/48	0.96	0.09	26,32,54,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around NAP B 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)

Electron density around NAP D 601:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NAP G 601:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NAP C 601:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NAP A 601:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NAP H 601:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

6.5 Other polymers ⓘ

There are no such residues in this entry.