

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 11, 2024 – 06:32 PM EDT

PDB ID	:	1J1B
Title	:	Binary complex structure of human tau protein kinase I with AMPPNP
Authors	:	Aoki, M.; Yokota, T.; Sugiura, I.; Sasaki, C.; Hasegawa, T.; Okumura, C.;
		Kohno, T.; Sugio, S.; Matsuzaki, T.
Deposited on	:	2002-12-03
Resolution	:	1.80  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	•	4.02b-467
Morry	÷	20002.2  0 CCD $ac 542  b a (2002)$
Mogui	•	2022.3.0, CSD as $3430e(2022)$
Xtriage (Phenix)	:	1.20.1
$\mathrm{EDS}$	:	2.36.2
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution		
Metric	$(\# {\rm Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$		
Clashscore	141614	6793 (1.80-1.80)		
Ramachandran outliers	138981	6697 (1.80-1.80)		
Sidechain outliers	138945	6696 (1.80-1.80)		
RSRZ outliers	127900	5850 (1.80-1.80)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Qual	ity of chain		
1	Δ	420	12%	150/		100/
1	Π	420	65%	15%	•	16%
1	В	420	64%	20%	•	13%



#### 1J1B

# 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 6218 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Glycogen synthase kinase-3 beta.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Δ	354	Total	С	Ν	0	S	0	0	0
1		004	2828	1818	486	513	11	0	0	0
1	В	364	Total	С	Ν	0	S	0	0	0
	D 304	2909	1867	501	529	12	0			

• Molecule 2 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula:  $C_{10}H_{17}N_6O_{12}P_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
0	Λ	1	Total	С	Ν	Ο	Р	0	0
	1	31	10	6	12	3	0	0	
0	Р	1	Total	С	Ν	Ο	Р	0	0
2 B			31	10	6	12	3	0	0

• Molecule 3 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	234	Total O 234 234	0	0
3	В	185	Total O 185 185	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Glycogen synthase kinase-3 beta



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	82.80Å 86.30Å 178.40Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{oscolution}}(\hat{\mathbf{A}})$	19.80 - 1.80	Depositor
Resolution (A)	19.81 - 1.70	EDS
% Data completeness	(Not available) $(19.80-1.80)$	Depositor
(in resolution range)	89.6(19.81-1.70)	EDS
R <sub>merge</sub>	(Not available)	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.40 (at 1.70 \text{\AA})$	Xtriage
Refinement program	X-PLOR 98.1	Depositor
D D.	0.216 , $0.242$	Depositor
$\Pi, \Pi_{free}$	0.208 , (Not available)	DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor $(Å^2)$	28.9	Xtriage
Anisotropy	0.531	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.41, 59.5	EDS
L-test for $twinning^2$	$< L >=0.49, < L^2>=0.33$	Xtriage
Estimated twinning fraction	0.015 for k,h,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	6218	wwPDB-VP
Average B, all atoms $(Å^2)$	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.36	0/2899	0.57	0/3944	
1	В	0.36	0/2981	0.55	0/4050	
All	All	0.36	0/5880	0.56	0/7994	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2828	0	2856	97	0
1	В	2909	0	2936	109	0
2	А	31	0	13	1	0
2	В	31	0	13	1	0
3	А	234	0	0	8	0
3	В	185	0	0	7	0
All	All	6218	0	5818	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash



magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	$distance ( { m \AA} )$	overlap (Å)	
1:B:595:ASN:HD22	1:B:598:LEU:H	1.14	0.90	
1:B:861:ASN:H	1:B:861:ASN:HD22	1.21	0.86	
1:A:95:ASN:HD22	1:A:98:LEU:H	1.20	0.85	
1:A:337:HIS:HD2	1:A:339:PHE:H	1.26	0.83	
1:A:361:ASN:HD22	1:A:361:ASN:H	1.24	0.82	
1:A:94:LYS:HE3	1:A:95:ASN:H	1.45	0.82	
1:A:111:ARG:HD2	3:A:654:HOH:O	1.82	0.78	
1:A:214:VAL:CG1	1:B:790:GLU:HB2	2.16	0.75	
1:B:861:ASN:H	1:B:861:ASN:ND2	1.85	0.73	
1:A:94:LYS:HG3	1:A:99:GLN:NE2	2.04	0.72	
1:B:861:ASN:HD22	1:B:861:ASN:N	1.80	0.72	
1:A:214:VAL:HG11	1:B:790:GLU:HB2	1.70	0.72	
1:B:595:ASN:HD21	1:B:597:GLU:HB3	1.54	0.72	
1:A:361:ASN:HD22	1:A:361:ASN:N	1.85	0.71	
1:A:179:HIS:HD2	1:A:181:ASP:H	1.38	0.71	
1:B:595:ASN:ND2	1:B:598:LEU:H	1.89	0.70	
1:B:784:MET:HE1	1:B:823:TYR:HD1	1.57	0.69	
1:B:807:PRO:O	1:B:808:ARG:HB2	1.92	0.69	
1:A:46:GLN:HG3	3:A:473:HOH:O	1.93	0.69	
1:A:214:VAL:HG11	1:B:790:GLU:CB	2.21	0.69	
1:B:679:HIS:HD2	1:B:681:ASP:H	1.40	0.69	
1:A:123:LYS:HB3	1:A:125:GLU:HG2	1.74	0.69	
1:A:277:THR:HG22	1:A:279:GLU:N	2.08	0.68	
3:A:649:HOH:O	1:B:790:GLU:HG3	1.93	0.68	
1:A:285:ASN:ND2	1:A:287:ASN:HD22	1.92	0.67	
1:A:95:ASN:HD21	1:A:97:GLU:HB3	1.61	0.66	
1:A:277:THR:HG22	1:A:279:GLU:H	1.59	0.66	
1:B:664:GLN:HE22	1:B:695:VAL:HA	1.61	0.66	
1:A:385:GLN:O	1:A:385:GLN:HG3	1.95	0.66	
1:A:290:GLU:HG2	3:A:617:HOH:O	1.96	0.65	
1:A:361:ASN:H	1:A:361:ASN:ND2	1.94	0.65	
1:B:771:LYS:O	1:B:799:HIS:HB2	1.96	0.64	
1:B:592:ARG:HG3	1:B:593:PHE:CE1	2.33	0.64	
1:B:667:ARG:HH12	1:B:861:ASN:HD21	1.46	0.64	
1:B:797:LYS:HD3	1:B:797:LYS:H	1.62	0.64	
1:B:622:LYS:HB2	1:B:625:GLU:OE2	1.99	0.63	
1:B:806:ARG:NH1	3:B:417:HOH:O	2.31	0.63	
1:B:523:PHE:CD1	1:B:523:PHE:N	2.67	0.63	
1:A:220:ARG:HD3	1:B:720:ARG:HD3	1.79	0.63	
1:A:279:GLU:O	1:A:283:GLU:HG2	1.99	0.63	
1:A:65:GLY:HA3	2:A:430:ANP:O1B	1.99	0.62	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:383:ARG:HG2	1:A:383:ABG:HH11	1.64	0.62	
1:B:523:PHE:N	1:B:523:PHE:HD1	1.96	0.62	
1:A:352:ASN:ND2	1.A.354.ARG.H	1.98	0.62	
1.A.267.VAL:HG11	1·B·566·SER·HB2	1.80	0.61	
1:A:337:HIS:CD2	1:A:339:PHE:H	2.14	0.61	
1.A.297.LYS.HD3	1.A.297.LYS.H	1 64	0.61	
1:A:122:LYS:HB3	1:A:125:GLU:OE2	2.01	0.60	
1:A:220:ARG:O	1:A:221:TYB:HB2	2.01	0.60	
1:A:288:TYB:OH	1:B:715:SEB:OG	2.20	0.60	
1:B:784:MET:HE3	1:B:823:TYB:CA	2.32	0.60	
1·B·725·PRO·HG2	1.B.784.MET.HE2	1.83	0.60	
1.B.852:ASN.HD22	1.B.852:ASN·C	$\frac{1.00}{2.05}$	0.60	
1:A:284:MET:HE1	1·A·323·TYB·HD1	1.66	0.60	
1:A:288:TYB:HE2	1.B.716.TYB.HD2	1.00	0.60	
1·B·620·GLY·C	1.B.622.LYS.H	2.05	0.60	
1·B·667·ARG·HH12	$1 \cdot B \cdot 861 \cdot ASN \cdot ND2$	2.00	0.60	
1.B.852.ASN.HD21	1.B.854.ABG.HB3	1.67	0.59	
$1 \cdot A \cdot 94 \cdot LYS \cdot HE2$	1.A.98.LEU.HD23	1.84	0.59	
1:A:290:GLU:HB2	1:B:714:VAL:CG1	2.32	0.59	
$1 \cdot A \cdot 94 \cdot LYS \cdot CE$	1.A.95.ASN.H	2.32	0.58	
1.B.720.ABG.O	1.B.721.TYB.HB2	2.10	0.58	
1:B:852:ASN:ND2	1.B.854.ABG.H	2.02	0.58	
$1 \cdot A \cdot 62 \cdot ILE \cdot HG21$	1:A:72:GLN:HB2	1.86	0.58	
1:B:591:LYS:HB2	1:B:591:LYS:NZ	2.17	0.58	
1:A:290:GLU:HB2	1:B:714:VAL:HG13	1.87	0.57	
1:A:94:LYS:HE3	1:A:95:ASN:N	2.19	0.57	
1:A:284:MET:CE	1:A:323:TYR:HD1	2.18	0.57	
1:B:772:VAL:HA	1:B:799:HIS:HB3	1.86	0.57	
1:B:578:SER:OG	1:B:580:GLU:HB2	2.06	0.56	
1:A:167:ARG:HH12	1:A:361:ASN:HD21	1.52	0.56	
1:B:784:MET:HE3	1:B:823:TYR:CB	2.36	0.56	
1:A:214:VAL:HG13	1:B:790:GLU:HB2	1.88	0.56	
1:A:290:GLU:CB	1:B:714:VAL:HG11	2.36	0.56	
1:A:275:THR:OG1	1:A:295:GLN:HA	2.06	0.55	
1:B:806:ARG:HH11	1:B:806:ARG:HG2	1.72	0.55	
1:A:167:ARG:HH12	1:A:361:ASN:ND2	2.06	0.54	
1:B:784:MET:CE	1:B:823:TYR:HD1	2.19	0.54	
1:A:352:ASN:HD21	1:A:354:ARG:HB2	1.72	0.54	
1:A:277:THR:CG2	1:A:279:GLU:H	2.21	0.54	
1:A:290:GLU:HB3	1:B:714:VAL:HG11	1.89	0.53	
1:B:849:LYS:HE3	1:B:855:ASP:OD2	2.08	0.53	



	ti a	Interatomic	Clash		
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)		
1:B:761:SER:OG	1:B:763:VAL:HG22	2.07	0.53		
1:A:96:ARG:NH1	1:A:205:LYS:HD2	2.23	0.53		
1:B:721:TYR:N	3:B:345:HOH:O	2.26	0.53		
1:A:123:LYS:HG2	1:A:124:ASP:H	1.72	0.53		
1:A:352:ASN:C	1:A:352:ASN:HD22	2.10	0.53		
1:A:64:ASN:HD22	1:A:65:GLY:H	1.57	0.52		
1:A:48:PRO:HA	3:A:522:HOH:O	2.10	0.52		
1:A:220:ARG:CZ	1:B:720:ARG:CZ	2.88	0.52		
1:A:66:SER:HB2	1:B:767:VAL:HG11	1.91	0.52		
1:A:164:GLN:HE22	1:A:195:VAL:HA	1.75	0.52		
1:A:120:GLY:HA3	1:A:127:TYR:HE1	1.74	0.51		
1:B:595:ASN:ND2	1:B:597:GLU:HB3	2.25	0.51		
1:B:620:GLY:O	1:B:622:LYS:N	2.43	0.51		
1:B:641:ARG:HD3	3:B:281:HOH:O	2.10	0.51		
1:A:225:PRO:HG2	1:A:284:MET:HE2	1.93	0.51		
1:A:383:ARG:HG2	1:A:383:ARG:NH1	2.25	0.51		
1:B:580:GLU:CD	1:B:613:ARG:HH12	2.15	0.50		
1:B:598:LEU:O	1:B:602:ARG:HG3	2.12	0.50		
1:A:288:TYR:HD2	1:B:716:TYR:HE2	1.58	0.50		
1:B:592:ARG:HG3	1:B:593:PHE:CD1	2.47	0.50		
1:A:292:LYS:O	1:A:292:LYS:HG2	2.12	0.50		
1:B:530:ARG:HA	1:B:535:SER:O	2.12	0.50		
1:B:792:LYS:O	1:B:792:LYS:HG2	2.12	0.50		
1:A:220:ARG:O	1:A:221:TYR:CB	2.60	0.49		
1:B:785:ASN:HD21	1:B:787:ASN:HD22	1.60	0.49		
1:A:285:ASN:HD21	1:A:287:ASN:HD22	1.57	0.49		
1:B:784:MET:HE3	1:B:823:TYR:HB3	1.94	0.49		
1:B:725:PRO:HG2	1:B:784:MET:CE	2.43	0.49		
1:B:870:ASN:OD1	1:B:872:PRO:HD2	2.13	0.49		
1:B:861:ASN:ND2	1:B:861:ASN:N	2.49	0.49		
1:A:214:VAL:HG11	1:B:790:GLU:HB3	1.93	0.49		
1:A:277:THR:CG2	1:A:278:ARG:N	2.75	0.49		
1:A:312:GLU:OE2	1:A:312:GLU:HA	2.13	0.48		
1:A:179:HIS:CD2	1:A:181:ASP:H	2.27	0.48		
1:B:562:ILE:HG21	1:B:572:GLN:HB2	1.95	0.48		
1:B:720:ARG:HA	3:B:345:HOH:O	2.13	0.48		
1:B:852:ASN:HD22	1:B:854:ARG:H	1.61	0.48		
1:A:229:PHE:O	1:A:288:TYR:CE1	2.65	0.48		
1:A:290:GLU:CB	1:B:714:VAL:CG1	2.92	0.48		
1:B:720:ARG:O	1:B:721:TYR:CB	2.61	0.47		
1:A:289:THR:HG21	1:B:712:PRO:HG2	1.96	0.47		



	ti a	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:98:LEU:O	1:A:102:ARG:HG3	2.15	0.46		
1:B:567:PHE:CD2	1:B:567:PHE:N	2.84	0.46		
1:A:221:TYR:N	3:A:452:HOH:O	2.35	0.46		
1:B:679:HIS:HD2	1:B:681:ASP:N	2.11	0.46		
1:B:784:MET:HE3	1:B:823:TYR:HA	1.98	0.46		
1:A:288:TYR:CE2	1:B:716:TYR:HD2	2.30	0.46		
1:A:185:GLN:NE2	3:A:431:HOH:O	2.33	0.46		
1:B:601:MET:HE1	1:B:632:LEU:CD2	2.46	0.46		
1:A:288:TYR:HE2	1:B:716:TYR:CD2	2.32	0.45		
1:B:564:ASN:HD22	1:B:565:GLY:H	1.65	0.45		
1:B:662:MET:HE1	1:B:743:ALA:O	2.16	0.45		
1:B:797:LYS:H	1:B:797:LYS:CD	2.28	0.45		
1:B:620:GLY:C	1:B:622:LYS:N	2.70	0.45		
1:B:693:THR:O	1:B:857:PRO:HG3	2.16	0.45		
1:A:94:LYS:HG3	1:A:99:GLN:HE21	1.80	0.45		
1:A:284:MET:HE3	1:A:323:TYR:CA	2.46	0.45		
1:B:715:SER:HB3	1:B:731:ALA:O	2.17	0.45		
1:A:89:GLN:NE2	1:A:89:GLN:HA	2.30	0.45		
1:B:852:ASN:C	1:B:852:ASN:ND2	2.70	0.45		
1:A:294:PRO:HB2	1:A:296:ILE:CD1	2.47	0.45		
1:A:267:VAL:O	1:A:271:LYS:HG3	2.16	0.44		
1:A:288:TYR:HE1	3:A:642:HOH:O	2.01	0.44		
1:A:95:ASN:ND2	1:A:98:LEU:H	2.00	0.44		
1:B:850:LEU:HD13	3:B:286:HOH:O	2.17	0.44		
1:A:284:MET:HE3	1:A:323:TYR:CB	2.48	0.43		
1:B:757:PHE:CE2	1:B:769:ILE:HA	2.53	0.43		
1:B:531:ASP:OD2	1:B:537:VAL:HG21	2.18	0.43		
1:A:267:VAL:CG1	1:B:566:SER:HB2	2.48	0.43		
1:B:679:HIS:HE1	1:B:699:CYS:O	2.02	0.43		
1:A:352:ASN:ND2	1:A:352:ASN:C	2.71	0.43		
1:B:679:HIS:CD2	1:B:681:ASP:H	2.28	0.43		
1:A:153:LEU:HD12	1:A:154:PRO:HD2	2.01	0.42		
1:B:779:GLU:O	1:B:783:GLU:HG2	2.19	0.42		
1:A:95:ASN:ND2	1:A:97:GLU:HB3	2.30	0.42		
1:B:652:THR:HG21	3:B:417:HOH:O	2.18	0.42		
1:B:588:LEU:HD11	1:B:625:GLU:HB2	2.01	0.42		
1:A:193:THR:O	1:A:194:ALA:HB3	2.19	0.42		
1:A:279:GLU:OE1	1:A:282:ARG:HD3	2.20	0.42		
1:B:595:ASN:HD22	1:B:598:LEU:N	1.97	0.42		
1:A:231:ALA:HB2	1:A:285:ASN:HB2	2.02	0.41		
1:B:775:THR:OG1	1:B:795:GLN:HA	2.21	0.41		



Atom 1	Atom 2	Interatomic	Clash		
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)		
1:B:850:LEU:HB2	1:B:852:ASN:ND2	2.35	0.41		
1:B:622:LYS:HD2	1:B:625:GLU:OE2	2.21	0.41		
1:B:648:ARG:C	1:B:650:LYS:H	2.23	0.41		
1:B:708:VAL:O	1:B:711:GLU:HB2	2.21	0.41		
1:A:120:GLY:O	1:A:125:GLU:HG3	2.20	0.41		
1:B:606:HIS:HE1	1:B:608:ASN:HD22	1.69	0.41		
1:A:59:THR:HA	1:A:72:GLN:O	2.21	0.41		
1:A:94:LYS:HA	1:A:94:LYS:HD2	1.56	0.41		
1:A:122:LYS:HB3	1:A:125:GLU:CD	2.40	0.41		
1:A:288:TYR:CE2	1:B:716:TYR:CD2	3.07	0.41		
1:B:568:GLY:HA2	3:B:220:HOH:O	2.20	0.41		
1:B:622:LYS:HB2	1:B:625:GLU:CD	2.41	0.41		
1:B:623:LYS:HG2	1:B:624:ASP:H	1.85	0.41		
1:B:784:MET:CE	1:B:823:TYR:CD1	3.02	0.41		
1:B:873:LEU:HD23	1:B:873:LEU:HA	1.84	0.41		
1:A:115:PHE:HA	1:A:129:ASN:O	2.21	0.41		
1:B:565:GLY:HA3	2:B:930:ANP:O1B	2.20	0.40		
1:B:857:PRO:O	1:B:859:LEU:HG	2.22	0.40		
1:A:208:VAL:HB	1:A:211:GLU:CD	2.41	0.40		
1:B:795:GLN:H	1:B:795:GLN:HG2	1.69	0.40		

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
1	А	352/420~(84%)	331 (94%)	19~(5%)	2(1%)	25	12
1	В	362/420~(86%)	339~(94%)	19~(5%)	4 (1%)	14	4
All	All	714/840~(85%)	670 (94%)	38~(5%)	6 (1%)	19	7

All (6) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
1	В	621	GLU
1	А	221	TYR
1	В	721	TYR
1	В	623	LYS
1	А	123	LYS
1	В	549	ASP

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Percentiles		
1	А	313/364~(86%)	292~(93%)	21 (7%)	16 5	
1	В	323/364~(89%)	307~(95%)	16~(5%)	24 10	
All	All	636/728~(87%)	599~(94%)	37~(6%)	20 7	

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	35	SER
1	А	36	LYS
1	А	64	ASN
1	А	77	ASP
1	А	94	LYS
1	А	121	GLU
1	А	124	ASP
1	А	125	GLU
1	А	147	SER
1	А	277	THR
1	А	279	GLU
1	А	289	THR
1	А	290	GLU
1	А	292	LYS
1	А	293	PHE
1	А	295	GLN
1	А	297	LYS
1	А	317	CYS



Mol	Chain	Res	Type
1	А	352	ASN
1	А	361	ASN
1	А	385	GLN
1	В	523	PHE
1	В	531	ASP
1	В	564	ASN
1	В	591	LYS
1	В	593	PHE
1	В	614	TYR
1	В	619	SER
1	В	647	SER
1	В	652	THR
1	В	789	THR
1	В	793	PHE
1	В	795	GLN
1	В	796	ILE
1	В	797	LYS
1	В	852	ASN
1	В	861	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	64	ASN
1	А	89	GLN
1	А	95	ASN
1	А	99	GLN
1	А	108	ASN
1	А	164	GLN
1	А	179	HIS
1	А	265	GLN
1	А	285	ASN
1	А	295	GLN
1	А	337	HIS
1	А	352	ASN
1	А	361	ASN
1	В	546	GLN
1	В	552	GLN
1	В	564	ASN
1	В	589	GLN
1	В	595	ASN
1	В	608	ASN



e enternaea ji ente preette ae pagem									
Mol	Chain	$\operatorname{Res}$	Type						
1	В	664	GLN						
1	В	679	HIS						
1	В	765	GLN						
1	В	787	ASN						
1	В	795	GLN						
1	В	852	ASN						
1	В	861	ASN						
1	В	881	HIS						

Continued from previous page..

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Truna	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Dec	Tinle	Bo	ond leng	ths	B	ond ang	les
IVIOI	101 Type Chain I	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2																								
2	ANP	А	430	-	29,33,33	2.50	4 (13%)	31,52,52	1.42	4 (12%)																							
2	ANP	В	930	-	29,33,33	2.43	4 (13%)	31,52,52	1.36	5 (16%)																							

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the



Chemical	Component I	Dictionary.	Similar	$\operatorname{counts}$	are	reported	in t	the	Torsion	and	Rings	columns.
'-' means	no outliers of	that kind	were ide	ntified.								

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ANP	А	430	-	-	1/14/38/38	0/3/3/3
2	ANP	В	930	-	-	1/14/38/38	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
2	В	930	ANP	C4-N3	10.34	1.49	1.35
2	А	430	ANP	C4-N3	10.26	1.49	1.35
2	А	430	ANP	PB-O1B	5.27	1.54	1.46
2	В	930	ANP	PB-O1B	4.84	1.53	1.46
2	А	430	ANP	PG-01G	4.53	1.53	1.46
2	В	930	ANP	PG-01G	3.74	1.51	1.46
2	А	430	ANP	PG-O3G	3.03	1.64	1.56
2	В	930	ANP	PG-O3G	2.94	1.64	1.56

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
2	А	430	ANP	C4-C5-N7	4.08	113.65	109.34
2	В	930	ANP	C4-C5-N7	3.72	113.26	109.34
2	А	430	ANP	O2B-PB-O3A	2.96	114.53	104.64
2	В	930	ANP	O2B-PB-O3A	2.94	114.44	104.64
2	В	930	ANP	O4'-C1'-N9	2.25	111.73	108.75
2	А	430	ANP	O4'-C1'-N9	2.19	111.65	108.75
2	А	430	ANP	O3'-C3'-C4'	2.14	117.22	111.08
2	В	930	ANP	O3'-C3'-C4'	2.06	116.99	111.08
2	В	930	ANP	O3G-PG-O1G	-2.00	108.43	113.45

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	430	ANP	PB-O3A-PA-O2A
2	В	930	ANP	PB-O3A-PA-O2A

There are no ring outliers.

2 monomers are involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	430	ANP	1	0
2	В	930	ANP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







# 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.





# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	354/420~(84%)	0.77	49 (13%) 2 2	15, 28, 71, 94	0
1	В	364/420~(86%)	0.82	56~(15%) 2 1	17, 32, 83, 94	0
All	All	718/840~(85%)	0.79	105 (14%) 2 1	15, 30, 78, 94	0

All (105) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	288	TYR	16.1
1	А	388	ALA	14.1
1	В	523	PHE	11.4
1	В	620	GLY	11.3
1	А	120	GLY	10.4
1	В	788	TYR	10.1
1	А	122	LYS	10.0
1	В	533	ASP	9.3
1	А	387	ALA	9.2
1	А	289	THR	8.9
1	В	789	THR	8.5
1	В	621	GLU	8.5
1	В	531	ASP	8.2
1	А	121	GLU	8.1
1	В	624	ASP	7.8
1	В	534	GLY	7.6
1	В	593	PHE	7.6
1	А	35	SER	7.6
1	А	287	ASN	7.3
1	A	308	ARG	7.1
1	A	386	ALA	7.0
1	В	886	ALA	6.8
1	A	93	PHE	6.7
1	A	92	ARG	6.6



Mol	Chain	Res	Type	RSRZ
1	В	790	GLU	6.1
1	В	592	ARG	6.0
1	А	286	PRO	6.0
1	В	622	LYS	5.8
1	А	385	GLN	5.8
1	В	623	LYS	5.8
1	В	532	LYS	5.7
1	В	786	PRO	5.6
1	А	123	LYS	5.6
1	В	567	PHE	5.5
1	А	384	ILE	5.3
1	В	530	ARG	5.3
1	В	798	ALA	5.2
1	А	124	ASP	5.1
1	А	91	LYS	5.0
1	В	650	LYS	4.9
1	В	791	PHE	4.9
1	А	291	PHE	4.7
1	А	282	ARG	4.5
1	В	778	ARG	4.5
1	В	787	ASN	4.5
1	А	297	LYS	4.4
1	А	290	GLU	4.2
1	В	782	ARG	4.2
1	В	547	GLY	4.0
1	В	619	SER	4.0
1	В	591	LYS	3.8
1	А	65	GLY	3.8
1	В	800	PRO	3.7
1	В	797	LYS	3.6
1	В	594	LYS	3.6
1	А	278	ARG	3.5
1	В	524	GLY	3.5
1	А	209	ARG	3.5
1	A	119	SER	3.5
1	В	799	HIS	3.4
1	А	67	PHE	3.4
1	А	36	LYS	3.4
1	В	885	GLN	3.4
1	А	279	GLU	3.4
1	А	47	GLY	3.4
1	В	648	ARG	3.3



1 T	1	D
10	Т	D

Mol	Chain	Res	Type	RSRZ
1	В	720	ARG	3.3
1	А	284	MET	3.3
1	В	564	ASN	3.3
1	А	150	LYS	3.3
1	А	303	LYS	3.2
1	В	795	GLN	3.1
1	В	535	SER	3.1
1	В	709	ARG	3.1
1	В	803	LYS	3.0
1	В	546	GLN	3.0
1	А	48	PRO	2.9
1	А	77	ASP	2.9
1	А	148	ARG	2.8
1	А	294	PRO	2.8
1	В	630	LEU	2.7
1	В	566	SER	2.7
1	В	578	SER	2.7
1	А	66	SER	2.7
1	В	550	ARG	2.7
1	А	293	PHE	2.7
1	А	90	ASP	2.6
1	В	802	THR	2.6
1	В	792	LYS	2.6
1	В	548	PRO	2.5
1	А	83	ALA	2.5
1	А	37	VAL	2.4
1	В	784	MET	2.4
1	В	779	GLU	2.3
1	В	577	ASP	2.2
1	А	131	VAL	2.2
1	А	125	GLU	2.2
1	А	300	PRO	2.1
1	А	220	ARG	2.1
1	В	625	GLU	2.1
1	А	295	GLN	2.1
1	А	132	LEU	2.1
1	В	859	LEU	2.1
1	В	710	GLY	2.0
1	В	584	ILE	2.0

Continued from previous page...



### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
2	ANP	А	430	31/31	0.90	0.12	$23,\!33,\!49,\!50$	0
2	ANP	В	930	31/31	0.91	0.12	24,30,48,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







# 6.5 Other polymers (i)

There are no such residues in this entry.

