

Mar 31, 2024 – 12:48 AM JST

PDB ID	:	8J8H
EMDB ID	:	EMD-36070
Title	:	SPARTA monomer bound with guide-target, state 2
Authors	:	Li, Z.X.; Guo, L.J.; Huang, P.P.; Xiao, Y.B.; Chen, M.R.
Deposited on	:	2023-05-01
Resolution	:	3.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	FAILED
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	FAILED
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	${f EM} {f structures} \ (\#{f Entries})$		
Clashscore	158937	4297		
Ramachandran outliers	154571	4023		
Sidechain outliers	154315	3826		
RNA backbone	4643	859		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain						
1	А	541	53%		29%	•	16%		
2	В	484	34%	23%	·	41%			
3	Е	21	38%		52%		5% 5%		
4	F	25	24%	52%		24	4%		



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 6868 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Piwi domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	А	452	Total 3651	C 2367	N 609	0 664	S 11	0	0

There are 34 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-33	MET	-	initiating methionine	UNP A0A1I7NFD7
А	-32	GLY	-	expression tag	UNP A0A1I7NFD7
А	-31	SER	-	expression tag	UNP A0A1I7NFD7
А	-30	SER	-	expression tag	UNP A0A1I7NFD7
А	-29	HIS	-	expression tag	UNP A0A1I7NFD7
А	-28	HIS	-	expression tag	UNP A0A1I7NFD7
А	-27	HIS	-	expression tag	UNP A0A1I7NFD7
А	-26	HIS	-	expression tag	UNP A0A1I7NFD7
А	-25	HIS	-	expression tag	UNP A0A1I7NFD7
А	-24	HIS	-	expression tag	UNP A0A1I7NFD7
А	-23	SER	-	expression tag	UNP A0A1I7NFD7
А	-22	SER	-	expression tag	UNP A0A1I7NFD7
А	-21	GLY	-	expression tag	UNP A0A1I7NFD7
А	-20	LEU	-	expression tag	UNP A0A1I7NFD7
А	-19	VAL	-	expression tag	UNP A0A1I7NFD7
А	-18	PRO	-	expression tag	UNP A0A1I7NFD7
А	-17	ARG	-	expression tag	UNP A0A1I7NFD7
А	-16	GLY	-	expression tag	UNP A0A1I7NFD7
А	-15	SER	-	expression tag	UNP A0A1I7NFD7
А	-14	HIS	-	expression tag	UNP A0A1I7NFD7
А	-13	MET	-	expression tag	UNP A0A1I7NFD7
А	-12	ALA	-	expression tag	UNP A0A1I7NFD7
А	-11	SER	-	expression tag	UNP A0A1I7NFD7
А	-10	MET	-	expression tag	UNP A0A1I7NFD7
А	-9	THR	-	expression tag	UNP A0A1I7NFD7
A	-8	GLY	_	expression tag	UNP A0A1I7NFD7
A	-7	GLY	-	expression tag	UNP A0A1I7NFD7
А	-6	GLN	-	expression tag	UNP A0A1I7NFD7



Chain	Residue	Modelled	Actual	Comment	Reference
А	-5	GLN	-	expression tag	UNP A0A1I7NFD7
А	-4	MET	-	expression tag	UNP A0A1I7NFD7
А	-3	GLY	-	expression tag	UNP A0A1I7NFD7
А	-2	ARG	-	expression tag	UNP A0A1I7NFD7
А	-1	GLY	-	expression tag	UNP A0A1I7NFD7
А	0	SER	-	expression tag	UNP A0A1I7NFD7

• Molecule 2 is a protein called TIR domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	В	286	Total 2421	C 1573	N 413	0 428	S 7	0	0

There are 34 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	-33	MET	-	initiating methionine	UNP A0A1I7NFG5
В	-32	GLY	-	expression tag	UNP A0A1I7NFG5
В	-31	SER	-	expression tag	UNP A0A1I7NFG5
В	-30	SER	-	expression tag	UNP A0A1I7NFG5
В	-29	HIS	-	expression tag	UNP A0A1I7NFG5
В	-28	HIS	-	expression tag	UNP A0A1I7NFG5
В	-27	HIS	-	expression tag	UNP A0A1I7NFG5
В	-26	HIS	-	expression tag	UNP A0A1I7NFG5
В	-25	HIS	-	expression tag	UNP A0A1I7NFG5
В	-24	HIS	-	expression tag	UNP A0A1I7NFG5
В	-23	SER	-	expression tag	UNP A0A1I7NFG5
В	-22	SER	-	expression tag	UNP A0A1I7NFG5
В	-21	GLY	-	expression tag	UNP A0A1I7NFG5
В	-20	LEU	-	expression tag	UNP A0A1I7NFG5
В	-19	VAL	-	expression tag	UNP A0A1I7NFG5
В	-18	PRO	-	expression tag	UNP A0A1I7NFG5
В	-17	ARG	-	expression tag	UNP A0A1I7NFG5
В	-16	GLY	-	expression tag	UNP A0A1I7NFG5
В	-15	SER	-	expression tag	UNP A0A1I7NFG5
В	-14	HIS	-	expression tag	UNP A0A1I7NFG5
В	-13	MET	-	expression tag	UNP A0A1I7NFG5
В	-12	ALA	-	expression tag	UNP A0A1I7NFG5
В	-11	SER	-	expression tag	UNP A0A1I7NFG5
В	-10	MET	-	expression tag	UNP A0A1I7NFG5
В	-9	THR	-	expression tag	UNP A0A1I7NFG5
В	-8	GLY	-	expression tag	UNP A0A1I7NFG5



Chain	Residue	Modelled	Actual	Comment	Reference
В	-7	GLY	-	expression tag	UNP A0A1I7NFG5
В	-6	GLN	-	expression tag	UNP A0A1I7NFG5
В	-5	GLN	-	expression tag	UNP A0A1I7NFG5
В	-4	MET	-	expression tag	UNP A0A1I7NFG5
В	-3	GLY	-	expression tag	UNP A0A1I7NFG5
В	-2	ARG	-	expression tag	UNP A0A1I7NFG5
В	-1	GLY	-	expression tag	UNP A0A1I7NFG5
В	0	SER	-	expression tag	UNP A0A1I7NFG5

• Molecule 3 is a RNA chain called RNA (5'-R(P*UP*GP*AP*CP*GP*GP*CP*UP*CP*UP *AP*AP*UP*CP*UP*AP*GP*U)-3').

Mol	Chain	Residues	Atoms				AltConf	Trace	
3	Е	20	Total 403	C 189	N 71	0 123	Р 20	0	0

• Molecule 4 is a DNA chain called DNA (25-MER).

Mol	Chain	Residues	Atoms				AltConf	Trace	
4	F	19	Total 392	C 187	N 74	0 112	Р 19	3	0

• Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
5	А	1	Total Mg 1 1	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Piwi domain-containing protein

1341 1341 1341 1345 1345 1345 1345 1346 1346 1346 1346 1346 1346 1346 1346 1346 1346 1346 1346 1346 1346 1346 1346 1347 1346 1347 1346 1347 1347 1347 1347 1347 1347 1347 1347 1347 1347 1341 1341 1341 1341 1341 1341 1341 1341 1341 1341 1341 1341 1341

• Molecule 3: RNA (5'-R(P*UP*GP*AP*CP*GP*GP*CP*UP*CP*UP*AP*AP*UP*CP*UP*AP*AP*UP*CP*UP*AP*GP*U)-3')

Chain E:	38%	52%	5% 5%				
U 65 65 66 7 7 14 11 7 14 12 7 14 12 7 14 12 7 14 12 7 14 12 7 14 14 14 14 14 14 14 14 14 14 14 14 14							
• Molecule 4: DNA (25-MER)							
Chain F:	24%	52%	24%				
DC DA DA DC DC A A C C C C C C C C C C C	T12 113 113 113 113 113 113 113 113 113 1						



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	117819	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	40	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Chain		Bo	nd lengths	Bo	ond angles
IVIOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.27	0/3743	0.53	2/5066~(0.0%)
2	В	0.27	0/2488	0.54	2/3352~(0.1%)
3	Е	0.62	1/451~(0.2%)	0.78	2/689~(0.3%)
4	F	0.52	0/440	0.88	0/677
All	All	0.33	1/7122~(0.0%)	0.58	6/9784~(0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
3	Е	1	U	OP3-P	-10.67	1.48	1.61

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	В	419	PRO	CA-N-CD	-8.29	99.90	111.50
3	Е	17	U	O4'-C1'-N1	7.30	114.04	108.20
1	А	394	LEU	CA-CB-CG	6.76	130.85	115.30
3	Е	1	U	O4'-C1'-N1	6.75	113.60	108.20
1	А	215	LEU	CA-CB-CG	6.00	129.09	115.30
2	В	346	ASP	CB-CG-OD1	5.42	123.18	118.30

All (6) bond angle outliers are listed below:

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3651	0	3673	120	0
2	В	2421	0	2422	83	0
3	Ε	403	0	214	14	0
4	F	392	0	201	13	0
5	А	1	0	0	0	0
All	All	6868	0	6510	210	0

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:B:195:PRO:HG2	2:B:198:PHE:HB2	1.61	0.80
2:B:364:GLN:HE21	2:B:368:TRP:HE1	1.32	0.76
1:A:311:THR:HG23	1:A:501:LEU:HB2	1.72	0.71
1:A:328:TYR:O	1:A:329:HIS:ND1	2.25	0.69
4:F:12[A]:DT:H2"	4:F:13[A]:DT:H5"	1.73	0.69
1:A:40:LYS:NZ	1:A:135:ARG:O	2.27	0.68
1:A:9:GLU:OE2	1:A:464:LYS:NZ	2.26	0.66
1:A:295:GLN:NE2	1:A:321:TYR:O	2.27	0.66
1:A:58:ASP:O	1:A:61:GLN:NE2	2.28	0.66
2:B:186:ARG:NH2	2:B:399:GLU:OE1	2.29	0.65
2:B:246:ILE:O	2:B:262:GLN:NE2	2.30	0.65
1:A:449:GLU:OE2	1:A:449:GLU:N	2.30	0.65
1:A:295:GLN:HA	1:A:322:ASN:HB2	1.78	0.64
1:A:84:CYS:SG	1:A:85:LYS:N	2.71	0.64
2:B:363:LYS:NZ	4:F:20:DG:OP1	2.30	0.63
2:B:305:PHE:HE2	2:B:382:ARG:HB3	1.61	0.63
1:A:20:CYS:SG	1:A:21:THR:N	2.72	0.63
1:A:481:ARG:NH2	3:E:5:G:OP2	2.31	0.63
1:A:302:GLN:HE22	1:A:482:PHE:HB3	1.64	0.62
2:B:354:LYS:HD2	3:E:9:C:H5"	1.80	0.62
1:A:222:GLN:NE2	3:E:1:U:OP2	2.32	0.62
1:A:12:ILE:HG22	1:A:271:LEU:HA	1.83	0.61
2:B:326:ALA:HB3	2:B:336:MET:HB3	1.81	0.61
2:B:304:LYS:HE2	2:B:383:PHE:HA	1.82	0.61
1:A:436:GLU:OE1	2:B:373:TRP:NE1	2.34	0.60
1:A:366:ASN:ND2	1:A:369:GLU:OE1	2.35	0.60
1:A:451:GLU:HG2	1:A:454:GLN:H	1.64	0.60



E_{MD} -30070, 63611	EMD-36070,	8J8H
------------------------	------------	------

	io ao pagom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:295:ILE:HD11	2:B:310:LEU:HB3	1.83	0.60
1:A:139:TRP:CD1	1:A:219:ILE:HD11	2.37	0.60
1:A:103:ARG:O	1:A:103:ARG:NH1	2.30	0.59
2:B:283:ARG:NH1	2:B:348:ILE:O	2.35	0.59
1:A:67:HIS:HB3	1:A:247:LYS:HD2	1.85	0.59
2:B:390:ALA:HB3	2:B:402:LEU:HD12	1.83	0.59
2:B:175:TRP:HB3	2:B:334:VAL:HG21	1.84	0.59
1:A:207:HIS:NE2	3:E:1:U:O4'	2.36	0.59
2:B:182:PRO:HD3	2:B:401:ILE:HG12	1.85	0.59
1:A:224:LEU:HD22	1:A:229:LEU:HD11	1.84	0.58
2:B:354:LYS:NZ	3:E:10:U:OP1	2.37	0.58
1:A:13:LEU:HA	1:A:19:LYS:HA	1.85	0.58
1:A:307:ASN:ND2	1:A:350:ASN:OD1	2.36	0.58
2:B:326:ALA:O	2:B:336:MET:N	2.37	0.57
1:A:211:LYS:NZ	1:A:507:ILE:O	2.30	0.57
3:E:8:U:O2	4:F:17:DG:N2	2.36	0.57
2:B:283:ARG:HH22	2:B:348:ILE:HG23	1.70	0.57
1:A:406:MET:HA	1:A:425:PHE:HB3	1.86	0.56
1:A:493:SER:HB3	1:A:496:ILE:HG12	1.85	0.56
1:A:46:THR:HG23	1:A:49:GLY:H	1.71	0.56
2:B:175:TRP:NE1	2:B:336:MET:SD	2.79	0.56
2:B:189:ARG:NE	2:B:212:GLU:OE1	2.39	0.56
1:A:278:VAL:HG23	1:A:356:GLU:HB2	1.88	0.56
1:A:336:LYS:HB3	1:A:372:ALA:HB1	1.88	0.56
1:A:243:ARG:NH2	3:E:2:G:O6	2.39	0.55
1:A:476:GLU:N	1:A:476:GLU:OE1	2.40	0.55
2:B:207:ALA:HB1	2:B:214:LEU:HD12	1.87	0.55
2:B:143:LYS:HD3	2:B:144:PRO:HD2	1.87	0.55
2:B:140:VAL:HG12	2:B:142:LYS:HD3	1.88	0.55
2:B:217:PHE:HD2	2:B:395:VAL:HG11	1.70	0.54
2:B:269:ILE:HD11	2:B:327:GLY:HA3	1.88	0.54
1:A:129:ASN:HD21	1:A:219:ILE:HD12	1.71	0.54
1:A:44:VAL:HG21	1:A:125:ILE:HD11	1.89	0.54
1:A:66:ASN:ND2	1:A:249:GLU:O	2.41	0.54
2:B:382:ARG:HH12	2:B:388:GLN:HA	1.72	0.54
1:A:394:LEU:HD23	1:A:394:LEU:O	2.07	0.54
2:B:324:SER:OG	2:B:325:ALA:N	2.41	0.54
2:B:274:GLU:N	2:B:274:GLU:OE1	2.38	0.54
2:B:219:TRP:N	2:B:222:ASP:OD2	2.42	0.53
2:B:345:MET:SD	2:B:346:ASP:HB3	2.50	0.52
1:A:57:LEU:HD11	1:A:86:'TRP:CZ2	2.44	0.52



E_{MD} -30070, 63611	EMD-36070,	8J8H
------------------------	------------	------

		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:493:SER:OG	1:A:495:GLU:OE1	2.27	0.52
4:F:8:DT:H2'	4:F:9:DA:C8	2.45	0.52
2:B:392:TYR:HB3	2:B:400:LYS:HD3	1.92	0.51
2:B:249:GLY:O	2:B:258:ASN:ND2	2.43	0.51
1:A:14:PHE:HB2	1:A:30:PHE:HD2	1.75	0.51
1:A:403:PHE:HB2	2:B:416:TYR:OH	2.10	0.51
1:A:206:PHE:N	1:A:209:GLN:OE1	2.43	0.51
1:A:394:LEU:HD12	2:B:175:TRP:CZ2	2.46	0.51
1:A:322:ASN:ND2	1:A:326:GLY:HA2	2.25	0.51
2:B:184:GLU:OE2	2:B:241:ILE:N	2.43	0.51
2:B:206:PRO:HG2	2:B:395:VAL:HG13	1.93	0.51
1:A:68:ASN:H	1:A:247:LYS:NZ	2.09	0.51
1:A:-2:ARG:HA	1:A:1:MET:HB2	1.92	0.51
1:A:364:ARG:NH2	4:F:12[A]:DT:OP1	2.43	0.51
1:A:303:MET:HE1	1:A:342:ALA:HB1	1.93	0.50
1:A:297:ALA:O	1:A:320:TRP:NE1	2.45	0.50
1:A:309:ASP:OD1	1:A:309:ASP:N	2.45	0.50
1:A:420:LEU:HD13	1:A:456:LEU:HD23	1.94	0.50
1:A:360:HIS:HB3	1:A:480:LEU:HD11	1.94	0.50
1:A:14:PHE:HZ	1:A:23:PRO:HA	1.77	0.50
2:B:284:GLU:HG2	2:B:293:TYR:HD1	1.77	0.50
1:A:329:HIS:CD2	1:A:366:ASN:HB3	2.47	0.50
1:A:460:LEU:O	1:A:463:THR:OG1	2.31	0.49
4:F:19:DC:H2'	4:F:20:DG:C8	2.48	0.49
1:A:129:ASN:HD21	1:A:219:ILE:CD1	2.25	0.49
2:B:245:ASP:OD1	2:B:245:ASP:N	2.42	0.49
2:B:281:ASN:O	2:B:299:LYS:HE2	2.13	0.49
2:B:184:GLU:HG2	2:B:240:ARG:HH11	1.78	0.49
2:B:419:PRO:HD2	2:B:420:SER:N	2.28	0.48
1:A:423:LEU:HD11	1:A:433:LEU:HB2	1.95	0.48
2:B:176:PHE:HE2	2:B:381:ILE:HG21	1.78	0.48
1:A:94:LYS:HZ1	1:A:124:LYS:HB2	1.78	0.48
2:B:344:THR:HG23	2:B:350:LEU:HA	1.96	0.47
1:A:343:LEU:HD12	1:A:354:PRO:HG3	1.96	0.47
1:A:13:LEU:HD22	1:A:272:GLY:HA2	1.95	0.47
1:A:220:PRO:HA	1:A:505:TYR:HB3	1.97	0.47
1:A:370:TRP:HA	1:A:373:PHE:HB2	1.97	0.47
1:A:398:LYS:HD2	2:B:171:TYR:HE1	1.79	0.47
2:B:187:PHE:HB2	2:B:239:ILE:HG23	1.96	0.47
2:B:267:GLN:HG3	4:F:10[A]:DG:OP1	2.14	0.47
1:A:98:ASP:OD1	1:A:98:ASP:N	2.47	0.47



$D_{MD} = 30010, 03011$	EMD-36070,	8J8H
-------------------------	------------	------

		Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1.A.123.ASP.O	1·A·127·THR·HG23	2.15	0.47
1:A:304:PHE:C	1:A:306:ASP:H	2.18	0.47
1:A:392:LYS:HE2	1:A:392:LYS:HB3	1.71	0.47
1:A:468:ASN:HD22	1:A:507:ILE:HD12	1.79	0.47
2:B:360:SER:HA	2:B:363:LYS:HG2	1.97	0.47
1:A:93:PHE:HD1	1:A:93:PHE:H	1.62	0.47
1:A:275:ARG:CZ	1:A:454:GLN:HE21	2.28	0.47
1:A:421:TRP:CZ2	1:A:440:PRO:HG3	2.50	0.47
2:B:314:GLN:HE21	2:B:343:PHE:HE2	1.62	0.46
2:B:393:LEU:HB2	2:B:401:ILE:HB	1.97	0.46
2:B:422:VAL:HG13	2:B:423:THR:H	1.79	0.46
1:A:275:ARG:NH1	1:A:458:ASP:OD2	2.45	0.46
2:B:341:ILE:HD12	2:B:364:GLN:HB3	1.98	0.46
1:A:146:GLU:HB3	1:A:225:ARG:HH21	1.80	0.46
1:A:99:GLU:O	1:A:103:ARG:N	2.47	0.46
1:A:259:ALA:O	1:A:263:LYS:HG3	2.16	0.46
1:A:329:HIS:CD2	1:A:366:ASN:HD22	2.33	0.46
2:B:361:ARG:O	2:B:361:ARG:NH1	2.45	0.46
1:A:68:ASN:ND2	1:A:71:THR:OG1	2.49	0.45
3:E:13:U:H2'	3:E:14:C:C6	2.52	0.45
1:A:468:ASN:ND2	1:A:507:ILE:HD12	2.31	0.45
2:B:169:GLU:O	2:B:411:PHE:HB2	2.17	0.45
3:E:5:G:H2"	3:E:6:G:H8	1.81	0.45
1:A:505:TYR:O	1:A:506:TYR:HB2	2.17	0.45
1:A:15:ALA:HB2	1:A:32:PRO:O	2.17	0.45
2:B:189:ARG:HD3	2:B:213:TYR:CZ	2.52	0.45
2:B:252:ASP:OD1	2:B:258:ASN:N	2.50	0.45
1:A:252:LEU:O	1:A:256:ILE:HG22	2.16	0.44
2:B:187:PHE:HE1	2:B:215:CYS:SG	2.39	0.44
1:A:123:ASP:OD1	1:A:124:LYS:N	2.50	0.44
1:A:68:ASN:H	1:A:247:LYS:HZ2	1.66	0.44
1:A:378:PRO:O	1:A:381:THR:OG1	2.31	0.44
1:A:63:PRO:HB3	1:A:76:PRO:HA	1.99	0.44
1:A:456:LEU:HD12	1:A:456:LEU:H	1.82	0.44
1:A:396:LEU:HG	1:A:421:TRP:CZ2	2.53	0.44
2:B:199:ASP:O	2:B:202:THR:OG1	2.29	0.44
2:B:265:ILE:O	2:B:269:ILE:HG23	2.18	0.44
2:B:313:LYS:HA	2:B:318:TYR:HA	2.00	0.44
2:B:188:HIS:HB2	2:B:214:LEU:HB2	2.00	0.44
4:F:16:DA:H2"	4:F:17:DG:O5'	2.17	0.44
1:A:117:LEU:HA	1:A:120:LEU:HD23	2.00	0.43



$D_{MD} = 30010, 03011$	EMD-36070,	8J8H
-------------------------	------------	------

	loub page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:497:LYS:HG3	1:A:498:THR:H	1.83	0.43
1:A:505:TYR:HD1	1:A:506:TYR:HD1	1.65	0.43
4:F:6:DA:H2"	4:F:7:DA:H5'	2.00	0.43
1:A:318:GLY:HA3	1:A:320:TRP:CH2	2.52	0.43
1:A:423:LEU:HD12	1:A:423:LEU:HA	1.80	0.43
2:B:302:LYS:HA	2:B:311:VAL:HG12	2.01	0.43
1:A:325:LYS:HD2	1:A:325:LYS:HA	1.64	0.43
2:B:372:LYS:HG3	2:B:376:LYS:HE2	2.00	0.43
3:E:5:G:H2"	3:E:6:G:C8	2.53	0.43
1:A:430:GLN:HG2	2:B:162:LYS:HD2	2.00	0.43
2:B:193:ARG:HD3	2:B:230:THR:HA	1.99	0.43
1:A:355:LYS:O	1:A:381:THR:HA	2.19	0.43
1:A:405:ILE:HD13	1:A:421:TRP:CE2	2.53	0.43
1:A:207:HIS:HE1	3:E:1:U:C2	2.37	0.43
1:A:286:LYS:HB2	1:A:298:CYS:SG	2.59	0.43
2:B:318:TYR:HB3	2:B:320:HIS:CE1	2.53	0.43
1:A:12:ILE:HA	1:A:272:GLY:H	1.84	0.43
1:A:486:ILE:HD13	1:A:486:ILE:HA	1.83	0.43
1:A:236:ASN:HD21	1:A:240:ALA:HB3	1.85	0.42
2:B:205:PHE:HB2	2:B:223:PHE:HE1	1.84	0.42
4:F:15:DG:H2"	4:F:16:DA:H8	1.83	0.42
1:A:330:LEU:HD12	1:A:334:GLU:HB3	2.00	0.42
1:A:340:THR:HG22	1:A:376:VAL:HB	2.02	0.42
2:B:217:PHE:CD2	2:B:395:VAL:HG11	2.54	0.42
2:B:178:ILE:HG23	2:B:403:ILE:HD13	2.01	0.42
2:B:416:TYR:CD1	2:B:416:TYR:C	2.93	0.42
1:A:271:LEU:HA	1:A:271:LEU:HD23	1.78	0.42
1:A:336:LYS:O	1:A:340:THR:HG23	2.20	0.42
2:B:223:PHE:HB3	2:B:226:GLN:NE2	2.35	0.41
2:B:413:LYS:HE2	2:B:413:LYS:HB2	1.92	0.41
1:A:417:LYS:HG2	1:A:444:GLU:HG2	2.02	0.41
2:B:176:PHE:CE2	2:B:381:ILE:HG21	2.54	0.41
1:A:248:ILE:HD13	1:A:248:ILE:HA	1.88	0.41
1:A:258:THR:HG21	1:A:470:CYS:SG	2.60	0.41
1:A:368:GLU:HG2	1:A:369:GLU:N	2.36	0.41
1:A:118:VAL:CG1	1:A:213:ARG:HD2	2.50	0.41
1:A:428:LYS:C	1:A:428:LYS:HD3	2.41	0.41
2:B:346:ASP:OD1	2:B:346:ASP:C	2.59	0.41
1:A:346:TYR:CD2	1:A:354:PRO:HB3	2.55	0.41
1:A:4:LEU:HD11	2:B:410:PHE:HB3	2.01	0.41
1:A:497:LYS:CG	1:A:498:THR:H	2.33	0.41



Continued from previous page					
Atom 1	Atom 2	Interatomic	Clash		
Atom-1	Atom-1 Atom-2		overlap (Å)		
2:B:402:LEU:HD13	2:B:402:LEU:HA	1.95	0.41		
1:A:24:ARG:HG2	1:A:25:ASP:N	2.36	0.41		
1:A:320:TRP:HB2	1:A:322:ASN:ND2	2.35	0.41		
2:B:354:LYS:HZ2	3:E:10:U:P	2.44	0.41		
1:A:329:HIS:HD2	1:A:366:ASN:HD22	1.68	0.41		
1:A:421:TRP:CE2	1:A:440:PRO:HG3	2.56	0.41		
2:B:266:VAL:HG11	4:F:11:DA:P	2.61	0.41		
1:A:330:LEU:HB3	1:A:335:ALA:HB2	2.02	0.40		
1:A:62:LYS:HA	1:A:62:LYS:HD2	1.82	0.40		
2:B:303:ASP:OD2	2:B:307:LYS:HD3	2.20	0.40		
2:B:422:VAL:HG13	2:B:423:THR:N	2.36	0.40		
3:E:19:A:N1	4:F:6:DA:N6	2.70	0.40		
1:A:284:VAL:HG12	1:A:300:ALA:HB3	2.04	0.40		
2:B:170:THR:HA	2:B:411:PHE:HA	2.04	0.40		
2:B:284:GLU:HG2	2:B:293:TYR:CD1	2.54	0.40		
2:B:305:PHE:O	2:B:308:ILE:HG12	2.21	0.40		
2:B:391:ILE:HB	2:B:403:ILE:HB	2.04	0.40		

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	448/541~(83%)	417 (93%)	31~(7%)	0	100	100
2	В	284/484~(59%)	253~(89%)	31 (11%)	0	100	100
All	All	732/1025~(71%)	670 (92%)	62 (8%)	0	100	100

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	393/472~(83%)	377~(96%)	16 (4%)	30 59
2	В	266/441~(60%)	251 (94%)	15~(6%)	21 51
All	All	659/913~(72%)	628~(95%)	31~(5%)	30 57

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	1	MET
1	А	24	ARG
1	А	93	PHE
1	А	102	ARG
1	А	106	PHE
1	А	122	ASN
1	А	123	ASP
1	А	229	LEU
1	А	232	ARG
1	А	235	LYS
1	А	247	LYS
1	А	320	TRP
1	А	421	TRP
1	А	470	CYS
1	А	501	LEU
1	А	505	TYR
2	В	167	LYS
2	В	215	CYS
2	В	229	LYS
2	В	248	SER
2	В	252	ASP
2	В	255	PHE
2	В	257	ARG
2	В	273	PHE
2	В	291	PHE
2	В	320	HIS
2	В	328	LYS



Continued from previous page...

Mol	Chain	Res	Type
2	В	346	ASP
2	В	361	ARG
2	В	369	TRP
2	В	416	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	66	ASN
1	А	68	ASN
1	А	129	ASN
1	А	322	ASN
1	А	454	GLN
2	В	364	GLN

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	Ε	0/21	-	-

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.



There are no chirality outliers. There are no torsion outliers. There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

