



# Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2024 – 12:19 PM JST

PDB ID : 8JF5  
Title : Crystal structure of Lysine Specific Demethylase 1 (LSD1) with TAS1440  
Authors : Fukushima, H.; Machida, T.; Yamashita, S.; Suzuki, T.  
Deposited on : 2023-05-17  
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	663	 66% 28% 5% .
2	B	135	 55% 28% 12% . .

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5956 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysine-specific histone demethylase 1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	662	4957	3165	853	919	20	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	171	GLY	-	expression tag	UNP O60341


- Molecule 2 is a protein called REST corepressor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	132	899	563	159	174	3	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	306	MET	-	initiating methionine	UNP Q9UKL0
B	307	GLY	-	expression tag	UNP Q9UKL0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	53	27	9	15	2	0	0


- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	C O		
4	A	1	6	3 3	0	0
4	A	1	6	3 3	0	0

- Molecule 5 is 4-[5-[(3 {R})-3-azanylpyrrolidin-1-yl]carbonyl-2-[2-fluoranyl-4-(2-methyl-2-

oxidanyl-propyl)phenyl]phenyl]-2-fluoranyl-benzenecarbonitrile (three-letter code: UEU)  
(formula: C<sub>28</sub>H<sub>27</sub>F<sub>2</sub>N<sub>3</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
5	A	1	35	28	2	3	2	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lysine-specific histone demethylase 1A



- Molecule 2: REST corepressor 1



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	121.77Å 179.12Å 235.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.13 – 3.20 48.77 – 3.20	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.13-3.20) 100.0 (48.77-3.20)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.16 (at 3.19Å)	Xtrriage
Refinement program	REFMAC 5.8.0158	Depositor
R, $R_{free}$	0.193 , 0.230 0.198 , 0.230	Depositor DCC
$R_{free}$ test set	2145 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	94.1	Xtrriage
Anisotropy	0.014	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 85.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5956	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	96.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.88% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: UEU, FAD, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.92	3/5069 (0.1%)	1.12	17/6926 (0.2%)
2	B	1.03	0/910	1.13	5/1248 (0.4%)
All	All	0.94	3/5979 (0.1%)	1.12	22/8174 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	B	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	690	GLU	CD-OE1	7.58	1.33	1.25
1	A	698	TYR	CB-CG	5.54	1.59	1.51
1	A	716	GLU	CD-OE2	5.47	1.31	1.25

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	396	ARG	NE-CZ-NH1	9.94	125.27	120.30
1	A	820	ARG	NE-CZ-NH2	-8.60	116.00	120.30
1	A	820	ARG	NE-CZ-NH1	8.49	124.55	120.30
1	A	251	ARG	NE-CZ-NH1	6.72	123.66	120.30
1	A	660	ASN	CB-CA-C	6.50	123.40	110.40
1	A	530	ASP	CB-CG-OD1	6.23	123.91	118.30

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	187	ARG	NE-CZ-NH2	6.19	123.39	120.30
1	A	831	GLY	N-CA-C	6.18	128.54	113.10
1	A	795	ARG	NE-CZ-NH1	6.12	123.36	120.30
1	A	758	ARG	NE-CZ-NH2	-5.84	117.38	120.30
1	A	571	TYR	CB-CG-CD1	5.83	124.50	121.00
1	A	273	LEU	CA-CB-CG	5.74	128.50	115.30
2	B	371	ARG	NE-CZ-NH1	5.61	123.11	120.30
1	A	258	ARG	NE-CZ-NH2	-5.59	117.50	120.30
1	A	583	ASP	CB-CG-OD1	5.49	123.24	118.30
1	A	697	LEU	CB-CG-CD2	5.46	120.28	111.00
1	A	774	ASP	CB-CG-OD2	-5.42	113.42	118.30
2	B	401	ASP	CB-CG-OD2	-5.35	113.49	118.30
2	B	396	ARG	NE-CZ-NH2	-5.34	117.63	120.30
2	B	384	THR	CB-CA-C	-5.26	97.41	111.60
1	A	754	ASP	CB-CG-OD1	5.18	122.96	118.30
1	A	267	TYR	CB-CG-CD1	5.09	124.06	121.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	190	SER	Peptide
2	B	412	LYS	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4957	0	4750	139	1
2	B	899	0	780	37	0
3	A	53	0	31	6	0
4	A	12	0	16	0	0
5	A	35	0	0	1	0
All	All	5956	0	5577	166	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:ASP:OD1	1:A:199:ILE:HG13	1.78	0.83
2:B:428:PHE:O	2:B:430:ILE:N	2.16	0.77
1:A:213:ILE:HD13	1:A:248:LEU:HD21	1.70	0.73
1:A:660:ASN:HA	1:A:749:SER:CB	2.18	0.73
1:A:217:THR:HG23	1:A:234:THR:HG21	1.69	0.73
1:A:363:TYR:HD2	1:A:734:ILE:CB	2.04	0.70
1:A:366:ASN:OD1	1:A:368:GLN:N	2.26	0.68
1:A:449:VAL:HG23	2:B:363:LEU:CD2	2.23	0.68
1:A:308:GLU:OE1	3:A:901:FAD:O3B	2.13	0.67
1:A:331:ALA:HA	3:A:901:FAD:N5	2.12	0.64
1:A:732:LYS:CE	1:A:740:VAL:HG22	2.27	0.64
2:B:396:ARG:HH11	2:B:396:ARG:CG	2.10	0.64
1:A:535:ASN:OD1	5:A:904:UEU:O11	2.15	0.64
1:A:458:LEU:HD23	1:A:487:LEU:HD12	1.80	0.64
1:A:363:TYR:CD2	1:A:734:ILE:CB	2.81	0.64
2:B:399:GLY:O	2:B:401:ASP:N	2.31	0.63
2:B:400:ARG:O	2:B:402:PHE:N	2.31	0.63
1:A:538:PHE:CZ	1:A:706:LEU:HD12	2.34	0.63
1:A:449:VAL:HG23	2:B:363:LEU:HD21	1.79	0.62
1:A:536:LEU:HD23	1:A:544:LEU:HD11	1.83	0.61
1:A:372:LYS:O	1:A:374:LYS:N	2.34	0.60
1:A:199:ILE:HD11	1:A:248:LEU:HD12	1.83	0.60
1:A:520:TYR:CE2	1:A:521:LEU:HD23	2.36	0.60
1:A:671:TRP:HA	1:A:735:PHE:CE1	2.37	0.59
1:A:659:LEU:HD11	3:A:901:FAD:HM73	1.83	0.59
1:A:196:PHE:N	1:A:197:PRO:CD	2.66	0.59
1:A:331:ALA:HA	3:A:901:FAD:C4X	2.33	0.59
1:A:371:PRO:O	1:A:372:LYS:O	2.20	0.59
1:A:627:LEU:O	1:A:631:LYS:HG3	2.02	0.59
1:A:420:GLU:O	1:A:423:VAL:HG12	2.03	0.58
1:A:485:ARG:NH1	1:A:489:ALA:HB2	2.19	0.58
2:B:401:ASP:O	2:B:403:GLN:N	2.37	0.57
1:A:340:ASN:OD1	1:A:342:MET:N	2.33	0.57
1:A:421:LYS:O	1:A:423:VAL:N	2.37	0.57
1:A:718:ILE:HG22	1:A:723:ILE:HG13	1.86	0.56
2:B:396:ARG:HH11	2:B:396:ARG:HG3	1.71	0.56
1:A:537:GLU:OE2	1:A:544:LEU:HD23	2.05	0.56
1:A:241:PRO:O	1:A:244:SER:OG	2.24	0.55
1:A:732:LYS:HD2	1:A:737:SER:HA	1.89	0.55
1:A:209:VAL:HG22	1:A:213:ILE:HD11	1.87	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:425:ASP:N	1:A:425:ASP:OD1	2.38	0.55
1:A:371:PRO:C	1:A:372:LYS:O	2.45	0.54
2:B:396:ARG:CG	2:B:396:ARG:NH1	2.70	0.54
1:A:520:TYR:CD2	1:A:521:LEU:HD23	2.42	0.54
1:A:362:LEU:C	1:A:363:TYR:HD1	2.10	0.54
1:A:441:LEU:C	1:A:441:LEU:HD23	2.29	0.53
1:A:534:ALA:HA	1:A:537:GLU:HG3	1.91	0.53
1:A:829:PHE:O	1:A:830:LEU:HD23	2.09	0.53
1:A:594:ARG:HA	1:A:640:VAL:O	2.09	0.53
1:A:807:TYR:N	1:A:808:PRO:HD3	2.24	0.53
1:A:660:ASN:CA	1:A:749:SER:CB	2.86	0.53
2:B:418:LYS:O	2:B:421:PHE:O	2.27	0.53
1:A:441:LEU:CD2	2:B:356:ASN:ND2	2.72	0.52
1:A:451:LEU:HD23	1:A:494:TYR:HB2	1.92	0.52
1:A:732:LYS:HD3	1:A:740:VAL:HG22	1.91	0.52
1:A:720:ASP:O	1:A:724:VAL:HG23	2.11	0.51
1:A:331:ALA:H	3:A:901:FAD:C6	2.23	0.51
2:B:401:ASP:O	2:B:402:PHE:C	2.49	0.51
1:A:661:LYS:H	1:A:749:SER:CB	2.23	0.51
1:A:718:ILE:HG22	1:A:723:ILE:CG1	2.42	0.50
2:B:368:GLU:N	2:B:369:PRO:HD2	2.25	0.50
1:A:385:LEU:O	1:A:388:ALA:HB3	2.11	0.50
1:A:352:GLU:CB	1:A:569:ASN:HD21	2.24	0.50
1:A:660:ASN:CB	1:A:749:SER:CB	2.90	0.50
1:A:266:ILE:CD1	1:A:577:ALA:HB1	2.42	0.49
1:A:418:LEU:CD2	2:B:324:VAL:HG21	2.42	0.49
1:A:286:SER:CB	1:A:313:VAL:HG12	2.43	0.49
1:A:374:LYS:HZ2	1:A:525:ASP:CB	2.25	0.49
1:A:641:PRO:HB2	1:A:642:PRO:HD2	1.93	0.49
1:A:263:ASN:C	1:A:267:TYR:HE2	2.16	0.49
2:B:342:LEU:HD21	2:B:346:LYS:HD2	1.94	0.49
2:B:408:VAL:HG12	2:B:409:ILE:N	2.27	0.49
1:A:468:VAL:HG12	1:A:468:VAL:O	2.12	0.49
1:A:283:ILE:HD12	1:A:294:ALA:HB2	1.95	0.48
1:A:422:HIS:O	1:A:423:VAL:C	2.52	0.48
1:A:641:PRO:HB2	1:A:642:PRO:CD	2.42	0.48
1:A:706:LEU:N	1:A:706:LEU:HD23	2.28	0.48
1:A:748:VAL:O	1:A:749:SER:C	2.52	0.48
1:A:229:LEU:HD21	1:A:234:THR:HG23	1.96	0.48
2:B:388:GLN:HG2	2:B:428:PHE:CZ	2.48	0.48
1:A:192:GLU:HG2	1:A:255:TYR:CZ	2.50	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:732:LYS:HE2	1:A:740:VAL:HG22	1.95	0.47
1:A:789:ALA:HB1	1:A:790:PRO:HD2	1.96	0.47
1:A:420:GLU:C	1:A:421:LYS:O	2.51	0.47
1:A:671:TRP:O	1:A:673:PRO:HD3	2.14	0.47
1:A:659:LEU:C	1:A:659:LEU:HD12	2.35	0.47
2:B:368:GLU:OE2	2:B:371:ARG:NH1	2.47	0.47
1:A:468:VAL:O	1:A:472:ARG:NH1	2.48	0.47
1:A:719:SER:OG	1:A:722:VAL:HG23	2.14	0.47
1:A:385:LEU:CD2	1:A:415:VAL:HG12	2.44	0.47
1:A:198:ASP:OD2	1:A:251:ARG:NH2	2.48	0.46
1:A:732:LYS:CD	1:A:740:VAL:HG22	2.46	0.46
2:B:388:GLN:HG2	2:B:428:PHE:CE2	2.51	0.46
1:A:248:LEU:C	1:A:248:LEU:HD23	2.35	0.46
2:B:330:ALA:HA	2:B:333:THR:HB	1.98	0.46
1:A:706:LEU:N	1:A:706:LEU:CD2	2.79	0.46
1:A:221:TRP:CD1	1:A:262:ILE:HA	2.51	0.46
2:B:411:ASN:O	2:B:411:ASN:ND2	2.49	0.46
1:A:438:GLN:HG2	1:A:508:LEU:HD11	1.97	0.46
1:A:800:GLY:O	1:A:803:THR:OG1	2.25	0.45
1:A:187:ARG:HB3	1:A:187:ARG:NH2	2.32	0.45
1:A:245:ASP:OD1	1:A:247:VAL:HG12	2.15	0.45
1:A:474:ILE:HD12	1:A:474:ILE:HA	1.82	0.45
1:A:422:HIS:O	1:A:424:LYS:N	2.50	0.45
1:A:255:TYR:CE1	1:A:256:LEU:HD23	2.52	0.45
1:A:442:LYS:CE	2:B:355:THR:HG21	2.47	0.45
2:B:414:VAL:O	2:B:418:LYS:CB	2.64	0.45
1:A:442:LYS:HE3	2:B:355:THR:HG21	1.99	0.45
1:A:286:SER:O	1:A:291:LEU:HD11	2.17	0.45
1:A:437:THR:O	1:A:440:GLU:N	2.44	0.44
2:B:326:ALA:O	2:B:327:ASN:C	2.56	0.44
1:A:662:VAL:HB	1:A:705:ALA:HB3	1.99	0.44
1:A:685:THR:O	1:A:688:ARG:HG2	2.17	0.44
1:A:566:THR:HB	1:A:697:LEU:HD12	2.00	0.44
1:A:680:HIS:CD2	1:A:730:ILE:HG21	2.53	0.44
1:A:821:GLU:OE2	1:A:821:GLU:HA	2.18	0.44
2:B:412:LYS:O	2:B:416:GLN:CB	2.65	0.44
1:A:175:GLU:CB	1:A:185:HIS:CD2	3.01	0.44
1:A:437:THR:O	1:A:438:GLN:C	2.55	0.44
2:B:378:LYS:O	2:B:379:CYS:O	2.36	0.44
1:A:320:PHE:HB2	1:A:329:LEU:HD11	1.98	0.43
1:A:386:LEU:O	1:A:387:GLU:C	2.55	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:434:ILE:HG21	2:B:349:ILE:HD12	2.00	0.43
1:A:694:PHE:HA	1:A:704:LEU:O	2.18	0.43
2:B:359:LEU:HD23	2:B:359:LEU:N	2.33	0.43
1:A:270:ILE:O	1:A:272:PRO:HD3	2.18	0.43
1:A:198:ASP:OD1	1:A:199:ILE:N	2.52	0.43
1:A:659:LEU:HD12	1:A:660:ASN:N	2.34	0.43
2:B:315:PHE:C	2:B:316:LEU:HG	2.39	0.42
2:B:432:GLU:O	2:B:436:GLU:HG2	2.19	0.42
1:A:525:ASP:O	1:A:528:ILE:N	2.52	0.42
1:A:214:ARG:HD2	1:A:215:ASN:OD1	2.19	0.42
1:A:467:GLU:O	1:A:469:LYS:N	2.53	0.42
2:B:396:ARG:NH1	2:B:396:ARG:HG2	2.34	0.42
1:A:187:ARG:HB3	1:A:187:ARG:HH21	1.84	0.42
1:A:446:ASN:O	1:A:447:LYS:C	2.58	0.42
1:A:680:HIS:ND1	1:A:680:HIS:C	2.73	0.42
1:A:760:SER:HB2	3:A:901:FAD:HM83	2.01	0.42
1:A:349:VAL:O	1:A:349:VAL:HG12	2.19	0.42
1:A:661:LYS:N	1:A:749:SER:CB	2.83	0.42
1:A:485:ARG:HH12	1:A:489:ALA:HB2	1.85	0.41
1:A:548:SER:O	1:A:552:TRP:HB3	2.20	0.41
1:A:680:HIS:NE2	1:A:730:ILE:HG21	2.34	0.41
1:A:509:GLN:HA	1:A:509:GLN:OE1	2.21	0.41
1:A:485:ARG:HD3	1:A:486:ASP:OD1	2.21	0.41
1:A:537:GLU:OE2	1:A:543:PRO:HA	2.20	0.41
1:A:556:ASP:O	1:A:559:GLU:HG2	2.20	0.41
1:A:191:GLN:HA	1:A:194:ALA:HB2	2.02	0.41
2:B:429:ASN:O	2:B:431:ASP:N	2.54	0.41
1:A:196:PHE:N	1:A:197:PRO:HD3	2.36	0.41
1:A:248:LEU:HD23	1:A:249:VAL:N	2.34	0.41
1:A:441:LEU:HD22	2:B:356:ASN:ND2	2.36	0.41
1:A:691:LEU:HD12	1:A:691:LEU:N	2.36	0.41
1:A:209:VAL:CG2	1:A:213:ILE:HD11	2.49	0.41
1:A:391:TYR:HE2	2:B:309:LYS:HB3	1.86	0.41
1:A:430:HIS:CD2	1:A:516:PRO:HD2	2.56	0.41
1:A:653:ARG:HH11	1:A:772:ASP:CG	2.23	0.41
1:A:419:GLN:NE2	2:B:314:MET:HA	2.36	0.41
1:A:251:ARG:HG3	1:A:251:ARG:HH11	1.86	0.40
1:A:379:GLU:HG2	1:A:532:HIS:NE2	2.36	0.40
1:A:451:LEU:HD12	1:A:451:LEU:HA	1.82	0.40
2:B:413:SER:C	2:B:415:VAL:N	2.75	0.40
1:A:321:ARG:NH2	1:A:572:SER:OG	2.52	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:655:GLY:O	1:A:762:SER:HA	2.21	0.40
1:A:828:GLN:HB3	1:A:829:PHE:CD2	2.57	0.40
1:A:288:VAL:HA	1:A:291:LEU:HD12	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:601:GLU:OE2	1:A:601:GLU:OE2[2_455]	1.77	0.43

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	660/663 (100%)	564 (86%)	76 (12%)	20 (3%)	<b>4</b> <b>28</b>
2	B	130/135 (96%)	93 (72%)	21 (16%)	16 (12%)	<b>0</b> <b>2</b>
All	All	790/798 (99%)	657 (83%)	97 (12%)	36 (5%)	<b>2</b> <b>18</b>

All (36) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	191	GLN
1	A	276	LYS
1	A	358	GLN
1	A	372	LYS
1	A	421	LYS
1	A	422	HIS
1	A	468	VAL
1	A	749	SER
1	A	831	GLY
2	B	379	CYS

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	400	ARG
2	B	401	ASP
2	B	415	VAL
2	B	429	ASN
1	A	423	VAL
1	A	516	PRO
2	B	374	GLU
2	B	402	PHE
1	A	373	GLU
1	A	500	THR
1	A	715	MET
2	B	327	ASN
2	B	422	VAL
1	A	173	GLY
1	A	331	ALA
1	A	757	ALA
2	B	330	ALA
2	B	333	THR
2	B	413	SER
1	A	573	CYS
2	B	328	ALA
2	B	430	ILE
2	B	431	ASP
1	A	791	GLN
2	B	373	PRO
1	A	669	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	500/562 (89%)	441 (88%)	59 (12%)	<b>5</b> <b>23</b>
2	B	74/118 (63%)	57 (77%)	17 (23%)	<b>1</b> <b>3</b>
All	All	574/680 (84%)	498 (87%)	76 (13%)	<b>4</b> <b>19</b>

All (76) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	172	SER
1	A	174	VAL
1	A	183	LEU
1	A	187	ARG
1	A	209	VAL
1	A	225	PRO
1	A	229	LEU
1	A	234	THR
1	A	235	LEU
1	A	248	LEU
1	A	255	TYR
1	A	267	TYR
1	A	273	LEU
1	A	296	GLN
1	A	298	GLN
1	A	304	VAL
1	A	350	ASN
1	A	360	CYS
1	A	403	ASN
1	A	423	VAL
1	A	425	ASP
1	A	441	LEU
1	A	449	VAL
1	A	473	ASP
1	A	479	LEU
1	A	485	ARG
1	A	487	LEU
1	A	504	LEU
1	A	511	LEU
1	A	516	PRO
1	A	517	SER
1	A	521	LEU
1	A	537	GLU
1	A	543	PRO
1	A	544	LEU
1	A	545	SER
1	A	559	GLU
1	A	563	SER
1	A	569	ASN
1	A	571	TYR
1	A	588	THR
1	A	607	THR
1	A	610	THR

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	614	PHE
1	A	615	ILE
1	A	626	PRO
1	A	648	THR
1	A	673	PRO
1	A	675	VAL
1	A	680	HIS
1	A	684	THR
1	A	706	LEU
1	A	730	ILE
1	A	740	VAL
1	A	755	PRO
1	A	780	ILE
1	A	787	PRO
1	A	793	ILE
1	A	801	GLU
2	B	309	LYS
2	B	316	LEU
2	B	329	THR
2	B	332	THR
2	B	337	GLN
2	B	343	VAL
2	B	344	SER
2	B	363	LEU
2	B	371	ARG
2	B	383	TRP
2	B	384	THR
2	B	385	THR
2	B	387	GLU
2	B	395	ILE
2	B	396	ARG
2	B	408	VAL
2	B	429	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	185	HIS
1	A	430	HIS
1	A	460	GLN
1	A	535	ASN
1	A	632	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	388	GLN
2	B	393	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	UEU	A	904	-	38,38,38	1.92	7 (18%)	51,56,56	2.60	23 (45%)
3	FAD	A	901	-	53,58,58	1.46	9 (16%)	68,89,89	2.26	26 (38%)
4	GOL	A	902	-	5,5,5	0.63	0	5,5,5	0.67	0
4	GOL	A	903	-	5,5,5	1.19	0	5,5,5	1.25	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	UEU	A	904	-	-	7/22/32/32	0/4/4/4
3	FAD	A	901	-	-	4/30/50/50	0/6/6/6
4	GOL	A	902	-	-	4/4/4/4	-
4	GOL	A	903	-	-	3/4/4/4	-

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	904	UEU	C22-C26	-8.54	1.31	1.44
3	A	901	FAD	C5X-N5	-4.51	1.30	1.39
3	A	901	FAD	C9A-C5X	4.02	1.47	1.41
5	A	904	UEU	C7-C8	3.20	1.58	1.52
5	A	904	UEU	C13-C14	-3.08	1.36	1.41
3	A	901	FAD	C4-N3	-3.00	1.33	1.38
3	A	901	FAD	C2A-N3A	2.80	1.36	1.32
5	A	904	UEU	C33-C32	-2.62	1.49	1.53
3	A	901	FAD	C5A-C4A	2.44	1.47	1.40
3	A	901	FAD	C8-C7	2.41	1.46	1.40
5	A	904	UEU	O29-C28	2.37	1.27	1.22
3	A	901	FAD	C2A-N1A	2.37	1.38	1.33
5	A	904	UEU	C24-C23	2.29	1.41	1.37
3	A	901	FAD	C2-N3	-2.28	1.33	1.39
5	A	904	UEU	C17-C16	-2.17	1.35	1.39
3	A	901	FAD	C2'-C3'	-2.02	1.49	1.53

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	904	UEU	C33-C34-N30	-7.70	94.17	103.28
5	A	904	UEU	C13-C2-C3	-6.97	116.00	122.64
3	A	901	FAD	N6A-C6A-N1A	5.76	130.54	118.57
5	A	904	UEU	C7-C5-C4	-5.66	113.44	120.34
3	A	901	FAD	C5A-C6A-N6A	-5.57	111.89	120.35
3	A	901	FAD	O4'-C4'-C3'	5.32	122.02	109.10
5	A	904	UEU	C20-C19-C14	-4.32	113.91	120.91
3	A	901	FAD	C5'-C4'-C3'	-4.26	103.98	112.20
3	A	901	FAD	P-O3P-PA	-4.10	118.77	132.83
5	A	904	UEU	C1-C2-C3	4.03	121.91	116.10
5	A	904	UEU	C19-C24-C23	-3.97	116.21	119.59
3	A	901	FAD	O5'-P-O1P	-3.78	94.30	109.07
5	A	904	UEU	F25-C23-C22	-3.74	112.72	117.67
3	A	901	FAD	C4X-C10-N1	-3.49	116.64	124.73

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	901	FAD	O2'-C2'-C3'	-3.46	100.68	109.10
5	A	904	UEU	C10-C8-C7	3.41	121.12	110.52
5	A	904	UEU	C8-C7-C5	-3.37	110.58	114.79
3	A	901	FAD	C6-C5X-C9A	3.36	123.69	118.94
3	A	901	FAD	O2A-PA-O1A	3.24	128.27	112.24
5	A	904	UEU	C15-C16-C28	3.20	127.27	120.14
3	A	901	FAD	O5B-PA-O1A	-3.05	97.16	109.07
3	A	901	FAD	O4-C4-C4X	-2.96	118.74	126.60
3	A	901	FAD	O4B-C1B-C2B	-2.95	102.61	106.93
5	A	904	UEU	C6-C5-C4	2.95	122.67	118.54
3	A	901	FAD	C10-N1-C2	2.86	122.62	116.90
5	A	904	UEU	C17-C16-C28	-2.75	113.32	120.29
5	A	904	UEU	F25-C23-C24	2.71	123.99	118.61
3	A	901	FAD	O3'-C3'-C2'	-2.69	102.32	108.81
5	A	904	UEU	O11-C8-C9	-2.61	99.70	108.08
3	A	901	FAD	N3A-C2A-N1A	-2.59	124.63	128.68
5	A	904	UEU	C24-C19-C14	2.54	124.82	120.61
3	A	901	FAD	C4X-C4-N3	2.51	119.56	113.19
3	A	901	FAD	C1'-N10-C9A	2.50	124.68	120.51
3	A	901	FAD	C4-N3-C2	-2.46	121.09	125.64
5	A	904	UEU	C4-C3-C2	-2.41	119.84	123.64
3	A	901	FAD	C9A-N10-C10	-2.34	117.12	120.77
5	A	904	UEU	C1-C6-C5	-2.33	117.82	121.03
3	A	901	FAD	P-O5'-C5'	-2.32	108.05	121.68
3	A	901	FAD	C9-C9A-N10	2.32	124.97	121.84
3	A	901	FAD	C5X-N5-C4X	2.27	121.86	118.07
3	A	901	FAD	C9-C9A-C5X	-2.25	115.85	120.11
5	A	904	UEU	C9-C8-C10	2.23	115.23	110.57
5	A	904	UEU	C20-C19-C24	2.19	121.26	118.16
5	A	904	UEU	C9-C8-C7	-2.19	103.74	110.52
5	A	904	UEU	C17-C18-C13	2.17	124.06	120.33
3	A	901	FAD	N10-C10-N1	2.16	124.55	118.35
5	A	904	UEU	C16-C28-N30	-2.13	116.01	118.72
4	A	903	GOL	O3-C3-C2	2.07	120.14	110.20
3	A	901	FAD	O2P-P-O1P	2.06	122.41	112.24
5	A	904	UEU	C7-C5-C6	2.01	123.75	121.07

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	901	FAD	PA-O3P-P-O5'

Continued on next page...

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
4	A	902	GOL	O1-C1-C2-C3
4	A	903	GOL	O1-C1-C2-C3
5	A	904	UEU	O29-C28-N30-C34
5	A	904	UEU	O29-C28-N30-C31
5	A	904	UEU	C16-C28-N30-C34
5	A	904	UEU	C16-C28-N30-C31
5	A	904	UEU	C5-C7-C8-O11
5	A	904	UEU	C5-C7-C8-C10
5	A	904	UEU	C5-C7-C8-C9
4	A	902	GOL	C1-C2-C3-O3
4	A	903	GOL	O1-C1-C2-O2
4	A	902	GOL	O1-C1-C2-O2
4	A	902	GOL	O2-C2-C3-O3
4	A	903	GOL	O2-C2-C3-O3
3	A	901	FAD	O4'-C4'-C5'-O5'
3	A	901	FAD	P-O3P-PA-O2A
3	A	901	FAD	O4B-C4B-C5B-O5B


There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	904	UEU	1	0
3	A	901	FAD	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	662/663 (99%)	-0.29	3 (0%) 91 86	50, 91, 127, 174	0
2	B	132/135 (97%)	-0.27	0 100 100	90, 122, 163, 177	0
All	All	794/798 (99%)	-0.29	3 (0%) 92 89	50, 96, 140, 177	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	172	SER	3.2
1	A	398	PHE	2.9
1	A	504	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	A	903	6/6	0.81	0.37	80,102,109,124	0
4	GOL	A	902	6/6	0.90	0.31	72,88,95,98	0


*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	UEU	A	904	35/35	0.93	0.25	56,78,93,104	0
3	FAD	A	901	53/53	0.97	0.23	51,69,92,96	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.