

wwPDB X-ray Structure Validation Summary Report (i)

Nov 25, 2024 – 10:49 AM JST

PDB ID : 9JIU

Title: Ferritin mutant R63MeHis

Authors: Tsou, J.-C.; Huang, K.-F.; Ko, T.-P.; Wang, Y.-S.

Deposited on : 2024-09-12

Resolution : 2.28 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.21

EDS : 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.004 (Gargrove)

Density-Fitness : 1.0.11

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\ DIFFRACTION$

The reported resolution of this entry is 2.28 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# \mathrm{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
R_{free}	164625	8487 (2.30-2.26)
Clashscore	180529	9437 (2.30-2.26)
Ramachandran outliers	177936	9341 (2.30-2.26)
Sidechain outliers	177891	9342 (2.30-2.26)
RSRZ outliers	164620	8487 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	191	5% 84%	6% • 9%
1	В	191	86%	9%
1	С	191	5% 87%	9%
1	D	191	5% 85%	5% 9%
1	Е	191	86%	9%
1	F	191	5% 86%	5% • 9%





Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	C	101	2%		
1	G	191	87%	• •	9%
1	Н	191	6%		201
1	11	191	87% 4%	•	9%
1	I	191	86%		9%
		101	4%		370
1	J	191	86%	5%	9%
			3%		
1	K	191	87%	• •	9%
	T	101	5%		
1	${ m L}$	191	87%	• •	9%



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 19201 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Ferritin heavy chain.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Λ	173	Total	С	N	О	S	0	0	0
1	A	173	1419	890	248	274	7	U	U	U
1	В	173	Total	С	N	О	S	0	0	0
1	Б	173	1419	890	248	274	7	U	U	U
1	С	173	Total	С	N	О	S	0	0	0
1		173	1419	890	248	274	7	0	0	U
1	D	173	Total	С	N	О	S	0	0	0
1	D	173	1419	890	248	274	7	0	0	U
1	Е	174	Total	С	N	О	S	0	0	0
1	12	174	1427	894	249	277	7	0	U	
1	F	174	Total	С	N	О	S	0	0	0
1	Γ	174	1427	894	249	277	7	0	U	0
1	G	174	Total	С	N	О	S	0	0	0
1	G	174	1427	894	249	277	7	0	U	0
1	Н	174	Total	С	N	О	S	0	0	0
1	11	174	1427	894	249	277	7	0	U	U
1	I	174	Total	С	N	О	S	0	0	0
1	1	174	1427	894	249	277	7	0	U	U
1	J	174	Total	С	N	О	S	0	0	0
1	J	174	1427	894	249	277	7	0	0	U
1	K	174	Total	С	N	О	S	0	0	0
1	N	1/4	1427	894	249	277	7		0 0	
1	L	174	Total	С	N	О	S	0	0	0
1	L	1/4	1427	894	249	277	7		U	U

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	63	MHS	ARG	engineered mutation	UNP P02794
A	183	LEU	-	expression tag	UNP P02794
A	184	GLU	-	expression tag	UNP P02794
A	185	HIS	-	expression tag	UNP P02794
A	186	HIS	-	expression tag	UNP P02794



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	187	HIS	-	expression tag	UNP P02794
A	188	HIS	-	expression tag	UNP P02794
A	189	HIS	-	expression tag	UNP P02794
A	190	HIS	_	expression tag	UNP P02794
В	63	MHS	ARG	engineered mutation	UNP P02794
В	183	LEU	-	expression tag	UNP P02794
В	184	GLU	-	expression tag	UNP P02794
В	185	HIS	-	expression tag	UNP P02794
В	186	HIS	-	expression tag	UNP P02794
В	187	HIS	-	expression tag	UNP P02794
В	188	HIS	-	expression tag	UNP P02794
В	189	HIS	-	expression tag	UNP P02794
В	190	HIS	-	expression tag	UNP P02794
С	63	MHS	ARG	engineered mutation	UNP P02794
С	183	LEU	-	expression tag	UNP P02794
С	184	GLU	-	expression tag	UNP P02794
С	185	HIS	-	expression tag	UNP P02794
С	186	HIS	-	expression tag	UNP P02794
С	187	HIS	-	expression tag	UNP P02794
С	188	HIS	-	expression tag	UNP P02794
С	189	HIS	-	expression tag	UNP P02794
С	190	HIS	-	expression tag	UNP P02794
D	63	MHS	ARG	engineered mutation	UNP P02794
D	183	LEU	-	expression tag	UNP P02794
D	184	GLU	-	expression tag	UNP P02794
D	185	HIS	-	expression tag	UNP P02794
D	186	HIS	-	expression tag	UNP P02794
D	187	HIS	ı	expression tag	UNP P02794
D	188	HIS	I	expression tag	UNP P02794
D	189	HIS	-	expression tag	UNP P02794
D	190	HIS	-	expression tag	UNP P02794
Е	63	MHS	ARG	engineered mutation	UNP P02794
Е	183	LEU	-	expression tag	UNP P02794
Е	184	GLU	-	expression tag	UNP P02794
Е	185	HIS	-	expression tag	UNP P02794
Е	186	HIS	-	expression tag	UNP P02794
Е	187	HIS	-	expression tag	UNP P02794
Е	188	HIS	-	expression tag	UNP P02794
Е	189	HIS	_	expression tag	UNP P02794
Е	190	HIS	-	expression tag	UNP P02794
F	63	MHS	ARG	engineered mutation	UNP P02794
F	183	LEU	-	expression tag	UNP P02794



Continued from previous page...

Chain	Residue	Modelled Modelled	Actual	Comment	Reference
F	184	GLU	-	expression tag	UNP P02794
F	185	HIS	-	expression tag	UNP P02794
F	186	HIS	-	expression tag	UNP P02794
F	187	HIS	-	expression tag	UNP P02794
F	188	HIS	-	expression tag	UNP P02794
F	189	HIS	-	expression tag	UNP P02794
F	190	HIS	-	expression tag	UNP P02794
G	63	MHS	ARG	engineered mutation	UNP P02794
G	183	LEU	-	expression tag	UNP P02794
G	184	GLU	-	expression tag	UNP P02794
G	185	HIS	-	expression tag	UNP P02794
G	186	HIS	-	expression tag	UNP P02794
G	187	HIS	-	expression tag	UNP P02794
G	188	HIS	_	expression tag	UNP P02794
G	189	HIS	-	expression tag	UNP P02794
G	190	HIS	-	expression tag	UNP P02794
Н	63	MHS	ARG	engineered mutation	UNP P02794
Н	183	LEU	-	expression tag	UNP P02794
Н	184	GLU	-	expression tag	UNP P02794
Н	185	HIS	-	expression tag	UNP P02794
Н	186	HIS	-	expression tag	UNP P02794
Н	187	HIS	-	expression tag	UNP P02794
Н	188	HIS	-	expression tag	UNP P02794
Н	189	HIS	-	expression tag	UNP P02794
H	190	HIS	-	expression tag	UNP P02794
I	63	MHS	ARG	engineered mutation	UNP P02794
I	183	LEU	-	expression tag	UNP P02794
I	184	GLU	-	expression tag	UNP P02794
I	185	HIS	-	expression tag	UNP P02794
I	186	HIS	-	expression tag	UNP P02794
I	187	HIS	-	expression tag	UNP P02794
I	188	HIS	-	expression tag	UNP P02794
I	189	HIS	-	expression tag	UNP P02794
I	190	HIS	-	expression tag	UNP P02794
J	63	MHS	ARG	engineered mutation	UNP P02794
J	183	LEU	-	expression tag	UNP P02794
J	184	GLU	-	expression tag	UNP P02794
J	185	HIS	-	expression tag	UNP P02794
J	186	HIS	-	expression tag	UNP P02794
J	187	HIS	-	expression tag	UNP P02794
J	188	HIS	-	expression tag	UNP P02794
J	189	HIS	-	expression tag	UNP P02794



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
J	190	HIS	-	expression tag	UNP P02794
K	63	MHS	ARG	engineered mutation	UNP P02794
K	183	LEU	-	expression tag	UNP P02794
K	184	GLU	-	expression tag	UNP P02794
K	185	HIS	-	expression tag	UNP P02794
K	186	HIS	-	expression tag	UNP P02794
K	187	HIS	-	expression tag	UNP P02794
K	188	HIS	-	expression tag	UNP P02794
K	189	HIS	-	expression tag	UNP P02794
K	190	HIS	-	expression tag	UNP P02794
L	63	MHS	ARG	engineered mutation	UNP P02794
L	183	LEU	-	expression tag	UNP P02794
L	184	GLU	-	expression tag	UNP P02794
L	185	HIS	-	expression tag	UNP P02794
L	186	HIS	-	expression tag	UNP P02794
L	187	HIS	-	expression tag	UNP P02794
L	188	HIS	-	expression tag	UNP P02794
L	189	HIS	-	expression tag	UNP P02794
L	190	HIS	-	expression tag	UNP P02794

• Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	3	Total Na 3 3	0	0
2	В	2	Total Na 2 2	0	0
2	С	3	Total Na 3 3	0	0
2	D	2	Total Na 2 2	0	0
2	E	1	Total Na 1 1	0	0
2	F	1	Total Na 1 1	0	0
2	G	1	Total Na 1 1	0	0
2	Н	1	Total Na 1 1	0	0
2	I	1	Total Na 1 1	0	0
2	J	1	Total Na 1 1	0	0



 $Continued\ from\ previous\ page...$

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	K	1	Total Na 1 1	0	0
2	L	1	Total Na 1 1	0	0

 \bullet Molecule 3 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: $\mathrm{C_{12}H_{26}O_{7}}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 9 6 3	0	0
3	D	1	Total C O 17 11 6	0	0
3	G	1	Total C O 10 6 4	0	0
3	Н	1	Total C O 10 6 4	0	0
3	I	1	Total C O 7 4 3	0	0
3	J	1	Total C O 19 12 7	0	0
3	K	1	Total C O 16 10 6	0	0

• Molecule 4 is water.




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf		
4	A	168	Total O	0	0		
4	A	100	168 168	U	0		
4	В	B	R	142	Total O	0	0
4	Б	142	142 142	U	U		
4	$^{\rm C}$	168	Total O	0	0		
	C	100	168 168	Ů	U		
4	D	154	Total O	0	0		
	D	104	154 154	Ů	U		
4	E	164	Total O	0	0		
1	L	101	164 164	Ŭ	Ü		
4	\mathbf{F}	182	Total O	0	0		
	-	102	182 182	Ŭ	0		
4	G	157	Total O	0	0		
		131	157 157		0		
4	Н	182	Total O	0	0		
		102	182 182	<u> </u>	Ů		
4	I	182	Total O	0	0		
		_	182 182		_		
4	J	166	Total O	0	0		
	-		166 166		_		
4	K	163	Total O	0	0		
			163 163				
4	L	175	Total O	0	0		
			175 175				



3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Ferritin heavy chain



• Molecule 1: Ferritin heavy chain







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants	219.17Å 219.17Å 147.91Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.89 - 2.28	Depositor
resolution (A)	29.89 - 2.28	EDS
% Data completeness	93.6 (29.89-2.28)	Depositor
(in resolution range)	93.7 (29.89-2.28)	EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	3.10 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.239 , 0.272	Depositor
it, it free	0.239 , 0.275	DCC
R_{free} test set	160818 reflections $(1.30%)$	wwPDB-VP
Wilson B-factor (A^2)	37.4	Xtriage
Anisotropy	0.111	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.35, 54.5	EDS
L-test for twinning ²	$ < L > = 0.50, < L^2> = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	19201	wwPDB-VP
Average B, all atoms $(Å^2)$	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 51.73 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.3811e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MHS, P6G, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond	angles
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.27	0/1436	0.45	0/1933
1	В	0.27	0/1436	0.45	0/1933
1	С	0.28	0/1436	0.46	0/1933
1	D	0.27	0/1436	0.46	0/1933
1	Е	0.27	0/1444	0.44	0/1944
1	F	0.27	0/1444	0.44	0/1944
1	G	0.26	0/1444	0.44	0/1944
1	Н	0.28	0/1444	0.46	0/1944
1	I	0.27	0/1444	0.46	0/1944
1	J	0.28	0/1444	0.46	0/1944
1	K	0.27	0/1444	0.46	0/1944
1	L	0.28	0/1444	0.46	0/1944
All	All	0.27	0/17296	0.45	0/23284

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1419	0	1357	9	0



 $Continued\ from\ previous\ page...$

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	1419	0	1355	8	0
1	С	1419	0	1357	6	0
1	D	1419	0	1357	6	0
1	Е	1427	0	1361	5	0
1	F	1427	0	1361	5	0
1	G	1427	0	1361	3	0
1	Н	1427	0	1361	2	0
1	I	1427	0	1361	9	0
1	J	1427	0	1361	6	0
1	K	1427	0	1361	5	0
1	L	1427	0	1361	8	0
2	A	3	0	0	0	0
2	В	2	0	0	0	0
2	С	3	0	0	0	0
2	D	2	0	0	0	0
2	Е	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	Н	1	0	0	0	0
2	I	1	0	0	0	0
2	J	1	0	0	0	0
2	K	1	0	0	0	0
2	L	1	0	0	0	0
3	A	9	0	11	3	0
3	D	17	0	21	5	0
3	G	10	0	13	3	0
3	Н	10	0	13	1	0
3	I	7	0	9	4	0
3	J	19	0	26	4	0
3	K	16	0	21	7	0
4	A	168	0	0	2	0
4	В	142	0	0	1	0
4	С	168	0	0	1	0
4	D	154	0	0	1	0
4	Е	164	0	0	1	0
4	F	182	0	0	2	0
4	G	157	0	0	1	0
4	H	182	0	0	0	0
4	I	182	0	0	2	0
4	J	166	0	0	3	0
4	K	163	0	0	1	0
4	L	175	0	0	3	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	19201	0	16428	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 71 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$egin{aligned} ext{Clash} \ ext{overlap } (ext{Å}) \end{aligned}$
3:D:203:P6G:H181	1:L:60:HIS:HD2	1.49	0.77
1:D:172:LYS:NZ	4:D:301:HOH:O	2.20	0.75
1:B:63:MHS:HM1	3:K:202:P6G:O7	1.90	0.71
1:E:101:GLU:OE2	1:E:156:ARG:NH2	2.25	0.70
1:G:49:LYS:NZ	4:G:301:HOH:O	2.27	0.67

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	$170/191\ (89\%)$	167 (98%)	3 (2%)	0	100	100
1	В	170/191 (89%)	167 (98%)	3 (2%)	0	100	100
1	С	170/191 (89%)	167 (98%)	3 (2%)	0	100	100
1	D	170/191 (89%)	167 (98%)	3 (2%)	0	100	100
1	E	171/191 (90%)	168 (98%)	3 (2%)	0	100	100
1	F	171/191 (90%)	168 (98%)	3 (2%)	0	100	100
1	G	171/191 (90%)	168 (98%)	3 (2%)	0	100	100
1	Н	171/191 (90%)	168 (98%)	3 (2%)	0	100	100
1	I	171/191 (90%)	168 (98%)	3 (2%)	0	100	100



I 'omtamalod	trom	mmonia	maaa
Continued	110116	DICUIUUS	Dage
	.,	10	1

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	J	171/191 (90%)	168 (98%)	3 (2%)	0	100	100
1	K	171/191 (90%)	168 (98%)	3 (2%)	0	100	100
1	L	171/191 (90%)	168 (98%)	3 (2%)	0	100	100
All	All	2048/2292 (89%)	2012 (98%)	36 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	153/170 (90%)	149 (97%)	4 (3%)	41 56
1	В	153/170 (90%)	151 (99%)	2 (1%)	65 77
1	С	153/170 (90%)	152 (99%)	1 (1%)	81 89
1	D	153/170 (90%)	152 (99%)	1 (1%)	81 89
1	E	154/170 (91%)	151 (98%)	3 (2%)	52 67
1	F	154/170 (91%)	150 (97%)	4 (3%)	41 56
1	G	154/170 (91%)	149 (97%)	5 (3%)	34 47
1	Н	154/170 (91%)	151 (98%)	3 (2%)	52 67
1	I	154/170 (91%)	152 (99%)	2 (1%)	65 77
1	J	154/170 (91%)	153 (99%)	1 (1%)	84 91
1	K	154/170 (91%)	152 (99%)	2 (1%)	65 77
1	L	154/170 (91%)	153 (99%)	1 (1%)	84 91
All	All	1844/2040 (90%)	1815 (98%)	29 (2%)	58 72

5 of 29 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	177	ASP
1	K	61	GLU



Continued from previous page...

Mol	Chain	Res	Type
1	G	49	LYS
1	I	177	ASP
1	G	32	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	25	ASN
1	I	60	HIS
1	J	60	HIS
1	K	60	HIS
1	L	60	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

12 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	В	Bond lengths			Bond angles		
MIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
1	MHS	G	63	1	7,11,12	0.62	0	6,14,16	4.64	4 (66%)	
1	MHS	K	63	1	7,11,12	0.64	0	6,14,16	1.87	3 (50%)	
1	MHS	A	63	1	7,11,12	0.79	0	6,14,16	2.72	3 (50%)	
1	MHS	L	63	1	7,11,12	0.85	0	6,14,16	3.84	3 (50%)	
1	MHS	I	63	1	7,11,12	0.87	0	6,14,16	2.33	4 (66%)	
1	MHS	Н	63	1	7,11,12	0.80	0	6,14,16	3.60	3 (50%)	
1	MHS	F	63	1	7,11,12	0.87	0	6,14,16	1.91	3 (50%)	
1	MHS	J	63	1	7,11,12	0.74	0	6,14,16	2.90	3 (50%)	



Mol	Tuno	Chain	Res	Link	В	Bond lengths			Bond angles		
IVIOI	Type	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
1	MHS	D	63	1	7,11,12	0.83	0	6,14,16	2.58	3 (50%)	
1	MHS	В	63	1	7,11,12	2.48	1 (14%)	6,14,16	14.90	3 (50%)	
1	MHS	Е	63	1	7,11,12	0.71	0	6,14,16	2.09	3 (50%)	
1	MHS	С	63	1	7,11,12	0.62	0	6,14,16	1.74	2 (33%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	MHS	G	63	1	-	0/5/6/8	0/1/1/1
1	MHS	K	63	1	-	0/5/6/8	0/1/1/1
1	MHS	A	63	1	-	0/5/6/8	0/1/1/1
1	MHS	L	63	1	-	0/5/6/8	0/1/1/1
1	MHS	I	63	1	-	0/5/6/8	0/1/1/1
1	MHS	Н	63	1	-	0/5/6/8	0/1/1/1
1	MHS	F	63	1	-	0/5/6/8	0/1/1/1
1	MHS	J	63	1	-	0/5/6/8	0/1/1/1
1	MHS	D	63	1	-	0/5/6/8	0/1/1/1
1	MHS	В	63	1	-	2/5/6/8	0/1/1/1
1	MHS	E	63	1		0/5/6/8	0/1/1/1
1	MHS	С	63	1	-	2/5/6/8	0/1/1/1

All (1) bond length outliers are listed below:

\mathbf{Mol}	Chain	Res	Type	${f Atoms}$	\mathbf{Z}	$\operatorname{Observed}(\operatorname{\AA})$	$[Ideal(\AA)]$
1	В	63	MHS	CM-ND1	-6.30	1.33	1.47

The worst 5 of 37 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	${f Z}$	$Observed(^o)$	$\operatorname{Ideal}(^{o})$
1	В	63	MHS	CM-ND1-CG	-35.85	76.77	124.44
1	G	63	MHS	CM-ND1-CG	10.23	138.04	124.44
1	L	63	MHS	CM-ND1-CG	-8.74	112.83	124.44
1	Н	63	MHS	CM-ND1-CG	-8.13	113.63	124.44
1	J	63	MHS	CM-ND1-CG	-6.19	116.21	124.44

There are no chirality outliers.

All (4) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
1	В	63	MHS	O-C-CA-CB
1	В	63	MHS	CA-CB-CG-CD2
1	С	63	MHS	CA-CB-CG-CD2
1	С	63	MHS	CA-CB-CG-ND1

There are no ring outliers.

9 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	G	63	MHS	1	0
1	K	63	MHS	1	0
1	A	63	MHS	2	0
1	L	63	MHS	2	0
1	I	63	MHS	3	0
1	F	63	MHS	1	0
1	В	63	MHS	5	0
1	Е	63	MHS	2	0
1	С	63	MHS	2	0

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 25 ligands modelled in this entry, 18 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bo	Bond lengths			Bond angles		
IVIOI	Type	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
3	P6G	D	203	-	16,16,18	0.16	0	15,15,17	0.11	0	
3	P6G	Н	202	-	9,9,18	0.08	0	8,8,17	0.16	0	
3	P6G	A	204	-	8,8,18	0.14	0	7,7,17	0.15	0	
3	P6G	K	202	-	15,15,18	0.11	0	14,14,17	0.14	0	
3	P6G	I	202	-	6,6,18	0.08	0	5,5,17	0.11	0	
3	P6G	G	201	-	9,9,18	0.08	0	8,8,17	0.15	0	



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
IVIOI	туре	Chain	rtes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
3	P6G	J	202	-	18,18,18	0.13	0	17,17,17	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	P6G	D	203	-	-	7/14/14/16	-
3	P6G	Н	202	-	-	0/7/7/16	-
3	P6G	A	204	-	-	4/6/6/16	-
3	P6G	K	202	-	-	3/13/13/16	-
3	P6G	I	202	-	-	1/4/4/16	-
3	P6G	G	201	-	-	2/7/7/16	-
3	P6G	J	202	_	-	9/16/16/16	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 26 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	J	202	P6G	O16-C17-C18-O19
3	D	203	P6G	C14-C15-O16-C17
3	D	203	P6G	C11-C12-O13-C14
3	J	202	P6G	C14-C15-O16-C17
3	D	203	P6G	O4-C5-C6-O7


There are no ring outliers.

7 monomers are involved in 27 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	203	P6G	5	0
3	Н	202	P6G	1	0
3	A	204	P6G	3	0
3	K	202	P6G	7	0
3	I	202	P6G	4	0
3	G	201	P6G	3	0
3	J	202	P6G	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\#\mathrm{RSRZ}{>}2$	$OWAB(Å^2)$	Q<0.9
1	A	172/191 (90%)	0.70	10 (5%) 30 31	31, 38, 55, 79	0
1	В	172/191 (90%)	0.58	8 (4%) 37 38	32, 37, 55, 89	0
1	С	172/191 (90%)	0.61	9 (5%) 34 35	31, 38, 56, 79	0
1	D	172/191 (90%)	0.55	10 (5%) 30 31	30, 38, 55, 91	0
1	Е	173/191 (90%)	0.34	7 (4%) 43 44	30, 37, 56, 83	0
1	F	173/191 (90%)	0.45	10 (5%) 30 31	30, 37, 55, 82	0
1	G	173/191 (90%)	0.41	4 (2%) 61 62	31, 37, 56, 89	0
1	Н	173/191 (90%)	0.51	12 (6%) 24 25	30, 37, 58, 89	0
1	I	173/191 (90%)	0.58	8 (4%) 38 39	29, 37, 56, 90	0
1	J	173/191 (90%)	0.51	8 (4%) 38 39	29, 37, 57, 86	0
1	K	173/191 (90%)	0.48	6 (3%) 47 49	29, 37, 58, 87	0
1	L	173/191 (90%)	0.42	9 (5%) 34 35	29, 37, 57, 83	0
All	All	2072/2292 (90%)	0.51	101 (4%) 36 37	29, 37, 57, 91	0

The worst 5 of 101 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	14	GLN	4.5
1	Ε	4	SER	4.4
1	Н	94	GLU	4.4
1	F	4	SER	4.2
1	A	4	SER	4.2

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,



median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathbf{A}}^2)$	Q < 0.9
1	MHS	В	63	11/12	0.73	0.25	36,47,69,71	0
1	MHS	D	63	11/12	0.82	0.14	36,47,65,67	0
1	MHS	С	63	11/12	0.83	0.14	36,47,63,69	0
1	MHS	G	63	11/12	0.83	0.15	36,42,54,71	0
1	MHS	F	63	11/12	0.84	0.14	38,42,54,57	0
1	MHS	Е	63	11/12	0.85	0.13	39,43,53,57	0
1	MHS	I	63	11/12	0.85	0.14	35,40,51,51	0
1	MHS	Н	63	11/12	0.88	0.14	36,42,55,64	0
1	MHS	A	63	11/12	0.88	0.16	36,42,58,62	0
1	MHS	J	63	11/12	0.88	0.12	35,43,54,59	0
1	MHS	L	63	11/12	0.88	0.13	40,47,62,67	0
1	MHS	K	63	11/12	0.89	0.14	38,41,60,60	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
3	P6G	I	202	7/19	0.67	0.19	60,63,67,70	0
3	P6G	J	202	19/19	0.74	0.20	44,58,68,69	0
2	NA	D	201	1/1	0.75	0.13	48,48,48,48	0
3	P6G	D	203	17/19	0.76	0.20	38,56,69,70	0
3	P6G	K	202	16/19	0.76	0.21	43,57,72,74	0
2	NA	С	203	1/1	0.80	0.16	63,63,63,63	0
2	NA	A	202	1/1	0.80	0.20	63,63,63,63	0
2	NA	С	201	1/1	0.81	0.08	55,55,55,55	0
2	NA	A	203	1/1	0.82	0.14	55,55,55,55	0
2	NA	С	202	1/1	0.82	0.17	58,58,58,58	0
3	P6G	A	204	9/19	0.84	0.19	41,47,52,53	0
2	NA	В	202	1/1	0.84	0.15	55,55,55,55	0
3	P6G	G	201	10/19	0.84	0.20	46,52,60,61	0
2	NA	K	201	1/1	0.85	0.14	52,52,52,52	0




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
3	P6G	Н	202	10/19	0.86	0.18	43,53,58,61	0
2	NA	A	201	1/1	0.88	0.23	54,54,54,54	0
2	NA	D	202	1/1	0.89	0.09	50,50,50,50	0
2	NA	G	202	1/1	0.91	0.16	46,46,46,46	0
2	NA	В	201	1/1	0.92	0.09	43,43,43,43	0
2	NA	J	201	1/1	0.92	0.10	51,51,51,51	0
2	NA	F	201	1/1	0.94	0.09	48,48,48,48	0
2	NA	Н	201	1/1	0.95	0.07	47,47,47,47	0
2	NA	L	201	1/1	0.95	0.12	49,49,49,49	0
2	NA	Ε	201	1/1	0.95	0.07	46,46,46,46	0
2	NA	Ī	201	1/1	0.96	0.06	58,58,58,58	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


























6.5 Other polymers (i)

There are no such residues in this entry.

