



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 15, 2023 – 10:08 PM JST

PDB ID : 6K0R
Title : Ruvbl1-Ruvbl2 with truncated domain II in complex with phosphorylated Cordycepin
Authors : Zhang, W.; Chen, L.; Li, W.; Ju, D.; Huang, N.; Zhang, E.
Deposited on : 2019-05-07
Resolution : 2.50 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	355	 3% 75% 13% • 11%
1	B	355	 5% 74% 15% • 10%
1	C	355	 5% 74% 14% 12%
1	G	355	 6% 80% 7% • 12%
1	H	355	 8% 79% 10% • 10%
1	I	355	 6% 75% 12% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	366	
2	E	366	
2	F	366	
2	J	366	
2	K	366	
2	L	366	

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 27180 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RuvB-like 1,RuvB-like 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	316	2286	1437	393	445	11	0	0	0
1	B	318	2292	1445	387	449	11	0	0	0
1	C	313	2320	1462	407	440	11	0	0	0
1	G	311	2211	1394	382	425	10	0	0	0
1	H	318	2338	1474	407	446	11	0	0	0
1	I	313	2273	1431	388	443	11	0	0	0

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP Q9Y265
A	0	PRO	-	expression tag	UNP Q9Y265
A	1	SER	-	expression tag	UNP Q9Y265
A	230	GLY	-	linker	UNP Q9Y265
A	231	PRO	-	linker	UNP Q9Y265
A	232	PRO	-	linker	UNP Q9Y265
A	233	GLY	-	linker	UNP Q9Y265
B	-1	GLY	-	expression tag	UNP Q9Y265
B	0	PRO	-	expression tag	UNP Q9Y265
B	1	SER	-	expression tag	UNP Q9Y265
B	230	GLY	-	linker	UNP Q9Y265
B	231	PRO	-	linker	UNP Q9Y265
B	232	PRO	-	linker	UNP Q9Y265
B	233	GLY	-	linker	UNP Q9Y265
C	-1	GLY	-	expression tag	UNP Q9Y265
C	0	PRO	-	expression tag	UNP Q9Y265
C	1	SER	-	expression tag	UNP Q9Y265

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	230	GLY	-	linker	UNP Q9Y265
C	231	PRO	-	linker	UNP Q9Y265
C	232	PRO	-	linker	UNP Q9Y265
C	233	GLY	-	linker	UNP Q9Y265
G	-1	GLY	-	expression tag	UNP Q9Y265
G	0	PRO	-	expression tag	UNP Q9Y265
G	1	SER	-	expression tag	UNP Q9Y265
G	230	GLY	-	linker	UNP Q9Y265
G	231	PRO	-	linker	UNP Q9Y265
G	232	PRO	-	linker	UNP Q9Y265
G	233	GLY	-	linker	UNP Q9Y265
H	-1	GLY	-	expression tag	UNP Q9Y265
H	0	PRO	-	expression tag	UNP Q9Y265
H	1	SER	-	expression tag	UNP Q9Y265
H	230	GLY	-	linker	UNP Q9Y265
H	231	PRO	-	linker	UNP Q9Y265
H	232	PRO	-	linker	UNP Q9Y265
H	233	GLY	-	linker	UNP Q9Y265
I	-1	GLY	-	expression tag	UNP Q9Y265
I	0	PRO	-	expression tag	UNP Q9Y265
I	1	SER	-	expression tag	UNP Q9Y265
I	230	GLY	-	linker	UNP Q9Y265
I	231	PRO	-	linker	UNP Q9Y265
I	232	PRO	-	linker	UNP Q9Y265
I	233	GLY	-	linker	UNP Q9Y265

- Molecule 2 is a protein called RuvB-like 2,RuvB-like 2.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	303	2197	1382	379	425	11	0	0	0
2	E	304	2224	1395	388	430	11	0	0	0
2	F	307	2278	1429	404	433	12	0	0	0
2	J	302	2151	1347	382	410	12	0	0	0
2	K	300	2161	1352	379	418	12	0	0	0
2	L	300	2129	1338	372	409	10	0	0	0

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	GLY	-	expression tag	UNP Q9Y230
D	-1	GLY	-	expression tag	UNP Q9Y230
D	0	SER	-	expression tag	UNP Q9Y230
D	234	GLY	-	linker	UNP Q9Y230
D	235	PRO	-	linker	UNP Q9Y230
D	236	PRO	-	linker	UNP Q9Y230
D	237	GLY	-	linker	UNP Q9Y230
E	-2	GLY	-	expression tag	UNP Q9Y230
E	-1	GLY	-	expression tag	UNP Q9Y230
E	0	SER	-	expression tag	UNP Q9Y230
E	234	GLY	-	linker	UNP Q9Y230
E	235	PRO	-	linker	UNP Q9Y230
E	236	PRO	-	linker	UNP Q9Y230
E	237	GLY	-	linker	UNP Q9Y230
F	-2	GLY	-	expression tag	UNP Q9Y230
F	-1	GLY	-	expression tag	UNP Q9Y230
F	0	SER	-	expression tag	UNP Q9Y230
F	234	GLY	-	linker	UNP Q9Y230
F	235	PRO	-	linker	UNP Q9Y230
F	236	PRO	-	linker	UNP Q9Y230
F	237	GLY	-	linker	UNP Q9Y230
J	-2	GLY	-	expression tag	UNP Q9Y230
J	-1	GLY	-	expression tag	UNP Q9Y230
J	0	SER	-	expression tag	UNP Q9Y230
J	234	GLY	-	linker	UNP Q9Y230
J	235	PRO	-	linker	UNP Q9Y230
J	236	PRO	-	linker	UNP Q9Y230
J	237	GLY	-	linker	UNP Q9Y230
K	-2	GLY	-	expression tag	UNP Q9Y230
K	-1	GLY	-	expression tag	UNP Q9Y230
K	0	SER	-	expression tag	UNP Q9Y230
K	234	GLY	-	linker	UNP Q9Y230
K	235	PRO	-	linker	UNP Q9Y230
K	236	PRO	-	linker	UNP Q9Y230
K	237	GLY	-	linker	UNP Q9Y230
L	-2	GLY	-	expression tag	UNP Q9Y230
L	-1	GLY	-	expression tag	UNP Q9Y230
L	0	SER	-	expression tag	UNP Q9Y230
L	234	GLY	-	linker	UNP Q9Y230
L	235	PRO	-	linker	UNP Q9Y230
L	236	PRO	-	linker	UNP Q9Y230
L	237	GLY	-	linker	UNP Q9Y230


- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:

C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
3	A	1	27	10	5	10	2	0	0

- Molecule 4 is [(2 {S},4 {R},5 {R})-5-(6-aminopurin-9-yl)-4-oxidanyl-oxolan-2-yl]methyl phosphono hydrogen phosphate (three-letter code: CUU) (formula: C₁₀H₁₅N₅O₉P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
4	B	1	26	10	5	9	2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	C	1	Total	C	N	O	P	0	0
			26	10	5	9	2		
4	D	1	Total	C	N	O	P	0	0
			26	10	5	9	2		
4	F	1	Total	C	N	O	P	0	0
			26	10	5	9	2		
4	G	1	Total	C	N	O	P	0	0
			26	10	5	9	2		
4	H	1	Total	C	N	O	P	0	0
			26	10	5	9	2		
4	I	1	Total	C	N	O	P	0	0
			26	10	5	9	2		
4	K	1	Total	C	N	O	P	0	0
			26	10	5	9	2		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	1	Total	Mg	0	0
			1	1		
5	L	1	Total	Mg	0	0
			1	1		

- Molecule 6 is 3'-DEOXYADENOSINE-5'-TRIPHOSPHATE (three-letter code: 3AT) (formula: C₁₀H₁₆N₅O₁₂P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	E	1	Total	C	N	O	P	0	0
			30	10	5	12	3		
6	J	1	Total	C	N	O	P	0	0
			30	10	5	12	3		

- Molecule 7 is [(2 {R},3 {S},4 {S})-3,4-bis(oxidanyl)oxolan-2-yl]methyl phosphono hydrogen phosphate (three-letter code: CU0) (formula: C₅H₁₂O₁₀P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	L	1	Total	C	O	P	0	0
			17	5	10	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	O	0	0
			1	1		
8	E	2	Total	O	0	0
			2	2		
8	F	2	Total	O	0	0
			2	2		
8	J	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: RuvB-like 1,RuvB-like 1




- Molecule 1: RuvB-like 1,RuvB-like 1







- Molecule 1: RuvB-like 1,RuvB-like 1










● Molecule 1: RuvB-like 1,RuvB-like 1




● Molecule 1: RuvB-like 1,RuvB-like 1




● Molecule 1: RuvB-like 1,RuvB-like 1




• Molecule 2: RuvB-like 2,RuvB-like 2




• Molecule 2: RuvB-like 2,RuvB-like 2




• Molecule 2: RuvB-like 2,RuvB-like 2







● Molecule 2: RuvB-like 2,RuvB-like 2




● Molecule 2: RuvB-like 2,RuvB-like 2



● Molecule 2: RuvB-like 2,RuvB-like 2





4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	110.30Å 186.42Å 235.18Å 90.00° 91.04° 90.00°	Depositor
Resolution (Å)	49.72 – 2.50 49.72 – 2.50	Depositor EDS
% Data completeness (in resolution range)	55.7 (49.72-2.50) 55.7 (49.72-2.50)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.67 (at 2.51Å)	Xtrriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.228 , 0.269 0.241 , 0.242	Depositor DCC
R_{free} test set	4736 reflections (5.21%)	wwPDB-VP
Wilson B-factor (Å ²)	61.1	Xtrriage
Anisotropy	0.277	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 48.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	0.044 for -1/2*h+1/2*k,3/2*h+1/2*k,-l 0.044 for -1/2*h-1/2*k,-3/2*h+1/2*k,-l 0.044 for 1/2*h+1/2*k,3/2*h-1/2*k,-l 0.038 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.219 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	27180	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CU0, ADP, CUU, MG, 3AT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/2312	0.62	0/3143
1	B	0.42	0/2318	0.61	0/3151
1	C	0.41	0/2345	0.60	0/3172
1	G	0.42	0/2234	0.62	0/3039
1	H	0.42	0/2365	0.63	0/3208
1	I	0.41	0/2298	0.60	0/3119
2	D	0.41	0/2224	0.61	0/3023
2	E	0.41	0/2249	0.63	0/3050
2	F	0.41	0/2304	0.60	0/3118
2	J	0.42	0/2174	0.62	0/2947
2	K	0.41	0/2182	0.64	0/2959
2	L	0.41	0/2154	0.61	0/2927
All	All	0.41	0/27159	0.62	0/36856

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2286	0	2226	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2292	0	2245	22	0
1	C	2320	0	2342	24	0
1	G	2211	0	2137	9	0
1	H	2338	0	2339	14	0
1	I	2273	0	2244	19	0
2	D	2197	0	2111	25	0
2	E	2224	0	2159	24	0
2	F	2278	0	2233	31	0
2	J	2151	0	2045	17	0
2	K	2161	0	2095	23	0
2	L	2129	0	2013	19	0
3	A	27	0	12	0	0
4	B	26	0	0	0	0
4	C	26	0	0	0	0
4	D	26	0	0	0	0
4	F	26	0	0	3	0
4	G	26	0	0	0	0
4	H	26	0	0	0	0
4	I	26	0	0	0	0
4	K	26	0	0	1	0
5	D	1	0	0	0	0
5	L	1	0	0	0	0
6	E	30	0	12	0	0
6	J	30	0	12	0	0
7	L	17	0	0	2	0
8	A	1	0	0	0	0
8	E	2	0	0	0	0
8	F	2	0	0	0	0
8	J	1	0	0	0	0
All	All	27180	0	26225	225	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (225) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:382:MET:HB3	2:D:421:VAL:HB	1.59	0.85
2:D:94:LEU:HD23	2:D:98:THR:HG21	1.61	0.83
1:G:362:ARG:HB2	2:K:434:LEU:HD11	1.65	0.79
1:C:9:THR:HG21	1:C:245:VAL:HG21	1.68	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:84:THR:HB	7:L:501:CU0:O1A	1.88	0.73
2:E:371:LEU:HD12	2:E:391:THR:HG22	1.73	0.69
2:L:32:GLY:HA2	2:L:44:GLN:HB2	1.75	0.69
2:K:295:VAL:HG22	2:K:323:VAL:HG13	1.77	0.67
1:B:54:GLU:HG3	2:F:411:LEU:HD23	1.78	0.66
2:D:334:ARG:HA	2:D:341:GLN:HA	1.78	0.65
2:L:344:HIS:HB2	2:L:346:ILE:HD12	1.78	0.65
2:D:94:LEU:CD2	2:D:98:THR:HG21	2.27	0.64
2:E:130:ARG:HB3	2:E:241:THR:HG22	1.80	0.64
1:B:54:GLU:HG3	2:F:411:LEU:CD2	2.29	0.63
2:J:382:MET:HA	2:J:420:GLU:HB2	1.80	0.63
1:I:42:GLN:HG3	1:I:45:ALA:HB3	1.81	0.63
1:C:121:GLY:HA2	1:C:239:THR:HA	1.83	0.60
2:L:370:ILE:O	2:L:373:ILE:HG22	2.01	0.60
2:F:382:MET:HG3	2:F:421:VAL:HB	1.82	0.60
2:L:82:GLY:HA2	7:L:501:CU0:O2A	2.02	0.59
1:C:286:TYR:HB3	1:C:292:ALA:HB3	1.84	0.59
2:E:382:MET:HG3	2:E:421:VAL:HB	1.84	0.59
2:K:328:THR:HG21	2:K:344:HIS:HB3	1.84	0.59
1:G:67:LEU:HD23	1:G:360:ILE:HG12	1.83	0.59
2:D:370:ILE:HG21	2:D:399:LEU:HD21	1.84	0.58
1:C:236:GLN:HE21	1:C:238:VAL:HG23	1.69	0.58
1:B:393:HIS:HD2	1:B:430:VAL:HG12	1.68	0.58
1:H:124:ILE:HG12	1:H:292:ALA:HB2	1.85	0.57
2:K:368:LYS:HA	2:K:391:THR:HG21	1.86	0.57
2:F:130:ARG:HG2	2:F:241:THR:HG22	1.85	0.57
2:J:371:LEU:HD12	2:J:391:THR:HG22	1.85	0.57
2:L:405:LEU:HD22	2:L:429:VAL:HG13	1.87	0.57
2:K:390:LEU:HD13	2:K:426:ILE:HD12	1.87	0.56
1:C:362:ARG:HB2	2:D:434:LEU:HD11	1.86	0.56
2:E:328:THR:HG21	2:E:344:HIS:HB3	1.86	0.56
1:A:42:GLN:HG3	1:A:45:ALA:HB3	1.88	0.56
2:F:334:ARG:HA	2:F:341:GLN:HA	1.88	0.55
1:H:104:THR:OG1	2:J:116:THR:HG23	2.06	0.55
2:F:405:LEU:HD22	2:F:429:VAL:HG13	1.88	0.55
1:H:356:ASP:HA	2:L:400:ARG:HD2	1.88	0.55
1:I:356:ASP:HA	2:J:400:ARG:HD2	1.88	0.54
2:J:351:LEU:HA	2:J:354:LEU:HD12	1.89	0.54
1:H:107:LYS:HB3	1:H:109:THR:HG22	1.88	0.54
1:A:444:ALA:HB2	2:F:343:PRO:HB3	1.90	0.54
2:F:351:LEU:HA	2:F:354:LEU:HD12	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:372:LYS:HD3	1:I:392:ASN:HA	1.88	0.54
1:I:382:GLU:HB3	1:I:384:ILE:HD12	1.89	0.54
2:K:413:CYS:HG	2:K:418:GLY:N	2.06	0.53
1:A:122:LEU:HG	1:A:294:LEU:HA	1.90	0.53
2:F:25:HIS:CE1	4:F:501:CUU:C3'	2.91	0.53
2:F:301:VAL:HG12	2:F:328:THR:HB	1.91	0.53
2:F:59:VAL:HG11	2:F:73:VAL:HG21	1.91	0.53
1:H:341:THR:HB	1:H:344:ILE:HD12	1.91	0.53
2:F:370:ILE:HG21	2:F:399:LEU:HD21	1.91	0.53
2:F:328:THR:HG21	2:F:344:HIS:HB3	1.90	0.53
2:J:334:ARG:HA	2:J:341:GLN:HA	1.91	0.53
2:D:49:GLN:HG3	2:D:52:ALA:HB3	1.91	0.52
1:A:442:SER:O	1:A:446:ILE:HG12	2.09	0.52
1:B:55:LEU:HD22	1:B:60:LYS:HB2	1.92	0.52
1:B:55:LEU:HD23	2:F:411:LEU:HD22	1.90	0.52
1:H:362:ARG:HB2	2:L:434:LEU:HD11	1.90	0.52
1:I:442:SER:O	1:I:446:ILE:HG12	2.09	0.52
1:A:416:LEU:HD21	2:F:54:ARG:HH21	1.75	0.52
1:I:371:MET:HG2	1:I:403:LEU:HD13	1.90	0.52
1:A:371:MET:HG2	1:A:403:LEU:HD13	1.90	0.52
1:C:51:VAL:HG13	2:D:411:LEU:HD22	1.91	0.51
1:B:244:ASP:HA	1:B:279:ILE:HD13	1.93	0.51
2:E:71:ARG:NH2	2:E:355:LEU:HG	2.24	0.51
2:F:306:ILE:HG12	2:F:338:THR:HG23	1.92	0.51
2:E:368:LYS:HA	2:E:391:THR:HG21	1.92	0.51
1:H:302:ASP:HA	1:H:330:ALA:HB3	1.93	0.51
2:E:438:ARG:HA	2:E:441:GLN:HG2	1.92	0.51
2:D:305:ASP:HA	2:D:336:ARG:HB2	1.93	0.50
1:I:121:GLY:HA2	1:I:239:THR:HA	1.93	0.50
2:K:316:LEU:HD11	2:K:324:LEU:HD22	1.92	0.50
1:A:121:GLY:HA2	1:A:239:THR:HA	1.93	0.50
1:H:55:LEU:HB3	1:H:61:MET:HG2	1.94	0.50
1:H:101:VAL:HB	1:H:108:LYS:HG2	1.94	0.50
1:C:409:LEU:HD22	1:C:433:ILE:HG22	1.93	0.50
1:C:374:ILE:HG21	1:C:403:LEU:HD21	1.94	0.49
1:C:416:LEU:HD12	1:C:433:ILE:HG12	1.95	0.49
2:E:244:LEU:HA	2:E:247:ILE:HD12	1.94	0.49
1:B:417:ALA:HB1	1:B:422:LYS:HB2	1.94	0.49
2:F:368:LYS:HA	2:F:391:THR:HG21	1.95	0.49
2:F:374:ARG:HG3	2:F:403:ILE:HG12	1.95	0.49
1:C:66:VAL:HB	1:C:328:ILE:HG12	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:374:ILE:HG21	1:I:403:LEU:HD21	1.95	0.49
2:K:291:ILE:HG21	2:K:320:MET:HG2	1.95	0.49
2:D:405:LEU:HD22	2:D:429:VAL:HG13	1.94	0.48
1:B:47:GLU:HB3	2:F:428:ARG:HH22	1.79	0.48
2:L:370:ILE:HA	2:L:373:ILE:HG22	1.95	0.48
2:D:328:THR:HG21	2:D:344:HIS:HB3	1.95	0.48
2:E:59:VAL:HG11	2:E:73:VAL:HG21	1.96	0.48
1:I:389:GLU:HB3	1:I:427:LYS:HB2	1.96	0.48
2:L:328:THR:HG21	2:L:344:HIS:HB3	1.94	0.48
1:H:42:GLN:HG3	1:H:45:ALA:HB3	1.94	0.48
1:B:386:ILE:HA	1:B:425:ILE:H	1.78	0.48
1:I:393:HIS:O	1:I:397:ILE:HG12	2.13	0.48
1:C:372:LYS:HE2	1:C:392:ASN:HA	1.96	0.48
2:D:123:PHE:HE2	2:D:312:LEU:HD23	1.79	0.47
1:A:419:ILE:HG22	1:A:420:ASN:HD22	1.79	0.47
2:J:328:THR:HG21	2:J:344:HIS:HB3	1.96	0.47
1:H:409:LEU:HD22	1:H:433:ILE:HG22	1.96	0.47
2:L:334:ARG:HA	2:L:341:GLN:HA	1.94	0.47
1:B:338:ILE:HG21	1:B:351:PRO:HG3	1.97	0.47
1:B:442:SER:O	1:B:446:ILE:HG12	2.14	0.47
1:B:308:ASP:HA	1:B:339:ARG:HB3	1.97	0.47
2:E:128:GLY:HA2	2:E:243:SER:HA	1.96	0.47
1:B:321:SER:HB3	1:B:324:ALA:HB2	1.97	0.47
2:F:124:ARG:HD2	2:F:273:ARG:HD3	1.96	0.47
2:D:25:HIS:HA	2:D:27:HIS:CE1	2.50	0.47
1:B:67:LEU:HD23	1:B:360:ILE:HG12	1.97	0.47
1:G:310:GLU:HB3	2:K:111:LEU:HG	1.96	0.47
1:A:24:LEU:HD12	1:A:86:GLU:HG3	1.97	0.46
2:K:351:LEU:HA	2:K:354:LEU:HD12	1.97	0.46
2:K:334:ARG:HA	2:K:341:GLN:HA	1.96	0.46
2:D:47:VAL:HG11	2:D:369:GLN:HB2	1.98	0.46
2:J:73:VAL:HB	2:J:325:ILE:HG12	1.98	0.46
2:J:74:LEU:HB2	2:J:354:LEU:HD22	1.98	0.46
2:J:374:ARG:HA	2:J:374:ARG:HD2	1.74	0.46
1:C:298:VAL:HG13	1:C:328:ILE:HD12	1.98	0.46
2:K:309:PHE:HA	2:K:312:LEU:HD12	1.97	0.46
1:I:375:ILE:HG21	1:I:394:LEU:HD23	1.97	0.46
1:I:54:GLU:HB2	2:J:411:LEU:HD21	1.98	0.46
2:K:371:LEU:HD12	2:K:391:THR:HG22	1.97	0.46
1:I:369:GLN:HA	1:I:372:LYS:HE3	1.98	0.45
2:K:74:LEU:HD11	2:K:328:THR:HG22	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:92:PRO:HG3	1:H:121:GLY:N	2.30	0.45
2:J:119:LEU:HD11	2:J:308:SER:HB2	1.98	0.45
1:A:362:ARG:HB2	2:E:434:LEU:HD11	1.98	0.45
2:E:77:GLY:HA3	2:E:359:THR:OG1	2.16	0.45
2:E:390:LEU:HD13	2:E:426:ILE:HD12	1.99	0.45
1:B:299:LEU:HD23	1:B:327:VAL:HG22	1.98	0.45
2:E:49:GLN:HG3	2:E:52:ALA:HB3	1.99	0.45
2:K:99:PRO:HD2	2:K:294:GLY:HA3	1.99	0.45
2:L:244:LEU:HA	2:L:247:ILE:HD12	1.99	0.45
1:G:271:ILE:HA	1:G:275:LEU:HD13	1.99	0.45
2:D:244:LEU:HA	2:D:247:ILE:HD12	1.99	0.45
2:K:25:HIS:HE1	4:K:501:CUU:O1A	2.00	0.45
2:E:346:ILE:HG23	2:E:350:LEU:HD23	1.99	0.44
2:F:368:LYS:HA	2:F:391:THR:CG2	2.48	0.44
2:F:403:ILE:HA	2:F:406:ILE:HD12	1.98	0.44
1:H:20:HIS:HD1	1:H:20:HIS:H	1.64	0.44
1:B:447:LEU:HD11	2:D:76:ALA:HB1	1.98	0.44
1:B:53:VAL:HA	1:B:56:ILE:HD12	2.00	0.44
1:C:55:LEU:HG	2:D:411:LEU:HD13	2.00	0.44
2:D:295:VAL:HG13	2:D:325:ILE:HD12	1.98	0.44
2:K:389:VAL:HG21	2:K:423:VAL:HG13	1.99	0.44
1:A:312:PHE:HA	1:A:315:LEU:HD12	1.99	0.44
2:D:74:LEU:HD23	2:D:356:ILE:HG12	2.00	0.44
2:L:368:LYS:HE3	2:L:387:TYR:HB3	1.99	0.44
1:C:120:ILE:HB	1:C:240:LEU:HD12	1.99	0.44
1:A:65:ALA:HB3	1:A:358:VAL:HG22	2.00	0.44
2:E:297:PHE:HA	2:E:325:ILE:O	2.18	0.43
1:G:442:SER:O	1:G:446:ILE:HG12	2.17	0.43
1:G:372:LYS:HE2	1:G:392:ASN:HA	2.00	0.43
2:L:46:MET:H	2:L:46:MET:HG2	1.64	0.43
1:B:348:HIS:HB2	1:B:350:ILE:HD12	2.00	0.43
1:C:244:ASP:HA	1:C:279:ILE:HD13	2.00	0.43
1:A:97:VAL:HG13	1:A:303:GLU:HB2	2.00	0.43
2:F:49:GLN:HG3	2:F:52:ALA:HB3	1.99	0.43
2:L:416:ARG:HG2	2:L:417:LYS:H	1.84	0.43
1:B:71:PRO:HD2	1:B:74:THR:HG21	2.00	0.43
2:F:105:GLY:O	2:F:108:ILE:HG12	2.18	0.43
1:G:440:ALA:HB1	2:L:343:PRO:HG2	2.00	0.43
1:I:394:LEU:HG	1:I:406:SER:HB3	2.01	0.43
1:B:42:GLN:HG3	1:B:45:ALA:HB3	2.01	0.42
1:C:275:LEU:O	1:C:279:ILE:HD12	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:315:LEU:HD22	1:C:327:VAL:HG11	2.01	0.42
1:C:42:GLN:HG3	1:C:45:ALA:HB3	2.01	0.42
2:E:124:ARG:HH21	2:E:244:LEU:HD13	1.83	0.42
2:D:29:ARG:HA	2:D:92:GLN:HE21	1.84	0.42
2:E:248:ASP:HB3	2:E:268:ILE:HG21	2.00	0.42
2:F:82:GLY:HA2	4:F:501:CUU:O1A	2.20	0.42
1:H:416:LEU:HD12	1:H:433:ILE:HD11	2.00	0.42
2:F:27:HIS:CE1	4:F:501:CUU:O2'	2.72	0.42
2:E:334:ARG:HB3	2:E:341:GLN:HE21	1.85	0.42
2:J:390:LEU:HD13	2:J:426:ILE:HD12	2.02	0.42
2:K:130:ARG:HA	2:K:241:THR:HG22	2.00	0.42
2:L:373:ILE:O	2:L:377:GLU:HG2	2.20	0.42
1:B:375:ILE:HG23	1:B:410:LEU:HD11	2.02	0.42
2:E:387:TYR:O	2:E:391:THR:HG23	2.20	0.42
1:A:55:LEU:HB3	1:A:61:MET:HG2	2.01	0.42
2:D:372:ARG:HA	2:D:387:TYR:HE1	1.85	0.42
2:K:370:ILE:HG21	2:K:399:LEU:HD21	2.02	0.42
2:F:429:VAL:HA	2:F:432:LEU:HB2	2.02	0.41
1:I:241:HIS:HA	1:I:244:ASP:HB2	2.02	0.41
1:A:244:ASP:HA	1:A:279:ILE:HD13	2.02	0.41
1:C:107:LYS:O	1:C:111:VAL:HG23	2.20	0.41
2:E:72:ALA:HB3	2:E:354:LEU:HD23	2.01	0.41
2:J:77:GLY:HA3	2:J:359:THR:OG1	2.19	0.41
1:A:120:ILE:HB	1:A:240:LEU:HD12	2.02	0.41
1:C:65:ALA:HB3	1:C:358:VAL:HG22	2.00	0.41
2:F:389:VAL:HG21	2:F:423:VAL:HG13	2.01	0.41
1:I:71:PRO:HB3	2:J:446:TYR:CZ	2.56	0.41
1:C:67:LEU:HD23	1:C:360:ILE:HG12	2.01	0.41
1:G:34:GLN:HE21	1:G:373:GLN:HE22	1.67	0.41
2:E:351:LEU:HA	2:E:354:LEU:HD12	2.03	0.41
2:L:74:LEU:HB2	2:L:354:LEU:HD13	2.02	0.41
2:D:318:SER:HB3	2:D:321:ALA:HB2	2.02	0.41
2:F:409:ALA:HB2	2:F:429:VAL:HG11	2.03	0.41
2:K:438:ARG:HA	2:K:441:GLN:HG2	2.02	0.41
2:F:127:ILE:HB	2:F:244:LEU:HD12	2.03	0.41
1:C:92:PRO:HG3	1:C:121:GLY:N	2.35	0.41
2:E:316:LEU:HD11	2:E:324:LEU:HD22	2.02	0.41
2:K:99:PRO:HB2	2:K:126:SER:HA	2.02	0.41
2:D:306:ILE:HD12	2:D:307:GLU:HG3	2.02	0.41
1:G:308:ASP:HA	1:G:339:ARG:HB3	2.02	0.41
2:J:63:ILE:HG21	2:J:94:LEU:HD11	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:K:369:GLN:O	2:K:373:ILE:HG13	2.21	0.41
1:A:438:TYR:CE1	2:F:358:SER:HB2	2.56	0.40
2:E:348:ILE:HA	2:E:351:LEU:HD12	2.02	0.40
1:I:405:TYR:CE2	1:I:409:LEU:HD11	2.56	0.40
2:K:60:LEU:HA	2:K:63:ILE:HD12	2.03	0.40
2:L:346:ILE:HG23	2:L:350:LEU:HD23	2.04	0.40
1:B:56:ILE:HG12	1:B:326:ILE:HD13	2.03	0.40
1:A:247:ASN:HB2	1:A:279:ILE:HD11	2.03	0.40
1:C:54:GLU:HB2	2:D:411:LEU:HD21	2.03	0.40
1:C:307:LEU:HD22	1:C:311:CYS:HB3	2.04	0.40
2:D:28:ILE:HD12	2:D:46:MET:SD	2.62	0.40
1:I:115:ASN:HB3	1:I:299:LEU:HD11	2.04	0.40
1:A:407:VAL:O	1:A:410:LEU:HB2	2.20	0.40
1:A:53:VAL:HA	1:A:56:ILE:HD12	2.04	0.40
1:I:413:ALA:HA	1:I:433:ILE:HG13	2.02	0.40
2:J:29:ARG:HA	2:J:92:GLN:HE21	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	308/355 (87%)	288 (94%)	19 (6%)	1 (0%)	41	61
1	B	312/355 (88%)	301 (96%)	10 (3%)	1 (0%)	41	61
1	C	303/355 (85%)	289 (95%)	13 (4%)	1 (0%)	41	61
1	G	299/355 (84%)	283 (95%)	14 (5%)	2 (1%)	22	39
1	H	312/355 (88%)	291 (93%)	20 (6%)	1 (0%)	41	61
1	I	305/355 (86%)	295 (97%)	10 (3%)	0	100	100
2	D	297/366 (81%)	288 (97%)	9 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	E	296/366 (81%)	286 (97%)	10 (3%)	0	100	100
2	F	297/366 (81%)	293 (99%)	4 (1%)	0	100	100
2	J	290/366 (79%)	278 (96%)	10 (3%)	2 (1%)	22	39
2	K	290/366 (79%)	279 (96%)	11 (4%)	0	100	100
2	L	292/366 (80%)	280 (96%)	11 (4%)	1 (0%)	41	61
All	All	3601/4326 (83%)	3451 (96%)	141 (4%)	9 (0%)	47	68

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	401	THR
2	J	416	ARG
1	B	352	LEU
1	G	352	LEU
2	L	37	LEU
1	G	7	LYS
1	A	290	GLY
2	J	249	VAL
1	C	95	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/299 (78%)	214 (92%)	19 (8%)	11	22
1	B	234/299 (78%)	211 (90%)	23 (10%)	8	15
1	C	243/299 (81%)	232 (96%)	11 (4%)	27	51
1	G	219/299 (73%)	206 (94%)	13 (6%)	19	37
1	H	243/299 (81%)	229 (94%)	14 (6%)	20	38
1	I	235/299 (79%)	221 (94%)	14 (6%)	19	37
2	D	215/304 (71%)	201 (94%)	14 (6%)	17	33

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	E	221/304 (73%)	206 (93%)	15 (7%)	16	30
2	F	228/304 (75%)	207 (91%)	21 (9%)	9	18
2	J	203/304 (67%)	193 (95%)	10 (5%)	25	47
2	K	214/304 (70%)	196 (92%)	18 (8%)	11	21
2	L	200/304 (66%)	183 (92%)	17 (8%)	10	21
All	All	2688/3618 (74%)	2499 (93%)	189 (7%)	15	29

All (189) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	LEU
1	A	109	THR
1	A	122	LEU
1	A	238	VAL
1	A	275	LEU
1	A	288	ASP
1	A	310	GLU
1	A	311	CYS
1	A	331	SER
1	A	343	ASP
1	A	352	LEU
1	A	365	LEU
1	A	391	LEU
1	A	404	ARG
1	A	415	LEU
1	A	416	LEU
1	A	419	ILE
1	A	420	ASN
1	A	428	GLU
1	B	28	GLU
1	B	43	GLU
1	B	105	GLU
1	B	109	THR
1	B	112	LEU
1	B	116	PHE
1	B	118	ARG
1	B	235	ILE
1	B	237	ASP
1	B	271	ILE
1	B	308	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	326	ILE
1	B	333	ARG
1	B	352	LEU
1	B	358	VAL
1	B	359	MET
1	B	371	MET
1	B	381	THR
1	B	382	GLU
1	B	416	LEU
1	B	419	ILE
1	B	423	ASP
1	B	441	LYS
1	C	17	SER
1	C	104	THR
1	C	105	GLU
1	C	109	THR
1	C	247	ASN
1	C	345	THR
1	C	354	LEU
1	C	391	LEU
1	C	416	LEU
1	C	423	ASP
1	C	449	ASP
2	D	123	PHE
2	D	308	SER
2	D	326	MET
2	D	338	THR
2	D	376	GLU
2	D	385	ASP
2	D	391	THR
2	D	411	LEU
2	D	422	GLN
2	D	428	ARG
2	D	429	VAL
2	D	434	LEU
2	D	436	GLU
2	D	437	SER
2	E	34	ASP
2	E	35	ASP
2	E	94	LEU
2	E	112	GLU
2	E	113	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	130	ARG
2	E	286	GLU
2	E	292	ILE
2	E	305	ASP
2	E	306	ILE
2	E	334	ARG
2	E	385	ASP
2	E	415	LYS
2	E	435	ASP
2	E	436	GLU
2	F	37	LEU
2	F	38	GLU
2	F	60	LEU
2	F	112	GLU
2	F	115	LYS
2	F	253	ARG
2	F	305	ASP
2	F	306	ILE
2	F	318	SER
2	F	319	ASP
2	F	330	ARG
2	F	336	ARG
2	F	339	SER
2	F	358	SER
2	F	379	ASP
2	F	385	ASP
2	F	411	LEU
2	F	413	CYS
2	F	416	ARG
2	F	429	VAL
2	F	435	ASP
1	G	10	THR
1	G	12	THR
1	G	27	ASP
1	G	55	LEU
1	G	64	ARG
1	G	239	THR
1	G	275	LEU
1	G	294	LEU
1	G	352	LEU
1	G	382	GLU
1	G	419	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	420	ASN
1	G	432	GLU
1	H	6	VAL
1	H	12	THR
1	H	13	GLN
1	H	28	GLU
1	H	81	LEU
1	H	87	LEU
1	H	104	THR
1	H	120	ILE
1	H	293	GLU
1	H	295	VAL
1	H	335	ASN
1	H	382	GLU
1	H	386	ILE
1	H	416	LEU
1	I	17	SER
1	I	27	ASP
1	I	104	THR
1	I	109	THR
1	I	238	VAL
1	I	273	ASP
1	I	288	ASP
1	I	301	VAL
1	I	352	LEU
1	I	382	GLU
1	I	387	SER
1	I	419	ILE
1	I	423	ASP
1	I	428	GLU
2	J	94	LEU
2	J	126	SER
2	J	306	ILE
2	J	320	MET
2	J	326	MET
2	J	355	LEU
2	J	411	LEU
2	J	424	ASP
2	J	428	ARG
2	J	434	LEU
2	K	49	GLN
2	K	61	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	K	71	ARG
2	K	88	MET
2	K	113	MET
2	K	268	ILE
2	K	275	GLN
2	K	306	ILE
2	K	323	VAL
2	K	349	ASP
2	K	352	ASP
2	K	364	GLU
2	K	379	ASP
2	K	403	ILE
2	K	411	LEU
2	K	413	CYS
2	K	435	ASP
2	K	436	GLU
2	L	46	MET
2	L	62	MET
2	L	88	MET
2	L	94	LEU
2	L	106	SER
2	L	305	ASP
2	L	332	ILE
2	L	333	THR
2	L	335	ILE
2	L	360	THR
2	L	366	ASP
2	L	379	ASP
2	L	385	ASP
2	L	388	THR
2	L	404	GLN
2	L	415	LYS
2	L	416	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	GLN
1	A	85	GLN
1	A	115	ASN
1	A	373	GLN
1	A	393	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	420	ASN
1	B	393	HIS
1	C	236	GLN
2	D	92	GLN
2	E	302	HIS
2	E	341	GLN
2	F	25	HIS
1	G	18	HIS
1	G	34	GLN
1	G	247	ASN
1	G	420	ASN
1	H	305	HIS
1	H	316	HIS
1	H	408	GLN
1	H	420	ASN
1	I	34	GLN
1	I	115	ASN
1	I	373	GLN
1	I	420	ASN
1	I	450	GLN
2	J	25	HIS
2	J	92	GLN
2	J	121	GLN
2	J	277	ASN
2	J	302	HIS
2	K	25	HIS
2	L	302	HIS
2	L	329	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 14 ligands modelled in this entry, 2 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ADP	A	501	-	24,29,29	0.99	2 (8%)	29,45,45	0.90	1 (3%)
4	CUU	K	501	-	23,28,28	2.09	8 (34%)	26,43,43	2.00	9 (34%)
4	CUU	H	501	-	23,28,28	2.21	7 (30%)	26,43,43	2.08	9 (34%)
4	CUU	B	501	-	23,28,28	2.13	7 (30%)	26,43,43	2.02	9 (34%)
7	CU0	L	501	5	15,17,17	0.57	0	21,26,26	0.67	1 (4%)
4	CUU	C	501	-	23,28,28	2.08	7 (30%)	26,43,43	1.96	9 (34%)
4	CUU	G	501	-	23,28,28	2.17	7 (30%)	26,43,43	2.08	9 (34%)
4	CUU	D	501	5	23,28,28	2.10	7 (30%)	26,43,43	1.83	7 (26%)
6	3AT	J	501	-	25,32,32	2.14	9 (36%)	28,50,50	1.98	11 (39%)
6	3AT	E	501	-	25,32,32	2.22	10 (40%)	28,50,50	1.96	10 (35%)
4	CUU	I	501	-	23,28,28	2.14	7 (30%)	26,43,43	2.14	9 (34%)
4	CUU	F	501	-	23,28,28	2.09	8 (34%)	26,43,43	2.13	10 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	A	501	-	-	3/12/32/32	0/3/3/3
4	CUU	K	501	-	-	7/12/28/28	0/3/3/3
4	CUU	H	501	-	-	5/12/28/28	0/3/3/3
4	CUU	B	501	-	-	4/12/28/28	0/3/3/3
7	CU0	L	501	5	-	9/12/25/25	0/1/1/1
4	CUU	C	501	-	-	4/12/28/28	0/3/3/3
4	CUU	G	501	-	-	5/12/28/28	0/3/3/3
4	CUU	D	501	5	-	7/12/28/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	3AT	J	501	-	-	9/18/34/34	0/3/3/3
6	3AT	E	501	-	-	7/18/34/34	0/3/3/3
4	CUU	I	501	-	-	8/12/28/28	0/3/3/3
4	CUU	F	501	-	-	6/12/28/28	0/3/3/3

All (79) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	501	CUU	C2'-C1'	-6.16	1.48	1.54
4	H	501	CUU	C2'-C1'	-6.14	1.48	1.54
4	I	501	CUU	C2'-C1'	-6.06	1.48	1.54
6	E	501	3AT	C2'-C1'	-5.89	1.48	1.54
4	B	501	CUU	C2'-C1'	-5.77	1.48	1.54
6	J	501	3AT	C2'-C1'	-5.75	1.48	1.54
4	C	501	CUU	C2'-C1'	-5.44	1.49	1.54
4	F	501	CUU	C2'-C1'	-5.34	1.49	1.54
4	K	501	CUU	C2'-C1'	-5.33	1.49	1.54
4	D	501	CUU	C2'-C1'	-5.30	1.49	1.54
4	D	501	CUU	O4'-C1'	4.31	1.47	1.41
4	H	501	CUU	O4'-C1'	4.24	1.47	1.41
4	C	501	CUU	O4'-C1'	4.19	1.46	1.41
4	K	501	CUU	O4'-C1'	4.18	1.46	1.41
4	B	501	CUU	O4'-C1'	4.18	1.46	1.41
6	E	501	3AT	O4'-C1'	4.15	1.46	1.41
4	I	501	CUU	O4'-C1'	4.11	1.46	1.41
4	G	501	CUU	O4'-C1'	4.05	1.46	1.41
4	F	501	CUU	O4'-C1'	4.05	1.46	1.41
6	J	501	3AT	O4'-C1'	3.87	1.46	1.41
6	J	501	3AT	C6-N6	3.44	1.46	1.34
4	F	501	CUU	C3'-C2'	-3.19	1.44	1.52
4	G	501	CUU	C6-N6	3.18	1.45	1.34
4	F	501	CUU	C6-N6	3.16	1.45	1.34
4	K	501	CUU	C6-N6	3.15	1.45	1.34
4	H	501	CUU	C6-N6	3.13	1.45	1.34
6	E	501	3AT	C6-N6	3.12	1.45	1.34
4	D	501	CUU	C6-N6	3.09	1.45	1.34
4	C	501	CUU	C6-N6	3.09	1.45	1.34
4	I	501	CUU	C6-N6	3.08	1.45	1.34
4	B	501	CUU	C6-N6	3.07	1.45	1.34
3	A	501	ADP	C8-N7	-3.05	1.29	1.34
4	G	501	CUU	O4'-C4'	2.89	1.50	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	501	CUU	C3'-C2'	-2.88	1.45	1.52
4	D	501	CUU	O4'-C4'	2.82	1.50	1.44
4	B	501	CUU	O4'-C4'	2.74	1.50	1.44
4	K	501	CUU	O4'-C4'	2.73	1.50	1.44
4	K	501	CUU	C3'-C2'	-2.73	1.45	1.52
4	I	501	CUU	O4'-C4'	2.72	1.50	1.44
4	H	501	CUU	O4'-C4'	2.71	1.50	1.44
6	J	501	3AT	C3'-C2'	-2.68	1.45	1.52
4	G	501	CUU	C3'-C2'	-2.66	1.45	1.52
4	C	501	CUU	O4'-C4'	2.64	1.49	1.44
4	B	501	CUU	C3'-C2'	-2.57	1.46	1.52
4	I	501	CUU	C3'-C2'	-2.57	1.46	1.52
4	C	501	CUU	C3'-C2'	-2.56	1.46	1.52
6	E	501	3AT	C3'-C2'	-2.49	1.46	1.52
4	D	501	CUU	C3'-C2'	-2.47	1.46	1.52
6	E	501	3AT	PB-O2B	-2.45	1.43	1.55
6	E	501	3AT	PG-O3G	-2.43	1.45	1.54
6	E	501	3AT	C4-N3	-2.38	1.32	1.35
4	K	501	CUU	PB-O3B	-2.35	1.45	1.54
6	J	501	3AT	PB-O2B	-2.31	1.44	1.55
6	E	501	3AT	PA-O2A	-2.31	1.44	1.55
4	F	501	CUU	O4'-C4'	2.29	1.49	1.44
4	C	501	CUU	PB-O2B	-2.26	1.46	1.54
4	F	501	CUU	PB-O3B	-2.26	1.46	1.54
6	E	501	3AT	O4'-C4'	2.25	1.49	1.44
4	I	501	CUU	PB-O2B	-2.24	1.46	1.54
6	E	501	3AT	PG-O2G	-2.24	1.46	1.54
4	G	501	CUU	PB-O3B	-2.23	1.46	1.54
4	F	501	CUU	PB-O2B	-2.21	1.46	1.54
4	C	501	CUU	PB-O3B	-2.20	1.46	1.54
4	D	501	CUU	PB-O2B	-2.18	1.46	1.54
4	D	501	CUU	PB-O3B	-2.17	1.46	1.54
4	B	501	CUU	PB-O3B	-2.15	1.46	1.54
6	J	501	3AT	O4'-C4'	2.14	1.48	1.44
4	H	501	CUU	PB-O2B	-2.14	1.46	1.54
6	J	501	3AT	PG-O3G	-2.13	1.46	1.54
4	H	501	CUU	PB-O3B	-2.13	1.46	1.54
3	A	501	ADP	PB-O2B	-2.12	1.46	1.54
4	B	501	CUU	PB-O2B	-2.10	1.46	1.54
6	J	501	3AT	PA-O2A	-2.07	1.45	1.55
4	G	501	CUU	PB-O2B	-2.07	1.46	1.54
4	K	501	CUU	PA-O2A	-2.07	1.45	1.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	501	CUU	PA-O2A	-2.06	1.45	1.55
4	K	501	CUU	PB-O2B	-2.05	1.46	1.54
4	I	501	CUU	PB-O3B	-2.05	1.46	1.54
6	J	501	3AT	PG-O2G	-2.05	1.47	1.54

All (94) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	I	501	CUU	C4'-O4'-C1'	-4.97	102.92	109.75
4	H	501	CUU	N3-C2-N1	-4.50	121.64	128.68
6	J	501	3AT	N3-C2-N1	-4.47	121.68	128.68
4	I	501	CUU	N3-C2-N1	-4.44	121.74	128.68
4	C	501	CUU	N3-C2-N1	-4.43	121.75	128.68
4	I	501	CUU	C4-C5-N7	-4.40	104.81	109.40
4	B	501	CUU	N3-C2-N1	-4.38	121.84	128.68
4	G	501	CUU	N3-C2-N1	-4.35	121.88	128.68
4	K	501	CUU	N3-C2-N1	-4.34	121.89	128.68
6	E	501	3AT	C4-C5-N7	-4.30	104.92	109.40
4	F	501	CUU	C4-C5-N7	-4.29	104.93	109.40
4	K	501	CUU	C4-C5-N7	-4.27	104.94	109.40
4	G	501	CUU	C4'-O4'-C1'	-4.24	103.92	109.75
4	F	501	CUU	N3-C2-N1	-4.19	122.14	128.68
6	E	501	3AT	N3-C2-N1	-4.19	122.14	128.68
4	B	501	CUU	C4-C5-N7	-4.17	105.05	109.40
4	F	501	CUU	C1'-N9-C4	-4.17	119.31	126.64
4	D	501	CUU	N3-C2-N1	-4.15	122.19	128.68
6	J	501	3AT	C4-C5-N7	-4.11	105.12	109.40
4	G	501	CUU	C4-C5-N7	-4.09	105.14	109.40
4	D	501	CUU	C4-C5-N7	-4.01	105.22	109.40
4	C	501	CUU	C4-C5-N7	-3.99	105.24	109.40
4	H	501	CUU	C4-C5-N7	-3.99	105.24	109.40
4	B	501	CUU	C4'-O4'-C1'	-3.97	104.29	109.75
4	F	501	CUU	O3B-PB-O3A	3.51	116.42	104.64
4	I	501	CUU	O2B-PB-O3A	3.48	116.31	104.64
4	K	501	CUU	C4'-O4'-C1'	-3.39	105.08	109.75
4	H	501	CUU	C4'-O4'-C1'	-3.32	105.18	109.75
4	C	501	CUU	C4'-O4'-C1'	-3.12	105.46	109.75
4	H	501	CUU	PA-O3A-PB	-3.11	122.15	132.83
4	D	501	CUU	O3B-PB-O3A	3.06	114.90	104.64
6	J	501	3AT	O2G-PG-O3B	3.05	114.87	104.64
4	K	501	CUU	O2B-PB-O3A	3.03	114.80	104.64
6	E	501	3AT	O3G-PG-O3B	3.03	114.79	104.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	501	CUU	C1'-N9-C4	-3.02	121.33	126.64
6	E	501	3AT	C1'-N9-C4	-2.97	121.42	126.64
4	B	501	CUU	O4'-C4'-C3'	2.95	108.88	105.07
4	C	501	CUU	O2B-PB-O3A	2.95	114.52	104.64
4	H	501	CUU	O2B-PB-O3A	2.94	114.51	104.64
4	K	501	CUU	PA-O3A-PB	-2.92	122.81	132.83
4	G	501	CUU	O4'-C4'-C3'	2.91	108.82	105.07
4	B	501	CUU	O3B-PB-O3A	2.89	114.31	104.64
4	D	501	CUU	C4'-O4'-C1'	-2.88	105.80	109.75
4	C	501	CUU	O4'-C4'-C3'	2.86	108.76	105.07
4	C	501	CUU	O3B-PB-O3A	2.85	114.21	104.64
4	G	501	CUU	PA-O3A-PB	-2.85	123.04	132.83
4	G	501	CUU	O2B-PB-O3A	2.84	114.17	104.64
4	B	501	CUU	O2B-PB-O3A	2.82	114.09	104.64
6	E	501	3AT	C4'-O4'-C1'	-2.78	105.93	109.75
6	J	501	3AT	O3G-PG-O3B	2.75	113.87	104.64
4	I	501	CUU	O4'-C4'-C3'	2.74	108.60	105.07
6	J	501	3AT	C4'-O4'-C1'	-2.73	106.00	109.75
4	F	501	CUU	C4'-O4'-C1'	-2.72	106.00	109.75
4	G	501	CUU	C1'-N9-C4	-2.72	121.86	126.64
4	H	501	CUU	O3B-PB-O3A	2.70	113.69	104.64
6	E	501	3AT	O2G-PG-O3B	2.69	113.67	104.64
4	D	501	CUU	O2B-PB-O3A	2.69	113.66	104.64
6	E	501	3AT	O4'-C4'-C3'	2.69	108.53	105.07
4	I	501	CUU	O3B-PB-O3A	2.65	113.51	104.64
4	K	501	CUU	O3B-PB-O3A	2.62	113.41	104.64
4	K	501	CUU	C1'-N9-C4	-2.62	122.05	126.64
6	J	501	3AT	PB-O3B-PG	-2.60	123.89	132.83
4	G	501	CUU	O3B-PB-O3A	2.60	113.36	104.64
4	B	501	CUU	C1'-N9-C4	-2.60	122.07	126.64
6	E	501	3AT	PB-O3B-PG	-2.57	124.00	132.83
4	F	501	CUU	O2A-PA-O1A	-2.52	99.78	112.24
4	F	501	CUU	O4'-C4'-C3'	2.51	108.31	105.07
4	K	501	CUU	O4'-C4'-C3'	2.48	108.27	105.07
4	K	501	CUU	O2A-PA-O1A	-2.48	100.00	112.24
6	J	501	3AT	O2A-PA-O1A	-2.47	100.03	112.24
4	D	501	CUU	O2A-PA-O1A	-2.46	100.07	112.24
6	J	501	3AT	PA-O3A-PB	-2.45	124.41	132.83
4	I	501	CUU	C1'-N9-C4	-2.45	122.34	126.64
6	J	501	3AT	O2B-PB-O1B	-2.45	100.14	112.24
4	B	501	CUU	PA-O3A-PB	-2.44	124.45	132.83
4	H	501	CUU	O4'-C4'-C3'	2.44	108.22	105.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	E	501	3AT	O2A-PA-O1A	-2.37	100.54	112.24
4	C	501	CUU	PA-O3A-PB	-2.36	124.72	132.83
4	F	501	CUU	O2B-PB-O3A	2.35	112.51	104.64
4	C	501	CUU	O2A-PA-O1A	-2.30	100.88	112.24
7	L	501	CU0	O4'-C4'-C3'	2.29	106.73	104.70
6	J	501	3AT	O4'-C4'-C3'	2.27	107.99	105.07
4	C	501	CUU	C1'-N9-C4	-2.20	122.78	126.64
3	A	501	ADP	C1'-N9-C4	2.20	130.50	126.64
4	F	501	CUU	C2'-C3'-C4'	2.20	107.08	102.94
4	G	501	CUU	O2A-PA-O1A	-2.19	101.44	112.24
4	I	501	CUU	PA-O3A-PB	-2.18	125.33	132.83
4	H	501	CUU	O2A-PA-O1A	-2.18	101.47	112.24
4	B	501	CUU	O2A-PA-O1A	-2.17	101.51	112.24
4	I	501	CUU	O2A-PA-O1A	-2.16	101.54	112.24
6	J	501	3AT	C1'-N9-C4	-2.11	122.94	126.64
4	F	501	CUU	PA-O3A-PB	-2.08	125.69	132.83
4	D	501	CUU	C1'-N9-C4	-2.05	123.04	126.64
6	E	501	3AT	O2B-PB-O1B	-2.04	102.17	112.24

There are no chirality outliers.

All (74) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	501	ADP	C5'-O5'-PA-O1A
3	A	501	ADP	C5'-O5'-PA-O2A
4	B	501	CUU	C5'-O5'-PA-O2A
4	B	501	CUU	C5'-O5'-PA-O1A
4	C	501	CUU	C5'-O5'-PA-O2A
4	C	501	CUU	C5'-O5'-PA-O1A
4	D	501	CUU	C5'-O5'-PA-O2A
4	D	501	CUU	C5'-O5'-PA-O1A
4	D	501	CUU	PA-O3A-PB-O3B
4	F	501	CUU	C5'-O5'-PA-O1A
4	F	501	CUU	PA-O3A-PB-O3B
4	G	501	CUU	C5'-O5'-PA-O2A
4	G	501	CUU	C5'-O5'-PA-O1A
4	G	501	CUU	C5'-O5'-PA-O3A
4	G	501	CUU	O4'-C4'-C5'-O5'
4	H	501	CUU	C5'-O5'-PA-O2A
4	H	501	CUU	C5'-O5'-PA-O3A
4	I	501	CUU	C5'-O5'-PA-O2A
4	I	501	CUU	C5'-O5'-PA-O1A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	I	501	CUU	PA-O3A-PB-O2B
4	I	501	CUU	PA-O3A-PB-O3B
4	K	501	CUU	C5'-O5'-PA-O2A
4	K	501	CUU	C5'-O5'-PA-O3A
6	E	501	3AT	C5'-O5'-PA-O1A
6	E	501	3AT	C5'-O5'-PA-O2A
6	E	501	3AT	O4'-C4'-C5'-O5'
6	E	501	3AT	C3'-C4'-C5'-O5'
6	J	501	3AT	PB-O3B-PG-O2G
6	J	501	3AT	C5'-O5'-PA-O1A
6	J	501	3AT	C5'-O5'-PA-O2A
6	J	501	3AT	O4'-C4'-C5'-O5'
6	J	501	3AT	C3'-C4'-C5'-O5'
7	L	501	CU0	PA-O3A-PB-O1B
7	L	501	CU0	PA-O3A-PB-O2B
7	L	501	CU0	O4'-C4'-C5'-O5'
7	L	501	CU0	C3'-C4'-C5'-O5'
4	I	501	CUU	O4'-C4'-C5'-O5'
4	K	501	CUU	O4'-C4'-C5'-O5'
4	F	501	CUU	C4'-C5'-O5'-PA
7	L	501	CU0	C4'-C5'-O5'-PA
4	D	501	CUU	PB-O3A-PA-O5'
7	L	501	CU0	PB-O3A-PA-O5'
4	K	501	CUU	C3'-C4'-C5'-O5'
4	H	501	CUU	PA-O3A-PB-O2B
3	A	501	ADP	C5'-O5'-PA-O3A
4	B	501	CUU	C5'-O5'-PA-O3A
4	F	501	CUU	C5'-O5'-PA-O3A
4	I	501	CUU	C5'-O5'-PA-O3A
4	D	501	CUU	C4'-C5'-O5'-PA
4	H	501	CUU	C4'-C5'-O5'-PA
4	I	501	CUU	C4'-C5'-O5'-PA
4	F	501	CUU	C5'-O5'-PA-O2A
4	H	501	CUU	C5'-O5'-PA-O1A
4	K	501	CUU	C5'-O5'-PA-O1A
7	L	501	CU0	C5'-O5'-PA-O1A
6	E	501	3AT	C4'-C5'-O5'-PA
4	G	501	CUU	C3'-C4'-C5'-O5'
4	I	501	CUU	C3'-C4'-C5'-O5'
4	C	501	CUU	C4'-C5'-O5'-PA
4	K	501	CUU	PB-O3A-PA-O2A
6	E	501	3AT	PG-O3B-PB-O1B

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	K	501	CUU	C4'-C5'-O5'-PA
4	D	501	CUU	PA-O3A-PB-O1B
6	J	501	3AT	PB-O3B-PG-O1G
4	B	501	CUU	PA-O3A-PB-O2B
4	F	501	CUU	PA-O3A-PB-O2B
4	C	501	CUU	C5'-O5'-PA-O3A
4	D	501	CUU	C5'-O5'-PA-O3A
6	E	501	3AT	C5'-O5'-PA-O3A
6	J	501	3AT	C5'-O5'-PA-O3A
7	L	501	CU0	C5'-O5'-PA-O3A
6	J	501	3AT	PA-O3A-PB-O2B
7	L	501	CU0	PB-O3A-PA-O1A
6	J	501	3AT	C4'-C5'-O5'-PA


There are no ring outliers.



3 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	K	501	CUU	1	0
7	L	501	CU0	2	0
4	F	501	CUU	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	316/355 (89%)	0.28	10 (3%) 47 51	34, 59, 100, 119	0
1	B	318/355 (89%)	0.37	16 (5%) 28 30	45, 68, 107, 116	0
1	C	313/355 (88%)	0.52	19 (6%) 21 22	44, 66, 98, 111	0
1	G	311/355 (87%)	0.48	20 (6%) 19 20	45, 70, 109, 139	0
1	H	318/355 (89%)	0.49	28 (8%) 10 10	47, 72, 97, 123	0
1	I	313/355 (88%)	0.42	20 (6%) 19 20	40, 64, 100, 124	0
2	D	303/366 (82%)	0.45	16 (5%) 26 28	49, 70, 103, 128	0
2	E	304/366 (83%)	0.44	22 (7%) 15 16	42, 66, 108, 121	0
2	F	307/366 (83%)	0.37	9 (2%) 51 55	37, 62, 100, 120	0
2	J	302/366 (82%)	0.55	24 (7%) 12 12	46, 71, 120, 146	0
2	K	300/366 (81%)	0.37	14 (4%) 31 33	44, 67, 106, 120	0
2	L	300/366 (81%)	0.59	32 (10%) 6 5	49, 72, 117, 141	0
All	All	3705/4326 (85%)	0.44	230 (6%) 20 21	34, 67, 107, 146	0

All (230) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	278	ALA	6.6
2	E	289	ALA	6.3
2	K	291	ILE	6.1
1	I	292	ALA	5.7
2	D	281	ALA	5.6
2	L	281	ALA	5.3
2	J	240	HIS	5.2
1	C	323	ILE	4.9
2	J	272	VAL	4.8
1	C	104	THR	4.7
2	E	100	PHE	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	271	ILE	4.6
1	G	102	TYR	4.5
1	H	275	LEU	4.4
2	L	267	GLU	4.4
1	C	21	VAL	4.3
2	L	251	ASN	4.3
2	J	30	GLY	4.3
1	I	449	ASP	4.3
1	G	291	ILE	4.3
2	D	275	GLN	4.3
2	L	283	TRP	4.2
1	H	68	LEU	4.2
1	A	271	ILE	4.1
1	B	289	GLN	4.1
2	L	241	THR	4.0
1	G	282	VAL	4.0
1	I	124	ILE	4.0
2	J	312	LEU	3.9
2	J	292	ILE	3.9
2	J	42	ALA	3.9
1	H	323	ILE	3.8
2	L	286	GLU	3.8
2	F	284	ARG	3.8
1	I	122	LEU	3.7
2	K	22	ILE	3.7
1	C	30	GLY	3.7
1	H	243	LEU	3.5
1	G	249	ARG	3.5
2	J	447	GLN	3.5
2	J	286	GLU	3.5
2	L	277	ASN	3.5
1	A	279	ILE	3.4
2	J	450	PHE	3.4
2	D	119	LEU	3.4
2	J	361	PRO	3.4
1	B	415	LEU	3.4
2	L	244	LEU	3.3
1	A	274	LYS	3.3
2	J	131	ILE	3.3
2	K	250	ILE	3.3
2	K	411	LEU	3.3
1	C	68	LEU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	L	129	VAL	3.3
2	F	449	ALA	3.3
1	A	440	ALA	3.2
2	F	411	LEU	3.2
2	F	289	ALA	3.2
1	A	449	ASP	3.2
2	D	425	ASP	3.2
2	E	283	TRP	3.1
1	A	283	VAL	3.1
1	H	38	GLY	3.1
2	F	267	GLU	3.1
1	H	122	LEU	3.1
1	I	440	ALA	3.1
1	A	287	ILE	3.1
2	D	335	ILE	3.1
2	L	290	GLU	3.0
1	H	6	VAL	3.0
2	E	126	SER	3.0
1	B	272	THR	3.0
2	J	295	VAL	3.0
1	C	425	ILE	2.9
1	H	116	PHE	2.9
1	C	430	VAL	2.9
2	J	451	LEU	2.9
1	H	430	VAL	2.9
2	L	82	GLY	2.9
2	L	247	ILE	2.8
1	G	246	ALA	2.8
2	L	93	ALA	2.8
1	H	236	GLN	2.8
2	K	332	ILE	2.8
2	E	278	ALA	2.8
2	D	249	VAL	2.8
1	G	89	SER	2.8
2	E	48	GLY	2.7
1	G	87	LEU	2.7
2	J	90	MET	2.7
2	E	73	VAL	2.7
2	L	103	ILE	2.7
2	L	271	GLU	2.7
1	H	393	HIS	2.7
1	C	288	ASP	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	410	LEU	2.7
2	J	100	PHE	2.7
1	H	317	ARG	2.7
1	C	278	GLU	2.7
1	B	93	PHE	2.7
1	G	53	VAL	2.6
2	D	130	ARG	2.6
2	L	81	THR	2.6
1	C	275	LEU	2.6
2	L	119	LEU	2.6
2	L	127	ILE	2.6
2	D	46	MET	2.6
1	H	276	ARG	2.6
2	J	60	LEU	2.6
1	G	391	LEU	2.6
2	K	370	ILE	2.6
1	C	121	GLY	2.5
1	C	122	LEU	2.5
2	F	60	LEU	2.5
2	K	47	VAL	2.5
1	H	269	THR	2.5
1	B	349	GLY	2.5
2	L	291	ILE	2.5
2	K	282	GLU	2.5
1	H	416	LEU	2.4
1	G	384	ILE	2.4
2	E	109	PHE	2.4
1	H	272	THR	2.4
1	B	391	LEU	2.4
1	B	102	TYR	2.4
1	B	291	ILE	2.4
2	L	91	ALA	2.4
1	B	294	LEU	2.4
1	G	24	LEU	2.4
2	L	280	VAL	2.4
2	L	373	ILE	2.4
1	H	64	ARG	2.4
2	J	72	ALA	2.4
1	I	58	SER	2.4
2	D	109	PHE	2.4
1	H	270	GLU	2.4
2	E	102	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	240	LEU	2.4
1	G	334	GLY	2.4
2	L	86	ILE	2.4
1	B	341	THR	2.4
2	D	279	LYS	2.3
1	C	124	ILE	2.3
1	G	437	PHE	2.3
2	E	253	ARG	2.3
2	D	250	ILE	2.3
2	F	86	ILE	2.3
1	G	116	PHE	2.3
2	K	408	ALA	2.3
1	G	112	LEU	2.3
2	L	284	ARG	2.3
1	C	236	GLN	2.3
1	C	240	LEU	2.3
1	I	15	ILE	2.3
1	G	88	GLY	2.3
2	L	104	ALA	2.3
2	K	278	ALA	2.3
1	B	307	LEU	2.3
2	E	304	LEU	2.3
1	G	244	ASP	2.3
1	H	296	PRO	2.2
1	H	280	ASN	2.2
2	J	126	SER	2.2
1	I	309	ILE	2.2
2	E	419	THR	2.2
2	J	115	LYS	2.2
1	I	247	ASN	2.2
1	B	295	VAL	2.2
2	E	59	VAL	2.2
1	C	340	GLY	2.2
2	E	101	THR	2.2
2	E	248	ASP	2.2
1	C	103	SER	2.2
1	I	369	GLN	2.2
1	I	410	LEU	2.2
1	C	359	MET	2.2
1	I	245	VAL	2.2
2	E	47	VAL	2.2
1	C	35	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	J	102	ALA	2.2
1	H	437	PHE	2.2
2	K	324	LEU	2.2
2	L	436	GLU	2.2
1	A	289	GLN	2.2
2	L	370	ILE	2.2
2	L	65	GLU	2.2
2	D	442	TYR	2.1
1	G	21	VAL	2.1
1	H	238	VAL	2.1
1	I	283	VAL	2.1
2	K	280	VAL	2.1
2	D	123	PHE	2.1
2	E	354	LEU	2.1
2	D	449	ALA	2.1
2	J	55	ALA	2.1
1	I	56	ILE	2.1
1	I	287	ILE	2.1
1	B	290	GLY	2.1
2	D	280	VAL	2.1
2	E	90	MET	2.1
2	E	337	GLY	2.1
2	K	382	MET	2.1
1	H	405	TYR	2.1
1	H	384	ILE	2.1
1	I	433	ILE	2.1
2	E	131	ILE	2.1
2	E	268	ILE	2.1
2	J	306	ILE	2.1
1	A	410	LEU	2.1
2	L	100	PHE	2.1
1	G	23	GLY	2.1
1	I	97	VAL	2.1
2	K	35	ASP	2.1
1	H	247	ASN	2.1
1	I	88	GLY	2.1
1	B	298	VAL	2.1
2	J	291	ILE	2.1
2	L	76	ALA	2.0
1	H	235	ILE	2.0
1	A	122	LEU	2.0
2	J	123	PHE	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	248	ALA	2.0
2	F	446	TYR	2.0
1	I	437	PHE	2.0
2	L	102	ALA	2.0
2	E	25	HIS	2.0
2	D	60	LEU	2.0
2	F	451	LEU	2.0
1	B	312	PHE	2.0
1	B	244	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	CUU	K	501	26/26	0.88	0.17	75,77,78,79	0
4	CUU	B	501	26/26	0.91	0.16	56,57,67,68	0
4	CUU	H	501	26/26	0.92	0.19	68,72,74,75	0
6	3AT	E	501	30/30	0.92	0.18	64,66,68,68	0
6	3AT	J	501	30/30	0.92	0.18	79,83,95,95	0
7	CU0	L	501	17/17	0.92	0.12	58,65,67,67	0
4	CUU	C	501	26/26	0.94	0.17	51,62,63,64	0
4	CUU	D	501	26/26	0.94	0.15	76,77,78,78	0
5	MG	L	502	1/1	0.94	0.12	56,56,56,56	0
4	CUU	F	501	26/26	0.95	0.13	61,63,65,65	0
4	CUU	G	501	26/26	0.95	0.16	54,59,76,76	0
4	CUU	I	501	26/26	0.96	0.16	44,47,50,51	0
3	ADP	A	501	27/27	0.97	0.14	38,48,51,52	0
5	MG	D	502	1/1	0.97	0.15	55,55,55,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





Electron density around CUU B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CUU H 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3AT E 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 3AT J 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around CU0 L 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CUU C 501:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG L 502:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around CUU I 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ADP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.