



Full wwPDB EM Validation Report ⓘ

Jul 2, 2024 – 06:15 PM JST

PDB ID : 8K12
EMDB ID : EMD-36784
Title : SID1 transmembrane family member 2
Authors : Guo, H.; Qi, C.; Lu, Y.; Yang, H.; Zhu, Y.; Sun, F.; Ji, X.
Deposited on : 2023-07-10
Resolution : 3.30 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	522	
1	B	522	

2 Entry composition i

There is only 1 type of molecule in this entry. The entry contains 5592 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SID1 transmembrane family member 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	357	2796	1865	436	471	24	0	0
1	B	357	2796	1865	436	471	24	0	0

There are 126 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	SER	deletion	UNP Q8NBJ9
A	?	-	GLY	deletion	UNP Q8NBJ9
A	?	-	SER	deletion	UNP Q8NBJ9
A	?	-	THR	deletion	UNP Q8NBJ9
A	?	-	ASP	deletion	UNP Q8NBJ9
A	?	-	GLY	deletion	UNP Q8NBJ9
A	?	-	LEU	deletion	UNP Q8NBJ9
A	?	-	VAL	deletion	UNP Q8NBJ9
A	?	-	ASP	deletion	UNP Q8NBJ9
A	?	-	SER	deletion	UNP Q8NBJ9
A	?	-	ALA	deletion	UNP Q8NBJ9
A	?	-	GLY	deletion	UNP Q8NBJ9
A	?	-	THR	deletion	UNP Q8NBJ9
A	?	-	GLY	deletion	UNP Q8NBJ9
A	?	-	ASP	deletion	UNP Q8NBJ9
A	?	-	LEU	deletion	UNP Q8NBJ9
A	?	-	SER	deletion	UNP Q8NBJ9
A	?	-	TYR	deletion	UNP Q8NBJ9
A	?	-	GLY	deletion	UNP Q8NBJ9
A	?	-	TYR	deletion	UNP Q8NBJ9
A	?	-	GLN	deletion	UNP Q8NBJ9
A	?	-	GLY	deletion	UNP Q8NBJ9
A	?	-	ARG	deletion	UNP Q8NBJ9
A	?	-	SER	deletion	UNP Q8NBJ9
A	?	-	GLY	deletion	UNP Q8NBJ9
A	?	-	THR	deletion	UNP Q8NBJ9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ARG	deletion	UNP Q8NBJ9
A	?	-	PRO	deletion	UNP Q8NBJ9
A	?	-	ARG	deletion	UNP Q8NBJ9
A	?	-	VAL	deletion	UNP Q8NBJ9
A	?	-	ASP	deletion	UNP Q8NBJ9
A	?	-	SER	deletion	UNP Q8NBJ9
A	?	-	MET	deletion	UNP Q8NBJ9
A	?	-	SER	deletion	UNP Q8NBJ9
A	?	-	SER	deletion	UNP Q8NBJ9
A	?	-	VAL	deletion	UNP Q8NBJ9
A	?	-	GLU	deletion	UNP Q8NBJ9
A	?	-	GLU	deletion	UNP Q8NBJ9
A	?	-	ASP	deletion	UNP Q8NBJ9
A	?	-	ASP	deletion	UNP Q8NBJ9
A	?	-	TYR	deletion	UNP Q8NBJ9
A	833	ASP	-	expression tag	UNP Q8NBJ9
A	834	TYR	-	expression tag	UNP Q8NBJ9
A	835	LYS	-	expression tag	UNP Q8NBJ9
A	836	ASP	-	expression tag	UNP Q8NBJ9
A	837	HIS	-	expression tag	UNP Q8NBJ9
A	838	ASP	-	expression tag	UNP Q8NBJ9
A	839	GLY	-	expression tag	UNP Q8NBJ9
A	840	ASP	-	expression tag	UNP Q8NBJ9
A	841	TYR	-	expression tag	UNP Q8NBJ9
A	842	LYS	-	expression tag	UNP Q8NBJ9
A	843	ASP	-	expression tag	UNP Q8NBJ9
A	844	HIS	-	expression tag	UNP Q8NBJ9
A	845	ASP	-	expression tag	UNP Q8NBJ9
A	846	ILE	-	expression tag	UNP Q8NBJ9
A	847	ASP	-	expression tag	UNP Q8NBJ9
A	848	TYR	-	expression tag	UNP Q8NBJ9
A	849	LYS	-	expression tag	UNP Q8NBJ9
A	850	ASP	-	expression tag	UNP Q8NBJ9
A	851	ASP	-	expression tag	UNP Q8NBJ9
A	852	ASP	-	expression tag	UNP Q8NBJ9
A	853	ASP	-	expression tag	UNP Q8NBJ9
A	854	LYS	-	expression tag	UNP Q8NBJ9
B	?	-	SER	deletion	UNP Q8NBJ9
B	?	-	GLY	deletion	UNP Q8NBJ9
B	?	-	SER	deletion	UNP Q8NBJ9
B	?	-	THR	deletion	UNP Q8NBJ9
B	?	-	ASP	deletion	UNP Q8NBJ9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	GLY	deletion	UNP Q8NBJ9
B	?	-	LEU	deletion	UNP Q8NBJ9
B	?	-	VAL	deletion	UNP Q8NBJ9
B	?	-	ASP	deletion	UNP Q8NBJ9
B	?	-	SER	deletion	UNP Q8NBJ9
B	?	-	ALA	deletion	UNP Q8NBJ9
B	?	-	GLY	deletion	UNP Q8NBJ9
B	?	-	THR	deletion	UNP Q8NBJ9
B	?	-	GLY	deletion	UNP Q8NBJ9
B	?	-	ASP	deletion	UNP Q8NBJ9
B	?	-	LEU	deletion	UNP Q8NBJ9
B	?	-	SER	deletion	UNP Q8NBJ9
B	?	-	TYR	deletion	UNP Q8NBJ9
B	?	-	GLY	deletion	UNP Q8NBJ9
B	?	-	TYR	deletion	UNP Q8NBJ9
B	?	-	GLN	deletion	UNP Q8NBJ9
B	?	-	GLY	deletion	UNP Q8NBJ9
B	?	-	ARG	deletion	UNP Q8NBJ9
B	?	-	SER	deletion	UNP Q8NBJ9
B	?	-	GLY	deletion	UNP Q8NBJ9
B	?	-	THR	deletion	UNP Q8NBJ9
B	?	-	ARG	deletion	UNP Q8NBJ9
B	?	-	PRO	deletion	UNP Q8NBJ9
B	?	-	ARG	deletion	UNP Q8NBJ9
B	?	-	VAL	deletion	UNP Q8NBJ9
B	?	-	ASP	deletion	UNP Q8NBJ9
B	?	-	SER	deletion	UNP Q8NBJ9
B	?	-	MET	deletion	UNP Q8NBJ9
B	?	-	SER	deletion	UNP Q8NBJ9
B	?	-	SER	deletion	UNP Q8NBJ9
B	?	-	VAL	deletion	UNP Q8NBJ9
B	?	-	GLU	deletion	UNP Q8NBJ9
B	?	-	GLU	deletion	UNP Q8NBJ9
B	?	-	ASP	deletion	UNP Q8NBJ9
B	?	-	ASP	deletion	UNP Q8NBJ9
B	?	-	TYR	deletion	UNP Q8NBJ9
B	833	ASP	-	expression tag	UNP Q8NBJ9
B	834	TYR	-	expression tag	UNP Q8NBJ9
B	835	LYS	-	expression tag	UNP Q8NBJ9
B	836	ASP	-	expression tag	UNP Q8NBJ9
B	837	HIS	-	expression tag	UNP Q8NBJ9
B	838	ASP	-	expression tag	UNP Q8NBJ9

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	839	GLY	-	expression tag	UNP Q8NBJ9
B	840	ASP	-	expression tag	UNP Q8NBJ9
B	841	TYR	-	expression tag	UNP Q8NBJ9
B	842	LYS	-	expression tag	UNP Q8NBJ9
B	843	ASP	-	expression tag	UNP Q8NBJ9
B	844	HIS	-	expression tag	UNP Q8NBJ9
B	845	ASP	-	expression tag	UNP Q8NBJ9
B	846	ILE	-	expression tag	UNP Q8NBJ9
B	847	ASP	-	expression tag	UNP Q8NBJ9
B	848	TYR	-	expression tag	UNP Q8NBJ9
B	849	LYS	-	expression tag	UNP Q8NBJ9
B	850	ASP	-	expression tag	UNP Q8NBJ9
B	851	ASP	-	expression tag	UNP Q8NBJ9
B	852	ASP	-	expression tag	UNP Q8NBJ9
B	853	ASP	-	expression tag	UNP Q8NBJ9
B	854	LYS	-	expression tag	UNP Q8NBJ9


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: SID1 transmembrane family member 2



- Molecule 1: SID1 transmembrane family member 2



GLY	SER	PHE	GLU	ASN	VAL	ASP	THR	LEU	THR	ASP	ILE	ASP	SER	ASP	LYS	ASN	VAL	ILE	ARG	THR	LYS	GLN	TYR	LEU	TYR	VAL	ALA	ASP	LEU	ALA	ARG	LYS	ASP	LYS	ARG	VAL	LEU	ARG	LYS	LYS	TYR	GLN	ILE	TYR	F450	W451	W452	T455	I456	A457	V458	F459	Y460	A461	L462	P463	V464	V465
Q466	L467	V468	I469	T470	Y471	Q472	W476	V477	Y486	C490	P493	L497	S498	A499	F500	N501	N502	I503	I504	S505	N506	G508	L511	L514	L515	F516	L517	L518	R523	E524	I525	N526	H527	N528	R529	A530	L531	L532	ARG	ASN	ASP	LEU	LEU	CYS	ALA	LEU	GLU	CYS	GLY	I543	P544							
K545	H546	Y551	G554	T555	A556	L557	E560	G561	L562	S564	Y567	H568	V569	Y573	I574	N575	F576	Q577	F578	D579	T580	M585	N591	L594	Y595	R598	H599	PRO	ASP	I602	Y607	S608	A609	A614	I615	V616	I617	F618	F619	S620	V621	L622	G623	V624	V625	F626	G627											
K628	G629	N630	F633	W634	I635	V636	F637	S638	I639	I642	I643	A644	T645	L646	L647	L648	S649	T650	Q651	L652	TYR	TYR	MET	GLY	ARG	TRP	LYS	LEU	ASP	SER	GLY	ILE	PHE	ARG	ARG	ILE	LEU	HIS	VAL	LEU	THR	ASP	CYS	ILE	ARG	GLN	CYS	SER	GLY	PRO	L622	G623	V624	V625	F626	G627		
V690	L691	L692	V693	M694	G695	M696	V697	I698	M699	W700	S701	A704	I708	M709	R710	P711	M712	D713	F714	L718	L719	L727	L728	Y729	F730	A731	F732	V733	I734	I735	M736	K737	L738	R739	S740	G741	E742	R743	I744	L749	L750	C751	I752	V753	V757	V758	W759	Q768	G769	L770	S771	T772						
W773	R785	L789	D795	H796	S803	A806	F811	L812	V813	T816	L817	D818	D819	D820	L821	ASP	THR	VAL	GLN	ARG	ASP	LYS	ILE	TYR	VAL	PHE	TYR	LYS	ASP	HIS	ASP	GLY	TYR	LYS	ASP	HIS	ASP	ILE	ASP	TYR	LYS	ASP	ASP	ASP	ASP	ASP	ASP	LYS										

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	67365	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.822	Depositor
Minimum map value	-1.198	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.046	Depositor
Recommended contour level	0.3	Depositor
Map size (\AA)	262.4, 262.4, 262.4	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.82, 0.82, 0.82	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/2864	0.47	0/3898
1	B	0.34	0/2864	0.47	0/3898
All	All	0.34	0/5728	0.47	0/7796

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2796	0	2801	59	0
1	B	2796	0	2801	58	0
All	All	5592	0	5602	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:621:VAL:HA	1:A:624:VAL:HG22	1.71	0.72
1:B:621:VAL:HA	1:B:624:VAL:HG22	1.71	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:621:VAL:HA	1:A:624:VAL:CG2	2.22	0.70
1:B:621:VAL:HA	1:B:624:VAL:CG2	2.22	0.69
1:A:467:LEU:HD11	1:B:467:LEU:HD11	1.77	0.65
1:A:459:PHE:HA	1:B:618:PHE:HE2	1.66	0.60
1:A:459:PHE:HE1	1:B:615:ILE:HG13	1.67	0.59
1:A:543:ILE:HD11	1:A:821:LEU:HD12	1.85	0.59
1:A:618:PHE:HE2	1:B:459:PHE:HA	1.67	0.59
1:B:543:ILE:HD11	1:B:821:LEU:HD12	1.85	0.58
1:A:770:LEU:HD11	1:A:795:ASP:HB2	1.86	0.58
1:B:770:LEU:HD11	1:B:795:ASP:HB2	1.86	0.58
1:A:615:ILE:HG13	1:B:459:PHE:HE1	1.67	0.58
1:A:621:VAL:CA	1:A:624:VAL:HG22	2.34	0.57
1:B:467:LEU:HB2	1:B:575:ASN:HD21	1.68	0.57
1:A:304:PHE:CZ	1:A:508:GLY:HA3	2.39	0.57
1:A:467:LEU:HB2	1:A:575:ASN:HD21	1.68	0.57
1:B:621:VAL:CA	1:B:624:VAL:HG22	2.34	0.56
1:A:500:PHE:HA	1:A:503:ILE:HD12	1.88	0.55
1:A:459:PHE:HA	1:B:618:PHE:CE2	2.40	0.55
1:A:308:TYR:CD1	1:A:515:LEU:HD12	2.42	0.55
1:A:618:PHE:CE2	1:B:459:PHE:HA	2.41	0.55
1:A:293:TYR:OH	1:A:493:PRO:O	2.21	0.54
1:A:620:SER:O	1:A:624:VAL:HG22	2.08	0.54
1:A:486:TYR:OH	1:A:569:VAL:O	2.23	0.54
1:B:737:LYS:HD3	1:B:744:ILE:HG13	1.90	0.54
1:B:500:PHE:HA	1:B:503:ILE:HD12	1.88	0.54
1:A:758:VAL:HG12	1:A:806:ALA:HB2	1.89	0.54
1:A:737:LYS:HD3	1:A:744:ILE:HG13	1.90	0.54
1:B:620:SER:O	1:B:624:VAL:HG22	2.08	0.53
1:A:753:VAL:O	1:A:757:VAL:HG12	2.09	0.53
1:B:501:ASN:O	1:B:505:SER:OG	2.26	0.53
1:B:758:VAL:HG12	1:B:806:ALA:HB2	1.89	0.53
1:B:753:VAL:O	1:B:757:VAL:HG12	2.08	0.53
1:B:308:TYR:CD2	1:B:515:LEU:HD12	2.44	0.52
1:A:501:ASN:O	1:A:505:SER:OG	2.26	0.52
1:B:563:LEU:HD21	1:B:578:PHE:HB3	1.92	0.52
1:A:620:SER:O	1:A:624:VAL:HG13	2.10	0.51
1:B:620:SER:O	1:B:624:VAL:HG13	2.10	0.51
1:A:311:THR:HG21	1:A:515:LEU:HD21	1.92	0.50
1:A:563:LEU:HD21	1:A:578:PHE:HB3	1.92	0.50
1:B:768:GLN:OE1	1:B:785:ARG:NH1	2.44	0.50
1:B:304:PHE:CZ	1:B:508:GLY:HA3	2.46	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:579:ASP:OD1	1:B:580:THR:N	2.46	0.48
1:B:614:ALA:HA	1:B:617:ILE:HD12	1.95	0.48
1:B:591:MET:HA	1:B:594:LEU:HD12	1.94	0.48
1:A:591:MET:HA	1:A:594:LEU:HD12	1.94	0.48
1:B:770:LEU:HD12	1:B:796:HIS:HB2	1.96	0.48
1:A:579:ASP:OD1	1:A:580:THR:N	2.47	0.48
1:B:734:ILE:O	1:B:738:LEU:N	2.41	0.48
1:A:770:LEU:HD12	1:A:796:HIS:HB2	1.96	0.48
1:B:642:ILE:HG12	1:B:700:TRP:CD1	2.49	0.48
1:A:514:LEU:HD23	1:A:518:LEU:HD11	1.96	0.48
1:B:514:LEU:HD23	1:B:518:LEU:HD11	1.96	0.47
1:A:517:LEU:HD21	1:A:554:GLY:HA3	1.96	0.47
1:B:486:TYR:OH	1:B:569:VAL:O	2.23	0.47
1:B:311:THR:HG21	1:B:515:LEU:HD21	1.97	0.47
1:A:557:LEU:HD22	1:A:811:PHE:HE1	1.80	0.47
1:A:642:ILE:HG12	1:A:700:TRP:CD1	2.49	0.47
1:B:293:TYR:OH	1:B:493:PRO:O	2.27	0.47
1:B:464:VAL:HG13	1:B:575:ASN:OD1	2.14	0.47
1:A:464:VAL:HG13	1:A:575:ASN:OD1	2.14	0.47
1:A:614:ALA:HA	1:A:617:ILE:HD12	1.95	0.47
1:A:768:GLN:OE1	1:A:785:ARG:NH1	2.44	0.47
1:B:517:LEU:HD21	1:B:554:GLY:HA3	1.96	0.46
1:B:497:LEU:HD13	1:B:503:ILE:HD13	1.98	0.46
1:B:557:LEU:HD22	1:B:811:PHE:HE2	1.80	0.46
1:A:812:LEU:O	1:A:816:THR:OG1	2.34	0.46
1:A:560:GLU:O	1:A:564:SER:HB2	2.16	0.46
1:A:462:LEU:O	1:A:466:GLN:HG2	2.16	0.45
1:B:560:GLU:O	1:B:564:SER:HB2	2.16	0.45
1:B:551:TYR:O	1:B:555:THR:HG22	2.17	0.45
1:A:299:PHE:CZ	1:A:303:ILE:HD11	2.52	0.45
1:B:462:LEU:O	1:B:466:GLN:HG2	2.16	0.45
1:A:461:ALA:HB2	1:A:563:LEU:HD22	1.98	0.45
1:A:551:TYR:O	1:A:555:THR:HG22	2.17	0.45
1:B:649:SER:HB3	1:B:692:LEU:HD13	1.99	0.45
1:A:497:LEU:HD13	1:A:503:ILE:HD13	1.98	0.45
1:B:461:ALA:HB2	1:B:563:LEU:HD22	1.98	0.45
1:B:812:LEU:O	1:B:816:THR:OG1	2.34	0.44
1:B:299:PHE:CZ	1:B:303:ILE:HD11	2.52	0.44
1:A:649:SER:HB3	1:A:692:LEU:HD13	1.99	0.43
1:A:507:LEU:O	1:A:511:LEU:HG	2.19	0.43
1:B:507:LEU:O	1:B:511:LEU:HG	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:290:SER:O	1:A:293:TYR:HB2	2.19	0.43
1:A:768:GLN:O	1:A:785:ARG:NH2	2.52	0.42
1:A:460:TYR:O	1:A:463:PRO:HD2	2.20	0.42
1:B:768:GLN:O	1:B:785:ARG:NH2	2.52	0.42
1:A:734:ILE:O	1:A:738:LEU:N	2.41	0.42
1:A:527:HIS:CE1	1:A:545:LYS:HD2	2.55	0.42
1:B:308:TYR:CE2	1:B:515:LEU:HD12	2.54	0.42
1:A:299:PHE:CE2	1:A:789:LEU:HD21	2.55	0.41
1:A:813:VAL:O	1:A:817:LEU:HB2	2.20	0.41
1:B:527:HIS:CE1	1:B:545:LYS:HD2	2.55	0.41
1:B:813:VAL:O	1:B:817:LEU:HB2	2.20	0.41
1:A:557:LEU:HD12	1:A:557:LEU:HA	1.83	0.41
1:B:299:PHE:CE1	1:B:789:LEU:HD21	2.55	0.41
1:A:308:TYR:CE1	1:A:515:LEU:HD12	2.56	0.41
1:B:290:SER:O	1:B:293:TYR:HB2	2.19	0.41
1:A:591:MET:O	1:A:594:LEU:HB2	2.20	0.41
1:B:591:MET:O	1:B:594:LEU:HB2	2.20	0.41
1:B:714:PHE:O	1:B:718:LEU:HD12	2.21	0.41
1:A:518:LEU:HD12	1:A:518:LEU:H	1.86	0.41
1:B:460:TYR:O	1:B:463:PRO:HD2	2.20	0.41
1:B:518:LEU:HD12	1:B:518:LEU:H	1.86	0.41
1:A:714:PHE:O	1:A:718:LEU:HD12	2.21	0.41
1:A:770:LEU:HD22	1:A:785:ARG:HG3	2.03	0.41
1:B:770:LEU:HD22	1:B:785:ARG:HG3	2.03	0.41
1:B:567:TYR:HE1	1:B:576:PHE:HA	1.86	0.40
1:A:567:TYR:HE2	1:A:576:PHE:HA	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	347/522 (66%)	344 (99%)	3 (1%)	0	100	100
1	B	347/522 (66%)	344 (99%)	3 (1%)	0	100	100
All	All	694/1044 (66%)	688 (99%)	6 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	299/460 (65%)	290 (97%)	9 (3%)	41	68
1	B	299/460 (65%)	290 (97%)	9 (3%)	41	68
All	All	598/920 (65%)	580 (97%)	18 (3%)	44	68

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	490	CYS
1	A	498	SER
1	A	564	SER
1	A	573	TYR
1	A	691	LEU
1	A	718	LEU
1	A	751	CYS
1	A	759	TRP
1	A	803	SER
1	B	490	CYS
1	B	498	SER
1	B	564	SER
1	B	573	TYR
1	B	691	LEU
1	B	718	LEU
1	B	751	CYS
1	B	759	TRP
1	B	803	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-36784. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 176




Y Index: 161




Z Index: 198


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 53 nm³; this corresponds to an approximate mass of 48 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.34	7.10	4.46

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.34 differs from the reported value 3.3 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-36784 and PDB model 8K12. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.3).







9.4 Atom inclusion [i](#)



At the recommended contour level, 74% of all backbone atoms, 53% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5320	 0.3500
A	 0.5320	 0.3500
B	 0.5320	 0.3490

